BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

CUMULATIVE AUTHOR AND SUBJECT INDEXES

1989

ELSEVIER

EDITOR-IN-CHIEF – D.P. PURPURA

BRAIN RESEARCH

INSTRUCTIONS TO AUTHORS

SCOPE AND PURPOSE

BRAIN RESEARCH provides a medium for prompt publication of articles in the fields of neuroanatomy, neurochemistry, neurophysiology, neuroendocrinology, neuropharmacology, neurotoxicology, neurocommunications, behavioural sciences, molecular neurology and biocybernetics. Clinical studies that are of fundamental importance and have a direct bearing on the knowledge of the structure and function of the brain, the spinal cord, and the peripheral nerves will also be published.

TYPE OF PAPERS

1. **Research Reports** reporting results of original fundamental research in any branch in the brain sciences. It is expected that these papers will be published about six months after acceptance.
2. **Short Communications** reporting on research which has progressed to the stage when it is considered that the results should be made known quickly to other workers in the field. The maximum length allowed will be 1500 words or equivalent space in tables and illustrations. It is expected that short communications will be published about three months after acceptance.
3. **Review articles.** A supplementary volume entitled Brain Research Reviews will be published quarterly which will be devoted to Review articles and occasionally long research papers with extensive review components, giving a survey, an evaluating and critical interpretation of recent research data and conceptions in a particular field of brain research or on a specific problem or topic of interest to workers in the brain sciences.

MANUSCRIPTS

Manuscripts should be submitted *in quadruplicate* and be complete in all respects (including four copies of all illustrations), and deal with original material not previously published, or being considered for publication elsewhere. Manuscripts submitted under multiple authorship are reviewed on the assumption that all listed authors concur with the submission and that a copy of the final manuscript has been approved by all authors and tacitly or explicitly by the responsible authorities in the laboratories where the work was carried out. If accepted, the manuscript shall not be published elsewhere in the same form, in either the same or another language, without the consent of the Editors and Publisher. Submission of a paper to **Brain Research** is understood to imply that it has not previously been published (except in abstract form) and that it is not being considered for publication elsewhere.
The Publisher and Editor-in-Chief regret that they are unable to return copies of submitted manuscripts except in the case of rejected articles, where only the original manuscript and figures are returned to the author.

Research reports and short communications should be sent to:
Professor Dr. D. P. PURPURA
Brain Research
Office of the Dean
Albert Einstein College of Medicine
Jack and Pearl Resnick Campus
1300 Morris Park Avenue
Bronx, NY 10461, U.S.A.
Tel.: (1) (212) 430-2387
Fax: (1) (212) 597-4072

Correspondence relating to proofs, publication and reprints should be sent to:
Elsevier Science Publishers B.V.
(Academic Publishing Division)
P.O. Box 1527
1000 BM Amsterdam
The Netherlands
Tel.: (31) (20) 5803467
Fax: (31) (20) 5803271

Authors should clearly state the section for which the article should be considered. Review articles will only be published in Brain Research Reviews. Developmental studies and molecular studies may be considered at the request of the author for publication in *Brain Research*, but will usually be considered for the appropriate section.

Page charge. A charge of US$ 80.00 will be levied for each printed page in excess of 10 printed pages for **Research Reports** and 5 printed pages for **Short Communications.** Upon receipt of each typescript its size in printed pages is estimated by the Publisher. If the estimate is higher than the limits allowed, the authors are advised that they may expect a page charge, the exact amount of which is fixed after the definite length of their paper is known. As an approximate guide to authors for judging the length of their paper, the following estimation may be used:
3 type-written pages = 1 printed page; 3 'average' figures + legends = 1 printed page; 3 'average' tables = 1 printed page; 35 references = 1 printed page.

Manuscripts. Manuscripts should be written in English and be accompanied by a list of 6–8 **key words** and a **summary** of about 200 words for **Research Reports** and 50–70 words for **Short Communications,** on a separate page. Manuscripts must be submitted in four copies in **double-spaced** typing with at least a 4 cm margin on pages of uniform size. As a rule research reports and review articles should be **divided into sections** headed by a caption (Summary, Introduction, Materials and Methods, Results, Discussion, Acknowledgements, References). Short communications should contain no section headings. In order to ensure rapid publication, no revisions or up-datings will be incorporated into a short communication after the manuscript has been accepted and sent to the Publisher.

Authors' full names, academic or professional affiliations, and **complete addresses** should be included on a separate title page. The name and address of the author to whom proofs and correspondence are to be sent should be given.

Literature references. Citation of literature references in the text should be given at the appropriate places by numbers as superscripts without parentheses. All references cited in the text should be listed at the end of the paper on a separate page (also double-spaced) arranged in alphabetical order of first author and numbered consecutively. All items in the list of references should be cited in the text and, conversely, all references cited in the text must be presented in the list.
Literature references must be complete, including initials of the authors cited, title of paper referred to, abbreviated title of the periodical, volume, year, and first and last page numbers of the article. The abbreviations of journal titles should conform to those adopted by *List of Serial Title Word Abbreviations*, CIEPS/ISDS, Paris, 1985 (ISBN 2-904938-02-8). (See example 2.) The form of literature references to books should be: author, initials, title of book, publisher and city, year and page number referred to. (See example 1.) References to authors contributing to multi-author books or to proceedings printed in book-form should be similar to those for books. (See example 3.)
Examples:

1 Bureš, J., Burešová, O. and Huston, J. P., *Techniques and Basic Experiments for the Study of Brain and Behavior*, 2nd edn., Elsevier, Amsterdam, 1983, 326 pp.
2 Langston, J. W., Irwin, I., Langston, E. B. and Forno, L. S., The importance of the '4–5' double bond for neurotoxicity in primates of the pyridine derivative MPTP, *Neurosci. Lett.*, 50 (1984) 289–294.
3 Sofroniew, M. V., Morphology of vasopressin and oxytocin neurones and their central and vascular projections. In B. A. Cross and G. Leng (Eds.), *The Neurohypophysis: Structure, Function and Control, Progress in Brain Research, Vol. 60*, Elsevier, Amsterdam, 1983, pp. 101–114.

This journal should be cited in the list of references as *Brain Research*.

(continued on inside back cover)

Information for Advertisers. Advertising orders and enquiries can be sent to the Advertising Manager, Elsevier Science Publishers B.V., Advertising Department, Molenwerf 1, 1014 AG Amsterdam, or P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel.: (31) (20) 5803714; Fax: (31) (20) 5803769, attn. Advertising Dept.; U.K.: T.G. Scott and Son Ltd., Michael White, 30–32 Southampton St., London WC2E 7HR, U.K., Tel.: (44) (71) 2402032; Fax: (44) (71) 3797155; U.S.A. and Canada: Weston Media Associates, Daniel Lipner, P.O. Box 1110, Green Farms, CT 06436-1110, U.S.A., Tel.: (1) (203) 261-2500; Fax: (1) (203) 261-0101.

BRAIN RESEARCH

AUTHOR AND SUBJECT INDEXES 1989

(Including Developmental Brain Research, Brain Research Reviews and Molecular Brain Research)

BRAIN RESEARCH

INTERNATIONAL MULTIDISCIPLINARY JOURNAL DEVOTED TO FUNDAMENTAL RESEARCH IN THE BRAIN SCIENCES

EDITOR-IN-CHIEF: D. P. PURPURA (BRONX, NY, U.S.A.)

EDITORIAL BOARD

G. K. Aghajanian (New Haven, CT, U.S.A.)
B. W. Agranoff (Ann Arbor, MI, U.S.A.)
A. Aguayo (Montreal, Que., Canada)
P. Andersen (Oslo, Norway)
E. C. Azmitia (New York, NY, U.S.A.)
G. Bartholini (Paris, France)
M. V. L. Bennett (Bronx, NY, U.S.A.)
A. Björklund (Lund, Sweden)
F. E. Bloom (La Jolla, CA, U.S.A.)
A. G. Brown (Edinburgh, U.K.)
P. Buser (Paris, France)
R. E. Coggeshall (Galveston, TX, U.S.A.)
B. Cohen (New York, NY, U.S.A.)
H. Collewijn (Rotterdam, The Netherlands)
W. M. Cowan (Bethesda, MD, U.S.A.)
A. C. Cuello (Montreal, Que., Canada)
M. Cynader (Vancouver, B.C., Canada)
J. E. Desmedt (Brussels, Belgium)
J. E. Dowling (Cambridge, MA, U.S.A.)
J. J. Dreifuss (Geneva, Switzerland)
B. Droz (Lausanne, Switzerland)
S. Dunnett (Cambridge, U.K.)
P. C. Emson (Cambridge, U.K.)
S. J. Enna (Baltimore, MD, U.S.A.)
H. L. Fields (San Francisco, CA, U.S.A.)
B. Flerkó (Pecs, Hungary)
H. M. Gerschenfeld (Paris, France)
J. Glowinski (Paris, France)
P. Goldman-Rakic (New Haven, CT, U.S.A.)
M. H. Goldstein Jr. (Baltimore, MD, U.S.A.)
S. Grillner (Stockholm, Sweden)
B. Gustafsson (Göteborg, Sweden)
A. Hamberger (Göteborg, Sweden)
K. P. Hoffmann (Bochum, F.R.G.)
T. G. M. Hökfelt (Stockholm, Sweden)
R. L. Isaacson (Binghamton, NY, U.S.A.)
M. Ito (Tokyo, Japan)
B. Jacobs (Princeton, NJ, U.S.A.)
G. A. R. Johnston (Sydney, Australia)
E. G. Jones (Irvine, CA, U.S.A.)
J. S. Kelly (Edinburgh, U.K.)
C. Kennedy (Bethesda, MD, U.S.A.)
L. Kruger (Los Angeles, CA, U.S.A.)
J. LaVail (San Francisco, CA, U.S.A.)
J. Liebeskind (Los Angeles, CA, U.S.A.)
H. D. Lux (Planegg, F.R.G.)
B. S. McEwen (New York, NY, U.S.A.)
E. G. McGeer (Vancouver, B.C., Canada)
R. Y. Moore (Pittsburgh, PA, U.S.A.)
P. Morell (Chapel Hill, NC, U.S.A.)
W. T. Norton (Bronx, NY, U.S.A.)
M. Palkovits (Budapest, Hungary)
A. J. Patel (London, U.K.)
R. Quirion (Verdun, Que., Canada)
C. S. Raine (Bronx, NY, U.S.A.)
G. Raisman (London, U.K.)
H. J. Ralston III (San Francisco, CA, U.S.A.)
P. Rakic (New Haven, CT, U.S.A.)
S. I. Rapoport (Bethesda, MD, U.S.A.)
C. E. Ribak (Irvine, CA, U.S.A.)
P. Rudomín (Mexico D.F., Mexico)
R. W. Ryall (Cambridge, U.K.)
M. Schachner (Heidelberg, F.R.G.)
E. J. Simon (New York, NY, U.S.A.)
S. H. Snyder (Baltimore, MD, U.S.A.)
C. Sotelo (Paris, France)
J. Stone (Kensington, Australia)
L. Terenius (Uppsala, Sweden)
H. Thoenen (Munich, F.R.G.)
S. Tucek (Prague, Czechoslovakia)
S. Waxman (New Haven, CT, U.S.A.)
R. Werman (Jerusalem, Israel)
C.-P. Wu (Shanghai, China)
R. Wurtman (Cambridge, MA, U.S.A.)
W. Zieglgänsberger (Munich, F.R.G.)
R. S. Zukin (Bronx, NY, U.S.A.)

AUTHOR AND SUBJECT INDEXES – 1989

ELSEVIER SCIENCE PUBLISHERS B.V. – AMSTERDAM

© 1991, Elsevier Science Publishers B.V. (Academic Publishing Division)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Academic Publishing Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

Printed in The Netherlands.

This journal is printed on acid-free paper.

INTRODUCTION

The 1989 Cumulative Author and Subject Index comprises eight separate indexes: the Author and Subject Indexes of **Brain Research, Molecular Brain Research, Developmental Brain Research** and **Brain Research Reviews.** Please note that in 1989 each section had its own volume numbering according to the schedule below. This numbering has been used in the present indexes.

BRAIN RESEARCH (1989) Volumes			
Brain Research **Vols. 476–502;** **503–505**	**Molecular Brain Research** **Vols. 5 and 6**	**Developmental Brain Research** **Volumes 45–50**	**Brain Research Reviews** **Vol. 14**

Please note that the above schedule differs slightly from the 1989 publication schedule: Volumes 473-475 of **Brain Research** and Volume 44 of **Developmental Brain Research** belong to the 1989 subscription year but were published in advance in 1988 and were indexed in the 1988 index. Volumes 503-505 of **Brain Research** belong to the 1990 subscription year but were published ahead of schedule in 1989 and are indexed in the present index.

Readers should note that American spelling is used throughout the Subject Indexes.

The Editor and Publisher welcome any comments on the usefulness of this index, as well as suggestions for improvements.

AUTHOR AND SUBJECT INDEXES

CONTENTS

Introduction v
Brain Research Author Index (Vols. 476–502; 503–505) 1
Brain Research Subject Index (Vols. 476–502; 503–505 75
Developmental Brain Research Author Index (Vols. 45–50) 279
Developmental Brain Research Subject Index (Vols. 45–50) 291
Brain Research Reviews Author Index (Vol. 14) 319
Brain Research Reviews Subject Index (Vol. 14) 323
Molecular Brain Research Author Index (Vols. 5 and 6) 329
Molecular Brain Research Subject Index (Vols. 5 and 6) 337

BRAIN RESEARCH
AUTHOR INDEX
1989
VOLUMES 476–502; 503–505

A

Abate, C., see Milner, T.A., **478**, 1
Abbott, F.V., see Mastrianni, J.A., **479**, 283
Ableitner, A. and Herz, A.
Limbic brain structures are important sites of κ-opioid receptor-mediated actions in the rat: a [^{14}C]-2-deoxyglucose study, **478**, 326
Abou-Donia, M.B., see Carrington, C.D., **476**, 179
Abou-Donia, M.B., see Lapadula, D.M., **481**, 157
Abumrad, N.N., see Radosevich, P.M., **498**, 89
Acker, H., see Delpiano, M.A., **482**, 235
Acker, H., see Hescheler, J., **486**, 79
Acuña, C., see Cudeiro, J., **484**, 367
Adachi, S., Oka, J.-I. and Fukuda, H.
Calcium-dependent dynamic changes in the subcellular distribution of calmodulin in frog spinal cells, **487**, 196
Adams, M.E., see Ashe, J.H., **480**, 234
Adem, A., Jossan, S.S., d'Argy, R., Gillberg, P.G., Nordberg, A., Winblad, B. and Sara, V.
Insulin-like growth factor 1 (IGF-1) receptors in the human brain: quantitative autoradiographic localization, **503**, 299
Adinolfi, A.M., see Freed, W.J., **485**, 349
Adret, P. and Rogers, L.J.
Sex difference in the visual projections of young chicks: a quantitative study of the thalamofugal pathway, **478**, 59
Adrien, J., see Davenne, D., **485**, 267
Aebischer, P., see Valentini, R.F., **480**, 300
Agarwala, S., see Petry, H.M., **489**, 199
Aghajanian, G.K., see Rasmussen, K., **505**, 346
Aghajanian, G.K., see Wang, Y.-Y., **500**, 107
Agnati, L.F., see Benfenati, F., **498**, 376
Agnati, L.F., see Tanganelli, S., **502**, 319
Ågren, H., see Koulu, M., **503**, 246
Aguera, M., see Didier-Bazes, M., **489**, 137
Aguilar-Roblero, R., see Arankowsky-Sandoval, G., **494**, 396
Aguirre, J.A., Coveñas, R., Croix, D., Alonso, J.R., Narváez, J.A., Tramy, G. and González-Barón, S.
Immunocytochemical study of angiotensin-II fibres and cell bodies in the brainstem respiratory areas of the cat, **489**, 311
Aijón, J., see Alonso, J.R., **490**, 385
Aiple, F., see Krüger, J., **477**, 57
Airaksinen, M.S., see Panula, P., **484**, 234
Aitken, D.M., see Ridley, R.M., **502**, 306
Aitken, P.G., see Balestrino, M., **497**, 102
Akai, M., see Sugimoto, T., **505**, 354
Akaike, N., see Ishizuka, S., **498**, 181
Akaike, N., see Kaneda, M., **484**, 348
Akaike, N., see Kaneda, M., **487**, 192
Akaike, N., see Kaneda, M., **497**, 187
Akaike, N., see Wakamori, M., **494**, 374
Akaike, N., see Yakushiji, T., **488**, 357
Akaike, N., Oyama, Y. and Yakushiji, T.
Influences of external Ca^{2+} on the GABA-induced chloride current and the efficacy of diazepam in internally perfused frog sensory neurons, **504**, 293
Akaike, T.
Electrophysiological analysis of the trigemino-olivo-cerebellar (crura I and II, lobulus simplex) projection in the rat, **482**, 402
Åkerman, K.E.O., see Heinonen, E., **496**, 187
Åkerman, K.E.O., see Kristian Enkvist, M.O., **500**, 46
Akeson, R.A. and Haines, S.L.
Rat olfactory cells and a central nervous system neuronal subpopulation share a cell surface antigen, **488**, 202
Akiguchi, I., see Ino, T., **479**, 157
Akiguchi, I., see Shigematsu, K., **497**, 21
Akiguchi, I., see Shigematsu, K., **501**, 215
Akil, H., see Herman, J.P., **501**, 235
Akimoto, K., Hamamura, T. and Otsuki, S.
Subchronic cocaine treatment enhances cocaine-induced dopamine efflux, studied by in vivo intracerebral dialysis, **490**, 339
Akiyama, A., see Nakazato, T., **490**, 332
Akiyama, H. and McGeer, P.L.
Microglial response to 6-hydroxydopamine-induced substantia nigra lesions, **489**, 247
Akiyama, H., see Tago, H., **495**, 271
Akiyama, K., see Yamada, N., **490**, 126
Akiyama, K., Yamada, N. and Otsuki, S.
Lasting increase in excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of amygdala-kindled rats, **485**, 95
Akov, Y., see Kobiler, D., **496**, 314
Al-Ghoul, W.M. and Miller, M.W.
Transient expression of Alz-50 immunoreactivity in developing rat neocortex: a marker for naturally occurring neuronal death?, **481**, 361
Alabadí, J.A., see Miranda, F.J., **492**, 45
Albeck, D., see Cach, R., **483**, 221
Albers, H.E., see Liou, S.Y., **477**, 336
Albin, R.L., Aldridge, J.W., Young, A.B. and Gilman, S.
Feline subthalamic nucleus neurons contain glutamate-like but not GABA-like or glycine-like immunoreactivity, **491**, 185
Alborch, E., see Miranda, F.J., **492**, 45
Albrecht, J., see Pylova, S.I., **490**, 170
Albrecht, D., Rausche, G. and Heinemann, U.
Reflections of low calcium epileptiform activity from area CA1 into dentate gyrus in the rat hippocampal slice, **480**, 393
Albrecht, R.F., see Pellegrino, D.A., **479**, 241
Alderman, D.W., see Stolk, J.A., **482**, 1
Aldrich, L.B., see Kossut, M., **476**, 78
Aldridge, J.W., see Albin, R.L., **491**, 185
Aldridge, J.W., see Sachdev, R.N.S., **501**, 295
Alescio-Lautier, B., Metzger, D., Devigne, C. and Soumireu-Mourat, B.
Microinjection of anti-vasopressin serum into hippocampus in mice: effects on appetitively reinforced task after intraventricular administration of Arg-vasopressin, **500**, 287
Allan, A.M., see Harris, R.A., **490**, 26
Allard, M., Geoffre, S., Legendre, P., Vincent, J.D. and Simonnet, G.
Characterization of rat spinal cord receptors to FLFQPQRFamide, a mammalian morphine modulating peptide: a binding study, **500**, 169
Allen, A., see Jenkins, L.W., **477**, 211
Allen, A.C., see Gammon, C.M., **479**, 217
Allen, J.M., see Hooi, S.C., **486**, 214
Allerton, C.A., Smith, J.A.M., Hunter, J.C., Hill, R.G. and Hughes, J.
Correlation of ontogeny with function of [^{3}H]U69593 labelled κ opioid binding sites in the rat spinal cord, **502**, 149
Allesøe, K., see Treiman, M., **488**, 260
Alleva, E., see Calamandrei, G., **477**, 1
Allin, R., Russell, V., Lamm, M. and Taljaard, J.
Regional distribution of dopamine D_1 and D_2 receptors in the nucleus accumbens of the rat, **501**, 389
Allot, C.P., see Tortella, F.C., **482**, 179
Almaraz, L., see Obeso, A., **481**, 250
Alonso, J.M., see Cudeiro, J., **484**, 367
Alonso, J.R., Coveñas, R., Lara, J., De León, M. and Aijón, J.
Distribution of vasoactive intestinal polypeptide-like immunoreactivity in the olfactory bulb of the rainbow trout (*Salmo gairdneri*), **490**, 385
Alonso, J.R., see Aguirre, J.A., **489**, 311
Alonso, J.R., see Coveñas, R., **481**, 185

Alonso, M.J., see Salaices, M., **490**, 133

Altar, C.A. and Boyar, W.C.
Brain CCK-B receptors mediate the suppression of dopamine release by cholecystokinin, **483**, 321

Altschuler, R.A., see Helfert, R.H., **501**, 269

Altschuler, R.A., see Juiz, J.M., **504**, 173

Alvarez, J., see Von Bernhardi, R., **478**, 301

Alvinerie, M., see Gué, M., **502**, 143

Amagasa, M., Mizoi, K., Ogawa, A. and Yoshimoto, T.
Actions of brain-protecting substances against both oxygen and glucose deprivation in the guinea pig hippocampal neurons studied in vitro, **504**, 87

Amalric, M. and Koob, G.F.
Dorsal pallidum as a functional motor output of the corpus striatum, **483**, 389

Amano, N., see Yoshino, K., **503**, 152

Amassian, V.E., Cracco, R.Q. and Maccabee, P.J.
A sense of movement elicited in paralyzed distal arm by focal magnetic coil stimulation of human motor cortex, **479**, 355

Ambalavanar, R. and Morris, R.
Fluoro-Gold injected either subcutaneously or intravascularly results in extensive retrograde labelling of CNS neurones having axons terminating outside the blood–brain barrier, **505**, 171

Ambrosio, S., see Ballarin, M., **483**, 184

Amir, S.
Retinohypothalamic tract stimulation activates thermogenesis in brown adipose tissue in the rat, **503**, 163

Amir, S., Lagiorgia, M. and Pollock, R.
Intra-ventromedial hypothalamic injection of insulin suppresses brown fat thermogenesis in the anaesthetized rat, **480**, 340

Amir, S., Pollock, R. and Lagiorgia, M.
Intra-hypothalamic injection of thyrotropin-releasing hormone suppresses brown fat thermogenesis in the anaesthetized rat, **478**, 361

Amir, S., Shizgal, P. and Rompré, P.-P.
Glutamate injection into the suprachiasmatic nucleus stimulates brown fat thermogenesis in the rat, **498**, 140

Ammassari-Teule, M., see Libri, V., **479**, 1

Ammons, W.S.
Primate spinothalamic cell responses to ureteral occlusion, **496**, 124

Amor, J.C., see Fernández-Ruiz, J.J., **476**, 388

Amoroso, S., seè Taglialatela, M., **488**, 114

Amrhein, C.L., see Surichamorn, W., **493**, 320

Amri, M., Lamkadem, M. and Car, A.
Activity of extrinsic tongue muscles during swallowing in sheep, **503**, 141

Anandatheerthavarada, H.K., see Ravindranath, V., **496**, 331

And, N.-E., see Hurd, Y.L., **498**, 199

Anders, J.J., see Hall, L.L., **490**, 157

Anderson, A.C., see Gean, P.-W., **494**, 177

Anderson, C.R., see Elghozi, J.-L., **499**, 39

Anderson, C.R., see McLachlan, E.M., **481**, 274

Anderson, E.G., see Grigg, J.J., **489**, 302

Anderson, E.G., see Scroggs, R.S., **485**, 391

Anderson, J., Wallace, W., Snyder, S., Haroutunian, V., Roberts, J.L. and Lieberburg, I.
Cellular forms of the rat and human β-amyloid precursor protein (BAPP), **478**, 391

Anderson, J.H., see Reisman, J.E., **484**, 119

Anderson, R.E., see Morgan, M.K., **496**, 241

Andiné, P., see Kjellmer, I., **478**, 241

Ando, Y., Inoue, M., Hirota, M., Morino, Y. and Araki, S.
Effect of a superoxide dismutase derivative on cold-induced brain edema, **477**, 286

Andoh, S., see Yoshino, K., **503**, 152

Andres, U., see Kaltwasser, M.T., **496**, 380

Andrew, R.D., Fagan, M., Ballyk, B.A. and Rosen, A.S.
Seizure susceptibility and the osmotic state, **498**, 175

Angaut, P. and Sotelo, C.
Synaptology of the cerebello-olivary pathway. Double labelling with anterograde axonal tracing and GABA immunocytochemistry in the rat, **479**, 361

Angaut-Petit, D., see Mallart, A., **479**, 167

Angel, I. and Taranger, M.-A.
Coupling between hypothalamic α_2-adrenoceptors and [3H]mazindol binding site in response to several hyperglycaemic stimuli in mice, **490**, 367

Angel, I., Janowsky, A. and Paul, S.M.
The effects of serotonergic and dopaminergic lesions on sodium-sensitive [^{3}H]mazindol binding in rat hypothalamus and corpus striatum, **503**, 339

Anneser, F., see Villringer, A., **504**, 159

Annunziato, L., see Taglialatela, M., **488**, 114

Antel, J.P., see Grenier, Y., **480**, 87

Anwyl, R., Mulkeen, D. and Rowan, M.J.
The role of *N*-methyl-D-aspartate receptors in the generation of short-term potentiation in the rat hippocampus, **503**, 148

Aoki, M., see Fujito, Y., **492**, 36

Aoki, M., see Satomi, H., **492**, 255

Aoki, C., Zemcik, B.A., Strader, C.D. and Pickel, V.M.
Cytoplasmic loop of β-adrenergic receptors: synaptic and intracellular localization and relation to catecholaminergic neurons in the nuclei of the solitary tracts, **493**, 331

Aoki, E., Semba, R. and Kashiwamata, S.
When does GABA-like immunoreactivity appear in the rat cerebellar GABAergic neurons?, **502**, 245

Aou, S., see Lénárd, L., **500**, 359

Apicella, A.M., see Yoshii, F., **483**, 355

Appenteng, K., see Moore, J.A., **489**, 383

Applegate, M.D., see Koliatsos, V.E., **482**, 205

Araki, S., see Ando, Y., **477**, 286

Araki, T., see Onodera, H., **481**, 1

Arankowsky-Sandoval, G., García-Hernández, F., Aguilar-Roblero, R. and Drucker-Colín, R.
REM sleep enhancement induced by sensory stimulation is prevented by kainic acid lesion of the pontine reticular formation, **494**, 396

Araujo, D.M., Lapchak, P.A., Collier, B. and Quirion, R.
Localization of interleukin-2 immunoreactivity and interleukin-2 receptors in the rat brain: interactions with the cholinergic system, **498**, 257

Araujo, D.M., Lapchak, P.A., Collier, B., Chabot, J.-G. and Quirion, R.
Insulin-like growth factor-1 (somatomedin-C) receptors in the rat brain: distribution and interaction with the hippocampal cholinergic system, **484**, 130

Araujo, D.M., see Lapchak, P.A., **496**, 285

Arbuthnott, G.W., see Ingham, C.A., **503**, 334

Arden, R.L., see Drescher, D.G., **485**, 225

Arends, J.J.A. and Zeigler, H.P.
Cerebellar connections of the trigeminal system in the pigeon (*Columba livia*), **487**, 69

Arezzo, J.C., see Schroeder, C.E., **477**, 183

Ariano, M.A. and Kenny, S.L.
Striatal muscarinic receptors are associated with substance P and somatostatin containing neurons, **497**, 51

Arilla, E., see Rodriguez-Sanchez, M.N., **494**, 36

Arimura, A., see Horváth, S., **481**, 8

Arissian, K., see Sakamoto, T., **503**, 258

Arita, H., Ichikawa, K., Kuwana, S. and Kogo, N.

Possible locations of pH-dependent central chemoreceptors: intramedullary regions with acidic shift of extracellular fluid pH during hypercapnia, **485**, 285
Armstrong, D.R., Neill, K.H., Crain, B.J. and Nadler, J.V. Absence of electrographic seizures after transient forebrain ischemia in the Mongolian gerbil, **476**, 174
Arneric, S.P., see Iadecola, C., **501**, 188
Arnold, A.P., see Brenowitz, E.A., **480**, 119
Arnold, A.P., see Matsumoto, A., **495**, 362
Arnolde, S.M., see Nevins, M.E., **503**, 1
Aronson, C.E., see Kovachich, G.B., **505**, 123
Arrivas, S., see Balfagon, G., **477**, 196
Artola, A., see Chun, M.H., **494**, 401
Arvidsson, J., see Rivero-Melian, C., **496**, 131
Arvidsson, J. and Raappana, P. An HRP study of the central projections from primary sensory neurons innervating the rat masseter muscle, **480**, 111
Arvidsson, U., Cullheim, S., Ulfhake, B., Hökfelt, T. and Terenius, L. Altered levels of calcitonin gene-related peptide (CGRP)-like immunoreactivity of cat lumbar motoneurons after chronic spinal cord transection, **489**, 387
Asai, M., see Talavera, E., **485**, 141
Asanuma, H., see Mori, A., **504**, 206
Asanuma, H., see Sakamoto, T., **503**, 258
Asato, F. and Yokota, T. Responses of neurons in nucleus ventralis posterolateralis of the cat thalamus to hypogastric inputs, **488**, 135
Ashby Jr., C.R., Edwards, E., Harkins, K. and Wang, R.Y. Effects of (±)-DOI on medial prefrontal cortical cells: a microiontophoretic study, **498**, 393
Ashby Jr., C.R., Hitzemann, R., Rubinstein, J.E. and Wang, R.Y. One year treatment with haloperidol or clozapine fails to alter neostriatal D_1- and D_2-dopamine receptor sensitivity in the rat, **493**, 194
Ashby Jr., C.R., see Rubinstein, J.E., **496**, 385
Ashe, J.H., Cox, C.L. and Adams, M.E. Argiotoxin-636 blocks excitatory synaptic transmission in rat hippocampal CA1 pyramidal neurons, **480**, 234
Ashida, H., see Kanda, M., **484**, 325
Ashida, H., see Maru, E., **478**, 112
Ashton, D., Van Reempts, J., Haseldonckx, M. and Willems, R. Dorsal–ventral gradient in vulnerability of CA1 hippocampus to ischemia: a combined histological and electrophysiological study, **487**, 368
Ashton, D., Willems, R. and Wauquier, A. Selective vulnerability of synaptic transmission in hippocampus to ex-vivo ischemia: effects of extracellular ionic substitution in the postischemic period, **487**, 402
Assia, E., Rosner, M., Belkin, M., Solomon, A. and Schwartz, M. Temporal parameters of low energy laser irradiation for optimal delay of post-traumatic degeneration of rat optic nerve, **476**, 205
Astheimer, L.B., see Wilson, P.M., **486**, 236
Atack, J.R., Wenk, G.L., Wagster, M.V., Kellar, K.J., Whitehouse, P.J. and Rapoport, S.I. Bilateral changes in neocortical [^{3}H]pirenzepine and [^{3}H]oxotremorine-M binding following unilateral lesions of the rat nucleus basalis magnocellularis: an autoradiographic study, **483**, 367
Atlas, D., see Diamant, S., **503**, 55
Atlas, D., see Schwartz, L., **503**, 62
Atmadja, S., see MacLennan, A.J., **477**, 300
Atrens, D.M., see McGregor, I.S., **490**, 397
Atrens, D.M., see Siviy, S.M., **487**, 79
Attal, N., see Guilbaud, G., **484**, 383
Attal, N., Kayser, V., Jazat, F. and Guilbaud, G. Behavioural evidence for a bidirectional effect of systemic naloxone in a model of experimental neuropathy in the rat, **494**, 276
Atweh, S.F., see Saadé, N.E., **486**, 399
Atweh, S.F., see Saadé, N.E., **486**, 403
Aucouturier, P., see Neveu, P.J., **498**, 159
Auerbach, S.B., Minzenberg, M.J. and Wilkinson, L.W. Extracellular serotonin and 5-hydroxyindoleacetic acid in hypothalamus of the unanesthetized rat measured by in vivo dialysis coupled to high-performance liquid chromatography with electrochemical detection: dialysate serotonin reflects neuronal release, **499**, 281
Ault, B., Caviedes, P. and Rapoport, S.I. Neurophysiological abnormalities in cultured dorsal root ganglion neurons from the trisomy-16 mouse fetus, a model for Down syndrome, **485**, 165
Ault, B., Caviedes, P., Hidalgo, J., Epstein, C.J. and Rapoport, S.I. Electrophysiological analysis of cultured fetal mouse dorsal root ganglion neurons transgenic for human superoxidase dismutase-1, a gene in the Down syndrome region of chromosome 21, **497**, 191
Autilio-Gambetti, L., see Monaco, S., **491**, 328
Auvinen, S., see Panula, P., **484**, 234
Auvray, N., Caston, J., Reber, A. and Stelz, T. Role of the cerebellum in the ontogenesis of the equilibrium behavior in the young rat: a behavioral study, **505**, 291
Avidor, R., Eilam, R., Malach, R. and Gozes, I. VIP-mRNA is increased in hypertensive rats, **503**, 304
Awiszus, F. and Schäfer, S.S. Re-afferent effects of individual static and dynamic γ-stimuli during maintained fusimotor stimulation, **489**, 41
Axelsson, G.A., see Ryan, A.F., **483**, 283
Ayesta, F.J. and Nikolarakis, K.E. Peripheral but not intracerebroventricular corticotropin-releasing hormone (CRH) produces antinociception which is not opioid mediated, **503**, 219
Azanza, M.J. Steady magnetic fields mimic the effect of caffeine on neurons, **489**, 195
Azimuddin, S., see Yoburn, B.C., **485**, 176
Azmitia, E.C., see Segal, M., **502**, 67
Azmitia, E.C., see Whitaker-Azmitia, P.M., **497**, 80

B

Baba, A., Kihara, T., Sawada, T. and Iwata, H. Excitatory amino acids enhance dissociation of zinc from soluble protein in cytosol of rat hippocampus, **486**, 372
Baba, A., see Koyama, Y., **487**, 113
Babcock-Atkinson, E., Norenberg, L.O.B., Norenberg, M.D. and Neary, J.T. Diazepam inhibits calcium, calmodulin-dependent protein kinase in primary astrocyte cultures, **484**, 399
Bachoo, M., see Caverson, M.M., **482**, 365
Bäckström, I., Bergström, M. and Marcusson, J. High affinity [^{3}H]paroxetine binding to serotonin uptake sites in human brain tissue, **486**, 261
Badia, A., see Sallés, J., **498**, 366
Bagdy, G., Calogero, A.E., Chrousos, G.P. and Szemeredi, K. Delayed effects of chronic cortisol treatment on brain and plasma concentrations of corticotropin (ACTH) and β-endorphin, **489**, 216

Bagley, P.R., Tucker, S.P., Nolan, C., Lindsay, J.G., Davies, A., Baldwin, S.A., Cremer, J.E. and Cunningham, V.J.
Anatomical mapping of glucose transporter protein and pyruvate dehydrogenase in rat brain: an immunogold study, **499**, 214
Bagust, J., Kerkut, G.A. and Rakkah, N.I.A.
Differential sensitivity of dorsal and ventral root activity to magnesium and 2-amino-5-phosphonovalerate (APV) in an isolated mammalian spinal cord preparation, **479**, 138
Baik-Han, E.J., see Oh, U.T., **501**, 90
Bailey, D., see Sullivan, A.F., **482**, 219
Bailo, M.T., see Jhanwar-Uniyal, M., **500**, 247
Baimbridge, K.G., see Carr, P.A., **497**, 163
Baimbridge, K.G., see Klancnik, J.M., **505**, 145
Baimbridge, K.G., see Mudrick, L.A., **493**, 179
Bakalkin, G.Y. and Kobylyansky, A.G.
Opioids induce postural asymmetry in spinal rat: the side of the flexed limb depends upon the type of opioid agonist, **480**, 277
Bakalkin, G.Y., Pivovarov, A.S., Kobylyansky, A.G., Nesterenko, P.N. and Yarygin, K.N.
Lateralization of opioid receptors in turtle visual cortex, **480**, 268
Baker, G.B., see Vanderwolf, C.H., **504**, 181
Baker, H.F., see Ridley, R.M., **502**, 306
Baker, J.D., see Hawkins, M.F., **487**, 188
Baker, J.F., see Mason, C.R., **490**, 373
Baker, K., see Zorumski, C.F., **484**, 102
Baker, M.L., see Flood, J.F., **503**, 73
Baker, M.T., see Cohen, A.H., **496**, 368
Baker, R.L., see Fernstrom, M.H., **499**, 291
Balbo, A., see Wadhwani, K.C., **493**, 231
Baldwin, B.A., see Kendrick, K.M., **492**, 211
Baldwin, B.A., see Thornton, S.N., **488**, 297
Baldwin, S.A., see Bagley, P.R., **499**, 214
Balestrino, M., Aitken, P.G. and Somjen, G.G.
Spreading depression-like hypoxic depolarization in CA1 and fascia dentata of hippocampal slices: relationship to selective vulnerability, **497**, 102
Balfagon, G., Rosa de Sagarra, M., Barrus, M.T., Arrivas, S., Capilla, M.I. and Marin, J.
Effect of phorbol esters on noradrenaline release from cerebral arteries, **477**, 196
Ball, G.F., Nock, B., McEwen, B.S. and Balthazart, J.
Distribution of α_2-adrenergic receptors in the brain of the Japanese quail as determined by quantitative autoradiography: implications for the control of sexually dimorphic reproductive processes, **491**, 68
Ball, G.F., see Balthazart, J., **492**, 163
Ball, J.A., Ghatei, M.A., Sekiya, K., Krausz, T. and Bloom, S.R.
Diazepam binding inhibitor-like immunoreactivity(51–70): distribution in human brain, spinal cord and peripheral tissues, **479**, 300
Ballarin, M., Reiriz, J., Ambrosio, S., Camps, M., Blesa, R. and Mahy, N.
Acute effects of 1-methyl-1,4-phenylpyridinium ion (MPP^+) on purine metabolism in rat striatum studied in vivo using the microdialysis technique, **483**, 184
Balleine, B.W., see McGregor, I.S., **490**, 397
Ballyk, B.A., see Andrew, R.D., **498**, 175
Balthazart, J., see Ball, G.F., **491**, 68
Balthazart, J. and Ball, G.F.
Effects of the noradrenergic neurotoxin DSP-4 on luteinizing hormone levels, catecholamine concentrations, α_2-adrenergic receptor binding, and aromatase activity in the brain of the Japanese quail, **492**, 163
Balthazart, J., Gahr, M. and Surlemont, C.
Distribution of estrogen receptors in the brain of the Japanese quail: an immunocytochemical study, **501**, 205
Baluk, P., see Hanini, M., **497**, 245
Bambagioni, D., see Grassi, S., **490**, 345
Bancher, C., Iqbal, K., Brunner, C., Lassmann, H., Budka, H., Jellinger, K., Wiche, G., Seitelberger, F., Grundke-Iqbal, I., and Wisniewski, H.M.
Accumulation of abnormally phosphorylated τ precedes the formation of neurofibrillary tangles in Alzheimer's disease, **477**, 90
Bandler, R., see Carrive, P., **483**, 251
Bandler, R., see Carrive, P., **493**, 385
Bandler, R., see Depaulis, A., **486**, 121
Bando, T., Norita, M., Hirano, T. and Toda, H.
Projections of the postero-medial lateral suprasylvian area (PMLS) to cortical area 20 in cats with special reference to pupillary constriction: a physiological and anatomical study, **494**, 369
Bankiewicz, K.S., see Perese, D.A., **494**, 285
Baraban, J., see Zarbin, M.A., **497**, 334
Baraban, J.M., see Stratton, K.R., **494**, 359
Baran, H., Hörtnagl, H. and Hornykiewicz, O.
Kainic acid-induced seizures: potentiation by α-methyl-*p*-tyrosine, **495**, 253
Baranyi, A., see Szente, M.B., **495**, 261
Baranyi, A., see Woody, C.D., **480**, 72
Barbeau, J., see Yeomans, J.S., **486**, 147
Barber, W.D. and Yuan, C.-S.
Gastric vagal–splanchnic interactions in the brainstem of the cat, **487**, 1
Bardo, M.T., see Houdi, A.A., **497**, 195
Barish, M.E., see Sands, S.B., **495**, 193
Barish, M.E., see Sands, S.B., **502**, 375
Barker, J.L., see Zuddas, A., **501**, 11
Barker, W.W., see Yoshii, F., **483**, 355
Barnéoud, P., see Neveu, P.J., **498**, 159
Barnes, C.A., see Mizumori, S.J.Y., **500**, 99
Barnes, C.D., see Lai, Y.-Y., **484**, 268
Barnes, C.D., see Reddy, V.K., **491**, 144
Barnes Jr., E.M., see Hablitz, J.J., **501**, 332
Barnes, J.M., Barnes, N.M., Costall, B., Horovitz, Z.P. and Naylor, R.J.
Angiotensin II inhibits the release of [^{3}H]acetylcholine from rat entorhinal cortex in vitro, **491**, 136
Barnes, M.I., see Rogers, B.C., **493**, 41
Barnes, N.M., see Barnes, J.M., **491**, 136
Barnes, S., Whitham, E.M. and Davies, J.A.
Effects of potassium channel blockade on endogenous glutamate release from cerebellar slices, **486**, 89
Barnett, G., see Manaye, K.F., **491**, 307
Barnhardt, R., see Christakos, C.N., **482**, 376
Barnhardt, R., see Shaw, C.-F., **485**, 179
Baron, M., see Eyzaguirre, C., **477**, 265
Barraclough, C.A., see Hartman, R.D., **476**, 35
Barraclough, C.A., see Petersen, S.L., **484**, 279
Barraclough, C.A., see Petersen, S.L., **495**, 9
Barraco, R.A. and Janusz, C.A.
Respiratory effects of 5′-ethylcarboxamidoadenosine, an analog of adenosine, following microinjections into the nucleus tractus solitarius of rats, **480**, 360
Barrus, M.T., see Balfagon, G., **477**, 196
Barth, D.S., Di, S. and Baumgartner, C.
Laminar cortical interactions during epileptic spikes studied with principal component analysis and physiological modeling, **484**, 13

Barth, T.M., see Stoessl, A.J., **495**, 20
Barthe, J.Y., Mons, N., Cattaert, D., Geffard, M. and Clarac, F. Dopamine and motor activity in the lobster *Homarus gammarus*, **497**, 368
Bartlett, J.R., see Francis, P.T., **494**, 315
Barto, R.A., see DeNoble, V.J., **482**, 42
Basbaum, A.I., see Cho, H.J., **477**, 344
Basinger, S.F., see Smiley, J.F., **495**, 31
Baskin, D.G., see Wilcox, B.J., **500**, 149
Bassant, M.H., see Jobert, A., **476**, 220
Bassim, Y.R., see Saadé, N.E., **486**, 403
Baty, L.T., see Gannon, R.L., **495**, 151
Baudry, M., see Kessler, M., **489**, 377
Baudry, M., see Oliver, M.W., **505**, 233
Bauer, M., see Unger, T., **486**, 33
Bauer, R.M., see Richard, C.A., **482**, 49
Bauman, W.A., Hashim, A. and Sershen, H. Cerebral cortical concentrations of bioamines and their metabolites during arousal and after feeding in the little brown bat (*Myotis lucifugus*), **500**, 156
Baumann, N., see Bourdette, D.N., **478**, 175
Baumann, T.K., see Simone, D.A., **486**, 185
Baumeister, A.A., see Hawkins, M.F., **487**, 188
Baumgarten, H.G., see Kaulen, P., **503**, 229
Baumgartner, C., see Barth, D.S., **484**, 13
Bauswein, E., Fromm, C. and Preuss, A. Corticostriatal cells in comparison with pyramidal tract neurons: contrasting properties in the behaving monkey, **493**, 198
Baux, G., see Fossier, P., **491**, 390
Beach, T.G., Walker, R. and McGeer, E.G. Lamina-selective A68 immunoreactivity in primary visual cortex of Alzheimer's disease patients, **501**, 171
Beal, M.F., see Clevens, R.A., **486**, 387
Beart, P.M., see Lewis, S.J., **494**, 232
Beaudet, A., see Woulfe, J., **479**, 402
Beaujean, M., see Eshhar, N., **476**, 57
Beaulieu, C. and Colonnier, M. Effects of the richness of the environment on six different cortical areas of the cat cerebral cortex, **495**, 382
Beck, T., see Zilles, K., **488**, 14
Beck, B., see Gaspar, P., **490**, 1
Beck, E.R., see Speck, D.F., **482**, 387
Beck, S.G. and Halloran, P.M. Imipramine alters β-adrenergic, but not serotonergic, mediated responses in rat hippocampal pyramidal cells, **504**, 72
Beck, T., Wenzel, J., Kuschinsky, K. and Krieglstein, J. Morphine-induced alterations of local cerebral glucose utilization in the basal ganglia of rats, **497**, 205
Becker, D.P., see Jenkins, L.W., **477**, 211
Becker, G.L., see Pellegrino, D.A., **479**, 241
Beckmann, H., see Kornhuber, J., **499**, 81
Bédard, P.J., see Tremblay, L., **498**, 17
Bedian, V., see Roberts, M.H., **504**, 211
Bedoy, C.A. and Mobley, P.L. Astrocyte morphology altered by 1-(5-isoquinolinylsulfonyl) 2-methyl piperazine (H-7) and other protein kinase inhibitors, **490**, 243
Behbehani, M.M., see Shipley, M.T., **504**, 347
Beikirch, R.J., see Butera, P.C., **491**, 266
Beinfeld, M.C., see Radke, J.M., **480**, 178
Bekenstein, J.W. and Wooten, G.F. Hemicholinium-3 binding sites in rat brain: a quantitative autoradiographic study, **481**, 97
Belelli, D., see Gee, K.W., **482**, 169
Belin, M.F., see Didier-Bazes, M., **489**, 137
Belkin, M., see Assia, E., **476**, 205
Bell, G.A., see Slotnick, B.M., **500**, 161
Bell, J.M., see Yamazaki, S., **477**, 19
Bell, R.D., see Frey, J.M., **491**, 57
Bellingham, M.C., Lipski, J. and Vos, M.D. Synaptic inhibition of phrenic motoneurones evoked by stimulation of the superior laryngeal nerve, **486**, 391
Belluzzi, J.D., see Trujillo, K.A., **492**, 15
Béloeil, J.-C., see Jacquin, T., **497**, 296
Ben-Ari, Y., see Bousez-Dumesnil, N., **486**, 165
Ben-Ari, Y., see Mourre, C., **486**, 159
Ben-Eliyahu, S., see Morgan, M.M., **486**, 175
Ben-Eliyahu, S., see Yirmiya, R., **479**, 16
Ben-Nathan, D., see Kobiler, D., **496**, 314
Benfenati, F., Pich, E.M., Grimaldi, R., Zoli, M., Fuxe, K., Toffano, G. and Agnati, L.F. Transient forebrain ischemia produces multiple deficits in dopamine D_1 transmission in the lateral neostriatum of the rat, **498**, 376
Bengzon, J., see Kokaia, M., **491**, 398
Benjamin, P.R., see Kemenes, G., **489**, 163
Bennett, T., see Harland, D., **496**, 14
Bennett, B., see MacLean, D.B., **478**, 349
Bennett, B.A. and Morris, M. An immunochemical and biochemical study of catecholaminergic activity in dissociated hypothalamic cultures, **491**, 109
Bennett, M.C., see Diamond, D.M., **492**, 356
Bennett, M.V.L. and Sandri, C. The electromotor system of the electric eel investigated with horseradish peroxidase as a retrograde tracer, **488**, 22
Bennett, M.V.L., see Cappell, M.S., **502**, 258
Bennett, M.V.L., see Cappell, M.S., **502**, 266
Bennett-Clarke, C., Mooney, R.D., Chiaia, N.L. and Rhoades, R.W. A substance P projection from the superior colliculus to the parabigeminal nucleus in the rat and hamster, **500**, 1
Benoist, J.M., see Guilbaud, G., **484**, 383
Benoist, J.M., see Guilbaud, G., **502**, 187
Benoit, R., see Gaspar, P., **490**, 1
Benowitz, L.I., see Erzurumlu, R.S., **498**, 135
Benson, D.M., Blitzer, R.D., Haroutunian, V. and Landau, E.M. Functional muscarinic supersensitivity in denervated rat hippocampus, **478**, 399
Benstead, T.J., Dyck, P.J. and Sangalang, V. Inner perineurial cell vulnerability in ischemia, **489**, 177
Bereiter, D.A. and Gann, D.S. Substance P and GABAergic effects on adrenal and autonomic function evoked by microinjections into trigeminal subnucleus caudalis in the cat, **490**, 307
Berger, B., see Gaspar, P., **490**, 1
Berger, A.J., see Livingston, C.A., **494**, 143
Berger, M.L., Lassmann, H. and Hornykiewicz, O. Limbic seizures without brain damage after injection of low doses of kainic acid into the amygdala of freely moving rats, **489**, 261
Bergström, M., see Bäckström, I., **486**, 261
Berkley, K.J., see Blomqvist, A., **480**, 29
Berkley, K.J., see Contos, N., **479**, 172
Berkley, K.J., see Ma, W., **480**, 37
Bermúdez-Rattoni, F., see Escobar, M., **478**, 368
Bernard, J.F., Peschanski, M. and Besson, J.M. Afferents and efferents of the rat cuneiformis nucleus: an anatomical study with reference to pain transmission, **490**, 181
Bernardi, H., see Mourre, C., **486**, 159
Bernath, S. and Zigmond, M.J. Dopamine may influence striatal GABA release via three separate mechanisms, **476**, 373

Bernocchi, G., see Giacometti, S., **488**, 365
Bernstein, J.J. and Goldberg, W.J. Maintenance of host medullary nucleus gracilis neurons after C3 homografting of fetal spinal cord into host fasciculus gracilis, **488**, 180
Bernstein, J.J. and Goldberg, W.J. Rapid migration of grafted cortical astrocytes from suspension grafts placed in host thoracic spinal cord, **491**, 205
Bérod, A., see Kitahama, K., **478**, 156
Berrebi, A.S., see Denenberg, V.H., **497**, 271
Berry, R.L., Teyler, T.J. and Taizhen, H. Induction of LTP in rat primary visual cortex: tetanus parameters, **481**, 221
Berti-Mattera, L.N., see Horan, K.L., **491**, 366
Bertolini, A., see Sandrini, M., **496**, 29
Besser, G.M., see Tsagarakis, S., **502**, 167
Besson, J.-M., see Lombard, M.-C., **477**, 48
Besson, J.-M., see Zajac, J.-M., **477**, 400
Besson, J.M., see Bernard, J.F., **490**, 181
Besson, J.M., see Rivot, J.P., **495**, 140
Betancur, C., see Neveu, P.J., **498**, 159
Beyer, C., see Pacheco, P., **490**, 85
Bialik, R.J., Smythe, J.W., Sardelis, M. and Roberts, D.C.S. Adrenal demedullation blocks and brain norepinephrine depletion potentiates the hyperglycemic response to a variety of stressors, **502**, 88
Bickford-Wimer, P., see Boyajian, C.L., **495**, 66
Bidard, J.-N., Mourre, C., Gandolfo, G., Schweitz, H., Widmann, C., Gottesmann, C. and Lazdunski, M. Analogies and differences in the mode of action and properties of binding sites (localization and mutual interactions) of two K^+ channel toxins, MCD peptide and dendrotoxin I, **495**, 45
Bidard, J.-N., see Gandolfo, G., **495**, 189
Bidlack, J.M., see Selley, D.E., **493**, 23
Bigbee, J.W. and Foster, R.E. Freeze fracture analysis of the axolemma of cultured dorsal root ganglion neurons in the absence of Schwann cells, **494**, 182
Biggio, G., see Sanna, E., **501**, 144
Billington, C.J., see Levine, A.S., **477**, 280
Bird, E.D., see Dodd, P.R., **490**, 320
Bisby, M.A., see Kelly, M.E.M., **477**, 363
Bissette, G., see Radke, J.M., **480**, 178
Bittman, E.L., see Tubbiola, M.L., **503**, 91
Bixler, M.A., see Meyerhoff, J.L., **505**, 130
Bjelogrlic, N., see Koulu, M., **503**, 246
Björklund, A., see Daszuta, A., **498**, 323
Björklund, A., see Kalén, P., **492**, 187
Bkaily, G., see Lomneth, R., **486**, 95
Black, I.B., see DiCicco-Bloom, E., **491**, 403
Blackburn, T.P., see Tortella, F.C., **482**, 179
Blackburn, T.P., see Tortella, F.C., **485**, 294
Blair, R.E., see Taft, W.C., **483**, 143
Blair-West, J.R., see Osborne, P.G., **499**, 101
Blake, P., see Kennaway, D.J., **495**, 349
Bland, B.H. and Colom, L.V. Preliminary observations on the physiology and pharmacology of hippocampal θ-off cells, **505**, 333
Bland, B.H., see Ford, R.D., **493**, 269
Blander, A. and Wise, R.A. Anatomical mapping of brain stimulation reward sites in the anterior hypothalamic area: special attention to the stria medullaris, **483**, 12
Blanks, J.C., Hinton, D.R., Sadun, A.A. and Miller, C.A. Retinal ganglion cell degeneration in Alzheimer's disease, **501**, 364
Blanks, R.H.I. and Torigoe, Y. Orientatin of the semicircular canals in rats, **487**, 278
Blasquez, C., see Delbende, C., **497**, 86
Blatteis, C.M., see Shoham, S., **476**, 396
Blaustein, J.D. and Turcotte, J.C. Estrogen receptor-immunostaining of neuronal cytoplasmic processes as well as cell nuclei in guinea pig brain, **495**, 75
Blaustein, J.D., see Olster, D.H., **484**, 168
Bledsoe Jr., S.C., McLaren, J.D. and Meyer, J.R. Potassium-induced release of endogenous glutamate and two as yet unidentified substances from the lateral line of *Xenopus laevis*, **493**, 113
Blesa, R., see Ballarin, M., **483**, 184
Blitzer, R.D., see Benson, D.M., **478**, 399
Blomqvist, A., Ma, W. and Berkley, K.J. Spinal input to the parabrachial nucleus in the cat, **480**, 29
Blomqvist, A., see Ma, W., **480**, 37
Bloom, S.R., see Ball, J.A., **479**, 300
Bloom, S.R., see Kreymann, B., **502**, 325
Bloss, J.L. and Hammond, D.L. Intermittent shock titration task in the Rhesus monkey and its validity as an analgesiometric procedure, **499**, 344
Blumberg, P.M., see Szallasi, A., **503**, 68
Blusztajn, J.K., see Richardson, U.I., **476**, 323
Blusztajn, J.K., see Ulus, I.H., **484**, 217
Boadle-Biber, M.C., Corley, K.C., Graves, L., Phan, T.-H. and Rosecrans, J. Increase in the activity of tryptophan hydroxylase from cortex and midbrain of male Fischer 344 rats in response to acute or repeated sound stress, **482**, 306
Boadle-Biber, M.C., see Johannessen, J.N., **499**, 357
Boatright, J.H., Hoel, M.J. and Iuvone, P.M. Stimulation of endogenous dopamine release and metabolism in amphibian retina by light- and K^+-evoked depolarization, **482**, 164
Bobbin, R.P., see Puel, J.L., **487**, 9
Bobillier, P., see Vitte, P.-A., **489**, 273
Bodine-Fowler, S., see Hutchison, D.L., **479**, 56
Bodnar, R.J., see Kiefel, J.M., **500**, 231
Boeijinga, P.H. and Lopes da Silva, F.H. Modulations of EEG activity in the entorhinal cortex and forebrain olfactory areas during odour sampling, **478**, 257
Boelen, M.K., Dowton, M. and Chubb, I.W. The release of Leu^5-enkephalin-like immunoreactivity from chicken retina is reduced by light in vitro, **488**, 43
Bogan, N., Mennone, A. and Cabot, J.B. Light microscopic and ultrastructural localization of GABA-like immunoreactive input to retrogradely labeled sympathetic preganglionic neurons, **505**, 257
Bogerts, B., see Gentleman, S.M., **505**, 311
Boggan, W.O. and Ondo, J.G. Effect of central administration of phencyclidine on plasma concentrations of luteinizing hormone, **478**, 382
Bogue, B.A., see Dorson Jr., W.J., **486**, 108
Bohl, J., see Kalus, P., **494**, 198
Böhmer, G., see Schmid, K., **485**, 193
Bol, J.G.J.M., see De Vente, J., **504**, 332
Bolam, J.P., see Smith, Y., **493**, 160
Bolioli, B., Castelló, M.E., Jerusalinsky, D., Rubinstein, M., Medina, J. and Dajas, F. Neurochemical and behavioral correlates of unilateral striatal acetylcholinesterase inhibition by fasciculin in rats, **504**, 1
Bommelaer-Bayt, M.-C., see Watanabe, Y., **478**, 143
Bommer, M., Nikolarakis, K., Noble, E.P. and Herz, A. In vivo modulation of rat hypothalamic opioid peptide content by intracerebroventricular injection

of guanidinoethylmercaptosuccinic acid (GEMSA): possible physiological role of enkephalin convertase, **492**, 305
Bonanno, G., Fedele, E., Versace, P. and Raiteri, M.
Functional damage of dopamine nerve terminals following intrastriatal kainic acid injection, **480**, 242
Bondoux-Jahan, M. and Sebille, A.
Conditioning lesion effects on rat sciatic nerve regeneration are influenced by electrical stimulation delivered to denervated muscles, **490**, 350
Bonneau, J.M., see Helfert, R.H., **501**, 269
Bonsall, R.W., see Michael, R.P., **502**, 11
Boothe, T.E., see Yoshii, F., **483**, 355
Borchardt, R.T., see Scriba, G.K.E., **501**, 175
Bordi, F. and Meller, E.
Enhanced behavioral stereotypies elicited by intrastriatal injection of D_1 and D_2 dopamine agonists in intact rats, **504**, 276
Bordi, F., Carr, K.D. and Meller, E.
Stereotypies elicited by injection of *N*-propylnorapomorphine into striatal subregions and nucleus accumbens, **489**, 205
Borke, J.L., Caride, A.J., Yaksh, T.L., Penniston, J.T. and Kumar, R.
Cerebrospinal fluid calcium homeostasis: evidence for a plasma membrane Ca^{2+}-pump in mammalian choroid plexus, **489**, 355
Borke, R.C., see Hall, L.L., **490**, 157
Born, W., see Fried, G., **499**, 315
Bos, N.P.A., see Moed, P.J., **476**, 298
Bosmann, H.B., see Zemlan, F.P., **476**, 160
Botez, M.I., see Lalonde, R., **479**, 201
Bouchaud, C., see Trancard, J., **476**, 213
Boulton, A.A., see Van Nguyen, T., **476**, 85
Bouras, C., see Hof, P.R., **493**, 368
Bourdette, D.N., Zalc, B., Baumann, N. and Seil, F.J.
Antisera to the ganglioside GM_1 do not have anti-myelin or anti-axon activities in vitro, **478**, 175
Bourgoin, S., see Cesselin, F., **484**, 71
Bourne, R.C., see Csillag, A., **479**, 391
Bourret, C. and Mallart, A.
Depression of calcium current at mouse motor nerve endings by polycationic antibiotics, **478**, 403
Bousez-Dumesnil, N., Thomasset, M. and Ben-Ari, Y.
Calbindin-D 28K in hippocampal organotypic cultures, **486**, 165
Bowe, M., see Lapadula, D.M., **481**, 157
Bowen, D.M., see Francis, P.T., **494**, 315
Bowen, D.M., see Steele, J.E., **500**, 369
Bowen, W.D., see Matsumoto, R.R., **504**, 145
Bowersox, J., see Starkstein, S.E., **478**, 16
Bowersox, S., see Fruhstorfer, B., **500**, 209
Bowersox, S., see Mignot, E., **490**, 186
Bowersox, S.S., see Mignot, E., **486**, 56
Bowling, D.B.
Evidence for sublaminar organization of the cells of origin of the geniculo-striate pathway in the cat: a novel method for cortical deposition of HRP, **502**, 180
Bowman, R.E., see Uemura, E., **496**, 317
Bowyer, D.M., see Cooper, S.J., **494**, 172
Boxer, M.I., see Csillag, A., **479**, 391
Boyajian, C.L., Bickford-Wimer, P., Kim, M.B., Freedman, R. and Cooper, D.M.F.
Pertussis toxin lesioning of the nucleus caudate-putamen attenuates adenylate cyclase inhibition and alters neuronal electrophysiological activity, **495**, 66
Boyar, W.C., see Altar, C.A., **483**, 321
Boye, S., see Rompré, P.-P., **496**, 295
Braak, E., see Kalus, P., **494**, 198
Braak, H., see Kalus, P., **494**, 198
Bradford, H.F., see Croucher, M.J., **501**, 58
Bradford, H.F., Ward, H.K. and Foley, P.
Glutaminase inhibition and the release of neurotransmitter glutamate from synaptosomes, **476**, 29
Bradley, R.M., see Sweazey, R.D., **480**, 133
Brady, L.S., Herkenham, M., Long, J.B. and Rothman, R.B.
Chronic morphine increases μ-opiate receptor binding in rat brain: a quantitative autoradiographic study, **477**, 382
Brailowsky, S., see Silva-Barrat, C., **498**, 289
Bramham, C.R. and Srebro, B.
Synaptic plasticity in the hippocampus is modulated by behavioral state, **493**, 74
Brand, J.G., see Kalinoski, D.L., **488**, 163
Brand, J.G., see Spielman, A.I., **503**, 326
Brassard, D.L., see Monsma Jr., F.J., **492**, 314
Braun, H.A., see Schäfer, K., **501**, 66
Braverman, S., see Ryan, A.F., **483**, 283
Bray, G.A., see Sakaguchi, T., **492**, 271
Breese, G.R., see Sharif, N.A., **480**, 365
Bréhier, A., see Rami, A., **485**, 20
Brennan, K.M., see Lo, E.H., **504**, 168
Brennan, T.J., see Chandler, M.J., **496**, 148
Brenowitz, E.A. and Arnold, A.P.
Accumulation of estrogen in a vocal control brain region of a duetting song bird, **480**, 119
Brewer, G.J. and Cotman, C.W.
Survival and growth of hippocampal neurons in defined medium at low density: advantages of a sandwich culture technique or low oxygen, **494**, 65
Brian III, B.F., see Dorson Jr., W.J., **486**, 108
Bridges, P.K., see Francis, P.T., **494**, 315
Brinton, R.E., see OCallahan, J.P., **494**, 159
Brioni, J.D., Nagahara, A.H. and McGaugh, J.L.
Involvement of the amygdala GABAergic system in the modulation of memory storage, **487**, 105
Brismar, T. and Collins, V.P.
Inward rectifying potassium channels in human malignant glioma cells, **480**, 249
Brismar, T. and Collins, V.P.
Potassium and sodium channels in human malignant glioma cells, **480**, 259
Brismar, T., Collins, V.P. and Kesselberg, M.
Thallium-201 uptake relates to membrane potential and potassium permeability in human glioma cells, **500**, 30
Britton, D.R. and Indyk, E.
Effects of ganglionic blocking agents on behavioral responses to centrally administered CRF, **478**, 205
Broderick, P.A.
Characterizing stearate probes in vitro for the electrochemical detection of dopamine and serotonin, **495**, 115
Brödemann, R., see Krug, M., **476**, 163
Brodie, C., Brody, M. and Sampson, S.R.
Characterization of the relation between sodium channels and electrical activity in cultured rat skeletal myotubes: regulatory aspects, **488**, 186
Brodie, M.S., see Gerhardt, G.A., **499**, 157
Brodin, L., see Kasicki, S., **484**, 203
Brodin, E., see Fried, G., **499**, 315
Brodin, L., see Hill, R.H., **499**, 388
Brody, M., see Brodie, C., **488**, 186
Bronstein, J., Wasterlain, C.G., Lasher, R. and Farber, D.B.
Dark-induced changes in activity and compartmentalization of retinal calmodulin kinase in the rat, **495**, 83
Brooker, G., see Danysz, W., **479**, 270
Brooks, B.R., see Rozental, J.M., **499**, 397
Brot, M.D., see Shewey, L.M., **478**, 95
Brown, J.C., see Seroogy, K., **496**, 389
Brown, L.L., see Justice, A., **490**, 73
Bruce, E.N., see Jung, R., **485**, 399
Brun, J., see Vitte, P.-A., **489**, 273
Brundin, P., see Daszuta, A., **498**, 323

Brüning, G., see Kaulen, P., **503**, 229
Brunner, C., see Bancher, C., **477**, 90
Brunswick, D.J., see Kovachich, G.B., **505**, 123
Bruton, C.J., see Francis, P.T., **494**, 315
Bryant, B.P., see Kalinoski, D.L., **488**, 163
Bryant, G.M., see Rebillard, G., **494**, 379
Buchan, A., see Seroogy, K., **496**, 389
Buchwald, N., see Zhou, F.C., **504**, 15
Buchwald, N.A., see Cepeda, C., **494**, 215
Buchwald, N.A., see Walsh, J.P., **480**, 290
Buckett, W.R., see Crespi, F., **500**, 241
Budka, H., see Bancher, C., **477**, 90
Buéno, L., see Gué, M., **502**, 143
Buggy, J., see DeCoursey, P.J., **500**, 263
Buhl, E.H., see Germroth, P., **494**, 187
Bullitt, E.
Induction of c-*fos*-like protein within the lumbar spinal cord and thalamus of the rat following peripheral stimulation, **493**, 391
Bulloch, A.G.M., see Kelly, M.E.M., **477**, 363
Bunn, S.J., see Moeller, I., **484**, 192
Buntin, J.D., see Fechner Jr., J.H., **487**, 245
Bunting, T.A. and Scott, B.S.
Aging and ethanol alter neuronal electric membrane properties, **501**, 105
Buonamici, M., see Missale, C., **483**, 117
Burde, R.M. and Williams, F.
Parasympathetic nuclei, **498**, 371
Burden, H.W., see Klein, C.M., **479**, 194
Burgard, E.C., Decker, G. and Sarvey, J.M.
NMDA receptor antagonists block norepinephrine-induced long-lasting potentiation and long-term potentiation in rat dentate gyrus, **482**, 351
Burke, S.P. and Nadler, J.V.
Effects of glucose deficiency on glutamate/aspartate release and excitatory synaptic responses in the hippocampal CA1 area in vitro, **500**, 333
Burnet, P., see Kreymann, B., **502**, 325
Burnham, W.M., see Nobrega, J.N., **498**, 315
Burnstock, G., see James, S., **498**, 205
Bursian, S.J., see Tanaka Jr., D., **484**, 240
Burstein, R. and Giesler Jr., G.J.
Retrograde labeling of neurons in spinal cord that project directly to nucleus accumbens or the septal nuclei in the rat, **497**, 149
Burt, D.R., see Sharif, N.A., **480**, 365
Buscher, W., Schugens, M., Wagner, U. and Huston, J.P.
Interhemispheric relationship between lateral hypothalamic self-stimulation and the region of the nucleus tegmenti pedunculo-pontinus, **487**, 321
Bush, L.G., see Merchant, K.M., **500**, 21
Bushnell, M.C., see Marchand, S., **487**, 388
Butcher, S.P., Varro, A., Kelly, J.S. and Dockray, G.J.
In vivo studies on the enhancement of cholecystokinin release in the rat striatum by dopamine depletion, **505**, 119
Butera, P.C. and Beikirch, R.J.
Central implants of diluted estradiol: independent effects on ingestive and reproductive behaviors of ovariectomized rats, **491**, 266
Butler, B., see Gunion, M.W., **478**, 47
Buyukuysal, R.L. and Wurtman, R.J.
Tetrahydroaminoacridine but not 4-aminopyridine inhibits high-affinity choline uptake in striatal and hippocampal synaptosomes, **482**, 371
Buzsáki, G., see Masliah, E., **493**, 240
Buzsáki, G. and Gage, F.H.
Absence of long-term potentiation in the subcortically deafferented dentate gyrus, **484**, 94
Buzzell, G.R., see Vaughan, M.K., **489**, 318
Buzzi, M.G., see Markowitz, S., **477**, 157

C

Cabot, J.B., see Bogan, N., **505**, 257
Cach, R., Durboraw, C., Smock, T. and Albeck, D.
Microvascular spasm is mediated by vasopressin fibers in the rat hippocampal slice, **483**, 221
Cadahia, V., see Rozental, J.M., **499**, 397
Cadet, J.L., Katz, M., Jackson-Lewis, V. and Fahn, S.
Vitamin E attenuates the toxic effects of intrastriatal injection of 6-hydroxydopamine (6-OHDA) in rats: behavioral and biochemical evidence, **476**, 10
Cadet, J.L., Puppa, A.D. and London, E.
Involvement of nigrotecto-reticulospinal pathways in the iminodipropionitrile (IDPN) model of spasmodic dyskinesias: a 2-deoxy-D-[1-^{14}C]glucose study in the rat, **484**, 57
Cadet, J.L., see Perumal, A.S., **504**, 139
Cadet, J.L., see Przedborski, S., **504**, 311
Cador, M., Rivet, J.-M., Kelley, A.E., Le Moal, M. and Stinus, L.
Substance P, neurotensin and enkephalin injections into the ventral tegmental area: comparative study on dopamine turnover in several forebrain structures, **486**, 357
Cady, A.B., see Obal Jr., F., **490**, 292
Cahill, G.M. and Menaker, M.
Effects of excitatory amino acid receptor antagonists and agonists on suprachiasmatic nucleus responses to retinohypothalamic tract volleys, **479**, 76
Cahill, G.M. and Menaker, M.
Responses of the suprachiasmatic nucleus to retinohypothalamic tract volleys in a slice preparation of the mouse hypothalamus, **479**, 65
Calamandrei, G. and Alleva, E.
Epidermal growth factor has both growth-promoting and growth-inhibiting effects on physical and neurobehavioral development of neonatal mice, **477**, 1
Calaresu, F.R., see Gelsema, A.J., **482**, 67
Calas, A., see Didier-Bazes, M., **489**, 137
Caldéron, F., see Claps, A., **489**, 80
Callahan, M.F., see Mitchell, L.D., **480**, 388
Callaway, C.W., Kuczenski, R. and Segal, D.S.
Reserpine enhances amphetamine stereotypies without increasing amphetamine-induced changes in striatal dialysate dopamine, **505**, 83
Callaway, J., see Morrison, S.F., **503**, 5
Calogero, A.E., Gallucci, W.T., Kling, M.A., Chrousos, G.P. and Gold, P.W.
Cocaine stimulates rat hypothalamic corticotropin-releasing hormone secretion in vivo, **505**, 7
Calogero, A.E., see Bagdy, G., **489**, 216
Cameron, W.E., see Jodkowski, J.S., **505**, 187
Campistron, G., see Chagnaud, J.-L., **481**, 175
Campochiaro, P.A., see Friedman, Z., **492**, 29
Campos, V., see Miranda, F.J., **492**, 45
Camps, M., see Ballarin, M., **483**, 184
Camps, M., see Cortés, R., **483**, 30
Canedo, A. and Lamas, J.A.
Rubrospinal tract of the cat: superposition of antidromic responses and changes in axonal excitability following orthodromic activity, **502**, 28
Canzoniero, L.M.T., see Taglialatela, M., **488**, 114
Cao, L., see Chance, W.T., **486**, 316
Capilla, M.I., see Balfagon, G., **477**, 196
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L.
Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands.

I. Muscle band identifiability, **502**, 258
Cappell, M.S., Spray, D.C., Susswein, A.J. and Bennett, M.V.L. Neuronal analysis of pharyngeal peristalsis in the gastropod *Navanax* in terms of identified motoneurons innervating identified muscle bands. II. Radial and circumferential motor fields, **502**, 266
Capt, M., see Rouiller, E.M., **476**, 21
Car, A., see Amri, M., **503**, 141
Caramia, M.D., Pardal, A.M., Zarola, F. and Rossini, P.M. Electric vs magnetic trans-cranial stimulation of the brain in healthy humans: a comparative study of central motor tracts 'conductivity' and 'excitability', **479**, 98
Caramia, M.D., see Zarola, F., **495**, 217
Carden, S.E. and Coons, E.E. Diazepam modulates lateral hypothalamic self-stimulation but not stimulation-escape in rats, **483**, 327
Caride, A.J., see Borke, J.L., **489**, 355
Carino, M.A., see Lai, H., **488**, 361
Carlen, P.L., Gurevich, N., Wu, P.H., Su, W.-G., Corey, E.J. and Pace-Asciak, C.R. Actions of arachidonic acid and hepoxilin A_3 on mammalian hippocampal CA1 neurons, **497**, 171
Carlen, P.L., see Durand, D., **477**, 373
Carlen, P.L., see Reynolds, J.N., **479**, 384
Carlson, J.N., see Glick, S.D., **504**, 231
Carlton, S.M. and Hayes, E.S. Dynorphin A(1–8) immunoreactive cell bodies, dendrites and terminals are postsynaptic to calcitonin gene-related peptide primary afferent terminals in the monkey dorsal horn, **504**, 124
Carmel, M., see Galeano, C., **491**, 45
Carmeliet, P., Van Damme, J. and Denef, C. Interleukin-1β inhibits acetylcholine synthesis in the pituitary corticotropic cell line AtT_{20}, **491**, 199
Carpenter, C.L., see Marks, S.S., **478**, 196
Carpenter, D.O., see Evans, M.L., **495**, 309
Carpenter, D.O., see Salánki, J., **495**, 298
Carr, K.D., see Bordi, F., **489**, 205
Carr, P.A., Yamamoto, T., Karmy, G., Baimbridge, K.G. and Nagy, J.I. Parvalbumin is highly colocalized with calbindin D28k and rarely with calcitonin gene-related peptide in dorsal root ganglia neurons of rat, **497**, 163
Carr, W.E.S., see Gleeson, R.A., **497**, 12
Carrington, C.D., Lapadula, D.M. and Abou-Donia, M.B. Acceleration of anterograde axonal transport in cat sciatic nerve by diisopropyl phosphorofluoridate, **476**, 179
Carrington, C.D., see Lapadula, D.M., **481**, 157
Carrive, P., Bandler, R. and Dampney, R.A.L. Somatic and autonomic integration in the midbrain of the unanesthetized decerebrate cat: a distinctive pattern evoked by excitation of neurones in the subtentorial portion of the midbrain periaqueductal grey, **483**, 251
Carrive, P., Bandler, R. and Dampney, R.A.L. Viscerotopic control of regional vascular beds by discrete groups of neurons within the midbrain periaqueductal gray, **493**, 385
Carstens, E., see Guinan, M.J., **485**, 333
Carter, D.A. and Murphy, D. Cyclic nucleotide dynamics in the rat hypothalamus during osmotic stimulation: in vivo and in vitro studies, **487**, 350
Caruso, D.M., Owczarzak, M.T., Goebel, D.J., Hazlett, J.C. and Pourcho, R.G. GABA-immunoreactivity in ganglion cells of the rat retina, **476**, 129
Casamenti, F., see Di Patre, P.L., **480**, 219
Casanova, M.F., see Honer, W.G., **500**, 379
Casey, D.E., see Meshul, C.K., **489**, 338
Casey, K.L. and Morrow, T.J. Effect of medial bulboreticular and raphe nuclear lesions on the excitation and modulation of supraspinal nocifensive behaviors in the cat, **501**, 150
Casey, K.L., see Lin, Y., **479**, 306
Caspary, D.M. and Faingold, C.L. Non-*N*-methyl-D-aspartate receptors may mediate ipsilateral excitation at lateral superior olivary synapses, **503**, 83
Caspary, D.M., see Faingold, C.L., **500**, 302
Casper, D. and Davies, P. Mechanism of activation of choline acetyltransferase in a human neuroblastoma cell line, **478**, 85
Casper, D. and Davies, P. Stimulation of choline acetyltransferase activity by retinoic acid and sodium butyrate in a cultured human neuroblastoma, **478**, 74
Cassell, M.D., see Gotow, T., **492**, 325
Cassidy, M., see Moffett, J.R., **494**, 255
Castellano, C., see Libri, V., **479**, 1
Castellano, B., Gonzalez, B. and Palacios, G. Cytochemical demonstration of TPPase in myelinated fibers in the central and peripheral nervous system of the rat, **492**, 203
Castelló, M.E., see Bolioli, B., **504**, 1
Caston, J., see Auvray, N., **505**, 291
Castro, A.J., see Neafsey, E.J., **493**, 33
Castrogiovanni, P., Di Muro, A., Maremmani, I., Perossini, M. and Marazziti, D. Interaction between the serotonin and dopamine systems in humans: preliminary findings, **504**, 129
Cattaert, D., see Barthe, J.Y., **497**, 368
Caverson, M.M., Bachoo, M., Ciriello, J. and Polosa, C. Effect of preganglionic stimulation or chronic decentralization on neurotensin-like immunoreactivity in sympathetic ganglia of the cat, **482**, 365
Caviedes, P., see Ault, B., **485**, 165
Caviedes, P., see Ault, B., **497**, 191
Cechetto, D.F., Wilson, J.X., Smith, K.E., Wolski, D., Silver, M.D. and Hachinski, V.C. Autonomic and myocardial changes in middle cerebral artery occlusion: stroke models in the rat, **502**, 296
Cenni, A., see Di Patre, P.L., **480**, 219
Cepeda, C., Walsh, J.P., Hull, C.D., Buchwald, N.A. and Levine, M.S. Intracellular neurophysiological analysis reveals alterations in excitation in striatal neurons in aged rats, **494**, 215
Cervero, F., see Lumb, B.M., **500**, 400
Cervo, L., see Giraud, O., **488**, 174
Cervos-Navarro, J., see Gertz, H.-J., **487**, 373
Cesselin, F., Bourgoin, S., Clot, A.M., Hamon, M. and Le Bars, D. Segmental release of Met-enkephalin-like material from the spinal cord of rats, elicited by noxious thermal stimuli, **484**, 71
Chabot, J.-G., see Araujo, D.M., **484**, 130
Chagnaud, J.-L., Campistron, G. and Geffard, M. Monoclonal antibody directed against glutaraldehyde conjugated glutamate and immunocytochemical applications in the rat brain, **481**, 175
Chagneux, H., Ducreux, C. and Gola, M. Voltage-dependent opening of single calcium-activated potassium channels in *Helix* neurons, **488**, 336
Chagoya, G., see Hernández-R., J., **488**, 1
Chalazonitis, A., Crain, S.M. and Kessler, J.A. Embryonic spinal cord neurons develop preferential cholinergic projections to sympathetic ganglia explanted from appropriate levels of the neuraxis, **485**, 115
Chalmers, J., see Somogyi, P., **496**, 401
Chamberlin, N.L. and Dingledine, R. Control of epileptiform burst rate by CA3 hippocampal cell afterhyperpolarizations in vitro,

492, 337
Chambers, J.P., see Vaughan, M.K., **489**, 318
Champagnat, J., see Jacquin, T., **497**, 296
Champagnat, J., see Jacquin, T., **502**, 214
Champagnat, J., see Foutz, A.S., **500**, 199
Champagnat, J., see Silva-Barrat, C., **498**, 289
Chan, C.W.Y. and Dallaire, M. Subjective pain sensation is linearly correlated with the flexion reflex in man, **479**, 145
Chan, J., see Pickel, V.M., **476**, 265
Chan, P.H. and Chu, L. Ketamine protects cultured astrocytes from glutamate-induced swelling, **487**, 380
Chance, W.T., Cao, L., Foley-Nelson, T., Nelson, J.L. and Fischer, J.E. Possible role of ammonia in experimental cancer anorexia, **486**, 316
Chandler, M.J., Garrison, D.W., Brennan, T.J. and Foreman, R.D. Effects of chemical and electrical stimulation of the midbrain on feline T_2–T_6 spinoreticular and spinal cell activity evoked by cardiopulmonary afferent input, **496**, 148
Chandler, S.H. Evidence for excitatory amino acid transmission between mesencephalic nucleus of V afferents and jaw-closer motoneurons in the guinea pig, **477**, 252
Chang, G.D. and Ramirez, V.D. Studies of the in vivo catabolism of exogenous dopamine as infused through a push–pull cannula implanted in the rat caudate nucleus, **481**, 265
Chang, H.S., Steward, O. and Kassell, N.F. Decreases in excitatory synaptic transmission and increases in recurrent inhibition in the rat dentate gyrus after transient cerebral ischemia, **505**, 220
Chang, H.T. and Kuo, H. Adrenergic innervation of the substantia innominata: co-localization of phenylethanolamine *N*-methyltransferase and tyrosine hydroxylase immunoreactivities within the same axons, **503**, 350
Chang, H.T. and Kuo, H. Caltitonin gene-related peptide (CGRP) in the rat substantia innominata and globus pallidus: a light and electron microscopic immunocytochemical study, **495**, 167
Chang, J.-Y., Ekblad, E., Kannisto, P. and Owman, C. Serotonin uptake into cerebrovascular nerve fibers of rat, visualization by immunohistochemistry, disappearance following sympathectomy, and release during electrical stimulation, **492**, 79
Chang, J.W., see Cornwell-Jones, C.A., **493**, 258
Chang, J.Y., see Yoshii, F., **483**, 355
Chang, P., see Koh, S., **498**, 397
Chapin, J.K., see Smith, S.S., **476**, 307
Charlton, F.G., see Johnson, M., **499**, 184
Charnay, Y., see Najimi, M., **483**, 205
Charpak, S., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J. Vasopressin excites neurones located in the dorsal cochlear nucleus of the guinea-pig brainstem, **483**, 164
Chattarji, S., Stanton, P.K. and Sejnowski, T.J. Commissural synapses, but not mossy fiber synapses, in hippocampal field CA3 exhibit associative long-term potentiation and depression, **495**, 145
Chavkin, C., see Neumaier, J.F., **493**, 292
Chavkin, C., see Neumaier, J.F., **500**, 215
Chavko, M., see Malatová, Ž., **481**, 31
Chayvialle, J.A., see Najimi, M., **483**, 205
Cheetham, S.C., Crompton, M.R., Czudek, C., Horton, R.W., Katona, C.L.E. and Reynolds, G.P. Serotonin concentrations and turnover in brains of depressed suicides, **502**, 332
Chen, Y., see Roberts, M.H., **504**, 211
Chen, E., see Schmued, L., **487**, 131
Chen, I.C., see Chiang, C.Y., **497**, 325
Chen, J.-C., see Crino, P.B., **504**, 247
Chen, M., see Stolk, J.A., **482**, 1
Chen, M.J., see Jimenez-Rivera, C.A., **485**, 363
Chen, R.-C., see Yen, C.-T., **498**, 118
Chen, S. and Su, H.-S. Selective labeling by propidium iodide injected into the lateral cerebral ventricle of the rat, **483**, 379
Cheng, J.-T., see Sessler, F.M., **499**, 27
Cheng, S.W.T. and North, W.G. Vasopressin reduces release from vasopressin-neurons and oxytocin-neurons by acting on V_2-like receptors, **479**, 35
Cherniack, N.S., see Prabhakar, N.R., **481**, 205
Chesnut, T.J. and Swann, J.W. Disinhibitory actions of the $GABA_A$ agonist muscimol in immature hippocampus, **502**, 365
Chesselet, M.-F. and Robbins, E. Characterization of striatal neurons expressing high levels of glutamic acid decarboxylase messenger RNA, **492**, 237
Chiaia, N.L., see Bennett-Clarke, C., **500**, 1
Chiang, C.-Y. and Zhuo, M. Evidence for the involvement of a descending cholinergic pathway in systemic morphine analgesia, **478**, 293
Chiang, C.Y., Chen, I.C., Dostrovsky, J.O. and Sessle, B.J. Inhibitory effect of stimulation of the anterior pretectal nucleus on the jaw-opening reflex, **497**, 325
Chiang, C.Y., Hu, J.W., Dostrovsky, J.O. and Sessle, B.J. Changes in mechanoreceptive field properties of trigeminal somatosensory brainstem neurons induced by stimulation of nucleus raphe magnus in cats, **485**, 371
Chiba, T., see Kawano, H., **492**, 139
Chida, K., Iadecola, C. and Reis, D.J. Global reduction in cerebral blood flow and metabolism elicited from intrinsic neurons of fastigial nucleus, **500**, 177
Chigr, F., see Najimi, M., **483**, 205
Chilco, P.J., see Donnan, G.A., **504**, 64
Chin, A.S., see Stanley, B.G., **501**, 32
Chin, G.J., see Vogel, S.S., **478**, 281
Chiodera, P., see Coiro, V., **491**, 169
Cho, E.Y.P. and So, K.-F. De novo formation of axon-like processes from axotomized retinal ganglion cells which exhibit long distance growth in a peripheral nerve graft in adult hamsters, **484**, 371
Cho, H.J. and Basbaum, A.I. Arborization of single axons of the spinal dorsolateral funiculus to the contralateral superficial dorsal horn, **477**, 344
Choi, D.W., see Monyer, H., **483**, 347
Choi, D.W., see Weiss, J.H., **497**, 64
Choi, W.C., Gerfen, C.R., Suh, P.G. and Rhee, S.G. Immunohistochemical localization of a brain isozyme of phospholipase C (PLC III) in astroglia in rat brain, **499**, 193
Chopp, M., see Mesina, J.E., **478**, 181
Chouaf, L., see Didier-Bazes, M., **489**, 137
Chow, C., see Morrisett, R.A., **496**, 25
Christakos, C.N., Cohen, M.I., See, W.R. and Barnhardt, R. Changes in frequency content of inspiratory neuron and nerve activities in the course of inspiration, **482**, 376
Christesen, H.B.T. and Sørensen, K.E. The topographical and laminar organization of a commissural-associational entorhino-entorhinal projection in the guinea pig, **505**, 75
Christie, D. and Steele Russell, I. Monocular pattern discrimination learning after unilateral lesions of anteromedial cortex in rat, **497**, 378
Chrobak, J.J., Spates, M.J., Stackman, R.W. and Walsh, T.J. Hemicholinium-3 prevents the working memory impairments and the cholinergic hypofunction induced by ethylcholine aziridinium ion (AF64A), **504**, 269

Chrousos, G.P., see Bagdy, G., **489**, 216
Chrousos, G.P., see Calogero, A.E., **505**, 7
Chu, L., see Chan, P.H., **487**, 380
Chubb, I.W., see Boelen, M.K., **488**, 43
Chudler, E.H., Nahin, R.L. and Kenshalo Jr., D.R.
Distribution and size of GABAergic neurons in area 7b and the retroinsular cortex of the monkey, **481**, 383
Chun, M.H. and Artola, A.
GABA-like activity in in vitro slices of the rat visual cortex: immunocytochemistry and electrophysiology, **494**, 401
Chung, E., see Hunter, C., **482**, 247
Chung, J.M., see Oh, U.T., **501**, 90
Ciaranello, R., see Mignot, E., **486**, 56
Ciaranello, R., see Mignot, E., **490**, 186
Cipolloni, P.B. and Keller, A.
Thalamocortical synapses with identified neurons in monkey primary auditory cortex: a combined Golgi/EM and GABA/peptide immunocytochemistry study, **492**, 347
Ciriello, J., see Gutman, M.B., **488**, 49
Ciriello, J., see Caverson, M.M., **482**, 365
Claps, A., Torrealba, F. and Caldéron, F.
Segregation of coarse and fine glossopharyngeal axons in the visceral nucleus of the tractus solitarius of the cat, **489**, 80
Clarac, F., see Barthe, J.Y., **497**, 368
Clarke, J.F., see Shea, T.B., **492**, 53
Clarke, R.W., Ford, T.W. and Taylor, J.S.
Activation by high intensity peripheral nerve stimulation of adrenergic and opioidergic inhibition of a spinal reflex in the decerebrated rabbit, **505**, 1
Claro, E., see Sallés, J., **498**, 366
Clascá, F., Llamas, A. and Reinoso-Suárez, F.
Hypothalamic connections of the insular cortex in the cat, **490**, 361
Claus, H., see Heimrich, B., **490**, 404
Claustrat, B., see Vitte, P.-A., **489**, 273
Clayworth, C.C., see Knight, R.T., **502**, 109
Clemens, L.G., see Wagner, C.K., **499**, 93
Clement, M.E., see McCall, R.B., **477**, 172
Clement, M.E., see McCall, R.B., **501**, 73
Clementi, G., Favit, A., Curreri, R., Nicoletti, F. and Scapagnini, U.
Repeated calcitonin treatment reduces the stimulation of inositol phospholipid by norepinephrine and serotonin in rat hippocampus and cerebral cortex, **478**, 138
Cler, J.A., see Pullan, L.M., **497**, 59
Clevens, R.A. and Beal, M.F.
Substance P-like immunoreactivity in brains with pathological features of Parkinson's and Alzheimer's diseases, **486**, 387
Clifford, D.B., see Zorumski, C.F., **484**, 102
Clifford, D.B., see Zorumski, C.F., **494**, 193
Clifton, G.L., see Jenkins, L.W., **477**, 211
Clifton, G.L., see Taft, W.C., **483**, 143
Cline, H.T., see McDonald, J.W., **482**, 155
Clot, A.M., see Cesselin, F., **484**, 71
Cober, S.R., see McAllister II, J.P., **476**, 345
Cockram, C.S., see Lee, C.-M., **488**, 328
Coderre, T.J., see Taiwo, Y.O., **487**, 148
Coen, E.P., see Saxena, V.K., **486**, 310
Coenen, A.M.L., see Gorter, J.A., **476**, 16
Coggeshall, R.E., see Westlund, K.N., **489**, 347
Cohen, A.H., Baker, M.T. and Dobrov, T.A.
Evidence for functional regeneration in the adult lamprey spinal cord following transection, **496**, 368
Cohen, A.I.
Interphotoreceptor contacts at the inner segment level in primate retinas, **490**, 200
Cohen, I.R. and Wise, P.M.
Lack of effect of hyperprolactinemia on serotonin turnover in ovariectomized and ovariectomized estrogen-treated rats, **476**, 400
Cohen, M.I., see Christakos, C.N., **482**, 376
Cohen, M.I., see Donnelly, D.F., **491**, 243
Cohen, M.I., see Donnelly, D.F., **505**, 149
Cohen, M.I., see Shaw, C.-F., **485**, 179
Cohen-Armon, M., Sokolovsky, M. and Dascal, N.
Modulation of the voltage-dependent sodium channel by agents affecting G-proteins: a study in *Xenopus* oocytes injected with brain RNA, **496**, 107
Cohen-Parsons, M. and Roy, E.J.
Social stimuli augment estrogen receptor binding in preoptic area of female prairie voles, **476**, 363
Coimbra, A., see Pignatelli, D., **491**, 33
Coirini, H., see Grillo, C., **499**, 225
Coirini, H., see Schumacher, M., **487**, 178
Coiro, V. and Chiodera, P.
Inhibition by sodium valproate of the arginine vasopressin and adrenocorticotropin responses to angiotensin II in normal men, **491**, 169
Colas, B., see Rodriguez-Sanchez, M.N., **494**, 36
Colby, K.A., Thompson, T.L. and Patrick, R.L.
Tyrosine hydroxylase phosphorylation in rat brain striatal synaptosomes, **478**, 103
Cole, A.J., see Stratton, K.R., **494**, 359
Cole, B., see Cornwell-Jones, C.A., **493**, 258
Colin, W., Donoff, R.B. and Foote, W.E.
Fluorescent latex microspheres as a retrograde tracer in the peripheral nervous system, **486**, 334
Colley, P.A., Shey, F.-S. and Routtenberg, A.
Dose-dependent phorbol ester facilitation or blockade of hippocampal long-term porentiation: relation to membrane/cytosol distribution of protein kinase C activity, **495**, 205
Collier, B., see Lapchak, P.A., **496**, 285
Collier, B., see Araujo, D.M., **484**, 130
Collier, B., see Araujo, D.M., **498**, 257
Collier, T.J., see Koh, S., **498**, 397
Collins, F. and Crutcher, K.A.
Sustained elevation in hippocampal NGF-like biological activity following medial septal lesions in the rat, **490**, 355
Collins, F. and Lile, J.D.
The role of dihydropyridine-sensitive voltage-gated calcium channels in potassium-mediated neuronal survival, **502**, 99
Collins, J.G., see Simone, D.A., **486**, 185
Collins, V.P., see Brismar, T., **480**, 249
Collins, V.P., see Brismar, T., **480**, 259
Collins, V.P., see Brismar, T., **500**, 30
Colmers, W.F. and Pittman, Q.J.
Presynaptic inhibition by neuropeptide Y and baclofen in hippocampus: insensitivity to pertussis toxin treatment, **498**, 99
Colom, L.V., see Bland, B.H., **505**, 333
Colom, L.V., see Ford, R.D., **493**, 269
Colonnier, M., see Beaulieu, C., **495**, 382
Colton, E., see Schmued, L., **487**, 131
Compaan, J.C., see Gaykema, R.P.A., **489**, 392
Condés-Lara, M., see Hernández-R., J., **480**, 403
Condés-Lara, M., see Talavera, E., **485**, 141
Condés-Lara, M., Omaña Zapata, I., León-Olea, M. and Sánchez-Alvarez, M.
Dorsal raphe and nociceptive stimulations evoke convergent responses on the thalamic centralis lateralis and medial prefrontal cortex neurons, **499**, 145
Condés-Lara, M., Omaña Zapata, I., León-Olea, M. and Sánchez-Alvarez, M.
Dorsal raphe neuronal responses to

thalamic centralis lateralis and medial prefrontal cortex electrical stimulation, **499**, 141
Confort-Gouny, S., see Vion-Dury, J., **493**, 175
Conner, J.M., see Hagg, T., **505**, 29
Connolly, P.B. and Resko, J.A. Progestins affect reproductive behavior and androgen receptor dynamics in male guinea pig brain, **503**, 312
Connor, D.J. and Harrell, L.E. Chronic septal lesions cause upregulation of cholinergic but not noradrenergic hippocampal phosphoinositide hydrolysis, **488**, 387
Constantine-Paton, M., see McDonald, J.W., **482**, 155
Constantinidis, J., see Hof, P.R., **493**, 368
Contos, N., Molinari, H.H. and Berkley, K.J. Variations in the cellular incorporation of [^{3}H]proline, **479**, 172
Coons, E.E., see Carden, S.E., **483**, 327
Coons, E.E., see Miserendino, M.J.D., **483**, 226
Coons, E.E., see Miserendino, M.J.D., **483**, 233
Cooper, A.J.L., see Raps, S.P., **493**, 398
Cooper, D.M.F., see Boyajian, C.L., **495**, 66
Cooper, H.M., Mick, G. and Magnin, M. Retinal projection to mammalian telencephalon, **477**, 350
Cooper, H.M., see Magnin, M., **488**, 390
Cooper, K.E., see Fyda, D.M., **494**, 307
Cooper, N.G.F. and Steindler, D.A. Critical period-dependent alterations of the transient body image in the rodent cerebral cortex, **489**, 167
Cooper, S.J., Bowyer, D.M. and Van der Hoek, G. Effects of the imidazobenzodiazepine Ro 15-4513 on saccharin choice and acceptance, and on food intake, in the rat, **494**, 172
Cooper, S.J., see Rusk, I.N., **494**, 350
Cooper, T.B., see Perumal, A.S., **504**, 139
Coote, J.H., see Miyazaki, T., **497**, 108
Corbett, D., see Stellar, J.R., **477**, 126
Corcos, J., see Galeano, C., **491**, 45
Cordonnier, V., see Thomson, M.A., **488**, 241
Corey, E.J., see Carlen, P.L., **497**, 171
Corley, K.C., see Boadle-Biber, M.C., **482**, 306
Cornelio, F., see Mora, M., **492**, 404
Cornwall, J. and Phillipson, O.T. Single neurones of the basal forebrain and laterodorsal tegmental nucleus project by collateral axons to the olfactory bulb and the mediodorsal nucleus in the rat, **491**, 194
Cornwell-Jones, C.A., Decker, M.W., Chang, J.W., Cole, B., Goltz, K.M., Tran, T. and McGaugh, J.L. Neonatal 6-hydroxydopa, but not DSP-4, elevates brainstem monoamines and impairs inhibitory avoidance learning in developing rats, **493**, 258
Corsini, G.U., see Zuddas, A., **501**, 1
Corsini, G.U., see Zuddas, A., **501**, 11
Cortés, R., Camps, M., Gueye, B., Probst, A. and Palacios, J.M. Dopamine receptors in human brain: autoradiographic distribution of D_1 and D_2 sites in Parkinson syndrome of different etiology, **483**, 30
Cortez, S.C., McIntosh, T.K. and Noble, L.J. Experimental fluid percussion brain injury: vascular disruption and neuronal and glial alterations, **482**, 271
Costa, E., see Danysz, W., **479**, 270
Costall, B., see Barnes, J.M., **491**, 136
Cotman, C.W., see Brewer, G.J., **494**, 65
Cotman, C.W., see Gómez-Pinilla, F., **479**, 255
Cotman, C.W., see Kahle, J.S., **482**, 159
Coughlin, C. and Elam, J.S. Enhanced axonal transport of glycosaminoglycans in regenerating goldfish optic nerve, **493**, 326
Coull, B.M., see Woodward, W.R., **494**, 42
Court, J.A., see Johnson, M., **499**, 184
Court, J.A., see Smith, C.J., **485**, 317
Coveñas, R., Alonso, J.R. and Tramu, G. Immunocytochemical study of angiotensin II cell bodies in the rat thalamus, **481**, 185
Coveñas, R., see Aguirre, J.A., **489**, 311
Coveñas, R., see Alonso, J.R., **490**, 385
Covey, D.F., see Zorumski, C.F., **484**, 102
Cowburn, R.F., see Dodd, P.R., **490**, 320
Cox, B., see Tortella, F.C., **485**, 294
Cox, C.L., see Ashe, J.H., **480**, 234
Cox, J.A., Lysko, P.G. and Henneberry, R.C. Excitatory amino acid neurotoxicity at the *N*-methyl-D-aspartate receptor in cultured neurons: role of the voltage-dependent magnesium block, **499**, 267
Cox, J.A., see Lysko, P.G., **499**, 258
Coyle, J.T., see Meyerhoff, J.L., **505**, 130
Cozzone, P.J., see Vion-Dury, J., **493**, 175
Cracco, R.Q., see Amassian, V.E., **479**, 355
Crain, B., see Xie, C.-W., **495**, 156
Crain, B.J., see Armstrong, D.R., **476**, 174
Crain, S.M., see Chalazonitis, A., **485**, 115
Crain, S.M., see Shen, K.-F., **491**, 227
Crane, A.M. and Porrino, L.J. Adaptation of the quantitative 2-[^{14}C]deoxyglucose method for use in freely moving rats, **499**, 87
Crawford, K., Terasawa, E. and Kaufman, P.L. Reproducible stimulation of ciliary muscle contraction in the cynomolgus monkey via a permanent indwelling midbrain electrode, **503**, 265
Crawley, J.N., see Drugan, R.C., **487**, 45
Cremer, J.E., see Bagley, P.R., **499**, 214
Crépel, F., see Hicks, T.P., **492**, 371
Crespi, F., Martin, K.F., Heal, D.J., Marsden, C.A., Buckett, W.R. and Sanghera, M.K. Measurement of 3-methoxytyramine by in vivo voltammetry: evidence for differences in central dopamine function in BALB/c and CBA mice, **500**, 241
Creutzfeldt, O.D., see Li, C.-Y., **496**, 307
Crill, W.E., see Nishimura, Y., **502**, 127
Crino, P.B., Vogt, B.A., Chen, J.-C. and Volicer, L. Neurotoxic effects of partially oxidized serotonin: tryptamine-4,5-dione, **504**, 247
Crofton, K.M., see Gilbert, M.E., **477**, 314
Croix, D., see Aguirre, J.A., **489**, 311
Crompton, M.R., see Cheetham, S.C., **502**, 332
Cronly-Dillon, J.R., see Shehab, S.S.A., **504**, 343
Cross, A.J., see Simpson, M.D.C., **484**, 273
Crossman, A.R., see Robertson, R.G., **476**, 317
Croucher, M.J. and Bradford, H.F. Kindling of full limbic seizures by repeated microinjections of excitatory amino acids into the rat amygdala, **501**, 58
Crowne, D.P., see Willar, C.D., **500**, 405
Crunelli, V., see Soltesz, I., **479**, 49
Crutcher, K.A., see Collins, F., **490**, 355
Crutcher, K.A., see Saffran, B.N., **492**, 245
Csillag, A., Bourne, R.C., Kalman, M., Boxer, M.I. and Stewart, M.G. [^{3}H]Naloxone binding in the brain of the domestic chick (*Gallus domesticus*) determined by in vitro quantitative autoradiography, **479**, 391
Cuadras, J. Non-synaptic release from dense-cored vesicles occurs at all

terminal types in crayfish neuropile, **477**, 332
Cuber, J.-C., see De Nadai, F., **500**, 193
Cudeiro, J., González, F., Pérez, R., Alonso, J.M. and Acuña, C.
Does the pulvinar-LP complex contribute to motor programming?, **484**, 367
Cuello, A.C., see Maysinger, D., **496**, 165
Culhane, E.S., see Guinan, M.J., **485**, 333
Cullheim, S., see Arvidsson, U., **489**, 387
Cullheim, S., see Risling, M., **494**, 13
Cullinan, W.E., see Zaborszky, L., **479**, 177
Cunningham, J.T. and Johnson, A.K.
Decreased norepinephrine in the ventral lamina terminalis region is associated with angiotensin II drinking response deficits following local 6-hydroxydopamine injections, **480**, 65
Cunningham, V.J., see Bagley, P.R., **499**, 214
Curet, O. and De Montigny, C.
Electrophysiological characterization of adrenoceptors in the rat dorsal hippocampus. III. Evidence for the physiological role of terminal α_2-adrenergic autoreceptors, **499**, 18
Curran, G.L., see Weerasuriya, A., **494**, 114
Curreri, R., see Clementi, G., **478**, 138
Currier, R., see Kish, S.J., **489**, 373
Currò Dossi, R., see Pellegrini, A., **497**, 344
Czéh, G. and Somjen, G.G.
Changes in extracellular calcium and magnesium and synaptic transmission in isolated mouse spinal cord, **486**, 274
Czéh, G. and Somjen, G.G.
Spontaneous activity induced in isolated mouse spinal cord by high extracellular calcium and by low extracellular magnesium, **495**, 89
Czlonkowska, A., see Rieske, E., **492**, 1
Czudek, C., see Cheetham, S.C., **502**, 332
Czyzyk-Krzeska, M.R., see Krzeski, R., **504**, 297

D

d'Argy, R., see Adem, A., **503**, 299
Daa Schröder, H., see Maehlen, J., **481**, 368
Dacey Jr., R.G., see Takayasu, M., **482**, 393
Dail, W.G. and Hamill, R.W.
Parasympathetic nerves in penile erectile tissue of the rat contain choline acetyltransferase, **487**, 165
Dairman, W., see Sabri, M.I., **483**, 1
Dajas, F., see Bolioli, B., **504**, 1
Dalkara, T., Sofuoğlu, M. and Onur, R.
Glutamate, without GABA antagonists, induces synchronized discharges in intact hippocampus via NMDA receptors, **498**, 123
Dallaire, M., see Chan, C.W.Y., **479**, 145
Dal Pos, F., see Pellegrini, A., **497**, 344
Daly, J.W., see Gusovsky, F., **492**, 72
Dampney, R.A.L., see Carrive, P., **483**, 251
Dampney, R.A.L., see Carrive, P., **493**, 385
Danysz, W., Wroblewski, J.T., Brooker, G. and Costa, E.
Modulation of glutamate receptors by phencyclidine and glycine in the rat cerebellum: cGMP increase in vivo, **479**, 270
Dario, P., see Valentini, R.F., **480**, 300
Dascal, N., see Cohen-Armon, M., **496**, 107
Dashe, J.F. and Davis, T.L.
Electron-lucent degenerating geniculate terminals in cat striate cortex, **505**, 203
Daszuta, A., Kalén, P., Strecker, R.E., Brundin, P. and Björklund, A.
Serotonin neurons grafted to the adult rat hippocampus. II. 5-HT release as studied by intracerebral microdialysis, **498**, 323
Daval, J.-L., see Nakajima, T., **501**, 307
Daval, J.-L., Von Lubitz, D.K.J.E., Deckert, J., Redmond, D.J. and Marangos, P.J.
Protective effect of cyclohexyladenosine on adenosine A_1-receptors, guanine nucleotide and forskolin binding sites following transient brain ischemia: a quantitative autoradiographic study, **491**, 212
Davenne, D., Frégnac, Y., Imbert, M. and Adrien, J.
Lesion of the PGO pathways in the kitten. II. Impairment of physiological and morphological maturation of the lateral geniculate nucleus, **485**, 267
Davidoff, R.A., see Zhang, D.X., **493**, 129
Davies, P., see Casper, D., **478**, 74
Davies, P., see Casper, D., **478**, 85
Davies, P., see Honer, W.G., **500**, 379
Davies, A., see Bagley, P.R., **499**, 214
Davies, J.A., see Barnes, S., **486**, 89
Davila, J.C., see Guirado, S., **488**, 213
Davis, M., see Yeomans, J.S., **486**, 147
Davis, K.L., see Haroutunian, V., **487**, 200
Davis, K.L., see Haroutunian, V., **496**, 98
Davis, T.L. and Wiley, R.G.
Anti-Thy-1 immunotoxin, OX7-saporin, destroys cerebellar Purkinje cells after intraventricular injection in rats, **504**, 216
Davis, T.L., see Dashe, J.F., **505**, 203
Davis, T.R., see Robinson, S.E., **503**, 32
Day, R., see Herman, J.P., **501**, 235
Day, T.A., see Sibbald, J.R., **499**, 164
De Backer, J.-P., see De Keyser, J., **484**, 36
De Backer, J.-P., see De Keyser, J., **496**, 327
De Blas, A.L., see Juiz, J.M., **504**, 173
De Bruyckere, K., see Schotte, A., **500**, 295
De Bruyne, K., see Gerstner, G.E., **478**, 233
De Costa, B., see Long, J.B., **497**, 155
De Deyn, P.P., see Saxena, V.K., **486**, 310
De Felipe, M.C., Molinero, M.T. and Del Río, J.
Long-lasting neurochemical and functional changes in rats induced by neonatal administration of substance P antiserum, **485**, 301
De Groat, W.C., see Noto, H., **492**, 99
De Jong, W., see Van Giersbergen, P.L.M., **498**, 154
De Jong, B.M., see Romijn, H.J., **480**, 58
De Keyser, J., De Backer, J.-P., Ebinger, G. and Vauquelin, G.
Coupling of D_1 dopamine receptors to the guanine nucleotide binding protein Gs is deficient in Huntington's disease, **496**, 327
De Keyser, J., Walraevens, H., De Backer, J.-P., Ebinger, G. and Vauquelin, G.
D_2 dopamine receptors in the human brain: heterogeneity based on differences in guanine nucleotide effect on agonist binding, and their presence on corticostriatal nerve terminals, **484**, 36
De Koninck, Y. and Henry, J.L.
Bombesin, neuromedin B and neuromedin C selectively depress superficial dorsal horn neurones in the cat spinal cord, **498**, 105
De Lanerolle, N.C., Kim, J.H., Robbins, R.J. and Spencer, D.D.
Hippocampal interneuron loss and plasticity in human temporal lobe epilepsy, **495**, 387
De Lang, H., see Van Giersbergen, P.L.M., **498**, 154
De la Calle, A., see Guirado, S., **488**, 213
De León, M., see Alonso, J.R., **490**, 385
DeLong, M.R., see Koliatsos, V.E., **482**, 205
De Luca, C.J., see Kamen, G., **482**, 136
DeMarco Jr., P.J. and Powers, M.K.
Sensitivity of ERG components from dark-adapted goldfish retinas treated with APB, **482**, 317
De Montigny, C., see Curet, O., **499**, 18
De Nadai, F., Cuber, J.-C. and

Kitabgi, P.
The characterization and regional distribution of neuromedin N-like immunoreactivity in rat brain using a highly sensitive and specific radioimmunoassay. Comparison with the distribution of neurotensin, **500**, 193
De Nicola, A.F., see Grillo, C., **499**, 225
De Nicola, A.F., see Moses, D.F., **481**, 317
DeNoble, V.J., Hepler, D.J. and Barto, R.A.
Cysteamine-induced depletion of somatostatin produces differential cognitive deficits in rats, **482**, 42
De Potter, W.P., see Saxena, V.K., **486**, 310
De Ribaupierre, F., see Rouiller, E.M., **476**, 21
De Sauvage, F., see Octave, J.-N., **486**, 369
De Toledo-Morrell, L., see Geinisman, Y., **480**, 326
De Vente, J., Bol, J.G.J.M. and Steinbusch, H.W.M.
Localization of cGMP in the cerebellum of the adult rat: an immunohistochemical study, **504**, 332
De Weille, J.R. and Leinders, T.
The action of pyrethroids on sodium channels in myelinated nerve fibres and spinal ganglion cells of the frog, **482**, 324
De Weille, J.R., Fosset, M., Schmid-Antomarchi, H. and Lazdunski, M.
Galanin inhibits dopamine secretion and activates a potassium channel in pheochromocytoma cells, **485**, 199
De Wied, D., see Van den Hooff, P., **505**, 181
Deakin, J.F.W., see Simpson, M.D.C., **484**, 273
Dean, P. and Gale, K.
Anticonvulsant action of GABA receptor blockade in the nigrotectal target region, **477**, 391
Deas, J. and Erecińska, M.
Effect of tunicamycin, an inhibitor of protein glycosylation, on the high-affinity transport of acidic amino acid neurotransmitters in C6 glioma cells, **483**, 84
Decker, G., see Burgard, E.C., **482**, 351
Decker, M.W. and McGaugh, J.L.
Effects of concurrent manipulations of cholinergic and noradrenergic function on learning and retention in mice, **477**, 29
Decker, M.W., see Cornwell-Jones, C.A., **493**, 258
Deckert, J., see Daval, J.-L., **491**, 212
Deckert, J., see Jørgensen, M.B., **484**, 393
DeCoursey, P.J. and Buggy, J.
Circadian rhythmicity after neural transplant to hamster third ventricle: specificity of suprachiasmatic nuclei, **500**, 263
DeFelipe, J., Hendry, S.H.C. and Jones, E.G.
Synapses of double bouquet cells in monkey cerebral cortex visualized by calbinding immunoreactivity, **503**, 49
Defossez, A., see Lenders, M.-B., **481**, 344
Dekker, A.J.A.M. and Tonnaer, J.A.D.M.
Binding of the neurotrophic peptide Org 2766 to rat spinal cord sections is affected by a sciatic nerve crush, **477**, 327
Del Río, J., see De Felipe, M.C., **485**, 301
Delacourte, A., see Lenders, M.-B., **481**, 344
Delaère, P., see Duyckaerts, C., **504**, 94
Delamanche, I.S., see Trancard, J., **476**, 213
DeLanney, L.E., see Finnegan, K.T., **496**, 251
DeLanney, L.E., see Ricaurte, G.A., **490**, 301
DeLaPaz, R., see Steinberg, G.K., **497**, 382
DeLaPaz, R.L., see Lo, E.H., **504**, 168
Delbende, C., Jégou, S., Tranchand-Bunel, D., Blasquez, C. and Vaudry, H.
γ-Aminobutyric acid inhibits the release of α-melanocyte-stimulating hormone from rat hypothalamic slices, **497**, 86
Delfs, J., Friend, J., Ishimoto, S. and Saroff, D.
Ventral and dorsal horn acetylcholinesterase neurons are maintained in organotypic cultures of postnatal rat spinal cord explants, **488**, 31
Delhaye-Bouchaud, N., see Thomson, M.A., **488**, 241
Della Puppa, A. and London, E.D.
Cerebral metabolic effects of σ ligands in the rat, **505**, 283
DeLorenzo, R.J., see Taft, W.C., **483**, 143
Delpiano, M.A. and Acker, H.
Hypoxic and hypercapnic responses of $[Ca^{2+}]_o$ and $[K^+]_o$ in the cat carotid body in vitro, **482**, 235
Delpiano, M.A., see Hescheler, J., **486**, 79
Delrée, P., see Leprince, P., **502**, 21
DeLuna, R., see Uemura, E., **496**, 317
Demediuk, P., see Vink, R., **490**, 144
Dement, W., see Mignot, E., **486**, 56
Dement, W.C., see Fruhstorfer, B., **500**, 209
Dement, W.C., see Mignot, E., **490**, 186
Demmert, G., see Lebrun, C.J., **505**, 39
Demmert, G., see Rohmeiss, P., **502**, 198
Demmert, G., see Unger, T., **486**, 33
Denavit-Saubié, M., see Foutz, A.S., **500**, 199
Denavit-Saubié, M., see Jacquin, T., **502**, 214
Denef, C., see Carmeliet, P., **491**, 199
Denenberg, V.H., Berrebi, A.S. and Fitch, R.H.
A factor analysis of the rat's corpus callosum, **497**, 271
Deng, Q.-S. and Johanson, C.E.
Stilbenes inhibit exchange of chloride between blood, choroid plexus and cerebrospinal fluid, **501**, 183
Denton, D.A., see Osborne, P.G., **499**, 101
Denton, D.A., see Park, R., **493**, 123
Denton, D.A., see Tarjan, E., **500**, 352
Depaulis, A., Bandler, R. and Vergnes, M.
Characterization of pretentorial periaqueductal gray matter neurons mediating intraspecific defensive behaviors in the rat by microinjections of kainic acid, **486**, 121
Depaulis, A., see Lee, R.J., **487**, 363
Depaulis, A., Snead III, O.C., Marescaux, C. and Vergnes, M.
Suppressive effects of intranigral injection of muscimol in three models of generalized non-convulsive epilepsy induced by chemical agents, **498**, 64
Depoortere, H., see De Saint Hilaire-Kafi, Z., **488**, 304
De Saint Hilaire-Kafi, Z., Depoortere, H. and Nicolaïdis, S.
Does cholecystokinin induce physiological satiety and sleep?, **488**, 304
De Saint Hilaire-Kafi, Z., Gibbs, J. and Nicolaïdis, S.
Satiety and sleep: the effects of bombesin, **478**, 152
Descarries, L., see Soghomonian, J.-J., **481**, 67
DeSouza, E.B., see Han, Z., **498**, 299
Deutch, A.Y., see Knorr, A.M., **495**, 355
Deutch, A.Y., see Yurek, D.M., **497**, 250
Deutsch, S.I., see Drugan, R.C., **487**, 45
Devigne, C., see Alescio-Lautier, B., **500**, 287
Devries, M.J., Ferreira, S.A. and Glass, J.D.
Evidence that short photoperiod-induced gonadal regression in the Mongolian gerbil is mediated by the action of melatonin in the medial hypothalamus, **494**, 241
DeWitt, D.S., see Jenkins, L.W., **477**, 211
Di Chiara, G., see Morelli, M., **487**, 120
Di Muro, A., see Castrogiovanni, P., **504**, 129
Di Patre, P.L., Casamenti, F., Cenni, A. and Pepeu, G.
Interaction between nerve growth factor and GM_1

monosialoganglioside in preventing cortical choline acetyltransferase and high affinity choline uptake decrease after lesion of the nucleus basalis, **480**, 219
Di Porzio, U., see Zuddas, A., **501**, 11
Di Porzio, U., see Zuddas, A., **501**, 1
Di Renzo, G.F., see Taglialatela, M., **488**, 114
Di Scala, G. and Sandner, G. Conditioned place aversion produced by microinjections of semicarbazide into the periaqueductal gray of the rat, **483**, 91
Di, S., see Barth, D.S., **484**, 13
Diamant, S. and Atlas, D. Potentiation of [^{3}H]inositol phosphate formation by receptor activation and membrane depolarization in brain cortical slices (I), **503**, 55
Diamantstein, T., see Hartung, H.-P., **489**, 120
Diamond, D.M., Bennett, M.C., Engstrom, D.A., Fleshner, M. and Rose, G.M. Adrenalectomy reduces the threshold for hippocampal primed burst potentiation in the anesthetized rat, **492**, 356
Diamond, D.M., see McKenna, T.M., **481**, 142
Diani, A.R., see Kreymann, B., **502**, 325
Diaz, S., see Leibowitz, S.F., **496**, 219
Dichter, M.A. and Zona, C. Calcium currents in cultured rat cortical neurons, **492**, 219
DiCicco-Bloom, E. and Black, I.B. Depolarization and insulin-like growth factor-I (IGF-I) differentially regulate the mitotic cycle in cultured rat sympathetic neuroblasts, **491**, 403
Dickenson, A.H., see Poree, L.R., **502**, 349
Dickenson, A.H., see Sullivan, A.F., **482**, 219
Didier-Bazes, M., Aguera, M., Chouaf, L., Harandi, M., Calas, A., Meiniel, A. and Belin, M.F. Neuronal control of [^{3}H]GABA uptake in the ependymocytes of the subcommissural organ: an in vivo model of neuron–glia interaction, **489**, 137
Dietl, M.M., Sanchez, M., Probst, A. and Palacios, J.M. Substance P receptors in the human spinal cord: decrease in amyotrophic lateral sclerosis, **483**, 39
Dietrich, W.D., see Humphrey, M.F., **497**, 132
Dietzel, I., see Misgeld, U., **492**, 149
Dildy, J.E. and Leslie, S.W. Ethanol inhibits NMDA-induced increases in free intracellular Ca^{2+} in dissociated brain cells, **499**, 383
Dilts, R.P. and Kalivas, P.W. Autoradiographic localization of μ-opioid and neurotensin receptors within the mesolimbic dopamine systems, **488**, 311
Dimitrov, B., Hallett, M. and Sanes, J.N. Differential influence of posture and intentional movement on human somatosensory evoked potentials evoked by different stimuli, **496**, 211
Dinger, B., see Wang, Z.-Z., **498**, 131
Dingledine, R., see Chamberlin, N.L., **492**, 337
Dirnagl, U., see Villringer, A., **504**, 159
Dixon, C.E., see Jenkins, L.W., **477**, 211
Djupsjöbacka, M., see Sojka, P., **483**, 177
Dluzen, D.E. and Ramirez, V.D. Progesterone effects upon dopamine release from the corpus striatum of female rats. I. Evidence for interneuronal control, **476**, 332
Dluzen, D.E. and Ramirez, V.D. Progesterone effects upon dopamine release from the corpus striatum of female rats. II. Evidence for a membrane site of action and the role of albumin, **476**, 338
Dluzen, D.E. and Ramirez, V.D. Progesterone enhances L-DOPA-stimulated dopamine release from the caudate nucleus of freely behaving ovariectomized–estrogen-primed rats, **494**, 122
Dobrov, T.A., see Cohen, A.H., **496**, 368
Dockray, G.J., see Butcher, S.P., **505**, 119
Dodd, P.R., Watson, W.E.J., Morrison, M.M., Johnston, G.A.R., Bird, E.D., Cowburn, R.F. and Hardy, J.A. Uptake of γ-aminobutyric acid and L-glutamic acid by synaptosomes from postmortem human cerebral cortex: multiple sites, sodium dependence and effect of tissue preparation, **490**, 320
Doe, K., see Shigenaga, Y., **477**, 66
Doe, K., see Shigenaga, Y., **505**, 91
Dokla, C.P.J., see Fitzgerald, L.W., **505**, 246
Dolivo, M., see Rouiller, E.M., **476**, 21
Dom, R., see Duysens, J., **499**, 131
Domeniconi, R., see Maioli, M.G., **498**, 389
Donald, M.R., see Williams, L.R., **498**, 243
Donevan, S.D., Van Vugt, D.A. and Ferguson, A.V. Subfornical organ activation stimulates luteinizing hormone secretion in the rat, **488**, 398
Dong, W.K., Salonen, L.D., Kawakami, Y., Shiwaku, T., Kaukoranta, E.M. and Martin, R.F. Nociceptive responses of trigeminal neurons in SII–7b cortex of awake monkeys, **484**, 314
Donnan, G.A., Kaczmarczyk, S.J., McKenzie, J.S., Kalnins, R.M., Chilco, P.J. and Mendelsohn, F.A.O. Catecholamine uptake sites in mouse brain: distribution determined by quantitative [^{3}H]mazindol autoradiography, **504**, 64
Donnelly, D.F., Sica, A.L., Cohen, M.I. and Zhang, H. Dorsal medullary inspiratory neurons: effects of superior laryngeal afferent stimulation, **491**, 243
Donnelly, D.F., Sica, A.L., Cohen, M.I. and Zhang, H. Effects of contralateral superior laryngeal nerve stimulation on dorsal medullary inspiratory neurons, **505**, 149
Donoff, R.B., see Colin, W., **486**, 334
Dores, R.M., see Sei, C.A., **479**, 162
Dorsa, D.M., see Shewey, L.M., **478**, 95
Dorsa, D.M., see Wilcox, B.J., **500**, 149
Dorson Jr., W.J., Brian III, B.F., Hsu, C.-C.J. and Bogue, B.A. Metabolic adjustments to dynamic hypoxic hypoxemia in feline brain tissue, **486**, 108
Dostrovsky, J.O., see Chiang, C.Y., **485**, 371
Dostrovsky, J.O., see Chiang, C.Y., **497**, 325
Dostrovsky, J.O., see Lenz, F.A., **496**, 357
Douglas, V.D., see Nelson, R.J., **484**, 43
Douglas, W.W., see Taraskevich, P.S., **491**, 102
Douglass, J., see Xie, C.-W., **495**, 156
Dourish, C.T., see Stoessl, A.J., **495**, 20
Dowe, G.H.C., see Fox, G.Q., **498**, 279
Dowling, J.E., see Hidaka, S., **498**, 53
Dowling, J.E., see Liman, E.R., **481**, 399
Dowling, J.E., see Perlman, I., **487**, 16
Dowling, J.E., see Young, L.H.Y., **504**, 57
Dowton, M., see Boelen, M.K., **488**, 43
Dragunow, D., see Faull, R.L.M., **488**, 381
Dragunow, M. and Faull, R.L.M. Rolipram induces c-*fos* protein-like immunoreactivity in ependymal and glial-like cells in adult rat brain, **501**, 382
Dragunow, M., see Jansen, K.L.R., **482**, 174
Drasner, K., see Fang, F.G., **501**, 116
Dray, F., see Saadi, M., **488**, 97
Dray, F., see Watanabe, Y., **478**, 143
Dreher, J.K. and Jackson, D.M. Role of D_1 and D_2 dopamine receptors in mediating locomotor activity elicited from the nucleus accumbens of rats, **487**, 267
Dreifuss, J.J., see Charpak, S.,

483, 164
Dreifuss, J.J., see Dubois-Dauphin, M., **496**, 45
Dreifuss, J.J., see Dubois-Dauphin, M., **496**, 66
Dreifuss, J.J., see Loup, F., **500**, 223
Drescher, D.G., Khan, K.M., Arden, R.L., Drescher, M.J., Kerr, T.P. and Hatfield, J.S. Protein associated with the sensory cell layer of the rainbow trout saccular macula, **485**, 225
Drescher, M.J., see Drescher, D.G., **485**, 225
Drucker-Colín, R., see Arankowsky-Sandoval, G., **494**, 396
Drugan, R.C., Morrow, A.L., Weizman, R., Weizman, A., Deutsch, S.I., Crawley, J.N. and Paul, S.M. Stress-induced behavioral depression in the rat is associated with a decrease in GABA receptor-mediated chloride ion flux and brain benzodiazepine receptor occupancy, **487**, 45
Du, H.-J. Medullary neurons with projections to lamina X of the rat as demonstrated by retrograde labeling after HRP microelectrophoresis, **505**, 135
Duara, R., see Yoshii, F., **483**, 355
Dubeau, F. and Sherwin, A.L. Adrenergic mediated phosphatidylinositol metabolism is modulated by epileptic discharges in human neocortex, **481**, 200
Dubois-Dauphin, M., see Charpak, S., **483**, 164
Dubois-Dauphin, M., see Loup, F., **500**, 223
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J. Distribution of neurohypophysial peptides in the guinea pig brain. I. An immunocytochemical study of the vasopressin-related glycopeptide, **496**, 45
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J. Distribution of neurohypophysial peptides in the guinea pig brain. II. An immunocytochemical study of oxytocin, **496**, 66
Dubuc, R. and Grillner, S. The role of spinal cord inputs in modulating the activity of reticulospinal neurons during fictive locomotion in the lamprey, **483**, 196
Dubuc, R. and Rossignol, S. The effects of 4-aminopyridine on the cat spinal cord: rhythmic antidromic discharges recorded from the dorsal roots, **491**, 335
Dubuc, R. and Rossignol, S. Unitary discharges in dorsal and ventral roots after the administration of 4-aminopyridine in the cat, **491**, 349
Dubuc, R., see Kasicki, S., **484**, 203
Ducis, I., Norenberg, L.-O.B. and Norenberg, M.D. Effect of ammonium chloride on the astrocyte benzodiazepine receptor, **493**, 362
Duckworth, J.W., see Goadsby, P.J., **476**, 71
Ducreux, C., see Chagneux, H., **488**, 336
Dudek, S., see Thibault, O., **476**, 170
Dudel, J., Franke, C., Hatt, H. and Usherwood, P.N.R. Chloride channels gated by extrajunctional glutamate receptors (H-receptors) on locust leg muscle, **481**, 215
Duffy, P., see Samathanam, G., **501**, 179
Duggan, A.W., see Morton, C.R., **488**, 89
Duhaime, A.-C., see Ross, D.T., **501**, 129
Dulak, L., see Lapadula, D.M., **481**, 157
Duman, R.S., see Nestler, E.J., **476**, 230
Duman, R.S., Strada, S.J. and Enna, S.J. Glucocorticoid administration increases receptor-mediated and forskolin-stimulated cyclic AMP accumulation in rat brain cerebral cortical slices, **477**, 166
Dumas, J., see Smith, Y., **482**, 381
Dun, N.J. and Mo, N. Calcitonin gene-related peptide evokes distinct types of excitatory response in guinea pig coeliac ganglion cells, **476**, 256
Dun, N.J., see Miyazaki, T., **497**, 108
Duncan, G.H., see Marchand, S., **487**, 388
Duncan, M.J., see Lister, R.G., **482**, 141
Dunn-Meynell, A., see Levin, B.E., **494**, 325
Dunnett, S.B., see Sirinathsinghji, D.J.S., **504**, 115
Dunnett, S.B., Sirinathsinghji, D.J.S., Heavens, R., Rogers, D.C. and Kuehn, M.R. Monoamine deficiency in a transgenic (*Hprt*$^-$) mouse model of Lesch-Nyhan syndrome, **501**, 401
Dunwiddie, T.V., see Wafford, K.A., **505**, 215
Durand, D., Saint-Cyr, J.A., Gurevich, N. and Carlen, P.L. Ethanol-induced dendritic alterations in hippocampal granule cells, **477**, 373
Durboraw, C., see Cach, R., **483**, 221
Durcan, M.J., see Hilakivi, L.A., **502**, 158
During, M.J., Heyes, M.P., Freese, A., Markey, S.P., Martin, J.B. and Roth, R.H. Quinolinic acid concentrations in striatal extracellular fluid reach potentially neurotoxic levels following systemic L-tryptophan loading, **476**, 384
Durmus, G., see Öcal-İrez, T., **493**, 1
Dusart, I., see Juliano, S.L., **478**, 356
Duyckaerts, C., Llamas, E., Delaère, P., Miele, P. and Hauw, J.-J. Neuronal loss and neuronal atrophy. Computer simulation in connection with Alzheimer's disease, **504**, 94
Duyckaerts, C., see Gaspar, P., **490**, 1
Duysens, J., Dom, R. and Gybels, J. Suppression of the hindlimb flexor reflex by stimulation of the medial hypothalamus and thalamus in the rat, **499**, 131
Dwork, A., see Mena, M.A., **486**, 286
Dyck, P.J., see Benstead, T.J., **489**, 177
Dyck, P.J., see Giannini, C., **500**, 131
Dyck, P.J., see Zochodne, D.W., **498**, 221
Dyer, R.G., see Herbison, A.E., **486**, 195

E

Eastman, C.L. and Guilarte, T.R. Cytotoxicity of 3-hydroxykynurenine in a neuronal hybrid cell line, **495**, 225
Eaton, M.J. and Moss, R.L. Electrophysiology and pharmacology of neurons of the medial zona incerta: an in vitro slice study, **502**, 117
Ebinger, G., see De Keyser, J., **484**, 36
Ebinger, G., see De Keyser, J., **496**, 327
Eccles, C.U., see Stratton, K.R., **494**, 359
Echevarria, E., see Tortella, F.C., **485**, 294
Eckardt, M.J., see Marietta, C.A., **496**, 173
Eder-Colli, L., Froment, Y. and Monsurro, M.R. Direct inhibition of choline acetyltransferase activity by a monoclonal antibody raised against the plasma membrane of cholinergic nerve terminals, **500**, 90
Edgar, D.M., see Krilowicz, B.L., **498**, 73
Edgerton, V.R., see Hutchison, D.L., **479**, 56
Edgerton, V.R., see Hutchison, D.L., **502**, 233
Edgerton, V.R., see Hutton, R.S., **492**, 230
Edgerton, V.R., see Pierotti, D.J., **481**, 57
Edwards, E., see Ashby Jr., C.R., **498**, 393
Ehret, G., see Koch, M., **489**, 101
Eichberg, J., see Horan, K.L., **491**, 366
Eichler, M.E. and Rich, K.M.

Death of sensory ganglion neurons after acute withdrawal of nerve growth factor in dissociated cells cultures, **482**, 340
Eilam, D., Golani, I. and Szechtman, H. D_2-agonist quinpirole induces perseveration of routes and hyperactivity but no perseveration of movements, **490**, 255
Eilam, R., see Avidor, R., **503**, 304
Eimerl, S., see Minc-Golomb, D., **490**, 205
Einhäupl, K.M., see Villringer, A., **504**, 159
Ekblad, E., see Chang, J.-Y., **492**, 79
Ekström, P.A.R., Kanje, M. and Skottner, A. Nerve regeneration and serum levels of insulin-like growth factor-I in rats with streptozotocin-induced insulin deficiency, **496**, 141
El-Fakahany, E.E., see Surichamorn, W., **493**, 320
Elam, J.S., see Coughlin, C., **493**, 326
Eldridge, J.C., Fleenor, D.G., Kerr, D.S. and Landfield, P.W. Impaired up-regulation of type II corticosteroid receptors in hippocampus of aged rats, **478**, 248
Elfvin, L.-G., Lindh, B., Hökfelt, T. and Terenius, L. An ultrastructural study of dynorphin-immunoreactive nerve fibers and terminals in the celiac-superior mesenteric ganglion of the guinea pig, **502**, 341
Elghozi, J.-L., Head, G.A., Wolf, W.A., Anderson, C.R. and Korner, P.I. Importance of spinal noradrenergic pathways in cardiovascular reflexes and central actions of clonidine and α-methyldopa in the rabbit, **499**, 39
Ellinwood Jr., E.H., see Lee, T.H., **483**, 17
Ellison, J.A., see Noble, L.J., **487**, 299
Ellouze-Kallel, J., see Thomson, M.A., **488**, 241
Emadian, S.M., see Luttge, W.G., **493**, 190
Emerich, D.F., see Walsh, T.J., **478**, 24
Emori, K., see Minabe, Y., **486**, 201
Emson, P.C., see Ichimiya, Y., **499**, 402
Emson, P.C., see Kobayashi, K., **498**, 170
Engele, J., Pilgrim, C., Kirsch, M. and Reisert, I. Different developmental potentials of diencephalic and mesencephalic dopaminergic neurons in vitro, **483**, 98
Engstrom, D.A., see Diamond, D.M., **492**, 356
Enna, S.J., see Duman, R.S., **477**, 166
Enna, S.J., see Pilc, A., **493**, 8
Ennis, M., see Shipley, M.T., **504**, 347
Ensor, D.M., Morley, J.S., Redfern, R.M. and Miles, J.B. Stimulation of dopamine output from adrenal medullary cells by β-endorphin and its C-terminal tetrapeptide (MPF), **490**, 196
Epstein, C.J., see Ault, B., **497**, 191
Erdos, J.J., see Nestler, E.J., **476**, 230
Erecińska, M., see Deas, J., **483**, 84
Eriksdotter-Nilsson, M., Gerhardt, G., Seiger, Å., Olson, L., Hoffer, B. and Granholm, A.-C. Age-related alterations in noradrenergic input to the hippocampal formation: structural and functional studies in intraocular transplants, **478**, 269
Ermani, M., see Pellegrini, A., **497**, 344
Errchidi, S., see Hilaire, G., **485**, 325
Erulkar, S.D., see Stieber, A., **495**, 131
Erzurumlu, R.S., Jhaveri, S., Moya, K.L. and Benowitz, L.I. Peripheral nerve regeneration induces elevated expression of GAP-43 in the brainstem trigeminal complex of adult hamsters, **498**, 135
Eschalier, A., see Guilbaud, G., **484**, 383
Eschalier, A., see Guilbaud, G., **502**, 187
Escobar, M., Fernández, J., Guevara-Aguilar, R. and Bermúdez-Rattoni, F. Fetal brain grafts induce recovery of learning deficits and connectivity in rats with gustatory neocortex lesion, **478**, 368
Eshhar, N., Lederkremer, G., Beaujean, M., Goldberg, O., Gregor, P., Ortega, A., Triller, A. and Teichberg, V.I. Kainyl-bovine serum albumin: a novel ligand of the kainate sub-type of glutamate receptor with a very high binding affinity, **476**, 57
Eskay, R.L., see Hilakivi, L.A., **502**, 158
Eskin, T.A., see Lynch III, J.L., **499**, 325
Evans, M.L. and Carpenter, D.O. Desensitization kinetics of a chloride acetylcholine response in *Aplysia*, **495**, 309
Evans, M.L., see Salánki, J., **495**, 298
Ewert, J.-P., see Gonzalez-Lima, F., **489**, 67
Ewing, S.E., see Perese, D.A., **494**, 285
Eyzaguirre, C., Monti-Bloch, L., Baron, M., Hayashida, Y. and Woodbury, J.W. Changes in glomus cell membrane properties in response to stimulants and depressants of carotid nerve discharge, **477**, 265

F

Fabrikant, J.I., see Lo, E.H., **504**, 168
Faden, A.I. TRH Analog YM-14673 improves outcome following traumatic brain and spinal cord injury in rats: dose–response studies, **486**, 228
Faden, A.I., see McIntosh, T.K., **482**, 252
Faden, A.I., see Vink, R., **490**, 144
Fagan, M., see Andrew, R.D., **498**, 175
Fahn, S., see Cadet, J.L., **476**, 10
Fahn, S., see Mena, M.A., **486**, 286
Fahn, S., see Perumal, A.S., **504**, 139
Fahn, S., see Przedborski, S., **504**, 311
Faingold, C.L., Gehlbach, G. and Caspary, D.M. On the role of GABA as an inhibitory neurotransmitter in inferior colliculus neurons: iontophoretic studies, **500**, 302
Faingold, C.L., see Caspary, D.M., **503**, 83
Falkai, P., see Gentleman, S.M., **505**, 311
Falkay, G., see Majewska, M.D., **482**, 397
Fallon, J., see Schmued, L., **487**, 131
Fallon, M., see Puel, J.L., **487**, 9
Fang, F.G., Haws, C.M., Drasner, K., Williamson, A. and Fields, H.L. Opioid peptides (DAGO-enkephalin, dynorphin A(1–13), BAM 22P) microinjected into the rat brainstem: comparison of their antinociceptive effect and their effect on neuronal firing in the rostral ventromedial medulla, **501**, 116
Fantini, J., see Vion-Dury, J., **493**, 175
Faraci, F.M., Mayhan, W.G. and Heistad, D.D. Effect of serotonin on blood flow to the choroid plexus, **478**, 121
Farber, D.B., see Bronstein, J., **495**, 83
Farmery, S.M., see Robertson, R.G., **476**, 317
Farrant, M. and Webster, R.A. Compartmental distribution of endogenous amino acids in the substantia nigra of the rat, **480**, 344
Farrant, M. and Webster, R.A. Neuronal activity, amino acid concentration and amino acid release in the substantia nigra of the rat after sodium valproate, **504**, 49
Farrar, R.P., Seibert, C., Gnau, K. and Leslie, S.W. Development of tolerance in brain mitochondria for calcium uptake following chronic ethanol ingestion, **500**, 374
Fass-Holmes, B., see Hagg, T., **505**, 29
Fatatis, A., see Taglialatela, M., **488**, 114
Faull, R.L.M., Dragunow, D. and Villiger, J.W. The distribution of neurotensin receptors and acetylcholinesterase in the human caudate nucleus: evidence for the existence of a third neurochemical compartment, **488**, 381
Faull, R.L.M., see Dragunow, M.,

501, 382
Faull, R.L.M., see Jansen, K.L.R., **482**, 174
Favit, A., see Clementi, G., **478**, 138
Feasey, K.J., see Stelzer, A., **490**, 41
Febvret, A., see Gaspar, P., **490**, 1
Fechner Jr., J.H. and Buntin, J.D.
Localization of prolactin binding sites in ring dove brain by quantitative autoradiography, **487**, 245
Fedele, E., see Bonanno, G., **480**, 242
Feder, H.H., see Thornton, J.E., **503**, 253
Federico, P., see Mathieson, W.B., **486**, 49
Fedynyshyn, J.P. and Lee, N.M.
Mu-type opioid receptors in rat periaqueductal gray-enriched P_2 membrane are coupled to guanine nucleotide binding proteins, **476**, 103
Feenstra, M.G.P., see Kalsbeek, A., **479**, 339
Felder, R.B., see Feldman, P.D., **480**, 190
Feldman, P.D. and Felder, R.B.
α_2-Adrenergic modulation of synaptic excitability in the rat nucleus tractus solitarius, **480**, 190
Feldman, S.M., see Justice, A., **490**, 73
Fenton, M., see Sabri, M.I., **483**, 1
Fenu, S., see Morelli, M., **487**, 120
Ferguson, A.V., see Donevan, S.D., **488**, 398
Fernandez-Duque, E., see Valeggia, C., **481**, 304
Fernández, J., see Escobar, M., **478**, 368
Fernández-Alfonso, M.S., see Salaices, M., **490**, 133
Fernández-Ruiz, J.J., Amor, J.C. and Ramos, J.A.
Time-dependent effects of estradiol and progesterone on the number of striatal dopaminergic D2-receptors, **476**, 388
Fernstrom, J.D., see Fernstrom, M.H., **499**, 291
Fernstrom, M.H., Baker, R.L. and Fernstrom, J.D.
In vivo tyrosine hydroxylation rate in retina: effects of phenylalanine and tyrosine administration in rats pretreated with *p*-chlorophenylalanine, **499**, 291
Ferreira, S.A., see Devries, M.J., **494**, 241
Feussner, G., see Lust, W.D., **489**, 12
Fibiger, H.C., see Jourdain, A., **505**, 55
Fibiger, H.C., see MacLennan, A.J., **477**, 300
Fibiger, H.C., see Radke, J.M., **480**, 178
Fibiger, H.C., see Yoshida, M., **496**, 373
Fidone, S.J., see Wang, Z.-Z., **498**, 131
Fields, H.L., see Fang, F.G., **501**, 116
Fields, H.L., see Haws, C.M., **483**, 272
Fierz, W., see Hartung, H.-P., **489**, 120
Filion, M., see Tremblay, L., **498**, 1
Filion, M., see Tremblay, L., **498**, 17
Filippi, G.-M., see Petit, J., **503**, 181
Finch, D.M., see Isokawa-Akesson, M., **480**, 92
Fink-Jensen, A. and Mikkelsen, J.D.
The striato-entopeduncular pathway in the rat. A retrograde transport study with wheatgerm-agglutinin–horseradish peroxidase, **476**, 194
Finkenstädt, T., see Gonzalez-Lima, F., **489**, 67
Finnegan, K.T., DeLanney, L.E., Irwin, I., Ricaurte, G.A. and Langston, J.W.
The amine-depleting effects of 5,7-dihydroxytryptamine (5,7-DHT) in C57BL/6 mice do not increase with age, **496**, 251
Fischer, J.A., see Fried, G., **499**, 315
Fischer, J.E., see Chance, W.T., **486**, 316
Fischer-Colbrie, R., see Schober, M., **478**, 41
Fisher, L.A., see Overton, J.M., **488**, 233
Fisher, R.S. and Levine, M.S.
Transmitter cosynthesis by corticopetal basal forebrain neurons, **491**, 163
Fitch, J.M., Juraska, J.M. and Washington, L.W.
The dendritic morphology of pyramidal neurons in the rat hippocampal CA3 area. I. Cell types, **479**, 105
Fitch, J.M., see Juraska, J.M., **479**, 115
Fitch, R.H., see Denenberg, V.H., **497**, 271
Fittro, K.P., see Watson, D.F., **477**, 225
Fitzgerald, L.R., Glick, S.D. and Schneider, A.S.
Effect of striatal implantation of bovine adrenal chromaffin cells on turning behavior in a rat model of Parkinson's disease, **481**, 373
Fitzgerald, L.W. and Dokla, C.P.J.
Morris water task impairment and hypoactivity following cysteamine-induced reductions of somatostatin-like immunoreactivity, **505**, 246
Flanigan, T.P., see Wharton, J., **483**, 170
Flaster, E., see Mena, M.A., **486**, 286
Fleenor, D.G., see Eldridge, J.C., **478**, 248
Fleshner, M., see Diamond, D.M., **492**, 356
Flood, J.F., Baker, M.L., Hernandez, E.N. and Morley, J.E.
Modulation of memory processing by neuropeptide Y varies with brain injection site, **503**, 73
Flood, J.F., see Morley, J.E., **494**, 129
Florijn, W.J. and Versteeg, D.H.G.
ACTH-(1–24) enhances the electrically stimulated release of [^{3}H]dopamine from rat septal slices via a dopamine D_2 receptor-independent mechanism, **494**, 247
Florio, T., see Schettini, G., **492**, 65
Flügge, G., see Panula, P., **484**, 234
Foley, P., see Bradford, H.F., **476**, 29
Foley-Nelson, T., see Chance, W.T., **486**, 316
Follett, K.A.
A telencephalospinal projection in the Tegu lizard (*Tupinambis teguixin*), **496**, 89
Foote, W.E., see Colin, W., **486**, 334
Ford, R.D., Colom, L.V. and Bland, B.H.
The classification of medial septum-diagonal band cells as θ-on or θ-off in relation to hippocampal EEG states, **493**, 269
Ford, T.W., see Clarke, R.W., **505**, 1
Ford-Rice, F., see Majewska, M.D., **482**, 397
Foreman, R.D., see Chandler, M.J., **496**, 148
Forno, L.S., see Woolverton, W.L., **486**, 73
Forray, C., see Surichamorn, W., **493**, 320
Forsling, M.L., see Thornton, S.N., **488**, 297
Fortin, G., see Jacquin, T., **497**, 296
Fosset, M., see De Weille, J.R., **485**, 199
Fosset, M., see Mourre, C., **486**, 159
Fossier, P., Testylier, G., Baux, G., Viret, J. and Tauc, L.
Demonstration of functional acetylcholinesterase on the soma of individual neurones of *Aplysia* by in vivo microspectrophotometry, **491**, 390
Foster, R.E., see Bigbee, J.W., **494**, 182
Fournie-Zaluski, M.C., see Kayser, V., **497**, 94
Foutz, A.S., Champagnat, J. and Denavit-Saubié, M.
Involvement of -methyl-D-aspartate (NMDA) receptors in respiratory rhythmogenesis, **500**, 199
Fowler, J.C.
Adenosine antagonists delay hypoxia-induced depression of neuronal activity in hippocampal brain slice, **490**, 378
Fox, D.A. and Ruan, D.-Y.
Time- and frequency-dependent effects of potassium channel blockers on large and medium diameter optic tract axons, **498**, 229
Fox, G.Q., Kötting, D. and Dowe, G.H.C.
A morphometric analysis of *Torpedo* synaptic vesicles isolated by iso-osmotic sucrose gradient separation, **498**, 279
Fox, S.E., see Stewart, M., **500**, 55
Francis, P.T., Poynton, A., Lowe, S.L., Najlerahim, A., Bridges, P.K., Bartlett, J.R., Procter, A.W., Bruton, C.J.and

Bowen, D.M.
Brain amino acid concentrations and Ca^{2+}-dependent release in intractable depression assessed antemortem, **494**, 315
Franck, J., see Fried, G., **499**, 315
François-Bellan, A.-M., Segu, L. and Héry, M.
Regulation by estradiol of $GABA_A$ and $GABA_B$ binding sites in the diencephalon of the rat: an autoradiographic study, **503**, 144
Frangieh, A.S., see Saadé, N.E., **486**, 399
Franke, C., see Dudel, J., **481**, 215
Franke, C., see Zufall, F., **503**, 342
Frankel, K.A., see Lo, E.H., **504**, 168
Franson, P., see Risling, M., **494**, 13
Fraser, H., see Scott, J.R., **504**, 301
Frederickson, C.J., Hernandez, M.D. and McGinty, J.F.
Translocation of zinc may contribute to seizure-induced death of neurons, **480**, 317
Freed, W.J., Adinolfi, A.M., Laskin, J.D. and Geller, H.M.
Transplantation of B16/C3 melanoma cells into the brains of rats and mice, **485**, 349
Freed, W.J., see Poltorak, M., **480**, 349
Freed, W.J., see Poltorak, M., **488**, 265
Freedman, R., see Boyajian, C.L., **495**, 66
Freese, A., see During, M.J., **476**, 384
Frégnac, Y., see Davenne, D., **485**, 267
French, A.S.
Ouabain selectively affects the slow component of sensory adaptation in an insect mechanoreceptor, **504**, 112
Freund, T.F.
GABAergic septohippocampal neurons contain parvalbumin, **478**, 375
Frey, J.M., Ticku, M.K., Bell, R.D. and Huffman, R.D.
Chronic haloperidol administration increases GABA binding and enhances neuronal responsiveness to iontophoresed GABA in rat globus pallidus, **491**, 57
Fried, G., Franck, J., Brodin, E., Born, W., Fischer, J.A., Hiort, W. and Hökfelt, T.
Evidence for differential storage of calcitonin gene-related peptide, substance P and serotonin in synaptosomal vesicles of rat spinal cord, **499**, 315
Friedemann, M., see Gerhardt, G.A., **499**, 157
Friedman, M., see Lapadula, D.M., **481**, 157
Friedman, Z., Hackett, S.F., Linden, J. and Campochiaro, P.A.
Human retinal pigment epithelial cells in culture possess A_2-adenosine receptors, **492**, 29
Friend, J., see Delfs, J., **488**, 31
Froment, Y., see Eder-Colli, L., **500**, 90
Fromm, C., see Bauswein, E., **493**, 198
Frost, J.J., see Sadzot, B., **491**, 128
Frotscher, M., see Soriano, E., **503**, 170
Frotscher, M., see Zipp, F., **495**, 161
Fruhstorfer, B., Mignot, E., Bowersox, S., Nishino, S., Dement, W.C. and Guilleminault, C.
Canine narcolepsy is associated with an elevated number of α_2-receptors in the locus coeruleus, **500**, 209
Frusciante, M.J., see Sircar, R., **504**, 325
Frusthofer, B., see Mignot, E., **490**, 186
Fu, T.-C., see Yen, C.-T., **498**, 118
Fuchs, E., see Panula, P., **484**, 234
Fuchs, J.L.
$[^{125}I]\alpha$-Bungarotoxin binding marks primary sensory areas of developing rat neocortex, **501**, 223
Fujikura, H., Kato, H., Nakano, S. and Kogure, K.
A serotonin S_2 antagonist, naftidrofuryl, exhibited a protective effect on ischemic neuronal damage in the gerbil, **494**, 387
Fujimoto, K., see Ookuma, K., **490**, 268
Fujita, S., see Takahashi, Y., **497**, 374
Fujito, Y., Kawasaki, H. and Aoki, M.
Motor recovery after cross-reinnervation of a forelimb nerve by the phrenic nerve in cats, **492**, 36
Fujiwara, M., see Okada, M., **501**, 23
Fujiwara, M., see Ninomiya, H., **482**, 109
Fukagawa, K., see Ookuma, K., **490**, 268
Fukami, Y. and Schlesinger, P.H.
Endocytosis and transcytosis by the capsule cell of vertebrate muscle spindles, **499**, 249
Fukuda, H., see Adachi, S., **487**, 196
Fukuda, A., Nabekura, J., Ito, C., Plata-Salamán, C.R. and Oomura, Y.
Developmentally different onset of α_1- and α_2-adrenergic responses in the neonatal rat dorsal motor nucleus of the vagus in vitro, **493**, 357
Fukuda, A., see Ito, C., **503**, 44
Fukuda, M., see Miyake, T., **489**, 31
Fukuda, M., see Miyake, T., **493**, 376
Fukuda, S., Taga, K., Tsukui, A., Nishimura, N., Kumagai, Y. and Shimoji, K.
Prostaglandin E_1 modifies porcine cerebral arterial tone through cyclooxygenase related eicosanoid(s) release, **496**, 397
Fukui, K., Nakajima, T., Kariyama, H., Kashiba, A., Kato, N., Tohyama, I. and Kimura, H.
Selective reduction of serotonin immunoreactivity in some forebrain regions of rats induced by acute methamphetamine treatment; quantitative morphometric analysis by serotonin immunocytochemistry, **482**, 198
Fukunaga, R., see Kitagawa, K., **479**, 263
Fuller, C.A., see Murakami, D.M., **482**, 283
Fults, D., Maness, P.F., Nakamura, Y. and White, R.
The N-ras oncogene is activated in a human medulloblastoma cell line, **503**, 281
Fung, S.J., see Lai, Y.-Y., **484**, 268
Fung, S.J., see Reddy, V.K., **491**, 144
Fung, S.J., see White, S.R., **502**, 205
Funk, R., see Schmahl, W., **486**, 297
Fuster, J.M., see Quintana, J., **503**, 100
Futenma, A., see Gotoh, M., **493**, 97
Fuxe, K., see Benfenati, F., **498**, 376
Fuxe, K., see Tanganelli, S., **502**, 319
Fyda, D.M., Cooper, K.E. and Veale, W.L.
Indomethacin-induced antipyresis in the rat: role of vasopressin receptors, **494**, 307

G

Gage, F.H., see Buzsáki, G., **484**, 94
Gahr, M., see Balthazart, J., **501**, 205
Gale, K., see Dean, P., **477**, 391
Gale, K., see Segovia, J., **493**, 185
Galeano, C., Corcos, J., Carmel, M. and Jubelin, B.
Action of clonidine on micturitional reflexes in decerebrate cats, **491**, 45
Gall, C., see Pico, R.M., **497**, 387
Gallagher, J.P., see Twery, M.J., **497**, 315
Gallop, P.M., see Graham, L., **491**, 371
Galloway, P.G. and Likavec, M.J.
Ubiquitin in normal, reactive and neoplastic human astrocytes, **500**, 343
Gallucci, W.T., see Calogero, A.E., **505**, 7
Galons, J.-P., see Vion-Dury, J., **493**, 175
Gambetti, P., see Monaco, S., **491**, 328
Gamble, G.D., see Milne, R.J., **491**, 316
Gammon, C.M., Oxford, G.S., Allen, A.C., McCarthy, K.D. and Morell, P.
Diacylglycerol modulates action potential frequency in GH_3 pituitary cells: correlative biochemical and electrophysiological studies, **479**, 217
Gandolfo, G., Gottesmann, C., Bidard, J.-N. and Lazdunski, M.
Subtypes of K^+ channels differentiated by the effect of K^+ channel openers upon K^+ channel blocker-induced seizures, **495**, 189
Gandolfo, G., see Bidard, J.-N.,

495, 45
Ganesan, R. and Sumners, C.
Glucocorticoids potentiate the dipsogenic action of angiotensin II, **499**, 121
Gann, D.S., see Bereiter, D.A., **490**, 307
Gannon, R.L., Baty, L.T. and Terrian, D.M.
L(+)-2-Amino-4-phosphonobutyrate inhibits the release of both glutamate and dynorphin from guinea pig but not rat hippocampal mossy fiber synaptosomes, **495**, 151
García, A., see Sallés, J., **498**, 366
Garcia-Segura, L.M., Olmos, G., Robbins, R.J., Hernandez, P., Meyer, J.H. and Naftolin, F.
Estradiol induces rapid remodelling of plasma membranes in developing rat cerebrocortical neurons in culture, **498**, 339
García-Hernández, F., see Arankowsky-Sandoval, G., **494**, 396
Garcia de Yebenes, J., see Mena, M.A., **486**, 286
Gardiner, S.M., see Harland, D., **496**, 14
Gardiner, T.W., see Oh, C., **480**, 184
Garey, L.J., Takács, J., Revishchin, A.V. and Hámori, J.
Quantitative distribution of GABA-immunoreactive neurons in cetacean visual cortex is similar to that in land mammals, **485**, 278
Garin-Chesa, P., see Rettig, W.J., **487**, 171
Garner, J., see Martz, D., **476**, 199
Garofalo, L., see Maysinger, D., **496**, 165
Garrick, N.A., see Mefford, I.N., **492**, 377
Garris, D.R.
Morphometric analysis of obesity (*ob*/*ob*)- and diabetes (*db*/*db*)-associated hypothalamic neuronal degeneration in C57BL/*KsJ* mice, **501**, 162
Garrison, D.W., see Chandler, M.J., **496**, 148
Gash, D.M., see Lopez Lozano, J.J., **486**, 351
Gash, D.M., see Marciano, F.F., **483**, 135
Gaspar, P., Duyckaerts, C., Febvret, A., Benoit, R., Beck, B. and Berger, B.
Subpopulations of somatostatin 28-immunoreactive neurons display different vulnerability in senile dementia of the Alzheimer type, **490**, 1
Gaumann, D.M., see Grabow, T.S., **489**, 223
Gautron, M., see Guilbaud, G., **484**, 383
Gautron, M., see Guilbaud, G., **502**, 187
Gaykema, R.P.A., Compaan, J.C., Nyakas, C., Horvath, E. and Luiten, P.G.M.
Long-term effects of cholinergic basal forebrain lesions on neuropeptide Y and somatostatin immunoreactivity in rat neocortex, **489**, 392
Gean, P.-W. and Shinnick-Gallagher, P.
The transient potassium current, the A-current, is involved in spike frequency adaptation in rat amygdala neurons, **480**, 160
Gean, P.-W., Shinnick-Gallagher, P. and Anderson, A.C.
Spontaneous epileptiform activity and alteration of GABA- and of NMDA-mediated neurotransmission in amygdala neurons kindled in vivo, **494**, 177
Gebhart, G.F., see Ness, T.J., **486**, 301
Gee, K.W., Joy, D.S. and Belelli, D.
Complex interactions between pregnenolone sulfate and the *t*-butylbicyclophosphoro-thionate-labeled chloride ionophore in rat brain, **482**, 169
Geffard, M., see Chagnaud, J.-L., **481**, 175
Geffard, M., see Barthe, J.Y., **497**, 368
Geffard, M., see Tison, F., **497**, 260
Gehlbach, G., see Faingold, C.L., **500**, 302
Gehlert, D.R., see Jørgensen, M.B., **484**, 393
Gehlert, D.R., see Wang, J.-X., **477**, 322
Geinisman, Y., Morrell, F. and De Toledo-Morrell, L.
Perforated synapses on double-headed dendritic spines: a possible structural substrate of synaptic plasticity, **480**, 326
Geller, H.M., see Freed, W.J., **485**, 349
Gelsema, A.J., Roe, M.J. and Calaresu, F.R.
Neurally mediated cardiovascular responses to stimulation of cell bodies in the hypothalamus of the rat, **482**, 67
Gemba, H., see Sasaki, K., **495**, 100
Gentile, C.C., see Teich, A.H., **480**, 210
Gentleman, S.M., Falkai, P., Bogerts, B., Herrero, M.T., Polak, J.M. and Roberts, G.W.
Distribution of galanin-like immunoreactivity in the human brain, **505**, 311
Geoffre, S., see Allard, M., **500**, 169
George, S.R., see Haas, D.A., **498**, 333
Gerber, U., see Greene, R.W., **476**, 154
Gerfen, C.R., see Choi, W.C., **499**, 193
Gerhardt, G., see Eriksdotter-Nilsson, M., **478**, 269
Gerhardt, G.A., Friedemann, M., Brodie, M.S., Vickroy, T.W., Gratton, A.P., Hoffer, B.J. and Rose, G.M.
The effects of cholecystokinin (CCK-8) on dopamine-containing nerve terminals in the caudate nucleus and nucleus accumbens of the anesthetized rat: an in vivo electrochemical study, **499**, 157
German, D.C., see Manaye, K.F., **491**, 307
Germroth, P., Schwerdtfeger, W.K. and Buhl, E.H.
GABAergic neurons in the entorhinal cortex project to the hippocampus, **494**, 187
Gerozissis, K., see Saadi, M., **488**, 97
Gerstein, G.L., see Gochin, P.M., **497**, 1
Gerstein, G.L., see Lindsey, B.G., **483**, 373
Gerstner, G.E. and Goldberg, L.J.
An analysis of mandibular movement trajectories and masticatory muscle EMG activity during drinking in the guinea pig, **479**, 6
Gerstner, G.E., Goldberg, L.J. and De Bruyne, K.
Angiotensin II-induced rhythmic jaw movements in the ketamine-anesthetized guinea pig, **478**, 233
Gertz, H.-J., Schoknecht, G., Krüger, H. and Cervos-Navarro, J.
Stability of cell size and nucleolar size in tangle-bearing neurons of the hippocampus in Alzheimer's disease **487**, 373
Getchell, M.L., see Zielinski, B.S., **492**, 361
Getchell, T.V., see Zielinski, B.S., **492**, 361
Geula, C. and Mesulam, M.
Special properties of cholinesterases in the cerebral cortex of Alzheimer's disease, **498**, 185
Ghandour, S., see Nakano, Y., **496**, 336
Ghatei, M.A., see Ball, J.A., **479**, 300
Ghatei, M.A., see Kreymann, B., **502**, 325
Ghetti, B., see Triarhou, L.C., **501**, 373
Giacometti, S., Scherini, E. and Bernocchi, G.
Seasonal changes in the nucleoli of Purkinje cells of the hedgehog cerebellum, **488**, 365
Giannini, C., Lais, A.C. and Dyck, P.J.
Number, size, and class of peripheral nerve fibers regenerating after crush, multiple crush, and graft, **500**, 131
Gibb, J.W., see Merchant, K.M., **500**, 21
Gibbs, J., see De Saint Hilaire-Kafi, Z., **478**, 152
Gibson, M.J., see Silverman, R.C., **501**, 260
Gibson, S.J., see Mora, M., **492**, 404
Giesler Jr., G.J., see Burstein, R., **497**, 149
Gilbert, J., see Kish, S.J., **489**, 373
Gilbert, M.E., Mack, C.M. and Crofton, K.M.
Pyrethroids and enhanced inhibition

in the hippocampus of the rat, **477**, 314
Gillberg, P.G., see Adem, A., **503**, 299
Gillet, B., see Jacquin, T., **497**, 296
Gillin, J.C., see Velazquez-Moctezuma, J., **503**, 128
Gilman, S., see Albin, R.L., **491**, 185
Gilman, S., see Sachdev, R.N.S., **501**, 295
Ginsberg, M.D., see Yoshii, F., **483**, 355
Ginsberg, S., see Starkstein, S.E., **478**, 16
Gintzler, A.R., see Xu, H., **504**, 36
Gioux, M., see Petit, J., **503**, 181
Giraud, O., Cervo, L., Grignaschi, G. and Samanin, R.
Activation of μ opioid receptors in the nucleus raphe dorsalis blocks apomorphine-induced aggression in rats: serotonin appears not to be involved, **488**, 174
Giri, P.R., Linnoila, M., O'Neill, J.B. and Goldman, D.
Distribution and possible metabolic role of class III alcohol dehydrogenase in the human brain, **481**, 131
Giuliano, R., see Milner, T.A., **500**, 67
Glass, J.D., see Devries, M.J., **494**, 241
Gleeson, R.A., Carr, W.E.S. and Trapido-Rosenthal, H.G.
ATP-sensitive chemoreceptors: antagonism by other nucleotides and the potential implications of ectonucleotidase activity, **497**, 12
Glick, S.D. and Carlson, J.N.
Regional changes in brain dopamine and serotonin metabolism induced by conditioned circling in rats: effects of water deprivation, learning and individual differences in asymmetry, **504**, 231
Glick, S.D., see Fitzgerald, L.R., **481**, 373
Globus, M.Y-T., see Yoshii, F., **483**, 355
Glowinski, J., see Mantz, J., **476**, 377
Glowinski, J., see Jay, T.M., **505**, 337
Glynn, G.E. and Yamamoto, B.K.
In vivo neurochemical and anatomical heterogeneity of the dopamine uptake system in the rat caudate putamen, **481**, 235
Gnau, K., see Farrar, R.P., **500**, 374
Goadsby, P.J. and Duckworth, J.W.
Low frequency stimulation of the locus coeruleus reduces regional cerebral blood flow in the spinalized cat, **476**, 71
Gobert, A., see Leviel, V., **499**, 205
Gochin, P.M., Kaltenbach, J.A. and Gerstein, G.L.
Coordinated activity of neuron pairs in anesthetized rat dorsal cochlear nucleus, **497**, 1
Godwin, D.W., see Holdefer, R.N., **488**, 341
Godwin, D.W., see Norton, T.T., **488**, 348
Goebel, D.J., see Caruso, D.M., **476**, 129
Gogola, G., see Pieper, D.R., **485**, 382
Goh, Y., see Matsumura, H., **481**, 242
Gola, M., see Chagneux, H., **488**, 336
Golani, I., see Eilam, D., **490**, 255
Gold, P.W., see Calogero, A.E., **505**, 7
Goldberg, L.J., see Gerstner, G.E., **478**, 233
Goldberg, L.J., see Gerstner, G.E., **479**, 6
Goldberg, M.P., see Monyer, H., **483**, 347
Goldberg, O., see Eshhar, N., **476**, 57
Goldberg, W.J., see Bernstein, J.J., **488**, 180
Goldberg, W.J., see Bernstein, J.J., **491**, 205
Goldman, D., see Giri, P.R., **481**, 131
Goldschmidt, R.B. and Steward, O.
Comparison of the neurotoxic effects of colchicine, the vinca alkaloids, and other microtubule poisons, **486**, 133
Goldsmith, G., see Wieraszko, A., **485**, 244
Goldstein, M., see Seroogy, K., **496**, 389
Goldstein, M., see Kitahama, K., **478**, 156
Goldstone, A.D., see Koenig, H., **483**, 110
Goltz, K.M., see Cornwell-Jones, C.A., **493**, 258
Gómez-Pinilla, F., Cotman, C.W. and Nieto-Sampedro, M.
NGF receptor immunoreactivity in aged rat brain, **479**, 255
Gonatas, N.K., see Stieber, A., **495**, 131
Gong, D., Uruno, T., Nagakura, Y., Matsuoka, Y. and Kubota, K.
Effects of perfusion flow rate, prostaglandin $F_{2\alpha}$, phenylephrine, and serotonin on isolated, perfused brains of spontaneously hypertensive rats, **482**, 122
Gonias, S.L., see Hall, S.W., **495**, 373
Gonzalez, C., see Obeso, A., **481**, 250
Gonzalez, B., see Castellano, B., **492**, 203
Gonzalez-Lima, F., Finkenstädt, T. and Ewert, J.-P.
Learning-related activation in the auditory system of the rat produced by long-term habituation: a 2-deoxyglucose study, **489**, 67
González, A.M., see Pascual, J., **505**, 306
González, F., see Cudeiro, J., **484**, 367
González, S., see Moses, D.F., **481**, 317
González-Barón, S., see Aguirre, J.A., **489**, 311
Gonzalo, L.M., see Pascual, J.I., **480**, 397
Goodman, S.R., see Zagon, I.S., **482**, 297
Goping, G., see Nitsch, C., **495**, 243
Görcs, T., see Horváth, S., **481**, 8
Gordon, B. and Webb, R.A.
Release of exogenously-supplied and endogenous serotonin from tissue slices of *Hymenolepis diminuta*, **486**, 376
Gordon, L., see Wharton, J., **483**, 170
Gordon, T.R., Kocsis, J.D. and Waxman, S.G.
Pharmacological sensitivities of two afterhyperpolarizations in rat optic nerve, **502**, 252
Gorter, J.A., Kamphuis, W. and Coenen, A.M.L.
Paradoxical sleep deprivation does not affect neuronal excitability in the rat hippocampus, **476**, 16
Goto, I., see Tanaka, K., **482**, 347
Goto, I., see Tanaka, K., **503**, 160
Gotoh, M., Iguchi, A., Yatomi, A., Uemura, K., Miura, H., Futenma, A., Kato, K. and Sakamoto, N.
Vagally mediated insulin secretion by stimulation of brain cholinergic neurons with neostigmine in bilateral adrenalectomized rats, **493**, 97
Gotoh, Y., see Shinozaki, H., **503**, 330
Gotow, T., see Nishi, T., **485**, 185
Gotow, T.
Photoresponses of an extraocular photoreceptor associated with a decrease in membrane conductance in an opisthobranch mollusc, **479**, 120
Gotow, T., Williams, T.H., Jew, J.Y., Cassell, M.D., Palkovits, M. and Hashimoto, P.H.
Collateral sprouting of somatostatin-immunoreactive axons after partial deafferentation of the central nucleus of the rat amygdala, **492**, 325
Gottesmann, C., see Bidard, J.-N., **495**, 45
Gottesmann, C., see Gandolfo, G., **495**, 189
Gozes, I., see Avidor, R., **503**, 304
Gozes, Y., see Kobiler, D., **496**, 314
Grabow, T.S., Gaumann, D.M. and Yaksh, T.L.
Electroencephalographic and behavioral assessment of intracerebroventricular somatostatin and a substance P analogue, **489**, 223
Grace, M., see Levine, A.S., **477**, 280
Graeber, M.B., see Rieske, E., **492**, 1
Graham, L. and Gallop, P.M.
Peptidylglycine α-amidating monooxygenase activity in spinal cord, dorsal roots, and dorsal root ganglia of *Macaca fascicularis*, **491**, 371
Granata, A.R. and Kitai, S.T.
Intracellular analysis of excitatory subthalamic inputs to the pedunculopontine neurons, **488**, 57
Granata, A.R. and Kitai, S.T.
Intracellular study of nucleus parabrachialis and nucleus tractus solitarii interconnections, **492**, 281
Granholm, A.-C., see Eriksdotter-Nilsson, M., **478**, 269
Grassi, S., Ottaviani, F. and

Bambagioni, D.
Vocalization and stapedius muscle activity evoked by local electrical stimulation of midbrain in the chicken (*Gallus gallus*), **490**, 345
Gratton, A.P., see Gerhardt, G.A., **499**, 157
Graves, L., see Boadle-Biber, M.C., **482**, 306
Graybiel, A.M., see Langer, L.F., **498**, 344
Graziadei, P.P.C., see Monti-Graziadei, A.G., **484**, 157
Greenberg, D.A., see Marks, S.S., **478**, 196
Greenberg, J., see Haracz, J.L., **489**, 365
Greenberg, J.H., see Uematsu, D., **482**, 129
Greenberger, V., see Segal, M., **500**, 139
Greene, R.W., Gerber, U. and McCarley, R.W.
Cholinergic activation of medial pontine reticular formation neurons in vitro, **476**, 154
Greenfield, S.A., see Taylor, S.J., **482**, 356
Greenfield, S.A., see Taylor, S.J., **505**, 153
Greengard, P., see Gustafson, E.L., **491**, 297
Greenshaw, A.J., see Van Nguyen, T., **476**, 85
Greenwood, R.S., Meeker, R., Sullivan, H. and Hayward, J.N.
Kindling in spontaneous hypertensive rats, **495**, 58
Greer, J.J. and Stein, R.B.
Patterns of γ-motoneuron activity in the external intercostal muscles of the cat during respiration, **477**, 369
Gregor, L., see Thornhill, J.A., **490**, 174
Gregor, P., see Eshhar, N., **476**, 57
Gregor, R.J., see Pierotti, D.J., **481**, 57
Greig, N.H., see Soncrant, T.T., **487**, 255
Grenier, Y., Ruijs, T.C.J., Olivier, A., Robitaille, Y. and Antel, J.P.
DNA synthesis by young adult human-derived astrocytes in vitro, **480**, 87
Griffin, J.W., see Watson, D.F., **477**, 225
Grigg, J.J. and Anderson, E.G.
Glucose and sulfonylureas modify different phases of the membrane potential change during hypoxia in rat hippocampal slices, **489**, 302
Grignaschi, G., see Giraud, O., **488**, 174
Grill, H.J., see Kaplan, J.M., **499**, 63
Grillner, S., see Dubuc, R., **483**, 196
Grillner, S., see Hill, R.H., **499**, 388
Grillner, S., see Kasicki, S., **484**, 203
Grillo, C., Coirini, H., McEwen, B.S. and De Nicola, A.F.
Changes of salt intake and of (Na+K)-ATPase activity in brain after high dose treatment with deoxycorticosterone, **499**, 225
Grimaldi, M., see Schettini, G., **492**, 65
Grimaldi, R., see Benfenati, F., **498**, 376
Grimble, R.F., see Holt, S.J., **497**, 183
Grimes, L., see Lee, P.H.K., **480**, 322
Grimes, L.M., see Perry, D.C., **477**, 100
Grinnell, A.D., see Pawson, P.A., **495**, 182
Gritti, I., see Marini, G., **500**, 395
Gross, B., see Meiri, H., **502**, 401
Gross, P.M., see Shaver, S.W., **505**, 316
Grossman, A., see Tsagarakis, S., **502**, 167
Grossmann, R., see Leng, G., **484**, 290
Gruber, K.A., see Mitchell, L.D., **480**, 388
Gruen, E., see Woody, C.D., **480**, 72
Gruenstein, E., see Lomneth, R., **486**, 95
Grundke-Iqbal, I., see Bancher, C., **477**, 90
Gué, M., Alvinerie, M., Junien, J.L. and Bueno, L.
Stimulation of κ opiate receptors in intestinal wall affects stress-induced increase of plasma cortisol in dogs, **502**, 143
Guerra-Seijas, M.J., see Labandeira-Garcia, J.L., **497**, 305
Guevara-Aguilar, R., see Escobar, M., **478**, 368
Gueye, B., see Cortés, R., **483**, 30
Guibert, B., see Leviel, V., **499**, 205
Guido, W. and Salinger, W.L.
6-Hydroxydopamine treatment blocks the effects of chronic monocular paralysis in the cat's lateral geniculate nucleus, **501**, 397
Guilarte, T.R., see Eastman, C.L., **495**, 225
Guilbaud, G., see Attal, N., **494**, 276
Guilbaud, G., Benoist, J.M., Eschalier, A., Gautron, M. and Kayser, V.
Evidence for peripheral serotonergic mechanisms in the early sensitization after carrageenin-induced inflammation: electrophysiological studies in the ventrobasal complex of the rat thalamus using a potent specific antagonist of peripheral 5-HT receptors, **502**, 187
Guilbaud, G., Benoist, J.M., Eschalier, A., Kayser, V., Gautron, M. and Attal, N.
Evidence for central phenomena participating in the changes of responses of ventrobasal thalamic neurons in arthritic rats, **484**, 383
Guilbaud, G., see Kayser, V., **497**, 94
Guilleminault, C., see Fruhstorfer, B., **500**, 209
Guilleminault, C., see Mignot, E., **490**, 186
Guinan, M.J., Rothfeld, J.M., Pretel, S., Culhane, E.S., Carstens, E. and Watkins, L.R.
Electrical stimulation of the rat ventral midbrain elicits antinociception via the dorsolateral funiculus, **485**, 333
Guirado, S., De la Calle, A., Gutiérrez, A.D.A. and Davila, J.C.
Serotonin innervation of the cerebral cortex in lizards, **488**, 213
Gulyas, B., see Lagae, L., **496**, 361
Gulyás, B., see Raiguel, S.E., **493**, 155
Gunion, M.W., Rosenthal, M.J., Tatemoto, K. and Morley, J.E.
Intracranial microinfusion of pancreastatin elevates blood glucose, free fatty acids, and corticosterone in rats, **485**, 251
Gunion, M.W., Taché, Y., Rosenthal, M.J., Miller, S., Butler, B. and Zib, B.
Bombesin microinfusion into the rat hypothalamic paraventricular nucleus increases blood glucose, free fatty acids and corticosterone, **478**, 47
Gupta, R.K., see Schanne, F.A.X., **503**, 308
Gurevich, N., see Carlen, P.L., **497**, 171
Gurevich, N., see Durand, D., **477**, 373
Gusovsky, F., Secunda, S.I. and Daly, J.W.
Pyrethroids: involvement of sodium channels in effects on inositol phosphate formation in guinea pig synaptoneurosomes, **492**, 72
Gustafson, E.L., Ouimet, C.C. and Greengard, P.
Spatial relationship of the striatonigral and mesostriatal pathways: double-label immunocytochemistry for DARPP-32 and tyrosine hydroxylase, **491**, 297
Guthrie, K.M. and Leon, M.
Induction of tyrosine hydroxylase expression in rat forebrain neurons, **497**, 117
Guthrie, R.D., see Jodkowski, J.S., **505**, 187
Gutiérrez, A.D.A., see Guirado, S., **488**, 213
Gutman, M.B., Jones, D.L. and Ciriello, J.
Contribution of nucleus medianus to the drinking and pressor responses to angiotensin II acting at subfornical organ, **488**, 49
Guyenet, P.G., see Sun, M.-K., **492**, 261
Gybels, J., see Duysens, J., **499**, 131
Gyenes, C.A., see Robinson, S.E., **503**, 32

H

Haas, D.A. and George, S.R.
Neuropeptide Y-induced effects on hypothalamic corticotropin-releasing

factor content and release are dependent on noradrenergic/adrenergic neurotransmission, **498**, 333
Haas, H.L., see Heimrich, B., **490**, 404
Haba, K., see Mizukawa, K., **478**, 187
Haberl, R.L., see Villringer, A., **504**, 159
Hablitz, J.J., Tehrani, M.H.J. and Barnes Jr., E.M.
Chronic exposure of developing cortical neurons to GABA down-regulates GABA/benzodiazepine receptors and GABA-gated chloride currents, **501**, 332
Hachinski, V.C., see Cechetto, D.F., **502**, 296
Hackett, S.F., see Friedman, Z., **492**, 29
Hackman, J.C., see Zhang, D.X., **493**, 129
Hadjiconstantinou, M., Mariani, A.P. and Neff, N.H.
GM_1 ganglioside-induced recovery of nigrostriatal dopaminergic neurons after MPTP: an immunohistochemical study, **484**, 297
Hagberg, H., see Kjellmer, I., **478**, 241
Hagg, T., Fass-Holmes, B., Vahlsing, H.L., Manthorpe, M., Conner, J.M. and Varon, S.
Nerve growth factor (NGF) reverses axotomy-induced decreases in choline acetyltransferase, NGF receptor and size of medial septum cholinergic neurons, **505**, 29
Hagihara, Y., see Namba, H., **486**, 221
Haines, S.L., see Akeson, R.A., **488**, 202
Hajduk, P., see Hawkins, M., **505**, 141
Hajós, F., see Schröder, H., **502**, 287
Halász, B., see Nagy, G., **504**, 165
Hall, L.L., Borke, R.C. and Anders, J.J.
Transection or electrical stimulation of the hypoglossal nerve increases glial fibrillary acidic protein immunoreactivity in the hypoglossal nucleus, **490**, 157
Hall, M.E., Miley, F.B. and Stewart, J.M.
Cardiovascular effects of substance P peptides in the nucleus of the solitary tract, **497**, 280
Hall, S.W., VandenBerg, S.R. and Gonias, S.L.
Expression of plasminogen receptors on C6 glioma cells, **495**, 373
Hallett, M., see Dimitrov, B., **496**, 211
Halloran, P.M., see Beck, S.G., **504**, 72
Hama, H., see Yamaguchi, K., **481**, 388
Hama, H., see Yamaguchi, K., **496**, 345
Hamada, K., see Watanabe, Y., **478**, 143
Hamada, S., see Takahashi, Y., **497**, 374
Hamada, T., see Ukai, M., **496**, 377
Hamaji, M., Kawai, Y., Kawashima, Y. and Tohyama, M.
An electron microscopic study on VIP-, BOM- and CCK-like immunoreactive terminals in the celiac-superior mesenteric ganglion complex of the guinea pig, **488**, 283
Hamamura, T., Kazahaya, Y. and Otsuki, S.
Ceruletide suppresses endogenous dopamine release via vagal afferent system, studied by in vivo intracerebral dialysis, **483**, 78
Hamamura, T., see Akimoto, K., **490**, 339
Hamano, K., Katayama-Kumoi, Y., Kiyama, H., Ishimoto, I., Manabe, R. and Tohyama, M.
Coexistence of enkephalin and somatostatin in the chicken retina, **489**, 254
Hamaoka, T., see Nagashima, A., **487**, 392
Hamaoka, T., see Nagashima, A., **499**, 198
Hamill, R.W., see Dail, W.G., **487**, 165
Hamill, R.W., see Melvin, J.E., **485**, 1
Hamill, R.W., see Melvin, J.E., **485**, 11
Hamill, R.W., see Newton, B.W., **485**, 149
Hammond, D.L., see Bloss, J.L., **499**, 344
Hamon, M., see Cesselin, F., **484**, 71
Hámori, J., see Garey, L.J., **485**, 278
Hamprecht, B., see Pfeiffer, B., **476**, 120
Hamprecht, B., see Reiser, G., **479**, 40
Han, J.-S., see Li, Y., **480**, 105
Han, Z., Kuyatt, B.L., Kochman, K.A., DeSouza, E.B. and Roth, G.S.
Effect of aging on concentrations of D_2-receptor-containing neurons in the rat striatum, **498**, 299
Handa, N., see Kitagawa, K., **479**, 263
Handa, R.J. and Resko, J.A.
α-Adrenergic regulation of androgen receptor concentration in the preoptic area of the rat, **483**, 312
Hanin, I., see Potter, P.E., **487**, 238
Hanin, I., see Zubenko, G.S., **498**, 381
Hanini, M., Zamir, O. and Baluk, P.
Glial cells in the guinea pig myenteric plexus are dye coupled, **497**, 245
Hanson, G.R., see Merchant, K.M., **500**, 21
Haracz, J.L., Tschanz, J.A.T., Greenberg, J. and Rebec, G.V.
Amphetamine-induced excitations predominate in single neostriatal neurons showing motor-related activity, **489**, 365
Harandi, M., see Didier-Bazes, M., **489**, 137
Harary, N. and Kellogg, C.
The relationship of benzodiazepine binding sites to the norepinephrine projection in the hypothalamus of the adult rat, **492**, 293
Harding, J.W., see Jensen, L.L., **490**, 48
Hardy, J.A., see Dodd, P.R., **490**, 320
Harkins, K., see Ashby Jr., C.R., **498**, 393
Harland, D., Gardiner, S.M. and Bennett, T.
Paraventricular nucleus injections of noradrenaline: cardiovascular effects in conscious Long–Evans and Brattleboro rats, **496**, 14
Haroutunian, V., Kanof, P.D. and Davis, K.L.
Attenuation of nucleus basalis of Meynert lesion-induced cholinergic deficits by nerve growth factor, **487**, 200
Haroutunian, V., Kanof, P.D. and Davis, K.L.
Interactions of forebrain cholinergic and somatostatinergic systems in the rat, **496**, 98
Haroutunian, V., see Anderson, J., **478**, 391
Haroutunian, V., see Benson, D.M., **478**, 399
Harpaz, S., see Kalinoski, D.L., **488**, 163
Harper, C., see Klekamp, J., **485**, 79
Harper, C., see Riedel, A., **499**, 333
Harrell, L.E., see Connor, D.J., **488**, 387
Harrington, M.E., see Meijer, J.H., **501**, 315
Harrington, M.E., see Rusak, B., **493**, 283
Harris, K.M. and Miller, R.J.
CNQX (6-cyano-7-nitro-quinoxaline-2,3-dione) antagonizes NMDA-evoked [^{3}H]GABA release from cultured cortical neurons via an inhibitory action at the strychnine-insensitive glycine site, **489**, 185
Harris, K.M. and Miller, R.J.
Excitatory amino acid-evoked release of [^{3}H]GABA from hippocampal neurons in primary culture, **482**, 23
Harris, L.R., see Rauschecker, J.P., **490**, 56
Harris, L.T., see McCall, R.B., **501**, 73
Harris, R.A. and Allan, A.M.
Genetic differences in coupling of benzodiazepine receptors to chloride channels, **490**, 26
Harris, R.A., see Wafford, K.A., **505**, 215
Harris-Warrick, R.M.
Forskolin reduces a transient potassium current in lobster neurons by a cAMP-independent mechanism, **489**, 59
Harry, G.J., see Tandon, P., **477**, 308
Hartman, R.D., Petersen, S. and Barraclough, C.A.
Limited responsiveness of LHRH neurons to norepinephrine may account for failure of locus coeruleus or medullary A1 electrical stimulation to increase plasma LH in estrogen-treated ovariectomized rats, **476**, 35

Hartman, R.D., see Petersen, S.L., **495**, 9
Hartung, H.-P., Schäfer, B., Diamantstein, T., Fierz, W., Heininger, K. and Toyka, K.V. Suppression of P_2- T cell line-mediated experimental autoimmune neuritis by interleukin-2 receptor targeted monoclonal antibody ART 18, **489**, 120
Hartung, H.-P., Schäfer, B., Heininger, K. and Toyka, K.V. Recombinant interleukin-1β stimulates eicosanoid production in rat primary culture astrocytes, **489**, 113
Hartung, M., Leah, J. and Zimmerman, M. The excitation of cutaneous nerve endings in a neuroma by capsaicin, **499**, 363
Harvey, J.A., see Winsky, L., **493**, 136
Haseldonckx, M., see Ashton, D., **487**, 368
Hashim, A., see Bauman, W.A., **500**, 156
Hashimoto, K., see Makino, S., **501**, 84
Hashimoto, P.H., see Gotow, T., **492**, 325
Hasser, E.M., see Segura, T., **499**, 53
Hassessian, H., see Padjen, A.L., **488**, 288
Hatanaka, H., see Ikegami, S., **496**, 321
Hatfield, J.S., see Drescher, D.G., **485**, 225
Hatt, H., see Zufall, F., **503**, 342
Hatt, H., see Dudel, J., **481**, 215
Hattori, H., see Morin, A.M., **487**, 376
Hattori, T., see Miyake, T., **489**, 31
Hauser, K.F. and Toran-Allerand, C.D. Androgen increases the number of cells in fetal mouse spinal cord cultures: implications for motoneuron survival, **485**, 157
Hauser, S.L., see Kostyk, S.K., **504**, 284
Hauw, J.-J., see Duyckaerts, C., **504**, 94
Hawkes, R. and Leclerc, N. Purkinje cell axon collateral distributions reflect the chemical compartmentation of the rat cerebellar cortex, **476**, 279
Hawkins, K.N., see Wang, J.-X., **477**, 322
Hawkins, M., Hajduk, P., O'Connor, S., Radulovacki, M. and Starz, K.E. Effects of prolonged administration of triazolam on adenosine A_1 and A_2 receptors in the brain of rats, **505**, 141
Hawkins, M.F., Baker, J.D. and Baumeister, A.A. Neurotensin-induced polydipsia: a structure–activity study, **487**, 188
Haws, C.M., see Fang, F.G., **501**, 116
Haws, C.M., Williamson, A.M. and Fields, H.L. Putative nociceptive modulatory neurons in the dorsolateral pontomesencephalic reticular formation, **483**, 272
Hayaishi, O., see Matsumura, H., **481**, 242
Hayaishi, O., see Watanabe, Y., **478**, 143
Hayashi, Y., see Nagata, T., **483**, 50
Hayashi, Y., see Yajima, Y., **478**, 309
Hayashi, T., see Kodama, T., **487**, 35
Hayashida, Y., see Eyzaguirre, C., **477**, 265
Hayes, E.S., see Carlton, S.M., **504**, 124
Hayes, R.L., see Jenkins, L.W., **477**, 211
Hayward, J.N., see Greenwood, R.S., **495**, 58
Haywood, J.R., see Segura, T., **499**, 53
Hazlett, J.C., see Caruso, D.M., **476**, 129
Hazlett, J.C., see Michael, D.B., **478**, 227
Head, G.A., see Elghozi, J.-L., **499**, 39
Heal, D.J., see Crespi, F., **500**, 241
Healy, D.P., Rettig, R., Nguyen, T. and Printz, M.P. Quantitative autoradiography of angiotensin II receptors in the rat solitary-vagal area: effects of nodose ganglionectomy or sinoaortic denervation, **484**, 1
Heavens, R., see Dunnett, S.B., **501**, 401
Heavens, R.P., see Herbison, A.E., **486**, 195
Heavens, R.P., see Sirinathsinghji, D.J.S., **489**, 369
Heikkila, R.E., see Manaye, K.F., **491**, 307
Heimrich, B., Claus, H., Schwegler, H. and Haas, H.L. Hippocampal mossy fiber distribution and long-term potentiation in two inbred mouse strains, **490**, 404
Heinemann, U., see Albrecht, D., **480**, 393
Heinemann, U., see Stanton, P.K., **476**, 367
Heininger, K., see Hartung, H.-P., **489**, 113
Heininger, K., see Hartung, H.-P., **489**, 120
Heinonen, E., Åkerman, K.E.O. and Panula, P. Changes of the membrane potential in striatal synaptoneurosome, synaptosome and membrane sac preparations induced by glutamate, kainate and aspartate as measured with a cyanine dye DiS-C_2-(5), **496**, 187
Heinsen, H., see Kornhuber, J., **499**, 81
Heistad, D.D., see Faraci, F.M., **478**, 121
Heizmann, C.W., see Kamphuis, W., **479**, 23
Heizmann, C.W., see Kosaka, T., **483**, 158
Helfert, R.H., Bonneau, J.M., Wenthold, R.J. and Altschuler, R.A. GABA and glycine immunoreactivity in the guinea pig superior olivary complex, **501**, 269
Helfert, R.H., see Juiz, J.M., **504**, 173
Heller, H.C., see Krilowicz, B.L., **498**, 73
Hellgren, J. and Kellerth, J.-O. A physiological study of the monosynaptic reflex responses of cat spinal α-motoneurons after partial lumbosacral deafferentation, **488**, 149
Helme, R.D., see Khalil, Z., **500**, 256
Helms, C., see Landis, C.A., **488**, 195
Henderson, Z. The cholinergic input to the superficial layers of the superior colliculus: an ultrastructural immunocytochemical study in the ferret, **476**, 149
Hendry, I.A., see Morton, C.R., **488**, 89
Hendry, S.H.C., see DeFelipe, J., **503**, 49
Henegar, J.R., see Maruniak, J.A., **490**, 212
Henich, H., see Monaco, S., **491**, 328
Henken, D.B. and Yoon, M.G. Optic nerve crush modulates proliferation of rod precursor cells in the goldfish retina, **501**, 247
Henneberry, R.C., see Cox, J.A., **499**, 267
Henneberry, R.C., see Lysko, P.G., **499**, 258
Henry, P., see Tison, F., **497**, 260
Henry, J.L. and Sessle, B.J. Vasopressin and oxytocin express excitatory effects on respiratory and respiration-related neurones in the nuclei of the tractus solitarius in the cat, **491**, 150
Henry, J.L., see De Koninck, Y., **498**, 105
Henry, J.L., see Hong, Y., **499**, 169
Hepler, D.J., see DeNoble, V.J., **482**, 42
Herbert, J., see Mena, M.A., **486**, 286
Herbison, A.E., Heavens, R.P. and Dyer, R.G. Oestrogen and noradrenaline modulate endogenous GABA release from slices of the rat medial preoptic area, **486**, 195
Herbst, E., see Sisken, B.F., **485**, 309
Herkenham, M., see Brady, L.S., **477**, 382
Herman, J.P., Schäfer, M.K-H., Sladek, C.D., Day, R., Young, E.A., Akil, H. and Watson, S.J. Chronic electroconvulsive shock treatment elicits up-regulation of CRF and AVP mRNA in select populations of neuroendocrine neurons, **501**, 235
Hermann, G.E., see McCann, M.J.,

486, 181
Hernandez, L., see Silva, E., **490**, 192
Hernandez, E.N., see Flood, J.F., **503**, 73
Hernandez, L., see Mifsud, J.-C., **478**, 365
Hernandez, L., see Schwartz, D., **482**, 261
Hernandez, L., see Schwartz, D.H., **479**, 349
Hernandez, M.D., see Frederickson, C.J., **480**, 317
Hernandez, P., see Garcia-Segura, L.M., **498**, 339
Hernandez, T.D., Jones, G.H. and Schallert, T.
Co-administration of Ro 15-1788 prevents diazepam-induced retardation of recovery of function, **487**, 89
Hernández-R., J. and Condés-Lara, M.
Serotonin-dependent (Na^+,K^+)ATPase in kindled rats: a study in various brain regions, **480**, 403
Hernández-R., J., Manjarréz, G.G. and Chagoya, G.
Newborn humans and rats malnourished in utero: free plasma L-tryptophan, neutral amino acids and brain serotonin synthesis, **488**, 1
Herndon, R.M., see Seil, F.J., **503**, 111
Herrera, D.G. and Robertson, H.A.
Unilateral induction of *c-fos* protein in cortex following cortical devascularization, **503**, 205
Herrero, M.T., see Gentleman, S.M., **505**, 311
Herrick-Davis, K., Maisonneuve, I.M. and Titeler, M.
Postsynaptic localization and up-regulation of serotonin 5-HT_{1D} receptors in rat brain, **483**, 155
Hersh, L.B., see Tago, H., **495**, 271
Hertz, L., see Raps, S.P., **493**, 398
Hervonen, A., see Melvin, J.E., **485**, 1
Héry, M., see François-Bellan, A.-M., **503**, 144
Herz, A., see Ableitner, A., **478**, 326
Herz, A., see Bommer, M., **492**, 305
Herz, A., see Nikolarakis, K.E., **498**, 385
Herz, A., see Sirinathsinghji, D.J.S., **490**, 276
Hescheler, J., Delpiano, M.A., Acker, H. and Pietruschka, F.
Ionic currents on type-I cells of the rabbit carotid body measured by voltage-clamp experiments and the effect of hypoxia, **486**, 79
Hess, A.
Neuropathological changes in the caudate nucleus elicited by MPTP and their prevention by monoamine oxidase inhibition, **499**, 393
Hesse, G.W., see Shashoua, V.E., **484**, 333
Hetzel, F.W., see Mesina, J.E., **478**, 181
Heyes, M.P., Quearry, B.J. and Markey, S.P.
Systemic endotoxin increases L-tryptophan, 5-hydroxyindoleacetic acid, 3-hydroxykynurenine and quinolinic acid content of mouse cerebral cortex, **491**, 173
Heyes, M.P., see During, M.J., **476**, 384
Hicks, T.P., Krupa, M. and Crépel, F.
Selective effects of serotonin upon excitatory amino acid-induced depolarizations of Purkinje cells in cerebellar slices from young rats, **492**, 371
Hidaka, S., Shingai, R., Dowling, J.E. and Naka, K.-I.
Junctions form between catfish horizontal cells in culture, **498**, 53
Hidalgo, J., see Ault, B., **497**, 191
Higashima, M., see Masukawa, L.M., **493**, 168
Hikawa, N., Horie, H., Kawakami, T., Okuda, K. and Takenaka, T.
Introduction of macromolecules into primary cultured neuronal cells by fusion with erythrocyte ghosts, **481**, 162
Hilaire, G., Monteau, R. and Errchidi, S.
Possible modulation of the medullary respiratory rhythm generator by the noradrenergic A_5 area: an in vitro study in the newborn rat, **485**, 325
Hilakivi, L.A., Lister, R.G., Durcan, M.J., Ota, M., Eskay, R.L., Mefford, I. and Linnoila, M.
Behavioral, hormonal and neurochemical characteristics of aggressive *a*-mice, **502**, 158
Hilgier, W., see Pylova, S.I., **490**, 170
Hill, R.G., see Allerton, C.A., **502**, 149
Hill, R.H., Brodin, L. and Grillner, S.
Activation of *N*-methyl-D-aspartate (NMDA) receptors augments repolarizing responses in lamprey spinal neurons, **499**, 388
Hinton, D.R., see Blanks, J.C., **501**, 364
Hiort, W., see Fried, G., **499**, 315
Hiraga, K., see Hori, Y., **497**, 291
Hiraga, Y., see Jossan, S.S., **476**, 291
Hirai, K., see Katayama, Y., **487**, 62
Hirano, T., see Bando, T., **494**, 369
Hirano, T., see Ohta, A., **498**, 195
Hirokawa, N., see Okabe, S., **483**, 335
Hirokawa, N., see Shiomura, Y., **502**, 356
Hirooka, Y., see Suzuki, S., **485**, 109
Hirota, M., see Ando, Y., **477**, 286
Hirotsu, I., Hori, N., Katsuda, N. and Ishihara, T.
Effect of anticholinergic drug on long-term potentiation in rat hippocampal slices, **482**, 194
Hiscock, J. and Straznicky, C.
Neuropeptide Y-like immunoreactive amacrine cells in the retina of *Bufo marinus*, **494**, 55
Hishikawa, Y., see Kayama, Y., **489**, 1
Hishinuma, M. and Yamaguchi, T.
Modulation of reflex responses during fictive locomotion in the forelimb of the cat, **482**, 184
Hitzemann, R., see Ashby Jr., C.R., **493**, 194
Hitzemann, R.J., see Rubinstein, J.E., **496**, 385
Hodgson, J.A., see Hutchison, D.L., **479**, 56
Hodgson, J.A., see Hutchison, D.L., **502**, 233
Hoebel, B.G., see Mifsud, J.-C., **478**, 365
Hoebel, B.G., see Schwartz, D., **482**, 261
Hoebel, B.G., see Schwartz, D.H., **479**, 349
Hoehn, K. and White, T.D.
Evoked release of endogenous adenosine from rat cortical slices by K^+ and glutamate, **478**, 149
Hoel, M.J., see Boatright, J.H., **482**, 164
Hof, P.R., Bouras, C., Constantinidis, J. and Morrison, J.H.
Balint's syndrome in Alzheimer's disease: specific disruption of the occipito-parietal visual pathway, **493**, 368
Hoffer, B., see Eriksdotter-Nilsson, M., **478**, 269
Hoffer, B.J., see Gerhardt, G.A., **499**, 157
Hoffman, A.J., see McKenna, D.J., **476**, 45
Hoffman, P.L., see Valverius, P., **503**, 38
Hoffman, P.N., see Watson, D.F., **477**, 225
Hofmann, M.H. and Meyer, D.L.
The nervus terminalis in larval and adult *Xenopus laevis*, **498**, 167
Hofmann, M.H., Michler, A. and Meyer, D.L.
Thyroxine influences neuronal connectivity in the adult frog brain, **492**, 389
Hökfelt, T., see Fried, G., **499**, 315
Hökfelt, T., see Wiesenfeld-Hallin, Z., **486**, 205
Hökfelt, T., see Arvidsson, U., **489**, 387
Hökfelt, T., see Elfvin, L.-G., **502**, 341
Hökfelt, T., see Seroogy, K., **496**, 389
Holdefer, R.N., Norton, T.T. and Godwin, D.W.
Effects of bicuculline on signal detectability in lateral geniculate nucleus relay cells, **488**, 341
Holdefer, R.N., see Norton, T.T., **488**, 348
Holford, N.H.G., see Milne, R.J., **491**, 316
Holloway, H.W., see Soncrant, T.T., **487**, 255
Holmes, L.J., Smythe, G.A. and Storlien, L.H.
Monoaminergic activity at the level of the hypothalamus and striatum: relationship to anticipated feeding and pancreatic insulin responses, **496**, 204

Holmes, W., see Woody, C.D., **480**, 72
Holmes, W.R. and Woody, C.D.
Effectsof uniform and non-uniform synaptic 'activation-distributions' on the cable properties of modeled cortical pyramidal neurons, **505**, 12
Holmes, W.R.
The role of dendritic diameters in maximizing the effectiveness of synaptic inputs, **478**, 127
Holopainen, I., see Jalonen, T., **484**, 177
Holopainen, I., see Kristian Enkvist, M.O., **500**, 46
Holt, S.J. and York, D.A.
Interaction of intracerebroventicular insulin and glucose in the regulation of the activity of sympathetic efferent nerves to brown adipose tissue in lean and obese Zucker rats, **500**, 384
Holt, S.J. and York, D.A.
Studies on the sympathetic efferent nerves of brown adipose tissue of lean and obese Zucker rats, **481**, 106
Holt, S.J., Grimble, R.F. and York, D.A.
Tumour necrosis factor-α and lymphotoxin have opposite effects on sympathetic efferent nerves to brown adipose tissue by direct action in the central nervous system, **497**, 183
Holtzman, D., McFarland, E., Moerland, T., Koutcher, J., Kushmerick, M.J. and Neuringer, L.J.
Brain creatine phosphate and creatine kinase in mice fed an analogue of creatine, **483**, 68
Honda, K., see Matsumura, H., **481**, 242
Honegger, C.G., see Krenger, W., **491**, 374
Honer, W.G., Kaufmann, C.A., Kleinman, J.E., Casanova, M.F. and Davies, P.
Monoclonal antibodies to study the brain in schizophrenia, **500**, 379
Hong, J.-S., see Xie, C.-W., **495**, 156
Hong, J.S., see Lee, P.H.K., **480**, 322
Hong, J.S., see Zhang, W., **484**, 389
Hong, Y., Yashpal, K. and Henry, J.L.
Cardiovascular responses to intrathecal administration of strychnine in the rat, **499**, 169
Hongo, T., Kitazawa, S., Ohki, Y. and Xi, M.-C.
Functional identification of last-order interneurones of skin reflex pathways in the cat forelimb segments, **505**, 167
Hongo, T., Kitazawa, S., Ohki, Y., Sasaki, M. and Xi, M.-C.
A physiological and morphological study of premotor interneurones in the cutaneous reflex pathways in cats, **505**, 163
Honjo, I., see Oyagi, S., **476**, 382
Hood, S.H., see Ingham, C.A., **503**, 334
Hooi, S.C., Richardson, G.S., McDonald, J.K., Allen, J.M., Martin, J.B. and Koenig, J.I.
Neuropeptide Y (NPY) and vasopressin (AVP) in the hypothalamo-neurohypophysial axis of salt-loaded or Brattleboro rats, **486**, 214
Horan, K.L., Eichberg, J., Berti-Mattera, L.N. and LoPachin, R.M.
Hexanedione effects on protein phosphorylation in rat peripheral nerve, **491**, 366
Hori, N., see Hirotsu, I., **482**, 194
Hori, Y., Hiraga, K. and Watanabe, S.
The effect of thiamylal sodium on the tonic vibration reflex in man, **497**, 291
Horie, H., Ikuta, S., Takenaka, T. and Ito, S.
Adaptation of cultured mammalian neurons to a hypotonic environment with age-related response, **477**, 233
Horie, H., see Hikawa, N., **481**, 162
Hornykiewicz, O., see Baran, H., **495**, 253
Hornykiewicz, O., see Berger, M.L., **489**, 261
Horovitz, Z.P., see Barnes, J.M., **491**, 136
Horst, P.J., see Unger, T., **486**, 33
Horton, R.W., see Cheetham, S.C., **502**, 332
Hörtnagl, H., see Baran, H., **495**, 253
Horvath, E., see Gaykema, R.P.A., **489**, 392
Horváth, S., Palkovits, M., Görcs, T. and Arimura, A.
Electron microscopic immunocytochemical evidence for the existence of bidirectional synaptic connections between growth hormone-releasing hormone- and somatostatin-containing neurons in the hypothalamus of the rat, **481**, 8
Hosoi, M., see Shigenaga, Y., **505**, 91
Hosokawa, M., see Ohta, A., **498**, 195
Houdi, A.A., Bardo, M.T. and Van Loon, G.R.
Opioid mediation of cocaine-induced hyperactivity and reinforcement, **497**, 195
Hozawa, J., see Usami, S.-I., **503**, 213
Hsu, C.-C.J., see Dorson Jr., W.J., **486**, 108
Hu, J.W., see Chiang, C.Y., **485**, 371
Hu, X.-T. and Wang, R.Y.
Haloperidol and clozapine: differential effects on the sensitivity of caudate-putamen neurons to dopamine agonists and cholecystokinin following one month continuous treatment, **486**, 325
Huang, L., see Lim, R., **504**, 154
Huang, L.-Y.M.
Origin of thalamically projecting somatosensory relay neurons in the immature rat, **495**, 108
Hubbard, C.M., Redpath, G.T., Macdonald, T.L. and VandenBerg, S.R.
Modulatory effects of aluminum, calcium, lithium, magnesium, and zinc ions on [^{3}H]MK-801 binding in human cerebral cortex, **486**, 170
Huebner, W.P., see Maas, E.F., **499**, 153
Huffman, R.D., see Frey, J.M., **491**, 57
Hughes, D., see Smith, S.M., **493**, 366
Hughes, J., see Allerton, C.A., **502**, 149
Hughes, C.C.W. and Lantos, P.L.
Uptake of leucine and alanine by cultured cerebral capillary endothelial cells, **480**, 126
Hughes, J.H., see Strack, A.M., **491**, 156
Hughes, J.M., see Rasenick, M.M., **488**, 105
Huisman, E., see Kamphuis, W., **479**, 23
Hull, C.D., see Cepeda, C., **494**, 215
Hull, C.D., see Walsh, J.P., **480**, 290
Hull, E.M., see Pehek, E.A., **500**, 325
Humphrey, M.F., Levy, W.J., Dietrich, W.D., Rumpf, R. and Mora, J.
Peripheral nerve repair across a gap studied by repeated observation in a new window implant chamber, **497**, 132
Hunter, B.E., see King, M.A., **497**, 361
Hunter, C., Chung, E. and Van Woert, M.H.
Age-dependent changes in brain glycine concentration and strychnine-induced seizures in the rat, **482**, 247
Hunter, J.C., see Allerton, C.A., **502**, 149
Hurd, Y.L., Weiss, F., Koob, G.F., And, N.-E. and Ungerstedt, U.
Cocaine reinforcement and extracellular dopamine overflow in rat nucleus accumbens: an in vivo microdialysis study, **498**, 199
Hurlbut, E., see Olcese, J., **498**, 145
Huston, J.P., see Buscher, W., **487**, 321
Hutchison, D.L., Roy, R.R., Bodine-Fowler, S., Hodgson, J.A. and Edgerton, V.R.
Electromyographic (EMG) amplitude patterns in the proximal and distal compartments of the cat semitendinosus during various motor tasks, **479**, 56
Hutchison, D.L., Roy, R.R., Hodgson, J.A. and Edgerton, V.R.
EMG amplitude relationships between the rat soleus and medial gastrocnemius during various motor tasks, **502**, 233
Hutchison, J.B., see Steimer, T., **480**, 335
Hutchison, W.D., see Morton, C.R., **488**, 89
Hutton, R.S., Roy, R.R. and Edgerton, V.R.
Co-concentrations in antagonistic hindlimb muscles during simulated step cycle rates, **492**, 230

Hyde, T.M. and Peroutka, S.J.
Distribution of cholecystokinin receptors in the dorsal vagal complex and other selected nuclei in the humen medulla, **495**, 198

I

Iadarola, M.J. and Mouradian, M.M.
Decrease in a proenkephalin peptide in cerebrospinal fluid in Huntington's disease and progressive supranuclear palsy, **479**, 397
Iadecola, C., Arneric, S.P. and Reis, D.J.
Local and remote microvascular changes in excitotoxin-induced focal brain lesions, **501**, 188
Iadecola, C., see Chida, K., **500**, 177
Ibata, Y., see Takahashi, Y., **497**, 374
Ichikawa, H., see Sugimoto, T., **505**, 354
Ichikawa, K., see Arita, H., **485**, 285
Ichikawa, M.
Recovery of olfactory behavior following removal of accessory olfactory bulb in adult rat, **498**, 45
Ichimiya, Y., Emson, P.C., Mountjoy, C.Q., Lawson, D.E.M. and Iizuka, R.
Calbindin-immunoreactive cholinergic neurones in the nucleus basalis of Meynert in Alzheimer-type dementia, **499**, 402
Ichinose, M., see Sawada, M., **503**, 167
Igarashi, M., see Usami, S.-I., **503**, 213
Iguchi, A., see Gotoh, M., **493**, 97
Ihara, Y., see Ivy, G., **498**, 360
Iino, M., see Ozawa, S., **495**, 329
Iino, M., see Tsuzuki, K., **481**, 258
Iizuka, R., see Ichimiya, Y., **499**, 402
Ikeda, H., see Robbins, J., **479**, 313
Ikeda, H., see Robbins, J., **479**, 323
Ikeda, H., see Robbins, J., **479**, 334
Ikeda, J., Mori, K., Oka, S. and Watanabe, Y.
A columnar arrangement of dendritic processes of entorhinal cortex neurons revealed by a monoclonal antibody, **505**, 176
Ikeda, M., Mikuni, M., Nishikawa, T. and Takahashi, K.
A neurochemical study of a new mutant mouse presenting myoclonus-like involuntary movement: a possible model of spontaneous serotonergic hyperactivity, **495**, 337
Ikeda, S.R., see Schofield, G.G., **485**, 205
Ikegami, S., Nihonmatsu, I., Hatanaka, H., Takei, N. and Kawamura, H.
Transplantation of septal cholinergic neurons to the hippocampus improves memory impairments of spatial learning in rats treated with AF64A, **496**, 321
Ikemoto, Y., see Kaneda, M., **484**, 348
Ikemoto, Y., see Kaneda, M., **487**, 192
Ikonomidou, C., Mosinger, J.L. and Olney, J.W.
Hypothermia enhances protective effect of MK-801 against hypoxic/ischemic brain damage in infant rats, **487**, 184
Ikuta, F., see Oyanagi, K., **504**, 354
Ikuta, S., see Horie, H., **477**, 233
Illnerová, H.
Mechanism of the re-entrainment of the circadian rhythm in the rat pineal *N*-acetyltransferase activity to an eight-hour advance of the light–dark cycle: phase-jump is involved, **494**, 365
Imaizumi, T., see Suzuki, S., **485**, 109
Imaki, T., Nahon, J.L., Sawchenko, P.E. and Vale, W.
Widespread expression of corticotropin-releasing factor messenger RNA and immunoreactivity in the rat olfactory bulb, **496**, 35
Imamura, Y., see Miyake, T., **493**, 376
Imbert, M., see Davenne, D., **485**, 267
Inagaki, S., see Murakami, S., **485**, 403
Indo, M., see Nakamura, K., **491**, 15
Indyk, E., see Britton, D.R., **478**, 205
Ingenito, G., see Yoshii, F., **483**, 355
Ingham, C.A., Hood, S.H. and Arbuthnott, G.W.
Spine density on neostriatal neurones changes with 6-hydroxydopamine lesions and with age, **503**, 334
Innis, N.K., see Schacter, G.B., **494**, 339
Ino, T., Itoh, K., Kamiya, H., Kaneko, T., Shigemoto, R., Akiguchi, I. and Mizuno, N.
Direct projections from Ammon's horn to the rostral raphe regions in the brainstem of the cat, **479**, 157
Inoue, N., see Sakanaka, M., **487**, 357
Inoue, K., see Kusunoki, S., **494**, 391
Inoue, M., see Ando, Y., **477**, 286
Inoue, N., Magari, S., Ito, Y. and Sakanaka, M.
Distribution, possible origins and fine structure of neuropeptide Y-containing nerve fibers in the rat liver, **493**, 87
Inoué, S., see Matsumura, H., **481**, 242
Insausti, R., see Pascual, J.I., **480**, 397
Insel, T.R., see Stuckey, J., **476**, 167
Introini-Collison, I.B., Nagahara, A.H. and McGaugh, J.L.
Memory enhancement with intra-amygdala post-training naloxone is blocked by concurrent administration of propranolol, **476**, 94
Iqbal, K., see Bancher, C., **477**, 90
Irintchev, A., see Wernig, A., **489**, 352
Iriyama, K., see Kanemitsu, H., **499**, 367
Irwin, I., see Finnegan, K.T., **496**, 251
Irwin, I., see Ricaurte, G.A., **490**, 301
Isaacson, L.G. and Taylor, D.H.
Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formation of the developing rat, **488**, 403
Isaacson, R.L., see Poplawsky, A., **495**, 396
Isacson, O., see Sofroniew, M.V., **476**, 358
Isaka, Y., see Kitagawa, K., **479**, 263
Ishida, M., see Shinozaki, H., **480**, 355
Ishida, M., see Shinozaki, H., **503**, 330
Ishida-Yamamoto, A., Senba, E. and Tohyama, M.
Distribution and fine structure of calcitonin gene-related peptide-like immunoreactive nerve fibers in the rat skin, **491**, 93
Ishihara, T., see Hirotsu, I., **482**, 194
Ishii, K., see Tsuda, T., **484**, 228
Ishikawa, H., see Sakuma, S., **493**, 402
Ishimoto, I., see Hamano, K., **489**, 254
Ishimoto, S., see Delfs, J., **488**, 31
Ishizaki, Y., Morita, I. and Murota, S.-I.
Arachidonic acid metabolism in cultured astrocytes from rat embryo and in C_6 glioma cells, **494**, 138
Ishizuka, S., Sikdar, S.K., Yasui, S., Oyama, Y. and Akaike, N.
α-Chloralose opens the chloride channel of frog isolated sensory neurons, **498**, 181
Isokawa-Akesson, M. and Finch, D.M.
Neurophysiological characterization of commissurally projecting dentate neurons in the rat, **480**, 92
Ito, S., see Horie, H., **477**, 233
Ito, C., Fukuda, A., Nabekura, J. and Oomura, Y.
Acetylcholine causes nicotinic depolarization in rat dorsal motor nucleus of the vagus, in vitro, **503**, 44
Ito, C., see Fukuda, A., **493**, 357
Ito, J., see Oyagi, S., **476**, 382
Ito, J.-I., Kato, T., Okumura-Noji, K., Miyatani, Y., Tanaka, R., Tsuji, S. and Nagai, Y.
Induction of astroglial growth inhibition and differentiation by sialosyl cholesterol, **481**, 335
Ito, Y., see Inoue, N., **493**, 87
Itoh, K., see Ino, T., **479**, 157
Itoh, K., see Ogawa, R., **490**, 152
Iuvone, P.M., see Boatright, J.H., **482**, 164
Iversen, S.D., see Stoessl, A.J., **495**, 20
Ivy, G., Kitani, K. and Ihara, Y.
Anomalous accumulation of τ and ubiquitin immunoreactivities in rat brain caused by protease inhibition and by normal aging: a clue to PHF pathogenesis, **498**, 360
Iwahashi, K., see Ozaki, H.S., **493**, 66
Iwamori, M., see Kusunoki, S., **494**, 391
Iwamoto, T., see Kanemitsu, H.,

499, 367
Iwasa, H., see Namba, H., **486**, 221
Iwata, H., see Baba, A., **486**, 372
Iwata, H., see Koyama, Y., **487**, 113

J

Jabbur, S.J., see Saadé, N.E., **486**, 399 , **486**, 403
Jackson, D.M., see Dreher, J.K., **487**, 267
Jackson, R.H., see Jarvis, M.F., **484**, 111
Jackson-Lewis, V., see Cadet, J.L., **476**, 10
Jackson-Lewis, V., see Perumal, A.S., **504**, 139
Jacob, J., see Monaco, S., **491**, 328
Jacobowitz, D.M., see Winsky, L., **493**, 136
Jacquin, T., Denavit-Saubié, M. and Champagnat, J.
Substance P and serotonin mutually reverses their excitatory effects in the rat nucleus tractus solitarius, **502**, 214
Jacquin, T., Gillet, B., Fortin, G., Pasquier, C., Béloeil, J.-C. and Champagnat, J.
Metabolic action of *N*-methyl-D-aspartate in newborn rat brain ex vivo: ^{31}P magnetic resonance spectroscopy, **497**, 296
Jaeger, C.B. and Wolf, A.L.
Neo-pathway formation of dissociated neural grafts demonstrated by immunocytochemistry, fluorescent microspheres, and retrograde transport, **487**, 225
Jafek, B.W., see Rowley III, J.C., **502**, 387
Jahnke, M.T. and Struppler, A.
Response of human muscle spindle afferents to abrupt load perturbations, **501**, 324
Jahnke, M.T., Proske, U. and Struppler, A.
Measurements of muscle stiffness, the electromyogram and activity in single muscle spindles of human flexor muscles following conditioning by passive stretch or contraction, **493**, 103
Jakobsen, L.J., see Raybould, H.E., **495**, 319
Jakoubek, B., see Sumová, A., **503**, 273
Jakubovic, A., see MacLennan, A.J., **477**, 300
Jakubovicz, D.E. and Klip, A.
Lactic acid-induced swelling in C6 glial cells via Na^+/H^+ exchange, **485**, 215
Jalonen, T. and Holopainen, I.
Properties of single potassium channels in cultured primary astrocytes, **484**, 177
Jalsenjak, I., see Maysinger, D., **496**, 165
James, S. and Burnstock, G.
Autoradiographic localization of muscarinic receptors on cultured, peptide-containing neurones from newborn rat superior cervical ganglion, **498**, 205
Jami, L., Vejsada, R. and Zytnicki, D.
Observations on static and dynamic responses of muscle stretch receptors in kittens, **478**, 34
Janeczko, K.
Spatiotemporal patterns of the astroglial proliferation in rat brain injured at the postmitotic stage of postnatal development: a combined immunocytochemical and autoradiographic study, **485**, 236
Janowsky, A., see Angel, I., **503**, 339
Jansen, K.L.R., Dragunow, M. and Faull, R.L.M.
[^{3}H]Glycine binding sites, NMDA and PCP receptors have similar distributions in the human hippocampus: an autoradiographic study, **482**, 174
Janský, L., see Van˙e˙cek, J., **477**, 387
Janssen, P.F.M., see Schotte, A., **500**, 295
Janusz, C.A., see Barraco, R.A., **480**, 360
Jarolimek, W., Misgeld, U. and Lux, H.D.
Activity dependent alkaline and acid transients in guinea pig hippocampal slices, **505**, 225
Jarrott, B., see Lewis, S.J., **494**, 232
Jarvis, M.F., Jackson, R.H. and Williams, M.
Autoradiographic characterization of high-affinity adenosine A_2 receptors in the rat brain, **484**, 111
Javitt, D.C., see Sircar, R., **504**, 325
Jay, T.M., Glowinski, J. and Thierry, A.-M.
Selectivity of the hippocampal projection to the prelimbic area of the prefrontal cortex in the rat, **505**, 337
Jazat, F., see Attal, N., **494**, 276
Jégou, S., see Delbende, C., **497**, 86
Jellinger, K., see Bancher, C., **477**, 90
Jen, P.H-S., see Sun, X., **495**, 1
Jen, P.H-S., see Sun, X., **497**, 214
Jengeleski, C.A., Powers, R.E., O'Connor, D.T. and Price, D.L.
Noradrenergic innervation of human pineal gland: abnormalities in aging and Alzheimer's disease, **481**, 378
Jenkins, L.W., Moszynski, K., Lyeth, B.G., Lewelt, W., DeWitt, D.S., Allen, A., Dixon, C.E., Povlishock, J.T., Majewski, T.J., Clifton, G.L., Young, H.F., Becker, D.P., and Hayes, R.L.
Increased vulnerability of the mildly traumatized rat brain to cerebral ischemia: the use of controlled secondary ischemia as a research tool to identify common or different mechanisms contributing to mechanical and ischemic brain injury, **477**, 211
Jennes, L.
Prenatal development of the gonadotropin-releasing hormone-containing systems in rat brain, **482**, 97
Jennings, C.G.B. and Mudge, A.W.
Chick myotubes in culture express high-affinity receptors for calcitonin gene-related peptide, **504**, 199
Jensen, L.L., Harding, J.W. and Wright, J.W.
Increased blood pressure induced by central application of aminopeptidase inhibitors is angiotensinergic-dependent in normotensive and hypertensive rat strains, **490**, 48
Jensen, T.S. and Yaksh, T.L.
Comparison of the antinociceptive effect of morphine and glutamate at coincidental sites in the periaqueductal gray and medial medulla in rats, **476**, 1
Jerusalinsky, D., see Bolioli, B., **504**, 1
Jew, J.Y., see Gotow, T., **492**, 325
Jhamandas, J.H., Lind, R.W. and Renaud, L.P.
Angiotensin II may mediate excitatory neurotransmission from the subfornical organ to the hypothalamic supraoptic nucleus: an anatomical and electrophysiological study in the rat, **487**, 52
Jhanwar-Uniyal, M., Renner, K.J., Bailo, M.T., Luine, V.N. and Leibowitz, S.F.
Corticosterone-dependent alterations in utilization of catecholamines in discrete areas of rat brain, **500**, 247
Jhaveri, S., see Erzurumlu, R.S., **498**, 135
Jimenez-Rivera, C.A., Chen, M.J., Vigil, A., Savage, D.D. and Weiss, G.K.
Transient elevation of locus coeruleus α_2-adrenergic receptor binding during the early stages of amygdala kindling, **485**, 363
Jin, J.-G., see Takaki, M., **478**, 199
Jing-shi, T., see Liu, R.H., **481**, 350
Jobert, A., Bassant, M.H. and Lamour, Y.
Hemicholinium-3 selectively alters the rhythmically bursting activity of septo-hippocampal neurons in the rat, **476**, 220
Jodelis, K.S., see Williams, L.R., **498**, 243
Jodkowski, J.S., Guthrie, R.D. and Cameron, W.E.
The activity pattern of phrenic motoneurons during the aspiration reflex: an intracellular study, **505**, 187
Johannessen, J.N., see Zuddas, A.,

501, 1
Johannessen, J.N., Stuckey, J.A., Phan, T.H. and Boadle-Biber, M.C. Blockade of morphine-induced increases in brain tryptophan hydroxylase activity by systemic pretreatment with CCK-8: no reversal by vagotomy, **499**, 357
Johannsen, L., see Obal Jr., F., **490**, 292
Johanson, C.E., see Deng, Q.-S., **501**, 183
Johansson, B.B., see Sokrab, T.-E.O., **489**, 231
Johansson, H., see Sojka, P., **483**, 177
Johnson, A.K., see Cunningham, J.T., **480**, 65
Johnson, A.K., see Mitchell, L.D., **480**, 388
Johnson Jr., E.M., Osborne, P.A. and Taniuchi, M. Destruction of sympathetic and sensory neurons in the developing rat by a monoclonal antibody against the nerve growth factor (NGF) receptor, **478**, 166
Johnson, I.P. and Sears, T.A. Organelle changes in cat thoracic α- and γ-motoneurons following axotomy, **489**, 400
Johnson, M., Perry, R.H., Charlton, F.G., Moses, M.A., Court, J.A. and Perry, E.K. Distribution of [^{3}H]MK801 binding in the normal aged human hippocampus, **499**, 184
Johnson, M.L., see Seil, F.J., **503**, 111
Johnson, S.N., see Zahm, D.S., **483**, 301
Johnston, G.A.R., see Dodd, P.R., **490**, 320
Johnston, G.A.R., see Kerr, D.I.B., **480**, 312
Johnston, M.V., see McDonald, J.W., **482**, 155
Johnston, M.V., see McDonald, J.W., **490**, 33
Jolivet, A., see Warembourg, M., **480**, 1
Joly, M., see Thibault, O., **476**, 170
Jones, D.J., see Pangerl, A., **490**, 166
Jones, D.L., see Gutman, M.B., **488**, 49
Jones, E.G., see DeFelipe, J., **503**, 49
Jones, G.H., see Hernandez, T.D., **487**, 89
Jones, T.E., see Yoshino, K., **503**, 152
Joo, F., see Szallasi, A., **503**, 68
Joó, F., Tósaki, A., Oláh, Z. and Koltai, M. Inhibition by H-7 of the protein kinase C prevents formation of brain edema in Sprague–Dawley CFY rats, **490**, 141
Jordan, D., see Najimi, M., **483**, 205
Jorgenson, K.L., Kow, L.-M. and Pfaff, D.W. Histamine excites arcuate neurons in vitro through H_1 receptors, **502**, 171
Jørgensen, M.B., Deckert, J., Wright, D.C. and Gehlert, D.R. Delayed c-fos proto-oncogene expression in the rat hippocampus induced by transient global cerebral ischemia: an in situ hybridization study, **484**, 393
Joseph, J.A., Kochman, K. and Roth, G.S. Reduction of motor behavioural deficits in senescence via chronic prolactin or estrogen administration: time course and putative mechanisms of action, **505**, 195
Jossan, S.S., Hiraga, Y. and Oreland, L. The cholinergic neurotoxin ethylcholine mustard aziridinium (AF64A) induces an increase in MAO-B activity in the rat brain, **476**, 291
Jossan, S.S., see Adem, A., **503**, 299
Joubert-Bression, D., see Montagne, M.-N., **485**, 258
Jourdain, A., Semba, K. and Fibiger, H.C. Basal forebrain and mesopontine tegmental projections to the reticular thalamic nucleus: an axonal collateralization and immunohistochemical study in the rat, **505**, 55
Jourdan, F., see Sicard, G., **481**, 325
Jouvet, M., see Kitahama, K., **478**, 156
Jouvet, M., see Lin, J.-S., **479**, 225
Jouvet, M., see Yoshimoto, Y., **504**, 149
Joy, D.S., see Gee, K.W., **482**, 169
Joyce, J.N., see Marshall, J.F., **493**, 247
Jubelin, B., see Galeano, C., **491**, 45
Juhasz, L., see Sabri, M.I., **483**, 1
Juiz, J.M., Helfert, R.H., Wenthold, R.J., De Blas, A.L. and Altschuler, R.A. Immunocytochemical localization of the $GABA_A$/benzodiazepine receptor in the guinea pig cochlear nucleus: evidence for receptor localization heterogeneity, **504**, 173
Juliano, S.L., Dusart, I. and Peschanski, M. Somatic activation of thalamic neurons transplanted into lesioned somatosensory thalamus, **478**, 356
Jung, R., Bruce, E.N. and Katona, P.G. Tonic and baroreflex effects on arterial pressure and ventilation of pentobarbital and nicotine on the rat ventral medullary surface, **485**, 399
Junien, J.L., see Gué, M., **502**, 143
Juorio, A.V., see Van Nguyen, T., **476**, 85
Juraska, J.M., Fitch, J.M. and Washburne, D.L. The dendritic morphology of pyramidal neurons in the rat hippocampal CA3 area. II. Effects of gender and the environment, **479**, 115
Juraska, J.M., see Fitch, J.M., **479**, 105
Justice, A., Feldman, S.M. and Brown, L.L. The nucleus locus coeruleus modulates local cerebral glucose utilization during noise stress in rats, **490**, 73

K

Kaas, J.H., see Krubitzer, L.A., **478**, 161
Kabiersch, A., see Krenger, W., **491**, 374
Kaczmarczyk, S.J., see Donnan, G.A., **504**, 64
Kadekaro, M., see Shaver, S.W., **505**, 316
Kagawa, K., see Shigenaga, Y., **505**, 91
Kageyama, G.H. and Meyer, R.L. Glutamate-immunoreactivity in the retina and optic tectum of goldfish, **503**, 118
Kahle, J.S. and Cotman, C.W. Carbachol depresses synaptic responses in the medial but not the lateral perforant path, **482**, 159
Kaijima, M., see Tanaka, T., **498**, 215
Kajiwara, K., see Sugaya, E., **497**, 239
Kajiyama, K., see Tsuru, K., **485**, 29
Kakucska, I., see Palkovits, M., **486**, 364
Kalaria, R.N. Characterization of [^{125}I]HEAT binding to α_1-receptors in human brain: assessment in aging and Alzheimer's disease, **501**, 287
Kalén, P., see Daszuta, A., **498**, 323
Kalén, P., see Kokaia, M., **491**, 398
Kalén, P., Strecker, R.E., Rosengren, E. and Björklund, A. Regulation of striatal serotonin release by the lateral habenula-dorsal raphe pathway in the rat as demonstrated by in vivo microdialysis: role of excitatory amino acids and GABA, **492**, 187
Kalimo, H., see Sokrab, T.-E.O., **489**, 231
Kalinoski, D.L., Bryant, B.P., Shaulsky, G., Brand, J.G. and Harpaz, S. Specific L-arginine taste receptor sites in the catfish, *Ictalurus punctatus*: biochemical and neurophysiological characterization, **488**, 163
Kalivas, P.W., see Dilts, R.P., **488**, 311
Kalivas, P.W., see Samathanam, G., **501**, 179
Kalman, M., see Csillag, A., **479**, 391
Kalnins, R.M., see Donnan, G.A., **504**, 64
Kalsbeek, A., Feenstra, M.G.P., Van Galen, H. and Uylings, H.B.M. Monoamine and metabolite levels in the prefrontal cortex and the mesolimbic forebrain following

neonatal lesions of the ventral tegmental area, **479**, 339
Kaltenbach, J.A., see Gochin, P.M., **497**, 1
Kaltwasser, M.T. and Andres, U.
The interaction of central oxytocin and cholecystokinin regulates grooming behavior in the rat, **496**, 380
Kalus, P., Braak, H., Braak, E. and Bohl, J.
The presubicular region in Alzheimer's disease: topography of amyloid deposits and neurofibrillary changes, **494**, 198
Kamada, T., see Kitagawa, K., **479**, 263
Kamada, T., see Kanagawa-Terayama, Y., **494**, 75
Kamada, T., see Wanaka, A., **479**, 190
Kamada, T., see Wanaka, A., **485**, 125
Kamen, G. and De Luca, C.J.
Unusual motor unit firing behavior in older adults, **482**, 136
Kameyama, M., see Ninomiya, H., **482**, 109
Kameyama, T., see Ukai, M., **496**, 377
Kameyama, T., see Ukai, M., **499**, 299
Kameyama, M., see Shigematsu, K., **497**, 21
Kameyama, M., see Shigematsu, K., **501**, 215
Kaminska, G., see Rozental, J.M., **499**, 397
Kamiya, H., see Nagashima, A., **487**, 392
Kamiya, H., see Ino, T., **479**, 157
Kamiya, H.-O., see Nagashima, A., **499**, 198
Kamo, H., see Shigematsu, K., **497**, 21
Kamo, H., see Shigematsu, K., **501**, 215
Kamphuis, W., Huisman, E., Wadman, W.J., Heizmann, C.W. and Lopes da Silva, F.H.
Kindling induced changes in parvalbumin immunoreactivity in rat hippocampus and its relation to long-term decrease in GABA-immunoreactivity, **479**, 23
Kamphuis, W., see Gorter, J.A., **476**, 16
Kanagawa-Terayama, Y., Wanaka, A., Yamasaki, H., Matsuyama, T., Matsumoto, M., Kamada, T., Yanaihara, C. and Tohyama, M.
Immunocytochemical analysis of [Met^5]enkephalin-Arg^6-Gly^7-Leu^8 immunoreactive structures in the rat superior cervical ganglion, **494**, 75
Kanaseki, T., see Nakamura, H., **485**, 171
Kanazawa, I., see Konishi, S., **490**, 162
Kanda, M., Maru, E., Ashida, H., Tatsuno, J. and Takatani, O.
Effects of LTP-inducing tetanic stimulations of the perforant path on the commissural inhibition and facilitation of dentate granule cell discharge, **484**, 325
Kandou, T.W.A. and Kernell, D.
Distribution of activity within the cat's peroneus longus muscle when activated in different ways via the central nervous system, **486**, 340
Kaneda, M. and Akaike, N.
The low-threshold Ca current in isolated amygdaloid neurons in the rat, **497**, 187
Kaneda, M., Oyama, Y., Ikemoto, Y. and Akaike, N.
Blockade of the voltage-dependent sodium current in isolated rat hippocampal neurons by tetrodotoxin and lidocaine, **484**, 348
Kaneda, M., Oyama, Y., Ikemoto, Y. and Akaike, N.
Scorpion toxin prolongs an inactivation phase of the voltage-dependent sodium current in rat isolated single hippocampal neurons, **487**, 192
Kaneda, M., see Wakamori, M., **494**, 374
Kaneko, T., see Ino, T., **479**, 157
Kaneko, T., see Ogawa, R., **490**, 152
Kaneko, T., see Watanabe, Y., **478**, 143
Kanemitsu, H., Tamura, A., Kirino, T., Oka, H., Sano, K., Iwamoto, T., Yoshiura, M. and Iriyama, K.
Allopurinol inhibits uric acid accumulation in the rat brain following focal cerebral ischemia, **499**, 367
Kang, C.G., see Luttge, W.G., **493**, 190
Kanje, M., see Sjöberg, J., **485**, 102
Kanje, M., see Ekström, P.A.R., **496**, 141
Kanje, M., see Sisken, B.F., **485**, 309
Kanje, M., Skottner, A., Sjöberg, J. and Lundborg, G.
Insulin-like growth factor I (IGF-I) stimulates regeneration of the rat sciatic nerve, **486**, 396
Kannisto, P., see Chang, J.-Y., **492**, 79
Kanof, P.D., see Haroutunian, V., **487**, 200
Kanof, P.D., see Haroutunian, V., **496**, 98
Kanse, S., see Kreymann, B., **502**, 325
Kapcala, L.P.
Production of immunoreactive adrenocorticotropin and β-endorphin by hypothalamic and extrahypothalamic brain cells, **491**, 253
Kaplan, J.M. and Grill, H.J.
Swallowing during ongoing fluid ingestion in the rat, **499**, 63
Kapuśiński, A., see Pylova, S.I., **490**, 170
Kariyama, H., see Fukui, K., **482**, 198
Karlsson, B.R., see Perkins, W.J., **498**, 34
Karmy, G., see Carr, P.A., **497**, 163
Karp, A., see Uematsu, D., **482**, 129
Kasarskis, E.J., see Savage, D.D., **496**, 257
Kashiba, A., see Fukui, K., **482**, 198
Kashiwamata, S., see Aoki, E., **502**, 245
Kashiwayanagi, M., see Sugawara, M., **486**, 269
Kasicki, S., Grillner, S., Ohta, Y., Dubuc, R. and Brodin, L.
Phasic modulation of reticulospinal neurones during fictive locomotion and other types of spinal motor activity in lamprey, **484**, 203
Kassell, N.F., see Chang, H.S., **505**, 220
Katayama, S., see Miyoshi, R., **489**, 361
Katayama, Y. and Hirai, K.
Somatostatin presynaptically inhibits transmitter release in feline parasympathetic ganglia, **487**, 62
Katayama-Kumoi, Y., see Hamano, K., **489**, 254
Kater, S.B., see Mattson, M.P., **478**, 337
Kater, S.B., see Mattson, M.P., **490**, 110
Kato, T., see Xu, M., **495**, 232
Kato, H., Kogure, K. and Nakano, S.
Neuronal damage following repeated brief ischemia in the gerbil **479**, 366
Kato, H., see Fujikura, H., **494**, 387
Kato, H., see Nakano, S., **490**, 178
Kato, K., see Gotoh, M., **493**, 97
Kato, M. and Suzuki, M.
Growth hormone releasing factor depolarizes rat pituitary cells in Na^+-dependent mechanism, **476**, 145
Kato, N., see Fukui, K., **482**, 198
Kato, T., see Ito, J.-I., **481**, 335
Katona, C.L.E., see Cheetham, S.C., **502**, 332
Katona, P.G., see Jung, R., **485**, 399
Katovich, M.J., Simpkins, J.W. and O'Meara, J.
Effects of acute central LH-RH administration of the skin temperature response in morphine dependent rats, **494**, 85
Katsuda, N., see Hirotsu, I., **482**, 194
Katz, J.L., see Ricaurte, G.A., **490**, 301
Katz, M., see Cadet, J.L., **476**, 10
Katz, M., see Perumal, A.S., **504**, 139
Katz, M.J., see Paggi, P., **504**, 223
Kaufman, P.L., see Crawford, K., **503**, 265
Kaufmann, C.A., see Honer, W.G., **500**, 379
Kaukoranta, E.M., see Dong, W.K., **484**, 314
Kaulen, P., Brüning, G., Schneider, H.H., Sarter, M. and Baumgarten, H.G.
Autoradiographic mapping of a selective cyclic adenosine monophosphate phosphodiesterase in rat brain with the antidepressant [^{3}H]rolipram, **503**, 229
Kawagishi, S., see Yoshino, K., **503**, 152
Kawahara, K., Nakazono, Y. and Miyamoto, Y.
Depression of diaphragmatic and external intercostal muscle activities

elicited by stimulation of midpontine dorsal tegmentum in decerebrate cats, **491**, 180
Kawahara, K., Nakazono, Y., Kumagai, S., Yamauchi, Y. and Miyamoto, Y. Inhibitory influences on hypoglossal neural activity by stimulation of midpontine dorsal tegmentum in decerebrate cat, **479**, 185
Kawai, N., see Pan-Hou, H., **476**, 354
Kawai, N., see Saito, M., **481**, 16
Kawai, Y. and Takagi, H. Parvicellular adrenergic neurons receive substance P-ergic inputs in the nucleus of the tractus solitarius of the rat, **479**, 344
Kawai, Y., see Hamaji, M., **488**, 283
Kawakami, T., see Hikawa, N., **481**, 162
Kawakami, Y., see Dong, W.K., **484**, 314
Kawamura, H., see Ikegami, S., **496**, 321
Kawamura, J., see Shigematsu, K., **497**, 21
Kawamura, M., Kuraishi, Y., Minami, M. and Satoh, M. Antinociceptive effect of intrathecally administered antiserum against calcitonin gene-related peptide on thermal and mechanical noxious stimuli in experimental hyperalgesic rats, **497**, 199
Kawano, H., Chiba, T. and Masuko, S. An immunohistochemical observation of polypeptides and monoamines in the nucleus preopticus medianus of the rat, **492**, 139
Kawasaki, M., see Nakamura, K., **491**, 15
Kawasaki, H., see Fujito, Y., **492**, 36
Kawashima, Y., see Hamaji, M., **488**, 283
Kawata, M., see Summer, B.E.H., **489**, 283
Kayama, Y., see Sumitomo, I., **482**, 34
Kayama, Y., Shimada, S., Hishikawa, Y. and Ogawa, T. Effects of stimulating the dorsal raphe nucleus of the rat on neuronal activity in the dorsal lateral geniculate nucleus, **489**, 1
Kayser, V., see Guilbaud, G., **502**, 187
Kayser, V., Fournie-Zaluski, M.C., Guilbaud, G. and Roques, B.P. Potent antinociceptive effects of Kelatorphan (a highly efficient inhibitor of multiple enkephalin-degrading enzymes) systemically administered in normal and arthritic rats, **497**, 94
Kayser, V., see Attal, N., **494**, 276
Kayser, V., see Guilbaud, G., **484**, 383
Kazahaya, Y., see Hamamura, T., **483**, 78
Keen, P., see Nielsch, U., **481**, 25
Keil, L.C., see Palm, D.E., **504**, 142
Keith, A.B., see Smith, C.J., **485**, 317
Kellar, K.J., see Atack, J.R., **483**, 367
Keller, A., see Cipolloni, P.B., **492**, 347
Keller, A. and White, E.L. Triads: a synaptic network component in the cerebral cortex, **496**, 105
Keller, R.W., see Salamone, J.D., **487**, 215
Kellerth, J.-O., see Hellgren, J., **488**, 149
Kelley, A.E., see Cador, M., **486**, 357
Kelley, M. and Kowall, N. Corticotropin-releasing factor immunoreactive neurons persist throughout the brain in Alzheimer's disease, **501**, 392
Kelley, R.E., see Yoshii, F., **483**, 355
Kellogg, C., see Harary, N., **492**, 293
Kelly, J.S., see Butcher, S.P., **505**, 119
Kelly, M.E.M., Bulloch, A.G.M., Lukowiak, K. and Bisby, M.A. Regeneration of frog sympathetic neurons is accompanied by sprouting and retraction of intraganglionic neurites, **477**, 363
Kelso, S.R., see Pacelli, G.J., **486**, 26
Kemenes, G. and Benjamin, P.R. Appetitive learning in snails shows characteristics of conditioning in vertebrates, **489**, 163
Kemenes, G., see Vehovszky, A., **484**, 404
Kemmler, J.E., see Sagen, J., **502**, 1
Kendrick, K.M. and Baldwin, B.A. The effects of sodium appetite on the responses of cells in the zona incerta to the sight or ingestion of food, salt and water in sheep, **492**, 211
Kendrick, K.M. and Keverne, E.B. Effects of intracerebroventricular infusions of naltrexone and phentolamine on central and peripheral oxytocin release and on maternal behaviour induced by vaginocervical stimulation in the ewe, **505**, 329
Kenigfest, N.B., see Vesselkin, N.P., **493**, 51
Kennaway, D.J., Blake, P. and Webb, H.A. A melatonin agonist and *N*-acetyl-*N*^{2}-formyl-5-methoxykynurenamine accelerate the reentrainment of the melatonin rhythm following a phase advance of the light–dark cycle, **495**, 349
Kenny, S.L., see Ariano, M.A., **497**, 51
Kenshalo Jr., D.R., see Chudler, E.H., **481**, 383
Kerkerian, L., see Vuillet, J., **477**, 241
Kerkut, G.A., see Bagust, J., **479**, 138
Kernell, D., see Kandou, T.W.A., **486**, 340
Kerr, D.I.B., Ong, J., Johnston, G.A.R. and Prager, R.H. $GABA_B$-receptor-mediated actions of baclofen in rat isolated neocortical slice preparations: antagonism by phosphono-analogues of GABA, **480**, 312
Kerr, D.S., see Eldridge, J.C., **478**, 248
Kerr, T.P., see Drescher, D.G., **485**, 225
Kesselberg, M., see Brismar, T., **500**, 30
Kessler, J.A., see Chalazonitis, A., **485**, 115
Kessler, M., Baudry, M. and Lynch, G. Quinoxaline derivatives are high-affinity antagonists of the NMDA receptor-associated glycine sites, **489**, 377
Keverne, E.B., see Kendrick, K.M., **505**, 329
Kevetter, G.A., see Newlands, S.D., **487**, 152
Khalil, Z. and Helme, R.D. Sequence of events in substance P-mediated plasma extravasation in rat skin, **500**, 256
Khan, K.M., see Drescher, D.G., **485**, 225
Kiefel, J.M., Paul, D. and Bodnar, R.J. Reduction in opioid and non-opioid forms of swim analgesia by 5-HT_2 receptor antagonists, **500**, 231
Kihara, T., see Baba, A., **486**, 372
Kim, J.H., see De Lanerolle, N.C., **495**, 387
Kim, J.H., see Masukawa, L.M., **493**, 168
Kim, K.J., see Oh, U.T., **501**, 90
Kim, M.B., see Boyajian, C.L., **495**, 66
Kim, S.U., see Miyoshi, R., **489**, 361
Kimura, H., see Fukui, K., **482**, 198
Kimura, H., see Shigematsu, K., **501**, 215
Kimura, J., see Shigematsu, K., **501**, 215
Kimura, K., see Kitagawa, K., **479**, 263
Kindel, G., see Potter, P.E., **487**, 238
King, M.A., Louis, P.M., Hunter, B.E. and Walker, D.W. Biocytin: a versatile anterograde neuroanatomical tract-tracing alternative, **497**, 361
Kirino, T., see Kanemitsu, H., **499**, 367
Kiritsy-Roy, J.A., see Lin, Y., **479**, 306
Kirsch, M., see Engele, J., **483**, 98
Kish, S.J., Li, P.P., Robitaille, Y., Currier, R., Gilbert, J., Schut, L. and Warsh, J.J. Cerebellar [^{3}H]inositol 1,4,5-trisphosphate binding is markedly decreased in human olivopontocerebellar atrophy, **489**, 373
Kish, S.J., see Nobrega, J.N., **498**, 315
Kishino, J., see Takemura, M., **496**, 351
Kitabgi, P., see De Nadai, F., **500**, 193
Kitagawa, K., Matsumoto, M., Handa, N., Fukunaga, R., Ueda, H., Isaka, Y., Kimura, K. and Kamada, T. Prediction of stroke-prone gerbils and their cerebral circulation, **479**, 263

Kitahama, K., Okamura, H., Goldstein, M., Nagatsu, I., Bérod, A. and Jouvet, M. A new group of tyrosine hydroxylase-immunoreactive neurons in the cat thalamus, **478**, 156
Kitai, S.T., see Granata, A.R., **488**, 57
Kitai, S.T., see Granata, A.R., **492**, 281
Kitamura, R., see Yamamoto, T., **481**, 286
Kitamura, T., see Miyake, T., **489**, 31
Kitamura, T., see Miyake, T., **493**, 376
Kitani, K., see Ivy, G., **498**, 360
Kitao, Y., see Moriizumi, T., **478**, 315
Kitao, Y., Nakamura, Y., Kudo, M., Moriizumi, T. and Tokuno, H. The cerebral and cerebellar connections of pretecto-thalamic and pretecto-olivary neurons in the anterior pretectal nucleus of the cat, **484**, 304
Kitao, Y., see Tokuno, H., **485**, 189
Kitazawa, S., see Hongo, T., **505**, 163
Kitazawa, S., see Hongo, T., **505**, 167
Kitchigina, V.F. and Vinogradova, O.S. Functional integration of the rat hippocampal tissue, transplanted into the rabbit septum, **502**, 39
Kito, S., see Shimoyama, M., **492**, 381
Kito, S., see Miyoshi, R., **489**, 361
Kito, S., see Murakami, S., **485**, 403
Kitt, C.A., see Koliatsos, V.E., **482**, 205
Kiyama, H., see Hamano, K., **489**, 254
Kiyama, H., see Wanaka, A., **485**, 125
Kiyomitsu, Y., see Yamamoto, T., **481**, 286
Kjellmer, I., Andiné, P., Hagberg, H. and Thiringer, K. Extracellular increase of hypoxanthine and xanthine in the cortex and basal ganglia of fetal lambs during hypoxia-ischemia, **478**, 241
Klancnik, J.M., Baimbridge, K.G. and Phillips, A.G. Increased population spike amplitude in the dentate gyrus following systemic administration of 5-hydroxytryptophan or 8-hydroxy-2-(di-*n*-propylamino)tetralin, **505**, 145
Klatzo, I., see Nitsch, C., **495**, 243
Klein, C.M., Ray, R.H. and Burden, H.W. Direct electrical stimulation of the superior ovarian nerve in rats causes an increase in neuronal activity in the ipsilateral ovarian plexus nerve, **479**, 194
Kleinman, J.E., see Honer, W.G., **500**, 379
Klekamp, J., Riedel, A., Harper, C. and Kretschmann, H.-J. Morphometric study on the postnatal growth of non-cortical brain regions in Australian Aborigines and Caucasians, **485**, 79
Klekamp, J., see Riedel, A., **499**, 333
Klemfuss, H. and Kripke, D.F. Potassium advances circadian activity rhythms: interactions with lithium, **492**, 300
Kleven, M.S. and Seiden, L.S. D-, L- and DL-Fenfluramine cause long-lasting depletions of serotonin in rat brain, **505**, 351
Kleven, M.S., Woolverton, W.L. and Seiden, L.S. Evidence that both intragastric and subcutaneous administration of methylenedioxymethylamphetamine (MDMA) produce serotonin neurotoxicity in rhesus monkeys, **488**, 121
Kling, M.A., see Calogero, A.E., **505**, 7
Klip, A., see Jakubovicz, D.E., **485**, 215
Klockgether, T., see Wüllner, U., **495**, 341
Klooster, J., see Ten Tusscher, M.P.M., **490**, 95
Klooster, J., see Ten Tusscher, M.P.M., **494**, 105
Klooster, J., see Ten Tusscher, M.P.M., **494**, 95
Knapp, A.G., see Liman, E.R., **481**, 399
Knapp, A.G., see Perlman, I., **487**, 16
Knight, R.T., Scabini, D. and Woods, D.L. Prefrontal cortex gating of auditory transmission in humans, **504**, 338
Knight, R.T., Scabini, D., Woods, D.L. and Clayworth, C.C. Contributions of temporal–parietal junction to the human auditory P3, **502**, 109
Knight, R.T., Singh, J. and Woods, D.L. Pre-movement parietal lobe input to human sensorimotor cortex, **498**, 190
Knorr, A.M., Deutch, A.Y. and Roth, R.H. The anxiogenic β-carboline FG-7142 increases in vivo and in vitro tyrosine hydroxylation in the prefrontal cortex, **495**, 355
Kobatake, M., see Nakamura, A., **480**, 82
Kobayashi, K., Emson, P.C. and Mountjoy, C.Q. *Vicia villosa* lectin-positive neurones in human cerebral cortex. Loss in Alzheimer-type dementia, **498**, 170
Kobayashi, T., see Tanaka, K., **482**, 347
Kobayashi, T., see Tanaka, K., **503**, 160
Kobiler, D., Lustig, S., Gozes, Y., Ben-Nathan, D. and Akov, Y. Sodium dodecylsulphate induces a breach in the blood–brain barrier and enables a West Nile virus variant to penetrate into mouse brain, **496**, 314
Kobylyansky, A.G., see Bakalkin, G.Y., **480**, 268
Kobylyansky, A.G., see Bakalkin, G.Y., **480**, 277
Koch, M. and Ehret, G. Immunocytochemical localization and quantitation of estrogen-binding cells in the male and female (virgin, pregnant, lactating) mouse brain, **489**, 101
Kochhar, A., see Zivin, J.A., **482**, 189
Kochman, K., see Joseph, J.A., **505**, 195
Kochman, K.A., see Han, Z., **498**, 299
Kocsis, J.D., see Gordon, T.R., **502**, 252
Kodama, T., Mushiake, H., Shima, K., Hayashi, T. and Yamamoto, M. Slow fluctuations of single unit activities of hippocampal and thalamic neurons in cats. II. Role of serotonin on the stability of neuronal activities, **487**, 35
Kodama, T., Mushiake, H., Shima, K., Nakahama, H. and Yamamoto, M. Slow fluctuations of single unit activities of hippocampal and thalamic neurons in cats. I. Relation to natural sleep and alert states, **487**, 26
Koenig, E. Cycloheximide-sensitive [^{35}S]methionine labeling of proteins in goldfish retinal ganglion cell axons in vitro, **481**, 119
Koenig, H., Goldstone, A.D. and Lu, C.Y. Polyamines mediate the reversible opening of the blood–brain barrier by the intracarotid infusion of hyperosmolal mannitol, **483**, 110
Koenig, J.I., see Hooi, S.C., **486**, 214
Koerner, J.F., see Whittemore, E.R., **489**, 146
Kogo, N., see Arita, H., **485**, 285
Kogure, K., see Fujikura, H., **494**, 387
Kogure, K., see Nakano, S., **490**, 178
Kogure, K., see Onodera, H., **481**, 1
Kogure, K., see Onodera, H., **487**, 343
Kogure, K., see Kato, H., **479**, 366
Kogure, K., see Tsuda, T., **484**, 228
Koh, J.Y., see Weiss, J.H., **497**, 64
Koh, S., Chang, P., Collier, T.J. and Loy, R. Loss of NGF receptor immunoreactivity in basal forebrain neurons of aged rats: correlation with spatial memory impairment, **498**, 397
Kohsaka, S., see Nakano, Y., **496**, 336
Kohsaka, S., Shinozaki, T., Nakano, Y., Takei, K., Toya, S. and Tsukada, Y. Expression of Ia antigen on vascular endothelial cells in mouse cerebral tissue grafted into the third ventricle of rat brain, **484**, 340
Koizumi, Y., see Kubota, K., **485**, 62
Kokaia, M., Bengzon, J., Kalén, P. and Lindvall, O. Noradrenergic mechanisms in hippocampal kindling with rapidly recurring seizures, **491**, 398
Koliatsos, V.E., Applegate, M.D.,

Kitt, C.A., Walker, L.C., DeLong, M.R. and Price, D.L. Aberrant phosphorylation of neurofilaments accompanies transmitter-related changes in rat septal neurons following transection of the fimbria-fornix, **482**, 205
Koltai, M., see Joó, F., **490**, 141
Komatsubara, J., see Sugaya, E., **497**, 239
Komisaruk, B.R., see Pacheco, P., **490**, 85
Kondo, N., see Sawada, M., **491**, 394
Kondo, T., see Nishi, K., **489**, 157
Konishi, S., see Song, S.-Y., **494**, 383
Konishi, S., Song, S.-Y., Ogawa, T. and Kanazawa, I. Tachykinins produce fast and slow depolarizations in sympathetic neurons of rat coeliac-superior mesenteric ganglia, **490**, 162
Konishi, T. Voltage-dependent potassium channels in cultured mammalian Schwann cells, **499**, 273
Konradi, C., see Kornhuber, J., **499**, 81
Koob, G.F., see Amalric, M., **483**, 389
Koob, G.F., see Hurd, Y.L., **498**, 199
Koob, G.F., see Unterwald, E.M., **505**, 111
Kopin, I.J., see Zuddas, A., **501**, 1
Kopin, I.J., see Zuddas, A., **501**, 11
Kopp, N., see Najimi, M., **483**, 205
Kopp, M., see Szabolcs, M.J., **492**, 129
Korner, P.I., see Elghozi, J.-L., **499**, 39
Kornhuber, J., Konradi, C., Mack-Burkhardt, F., Riederer, P., Heinsen, H. and Beckmann, H. Ontogenesis of monoamine oxidase-A and -B in the human brain frontal cortex, **499**, 81
Kornhuber, J., Mack-Burkhardt, F. and Riederer, P. Regional distribution of [^{3}H]MK-801 binding sites in the human brain, **489**, 397
Korotzer, A., see Schwartz-Giblin, S., **476**, 240
Kosaka, I., see Satomi, H., **492**, 255
Kosaka, T. and Heizmann, C.W. Selective staining of a population of parvalbumin-containing GABAergic neurons in the rat cerebral cortex by lectins with specific affinity for terminal *N*-acetylgalactosamine, **483**, 158
Kossut, M., Yamada, T., Aldrich, L.B. and Pinto, L.H. Localization and characterization of somatostatin binding sites in the mouse retina, **476**, 78
Kostreva, D.R. Fetal glucose utilization using maternal plasma glucose and scintillation values, **487**, 384
Kostyk, S.K., Kowall, N.W. and Hauser, S.L. Substance P immunoreactive astrocytes are present in multiple sclerosis plaques, **504**, 284
Kötting, D., see Fox, G.Q., **498**, 279
Koulu, M., Bjelogrlic, N., Ågren, H., Saavedra, J.M., Potter, W.Z. and Linnoila, M. Diurnal variation in the concentrations of catecholamines and indoleamines in the median eminence and in the intermediate and posterior lobes of the pituitary gland of the male rat, **503**, 246
Koutcher, J., see Holtzman, D., **483**, 68
Kouvelas, E.D., see Tsiotos, P., **481**, 87
Kovachich, G.B., Aronson, C.E. and Brunswick, D.J. Effects of high-dose methamphetamine administration on serotonin uptake sites in rat brain measured using [^{3}H]cyanoimipramine autoradiography, **505**, 123
Kovács, K.J., Westphal, H.M. and Péczely, P. Distribution of glucocorticoid receptor-like immunoreactivity in the brain, and its relation to CRF and ACTH immunoreactivity in the hypothalamus of the japanese quail, *Coturnix coturnix japonica*, **505**, 239
Kow, L.-M., see Jorgenson, K.L., **502**, 171
Kowall, N., see Kelley, M., **501**, 392
Kowall, N.W., see Kostyk, S.K., **504**, 284
Koyama, Y., Baba, A. and Iwata, H. L-[^{35}S]Cysteic acid selectively detects chloride-dependent L-glutamate transporters in synaptic membrane, **487**, 113
Koyana, H., see Sato, M., **504**, 132
Krahn, D.D., see Levine, A.S., **477**, 280
Kramer, H.K., Sershen, H., Lajth, A. and Reith, M.E.A. The effect of nicotine on catecholaminergic storage vesicles, **503**, 296
Krantic, S., Martel, J.-C., Weissmann, D. and Quirion, R. Radioautographic analysis of somatostatin receptor sub-type in rat hypothalamus, **498**, 267
Krausz, T., see Ball, J.A., **479**, 300
Krebs, J.C., see Wirtshafter, D., **482**, 225
Krenger, W., Kabiersch, A. and Honegger, C.G. Monoamines and related substances in brainstem and spinal cord of Lewis rats during the attack and recovery of experimental autoimmune encephalomyelitis, **491**, 374
Kretschmann, H.-J., see Klekamp, J., **485**, 79
Kretschmann, H.-J., see Riedel, A., **499**, 333
Kreutzberg, G.W., see Rieske, E., **492**, 1
Kreymann, B., Ghatei, M.A., Burnet, P., Williams, G., Kanse, S., Diani, A.R. and Bloom, S.R. Characterization of glucagon-like peptides-1-(7-36)amide in the hypothalamus, **502**, 325
Kriat, M., see Vion-Dury, J., **493**, 175
Krieger, A., see Murugaian, J., **499**, 371
Krieger, A., see Sundaram, K., **503**, 22
Krieger, A.J., see Urbanski, R.W., **491**, 383
Krieglstein, J., see Beck, T., **497**, 205
Krilowicz, B.L., Edgar, D.M. and Heller, H.C. Action potential duration increases as body temperature decreases during hibernation, **498**, 73
Kripke, D.F., see Klemfuss, H., **492**, 300
Kristan, W.B., see Lytton, W.W., **504**, 43
Kristensson, K., see Maehlen, J., **481**, 368
Kristensson, K., see Nennesmo, I., **504**, 306
Kristian Enkvist, M.O., Holopainen, I. and Åkerman, K.E.O. α-Receptor and cholinergic receptor-linked changes in cytosolic Ca^{2+} and membrane potential in primary rat astrocytes, **500**, 46
Kritikos, A., see Siviy, S.M., **487**, 79
Krubitzer, L.A. and Kaas, J.H. Cortical integration of parallel pathways in the visual system of primates, **478**, 161
Krueger, J.M., see Obal Jr., F., **490**, 292
Krueger, J.M., see Shoham, S., **476**, 396
Krug, M., Wagner, M., Brödemann, R. and Matthies, H. Habituation of monosynaptic field potentials in the dentate gyrus of freely moving rats interferes with LTP, **476**, 163
Krüger, H., see Gertz, H.-J., **487**, 373
Krüger, J. and Aiple, F. The connectivity underlying the orientation selectivity in the infragranular layers of monkey striate cortex, **477**, 57
Krukoff, T.L. and Weigel, M.A. Metabolic alterations in discrete regions of the rat brain during development of spontaneous hypertension, **499**, 1
Krum, J.M., see Rosenstein, J.M., **476**, 110
Krupa, M., see Hicks, T.P., **492**, 371
Kruse, M.N. and Poppele, R.E. Electrical 'tuning' in muscle spindle receptors, **496**, 303
Krzeski, R., Czyzyk-Krzeska, M.R., Trzebski, A. and Millhorn, D.E. Centrally administered glucagon stimulates sympathetic nerve activity in rat, **504**, 297
Kubo, T., see Tanaka, M., **504**, 31
Kubota, K., see Gong, D., **482**, 122
Kubota, K., Sugaya, K., Koizumi, Y. and Toda, M. Cholecystokinin antagonism by

anthramycin, a benzodiazepine antibiotic, in the central nervous system in mice, **485**, 62
Kubota, M., see Namba, H., **486**, 221
Kubota, Y., see Murakami, S., **485**, 403
Kubota, Y., see Takano, T., **499**, 174
Kubota, Y., see Tsuchiyama, M., **494**, 168
Kuczenski, R., see Callaway, C.W., **505**, 83
Kudo, Y., see Ozawa, S., **495**, 329
Kudo, M., see Kitao, Y., **484**, 304
Kudo, M., see Moriizumi, T., **478**, 315
Kudo, M., see Tokuno, H., **485**, 189
Kuehn, M.R., see Dunnett, S.B., **501**, 401
Kum, W., see Lee, C.-M., **488**, 328
Kumagai, S., see Kawahara, K., **479**, 185
Kumagai, Y., see Fukuda, S., **496**, 397
Kumar, R., see Borke, J.L., **489**, 355
Kumar, G.K., see Prabhakar, N.R., **481**, 205
Kumashiro, H., see Mori, N., **498**, 163
Kumashiro, H., see Yokoyama, N., **492**, 158
Kumazawa, T., Mizumura, K., Sato, J. and Minagawa, M.
Facilitatory effects of opioids on the discharges of visceral nociceptors, **497**, 231
Kunis, D., see Steinberg, G.K., **497**, 382
Kunos, G., see Mastrianni, J.A., **479**, 283
Kuo, H., see Chang, H.T., **495**, 167
Kuo, H., see Chang, H.T., **503**, 350
Kurachi, M., see Minabe, Y., **486**, 201
Kuraishi, Y., see Kawamura, M., **497**, 199
Kurihara, K., see Matsuoka, I., **502**, 53
Kurihara, K., see Sugawara, M., **486**, 269
Kuriyama, K., see Taguchi, J.-I., **483**, 395
Kuriyama, T., see Taguchi, J.-I., **483**, 395
Kurtz, W., see Sisken, B.F., **485**, 309
Kurumaji, A., Nehls, D.G., Park, C.K. and McCulloch, J.
Effects of NMDA antagonists, MK-801 and CPP, upon local cerebral glucose use, **496**, 268
Kuschinsky, K., see Beck, T., **497**, 205
Kushmerick, M.J., see Holtzman, D., **483**, 68
Kusunoki, S., Inoue, K., Iwamori, M., Nagai, Y. and Mannen, T.
Discrimination of human dorsal root ganglion cells by anti-fucosyl GM1 antibody, **494**, 391
Kuwana, S., see Arita, H., **485**, 285
Kuyatt, B.L., see Han, Z., **498**, 299
Kwak, S., see Shinozaki, H., **503**, 330
Kwan, H.C., see Lenz, F.A., **496**, 357

L

La Motte, R.H., see Simone, D.A., **486**, 185
Labandeira-Garcia, J.A., see Labandeira-Garcia, J.L., **497**, 305
Labandeira-Garcia, J.L., Guerra-Seijas, M.J. and Labandeira-Garcia, J.A.
The abducens motor and internuclear neurons in the rabbit: retrograde horseradish peroxidase and double fluorescent labeling, **497**, 305
Lacey, G., Nistri, A. and Rhys-Maitland, E.R.
Large enhancement of excitatory postsynaptic potentials and currents by thyrotropin-releasing hormone (TRH) in frog spinal motoneurones, **488**, 80
Lacombe, P., Sercombe, R., Verrecchia, C., Philipson, V., MacKenzie, E.T. and Seylaz, J.
Cortical blood flow increases induced by stimulation of the substantia innominata in the unanesthetized rat, **491**, 1
Lacy, D.B., see Radosevich, P.M., **498**, 89
Laedtke, T.W. and Turner, J.E.
Embryonic retinal grafts have a beneficial effect on the damaged host retina, **500**, 61
Laferrere, B. and Wurtman, R.J.
Effect of D-fenfluramine on serotonin release in brains of anaesthetized rats, **504**, 258
Lagae, L., Gulyas, B., Raiguel, S. and Orban, G.A.
Laminar analysis of motion information processing in macaque V5, **496**, 361
Lagae, L., see Raiguel, S.E., **493**, 155
Lagiorgia, M., see Amir, S., **478**, 361
Lagiorgia, M., see Amir, S., **480**, 340
Laguzzi, R., see Le Galloudec, E., **503**, 322
LaHoste, G.J. and Marshall, J.F.
Non-additivity of D_2 receptor proliferation induced by dopamine denervation and chronic selective antagonist administration: evidence from quantitative autoradiography indicates a single mechanism of action, **502**, 223
LaHoste, G.J., Neveu, P.J., Mormède, P. and Le Moal, M.
Hemispheric asymmetry in the effects of cerebral cortical ablations on mitogen-induced lymphoproliferation and plasma prolactin levels in female rats, **483**, 123
Lai, H., Carino, M.A. and Wen, Y.-F.
Repeated noise exposure affects muscarinic cholinergic receptors in the rat brain, **488**, 361
Lai, J.C.K., see Raps, S.P., **493**, 398
Lai, Y.-Y., Strahlendorf, H.K., Fung, S.J. and Barnes, C.D.
The actions of two monoamines on spinal motoneurons from stimulation of the locus coeruleus in the cat, **484**, 268
Laing, D.G., see Slotnick, B.M., **500**, 161
Lais, A.C., see Giannini, C., **500**, 131
Lajth, A., see Kramer, H.K., **503**, 296
Lakos, S.F., see Miller, A.D., **493**, 348
Lalonde, R., Manseau, M. and Botez, M.I.
Exploration and habituation in Purkinje cell degeneration mutant mice, **479**, 201
Lamas, J.A., see Canedo, A., **502**, 28
Lamers, W.P.M.A., see Ten Tusscher, M.P.M., **494**, 105
Lamers, W.P.M.A., see Ten Tusscher, M.P.M., **494**, 95
Lamkadem, M., see Amri, M., **503**, 141
Lamm, M., see Allin, R., **501**, 389
Lamour, Y., see Jobert, A., **476**, 220
Landau, E.M., see Benson, D.M., **478**, 399
Landfield, P.W., see Eldridge, J.C., **478**, 248
Landis, C.A., Robinson, C.R., Helms, C. and Levine, J.D.
Differential effects of acetylsalicylic acid and acetaminophen on sleep abnormalities in a rat chronic pain model, **488**, 195
Landis, S.C., see Prabhakar, N.R., **481**, 205
Landolfi, E., see Schettini, G., **492**, 65
Langer, L.F. and Graybiel, A.M.
Distinct nigrostriatal projection systems innervate striosomes and matrix in the primate striatum, **498**, 344
Langston, J.W., see Finnegan, K.T., **496**, 251
Langston, J.W., see Ricaurte, G.A., **490**, 301
Lanier, W.L., see Michenfelder, J.D., **481**, 228
Lanier, W.L., see Perkins, W.J., **498**, 34
Lanthier, D., see Stanley, B.G., **501**, 32
Lanthorn, T.H., see Watson, G.B., **498**, 81
Lantos, P.L., see Hughes, C.C.W., **480**, 126
Lapadula, D.M., Bowe, M., Carrington, C.D., Dulak, L., Friedman, M. and Abou-Donia, M.B.
In vitro binding of [^{14}C]acrylamide to neurofilament and microtubule proteins of rats, **481**, 157
Lapadula, D.M., see Carrington, C.D., **476**, 179
Lapchak, P.A., Araujo, D.M., Quirion, R. and Collier, B.
Binding sites for [^{3}H]AF-DX 116 and effect of AF-DX 116 on endogenous acetylcholine release from rat brain slices, **496**, 285

Lapchak, P.A., see Araujo, D.M., **484**, 130
Lapchak, P.A., see Araujo, D.M., **498**, 257
Laporte, Y., see Petit, J., **503**, 181
Lara, J., see Alonso, J.R., **490**, 385
Larson, J. and Lynch, G.
Theta pattern stimulation and the induction of LTP: the sequence in which synapses are stimulated determines the degree to which they potentiate, **489**, 49
Larson, J., see Muller, D., **477**, 396
Lasek, R.J., see Martz, D., **476**, 199
Lasek, R.J., see Paggi, P., **504**, 223
Lasher, R., see Bronstein, J., **495**, 83
Laskin, J.D., see Freed, W.J., **485**, 349
Lason, W., Simpson, J.N. and McGinty, J.F.
The interaction between κ-opioid agonist, U-50,488H, and kainic acid: behavioral and histological assessments, **482**, 333
Lassmann, H., see Bancher, C., **477**, 90
Lassmann, H., see Berger, M.L., **489**, 261
Latker, C.H., see Wadhwani, K.C., **493**, 231
Latov, N., see Mena, M.A., **486**, 286
Laurie, D.J. and Pratt, J.A.
Local cerebral glucose utilization following subacute and chronic diazepam pretreatment: differential tolerance, **504**, 101
Laursen, A.M., see Rekling, J.C., **500**, 276
Lavoie, B., see Smith, Y., **482**, 381
Lawson, D.E.M., see Ichimiya, Y., **499**, 402
Lazdunski, M., see Bidard, J.-N., **495**, 45
Lazdunski, M., see De Weille, J.R., **485**, 199
Lazdunski, M., see Gandolfo, G., **495**, 189
Lazdunski, M., see Mourre, C., **486**, 159
Le Bars, D., see Cesselin, F., **484**, 71
Le Galloudec, E., Merahi, N. and Laguzzi, R.
Cardiovascular changes induced by the local application of glutamate-related drugs in the rat nucleus tractus solitarii, **503**, 322
Le Moal, M., see LaHoste, G.J., **483**, 123
Le Moal, M., see Cador, M., **486**, 357
Leah, J. and Menétrey, D.
Neuropeptides in propriospinal neurones in the rat, **495**, 173
Leah, J., see Hartung, M., **499**, 363
Leah, J.D., see White, D.M., **503**, 198
Leary, J.F., see Lopez Lozano, J.J., **486**, 351
Lebrun, C.J., Rohmeiss, P., Demmert, G. and Unger, T.
Sensitization to pressor effects by repeated central injections of vasopressin in conscious rats, **505**, 39
Leclerc, N., see Hawkes, R., **476**, 279
Lederkremer, G., see Eshhar, N., **476**, 57
Leduque, P., see Najimi, M., **483**, 205
Lee, C.-M., Kum, W., Cockram, C.S., Teoh, R. and Young, J.D.
Functional substance P receptors on a human astrocytoma cell line (U-373 MG), **488**, 328
Lee, H., see Schmued, L., **487**, 131
Lee, K., see Seubert, P., **492**, 366
Lee, N.M., see Fedynyshyn, J.P., **476**, 103
Lee, P.H.K., Grimes, L. and Hong, J.S.
Glucocorticoids potentiate kainic acid-induced seizures and wet dog shakes, **480**, 322
Lee, P.H.K., see Xie, C.-W., **495**, 156
Lee, R.J., Depaulis, A., Lomax, P. and Olsen, R.W.
Anticonvulsant effect of muscimol injected into the thalamus of spontaneously epileptic Mongolian gerbils, **487**, 363
Lee, T.H. and Ellinwood Jr., E.H.
Time-dependent changes in the sensitivity of dopamine neurons to low doses of apomorphine following amphetamine infusion, **483**, 17
Lee, Y.C., see Stolk, J.A., **482**, 1
Leeman, S., see Prabhakar, N.R., **481**, 205
Lees, G.J.
Halothane anaesthesia reverses the neuroprotective effect of ketamine against ibotenic acid toxicity in the rat hippocampus, **502**, 280
Lefebvre, P.P., see Leprince, P., **502**, 21
Legendre, P., see Allard, M., **500**, 169
Lehman, M.N., see Norgren Jr., R.B., **479**, 374
Lehoullier, P.F. and Ticku, M.K.
The pharmacological properties of GABA receptor-coupled chloride channels using ^{36}Cl-influx in cultured spinal cord neurons, **487**, 205
Leibowitz, S.F., Diaz, S. and Tempel, D.
Norepinephrine in the paraventricular nucleus stimulates corticosterone release, **496**, 219
Leibowitz, S.F., see Jhanwar-Uniyal, M., **500**, 247
Leibowitz, S.F., see Stanley, B.G., **501**, 32
Leibowitz, S.F., Weiss, G.F., Walsh, U.A. and Viswanath, D.
Medial hypothalamic serotonin: role in circadian patterns of feeding and macronutrient selection, **503**, 132
Leigh, R.J., see Maas, E.F., **499**, 153
Leigh, R.J., see Seidman, S.H., **504**, 264
Leinders, T., see De Weille, J.R., **482**, 324
Lemke, M., see Vink, R., **490**, 144
LeMoal, M., see Neveu, P.J., **498**, 159
LeMoal, M., see Rivet, J.-M., **498**, 149
Lenders, M.-B., Peers, M.-C., Tramu, G., Delacourte, A., Defossez, A., Petit, H. and Mazzuca, M.
Dystrophic peptidergic neurites in senile plaques of Alzheimer's disease hippocampus precede formation of paired helical filaments, **481**, 344
Leng, G., Russell, J.A. and Grossmann, R.
Sensitivity of magnocellular oxytocin neurones to opioid antagonists in rats treated chronically with intracerebroventricular (i.c.v.) morphine, **484**, 290
Lenz, F.A., Kwan, H.C., Dostrovsky, J.O. and Tasker, R.R.
Characteristics of the bursting pattern of action potentials that occurs in the thalamus of patients with central pain, **496**, 357
Lénárd, L., Oomura, Y., Nakano, Y., Aou, S. and Nishino, H.
Influence of acetylcholine on neuronal activity of monkey amygdala during bar press feeding behavior, **500**, 359
Leon, M., see Guthrie, K.M., **497**, 117
León-Olea, M., see Condés-Lara, M., **499**, 141
León-Olea, M., see Condés-Lara, M., **499**, 145
Leprince, P., Lefebvre, P.P., Rigo, J.-M., Delrée, P., Rogister, B. and Moonen, G.
Cultured astroglia release a neuronotoxic activity that is not related to the excitotoxins, **502**, 21
Leresche, N., see Soltesz, I., **479**, 49
Leslie, S.W., see Dildy, J.E., **499**, 383
Leslie, S.W., see Farrar, R.P., **500**, 374
Lestage, P., see Vitte, P.-A., **489**, 273
Leung, L.W.S., see Vanderwolf, C.H., **504**, 181
Leviel, V., Gobert, A. and Guibert, B.
Direct observation of dopamine compartmentation in striatal nerve terminal by 'in vivo' measurement of the specific activity of released dopamine, **499**, 205
Levin, B.E. and Dunn-Meynell, A.
Noradrenergic innervation does not affect chronic regulation of [^{125}I]pindolol receptors in fetal rat brain transplants or host neocortex, **494**, 325
Levin, B.E. and Sullivan, A.C.
Differences in saccharin-induced cerebral glucose utilization between obesity-prone and -resistant rats, **488**, 221
Levin, E.D., see Uemura, E., **496**, 317
Levine, A.S., Grace, M., Krahn, D.D. and Billington, C.J.
The adenosine agonist N^6-R-phenylisopropyladenosine (R-PIA) stimulates feeding in rats, **477**, 280
Levine, J.D. and Taiwo, Y.O.
β-Estradiol induced catecholamine-sensitive hyperalgesia: a contribution to pain in Raynaud's phenomenon, **487**, 143

Levine, J.D., see Landis, C.A., **488**, 195
Levine, J.D., see Taiwo, Y.O., **487**, 148
Levine, J.D., see Taiwo, Y.O., **492**, 397
Levine, J.D., see Taiwo, Y.O., **492**, 400
Levine, M.S., see Cepeda, C., **494**, 215
Levine, M.S., see Fisher, R.S., **491**, 163
Levine, M.S., see Walsh, J.P., **480**, 290
Levitt, M.
Postcordotomy spontaneous dysesthesias in macaques: recurrence after spinal cord transection, **481**, 47
Levy, R., see Simantov, R., **505**, 160
Levy, W.J., see Humphrey, M.F., **497**, 132
Lewelt, W., see Jenkins, L.W., **477**, 211
Lewis, D.A., see Noack, H.J., **500**, 313
Lewis, S.J., Verberne, A.J.M., Robinson, T.G., Jarrott, B., Louis, W.J. and Beart, P.M.
Excitotoxin-induced lesions of the central but not basolateral nucleus of the amygdala modulate the baroreceptor heart rate reflex in conscious rats, **494**, 232
Leysen, J.E., see Schotte, A., **500**, 295
Li, C.-Y., Tanaka, M. and Creutzfeldt, O.D.
Attention and eye movement related activation of neurons in the dorsal prelunate gyrus (area DP), **496**, 307
Li, P.P., see Kish, S.J., **489**, 373
Li, Y. and Han, J.-S.
Cholecystokinin-octapeptide antagonizes morphine analgesia in periaqueductal gray of the rat, **480**, 105
Liberini, P., see Missale, C., **483**, 117
Libri, V., Ammassari-Teule, M. and Castellano, C.
Blocking of morphine-induced locomotor hyperactivity by amygdaloid lesions in C57BL/6 mice, **479**, 1
Lieberburg, I., see Anderson, J., **478**, 391
Liebeskind, J.C., see Marek, P., **489**, 182
Liebeskind, J.C., see Morgan, M.M., **486**, 175
Liebeskind, J.C., see Morgan, M.M., **502**, 61
Liebeskind, J.C., see Yirmiya, R., **479**, 16
Lightowler, S., see Soltesz, I., **479**, 49
Likavec, M.J., see Galloway, P.G., **500**, 343
Lile, J.D., see Collins, F., **502**, 99
Lim, R. and Huang, L.
Glia maturation factor-beta promotes the appearance of large neurofilament-rich neurons in injured rat brains, **504**, 154
Liman, E.R., Knapp, A.G. and Dowling, J.E.
Enhancement of kainate-gated currents in retinal horizontal cells by cyclic AMP-dependent protein kinase, **481**, 399
Lin, J.-S., Sakai, K., Vanni-Mercier, G. and Jouvet, M.
A critical role of the posterior hypothalamus in the mechanisms of wakefulness determined by microinjection of muscimol in freely moving cats, **479**, 225
Lin, P.J., see Maruniak, J.A., **490**, 212
Lin, Y., Morrow, T.J., Kiritsy-Roy, J.A., Terry, L.C. and Casey, K.L.
Cocaine: evidence for supraspinal, dopamine-mediated, non-opiate analgesia, **479**, 306
Lind, R.W., see Jhamandas, J.H., **487**, 52
Lindå, H., see Risling, M., **494**, 13
Linden, D.J., see Nelson, R.B., **497**, 30
Linden, J., see Friedman, Z., **492**, 29
Lindh, B., see Elfvin, L.-G., **502**, 341
Lindsay, J.G., see Bagley, P.R., **499**, 214
Lindsey, B.G., Shannon, R. and Gerstein, G.L.
Gravitational representation of simultaneously recorded brainstem respiratory neuron spike trains, **483**, 373
Lindvall, O., see Kokaia, M., **491**, 398
Linnoila, M., see Hilakivi, L.A., **502**, 158
Linnoila, M., see Koulu, M., **503**, 246
Linnoila, M., see Giri, P.R., **481**, 131
Liou, S.Y. and Albers, H.E.
Single unit response of suprachiasmatic neurons to arginine vasopressin (AVP) is mediated by a V_1-like receptor in the hamster, **477**, 336
Lipski, J., see Bellingham, M.C., **486**, 391
Liscovitch, M., see Richardson, U.I., **476**, 323
Liskowsky, D.R., see Teich, A.H., **480**, 210
Lister, R.G. and Duncan, M.J.
Antagonism of the intoxicating effects of ethanol by the potent benzodiazepine receptor ligand Ro 19-4603, **482**, 141
Lister, R.G., see Hilakivi, L.A., **502**, 158
Little, J.C., see Vaughan, M.K., **489**, 318
Liu, R.H., Jing-shi, T. and Zong-lian, H.
Electrophysiological identification of spinally projecting neurons in the lateral reticular nucleus of the rat, **481**, 350
Liu, W., see Sessler, F.M., **499**, 27
Livingston, C.A. and Berger, A.J.
Immunocytochemical localization of GABA in neurons projecting to the ventrolateral nucleus of the solitary tract, **494**, 143
Liwnicz, B.H., see Lomneth, R., **486**, 95
Ljungdahl, Å., see Nennesmo, I., **504**, 306
Llamas, A., see Clascá, F., **490**, 361
Llamas, E., see Duyckaerts, C., **504**, 94
Llewellyn-Smith, I., see Somogyi, P., **496**, 401
Lo, E.H., Frankel, K.A., DeLaPaz, R.L., Poljak, A., Woodruff, K.H., Brennan, K.M., Phillips, M.H., Valk, P.E., Steinberg, G.K., and Fabrikant, J.I.
Cerebrovascular and metabolic perturbations in delayed heavy charged particle radiation injury, **504**, 168
Lobocki, C.A., see Pieper, D.R., **485**, 382
Loewy, A.D., see Strack, A.M., **491**, 156
Loewy, A.D., see Strack, A.M., **491**, 274
Logan, A., see Owen, D.J., **476**, 248
Lohof, A.M., see Morgan, M.M., **486**, 175
Lomax, P., see Lee, R.J., **487**, 363
Lombard, M.-C. and Besson, J.-M.
Electrophysiological evidence for a tonic activity of the spinal cord intrinsic opioid systems in a chronic pain model, **477**, 48
Lombard, M.-C., see Zajac, J.-M., **477**, 400
Lomneth, R., Bkaily, G., Sperelakis, N., Liwnicz, B.H. and Gruenstein, E.
Electrophysiological and biochemical characterization of a continuous human astrocytoma cell line with many properties of well-differentiated astrocytes, **486**, 95
Lomri, N., see Rami, A., **485**, 20
London, E., see Cadet, J.L., **484**, 57
London, E.D., see Della Puppa, A., **505**, 283
Long, J.B., Rigamonti, D.D., De Costa, B., Rice, K.C. and Martinez-Arizala, A.
Dynorphin A-induced rat hindlimb paralysis and spinal cord injury are not altered by the κ opioid antagonist nor-binaltorphimine, **497**, 155
Long, J.B., see Brady, L.S., **477**, 382
Lönnberg, P., see Rinne, J.O., **483**, 402
LoPachin, R.M., see Horan, K.L., **491**, 366
Lopes da Silva, F.H., see Boeijinga, P.H., **478**, 257
Lopes da Silva, F.H., see Kamphuis, W., **479**, 23
Lopez Lozano, J.J., Notter, M.F.D., Gash, D.M. and Leary, J.F.
Selective flow cytometric sorting of viable dopamine neurons, **486**, 351
Lorens, S.A., see Paris, J.M., **476**, 183
Lorentzon, R., see Sojka, P., **483**, 177
Löscher, W.

Valproate enhances GABA turnover in the substantia nigra, **501**, 198
Lotstra, F., Schiffmann, S.N. and Vanderhaeghen, J.-J. Neuropeptide Y-containing neurons in the human infant hippocampus, **478**, 211
Louis, P.M., see King, M.A., **497**, 361
Louis, W.J., see Lewis, S.J., **494**, 232
Loup, F., Tribollet, E., Dubois-Dauphin, M., Pizzolato, G. and Dreifuss, J.J. Localization of oxytocin binding sites in the human brainstem and upper spinal cord: an autoradiographic study, **500**, 223
Loveday, B.E., see Tortella, F.C., **482**, 179
Low, P.A., see Shupeck, M., **493**, 225
Low, P.A., see Zochodne, D.W., **498**, 221
Lowe, S.L., see Francis, P.T., **494**, 315
Lowy, M.T. Quantification of type I and II adrenal steroid receptors in neuronal, lymphoid and pituitary tissues, **503**, 191
Loy, R., see Koh, S., **498**, 397
Lu, C.Y., see Koenig, H., **483**, 110
Luebke, J.I., see Wright, L.L., **494**, 267
Lufty, K., see Yoburn, B.C., **485**, 176
Luine, V.N., see Jhanwar-Uniyal, M., **500**, 247
Luiten, P.G.M., see Gaykema, R.P.A., **489**, 392
Lukowiak, K., see Kelly, M.E.M., **477**, 363
Lumb, B.M. and Cervero, F. Modulation of a viscerosomatic reflex by electrical and chemical stimulation of hypothalamic structures in the rat, **500**, 400
Lund, R.D., see Rao, K., **488**, 332
Lundborg, G., see Kanje, M., **486**, 396
Lundborg, G., see Sisken, B.F., **485**, 309
Lust, W.D., Wheaton, A.B., Feussner, G. and Passonneau, J. Metabolism in the hamster brain during hibernation and arousal, **489**, 12
Lustig, S., see Kobiler, D., **496**, 314
Luttge, W.G., Kang, C.G., Rupp, M.E. and Emadian, S.M. Treatment of mouse brain cytosol with dextran-coated charcoal and high salt does not reveal a new glucocorticoid binder, **493**, 190
Lux, H.D., see Jarolimek, W., **505**, 225
Lux, H.D., see Müller, W., **484**, 184
Lyeth, B.G., see Jenkins, L.W., **477**, 211
Lynch, G., see Kessler, M., **489**, 377
Lynch, G., see Larson, J., **489**, 49
Lynch, G., see Muller, D., **477**, 396
Lynch, G., see Muller, D., **479**, 290
Lynch, G., see Oliver, M.W., **505**, 233
Lynch, G., see Seubert, P., **492**, 366
Lynch, G., see Thibault, O., **476**, 170
Lynch III, J.L., Eskin, T.A. and Merigan, W.H. Selective degeneration of the parvocellular-projecting retinal ganglion cells in a New World monkey, *Saimiri sciureus*, **499**, 325
Lysko, P.G., Cox, J.A., Vigano, M.A. and Henneberry, R.C. Excitatory amino acid neurotoxicity at the *N*-methyl-D-aspartate receptor in cultured neurons: pharmacological characterization, **499**, 258
Lysko, P.G., see Cox, J.A., **499**, 267
Lytton, W.W. and Kristan, W.B. Localization of a leech inhibitory synapse to photo-ablation of individual dendrites, **504**, 43

M

Ma, T.P. Identification of the substantia nigra pars lateralis in the macaque using cytochrome oxidase and fiber stains, **480**, 305
Ma, W., Blomqvist, A. and Berkley, K.J. Spino-diencephalic relays through the parabrachial nucleus in the cat, **480**, 37
Ma, W., see Blomqvist, A., **480**, 29
Maas, E.F., Huebner, W.P., Seidman, S.H. and Leigh, R.J. Behavior of human horizontal vestibulo-ocular reflex in response to high-acceleration stimuli, **499**, 153
Maccabee, P.J., see Amassian, V.E., **479**, 355
MacDonald, J.F., see Spielman, A.I., **503**, 326
Macdonald, T.L., see Hubbard, C.M., **486**, 170
Mack, C.M., see Gilbert, M.E., **477**, 314
Mack-Burkhardt, F., see Kornhuber, J., **489**, 397
Mack-Burkhardt, F., see Kornhuber, J., **499**, 81
Mackel, R. and Noda, T. The pretectum as a site for relaying dorsal column input to thalamic VL neurons, **476**, 135
MacKenzie, E.T., see Lacombe, P., **491**, 1
MacLean, D.B., Bennett, B., Morris, M. and Wheeler, F.B. Differential regulation of calcitonin gene-related peptide and substance P in cultured neonatal rat vagal sensory neurons, **478**, 349
MacLennan, A.J., Pelleymounter, M.A., Atmadja, S., Jakubovic, A., Maier, S.F. and Fibiger, H.C. D_2 dopamine receptors in the rat prefrontal cortex: characterization and alteration by stress, **477**, 300
MacLennan, A.J., see Radke, J.M., **480**, 178
MacVicar, B.A., see Williams, P.J., **483**, 130
Maddaluno, J., see Mignot, E., **486**, 56
Maddaluno, J., see Mignot, E., **490**, 186
Maeda, T., see Shigematsu, K., **497**, 21
Maeda, N., Wada, K., Yuzaki, M. and Mikoshiba, K. Autoradiographic visualization of a calcium channel antagonist, [^{125}I]ω-conotoxin GVIA, binding site in the brains of normal and cerebellar mutant mice (*pcd* and *weaver*), **489**, 21
Maehlen, J., Nennesmo, I., Olsson, A.-B., Olsson, T., Daa Schröder, H. and Kristensson, K. Peripheral nerve injury causes transient expression of MHC class I antigens in rat motor neurons and skeletal muscles, **481**, 368
Maekawa, K., see Sakuma, S., **493**, 402
Maelicke, A., see Schröder, H., **502**, 287
Maeno, T., see Sawada, M., **503**, 167
Magari, S., see Sakanaka, M., **479**, 205
Magari, S., see Inoue, N., **493**, 87
Magari, S., see Sakanaka, M., **487**, 357
Magnin, M., see Cooper, H.M., **477**, 350
Magnin, M., Cooper, H.M. and Mick, G. Retinohypothalamic pathway: a breach in the law of Newton-Müller-Gudden?, **488**, 390
Mahy, N., see Ballarin, M., **483**, 184
Maier, S.F., see MacLennan, A.J., **477**, 300
Maioli, M.G., Squatrito, S. and Domeniconi, R. Projections from visual cortical areas of the superior temporal sulcus to the lateral terminal nucleus of the accessory optic system in macaque monkeys, **498**, 389
Maisonneuve, I.M., see Herrick-Davis, K., **483**, 155
Majane, E.A., Panula, P. and Yang, H.-Y.T. Rat brain regional distribution and spinal cord neuronal pathway of FLFQPQRF-NH_2, a mammalian FMRF-NH_2-like peptide, **494**, 1
Majewska, M.D., Ford-Rice, F. and Falkay, G. Pregnancy-induced alterations of $GABA_A$ receptor sensitivity in maternal brain: an antecedent of post-partum 'blues'?, **482**, 397
Majewski, P., see Wollnik, F., **496**, 82
Majewski, T.J., see Jenkins, L.W., **477**, 211
Majkowska, J., see Pylova, S.I., **490**, 170
Makara, G.B., see Nagy, G., **504**, 165
Makara, G.B., see Palkovits, M., **486**, 364
Makino, H., see Namba, H., **486**, 221

Makino, S., Hashimoto, K. and Ota, Z.
Atrial natriuretic polypeptide attenuates central angiotensin II-induced catecholamine and ACTH secretion, **501**, 84
Malach, R., see Avidor, R., **503**, 304
Malatová, Z., Chavko, M. and Maršala, J.
Effect of spinal cord ischemia on axonal transport of cholinergic enzymes in rabbit sciatic nerve, **481**, 31
Malbon, C.C., see Takano, T., **499**, 174
Malbon, C.C., see Wanaka, A., **479**, 190
Malbon, C.C., see Wanaka, A., **485**, 125
Maldonado, H., see Valeggia, C., **481**, 304
Mallart, A., see Bourret, C., **478**, 403
Mallart, A., Molgó, J., Angaut-Petit, D. and Thesleff, S.
Is the internal calcium regulation altered in Type A botulinum toxin-poisoned motor endings?, **479**, 167
Mallick, B.N., see Wu, M.-F., **499**, 7
Maloteaux, J.-M., see Octave, J.-N., **486**, 369
Manabe, R., see Hamano, K., **489**, 254
Manaye, K.F., Sonsalla, P.K., Barnett, G., Heikkila, R.E., Woodward, D.J., Smith, W.K. and German, D.C.
1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine (2′CH_3-MPTP)-induced degeneration of mesostriatal dopaminergic neurons in the mouse: biochemical and neuroanatomical studies, **491**, 307
Mancia, M., see Marini, G., **500**, 395
Maness, P.F., see Fults, D., **503**, 281
Manjarréz, G.G., see Hernández-R., J., **488**, 1
Mann, D.M.A., see Simpson, M.D.C., **484**, 273
Mannen, H., see Sasaki, H., **501**, 339
Mannen, T., see Kusunoki, S., **494**, 391
Manseau, M., see Lalonde, R., **479**, 201
Manthorpe, M., see Hagg, T., **505**, 29
Mantz, J., Thierry, A.M. and Glowinski, J.
Effect of noxious tail pinch on the discharge rate of mesocortical and mesolimbic dopamine neurons: selective activation of the mesocortical system, **476**, 377
Maragos, W.F., see McDonald, J.W., **482**, 155
Marangos, P.J., see Daval, J.-L., **491**, 212
Marangos, P.J., see Nakajima, T., **501**, 307
Marazziti, D., see Castrogiovanni, P., **504**, 129
Marchand, R., see Woerly, S., **495**, 377
Marchand, S., Trudeau, N., Bushnell, M.C. and Duncan, G.H.
A primate model for the study of tonic pain, pain tolerance and diffuse noxious inhibitory controls, **487**, 388
Marchi, M., see Mora, M., **492**, 404
Marciano, F.F., Wiegand, S.J., Sladek Jr., J.R. and Gash, D.M.
Fetal hypothalamic transplants promote survival and functional regeneration of axotomized adult supraoptic magnocellular neurons, **483**, 135
Marcusson, J., see Bäckström, I., **486**, 261
Marek, P., Yirmiya, R., Panocka, I. and Liebeskind, J.C.
Genetic influences on brain stimulation-produced analgesia in mice. I. Correlation with stress-induced analgesia, **489**, 182
Maremmani, I., see Castrogiovanni, P., **504**, 129
Marescaux, C., see Depaulis, A., **498**, 64
Mariani, J., see Thomson, M.A., **488**, 241
Mariani, A.P., see Hadjiconstantinou, M., **484**, 297
Marietta, C.A., Wixon, H.N., Weight, F.F. and Eckardt, M.J.
Cerebral glucose utilization in rat brain during phenobarbital withdrawal, **496**, 173
Marin, J., see Balfagon, G., **477**, 196
Marín, J., see Salaices, M., **490**, 133
Marini, G., Gritti, I. and Mancia, M.
Changes in EEG spindle activity induced by ibotenic acid lesions of medialis dorsalis thalamic nuclei in the cat, **500**, 395
Marino, A., see Schettini, G., **492**, 65
Mariorenzi, R., see Zarola, F., **495**, 217
Marjamäki, P., see Rinne, J.O., **483**, 402
Markey, S.P., see During, M.J., **476**, 384
Markey, S.P., see Heyes, M.P., **491**, 173
Markowitz, S., Saito, K., Buzzi, M.G. and Moskowitz, M.A.
The development of neurogenic plasma extravasation in the rat dura mater does not depend upon the degranulation of mast cells, **477**, 157
Marks, G.A. and Roffwarg, H.P.
The cholinergic influence upon rat dorsal lateral geniculate nucleus is dependent on state of arousal, **494**, 294
Marks, S.S., Watson, D.L., Carpenter, C.L., Messing, R.O. and Greenberg, D.A.
Calcium channel antagonist receptors in cerebral cortex from alcoholic patients, **478**, 196
Marley, P.D., see Moeller, I., **484**, 192
Marra, S., see Stuckey, J., **476**, 167
Maršala, J., see Malatová, Z., **481**, 31
Marsden, C.A., see Crespi, F., **500**, 241
Marshall, J.F., Navarrete, R. and Joyce, J.N.
Decreased striatal D_1 binding density following mesotelencephalic 6-hydroxydopamine injections: an autoradiographic analysis, **493**, 247
Marshall, J.F., see LaHoste, G.J., **502**, 223
Marshall, J.F., see Pullara, J.M., **480**, 225
Martel, J.-C., see Krantic, S., **498**, 267
Martin, D.A., see Tortella, F.C., **482**, 179
Martin, F.C., see Yirmiya, R., **479**, 16
Martin, F.R., Roberts Jr., E.L. and Rosenthal, M.
Potassium-induced increases in oxygen consumption are diminished by age in rat hippocampal slices, **492**, 392
Martin, G., see Oliveras, J.-L., **486**, 1
Martin, J.B., see During, M.J., **476**, 384
Martin, J.B., see Hooi, S.C., **486**, 214
Martin, K.F., see Crespi, F., **500**, 241
Martin, R.F., see Dong, W.K., **484**, 314
Martin, R.M., see Robinson, S.E., **503**, 32
Martin-Iverson, M.T., see Stoessl, A.J., **495**, 20
Martinez-Arizala, A., see Long, J.B., **497**, 155
Martinez-Gomez, M., see Pacheco, P., **490**, 85
Martínez, S. and Puelles, L.
Avian nucleus isthmi ventralis projects to the contralateral optic tectum, **481**, 181
Martino, G., see Zarola, F., **495**, 217
Martz, D., Garner, J. and Lasek, R.J.
Protein changes during anterograde-to-retrograde conversion of axonally transported vesicles, **476**, 199
Maru, E., Ashida, H. and Tatsuno, J.
Long-lasting reduction of dentate paired-pulse depression following LTP-inducing tetanic stimulations of perforant path, **478**, 112
Maru, E., see Kanda, M., **484**, 325
Maruniak, J.A., Lin, P.J. and Henegar, J.R.
Effects of unilateral naris closure on the olfactory epithelia of adult mice, **490**, 212
Marunouchi, T., see Sawada, M., **491**, 394
Maruyama, M. and Takeda, K.
Effects of acromelic acid A on the binding of [^{3}H]glutamic acid and [^{3}H]kainic acid to synaptic membranes and on the depolarization at the frog spinal cord, **504**, 328
Masliah, E., Terry, R. and Buzsáki, G.
Thalamic nuclei in Alzheimer disease: evidence against the cholinergic hypothesis of plaque formation, **493**, 240
Mason, C.R. and Baker, J.F.
Effects of optokinetic velocity and medial vestibulo-cerebellum lesions on vestibulo-ocular reflex direction

adaptation in the cat, **490**, 373
Mason, W.T., see Sikdar, S.K., **496**, 113
Mass, M.K., see Seil, F.J., **503**, 111
Massari, V.J., see Pickel, V.M., **476**, 265
Mastrianni, J.A., Abbott, F.V. and Kunos, G.
Activation of central μ-opioid receptors is involved in clonidine analgesia in rats, **479**, 283
Masukawa, L.M., Higashima, M., Kim, J.H. and Spencer, D.D.
Epileptiform discharges evoked in hippocampal brain slices from epileptic patients, **493**, 168
Masuko, S., see Kawano, H., **492**, 139
Mathieson, W.B., Federico, P., Veale, W.L. and Pittman, Q.J.
Single-unit activity in the bed nucleus of the stria terminalis during fever, **486**, 49
Mathis, C.A., see McKenna, D.J., **476**, 45
Mathison, R., see Thornhill, J.A., **490**, 174
Matsubayashi, K., see Shigematsu, K., **497**, 21
Matsumoto, A., Arnold, A.P. and Micevych, P.E.
Gap junctions between lateral spinal motoneurons in the rat, **495**, 362
Matsumoto, A.M., see Wilcox, B.J., **500**, 149
Matsumoto, M., see Kanagawa-Terayama, Y., **494**, 75
Matsumoto, M., see Kitagawa, K., **479**, 263
Matsumoto, M., see Wanaka, A., **479**, 190
Matsumoto, M., see Wanaka, A., **485**, 125
Matsumoto, R.R., Bowen, W.D. and Walker, J.M.
Age-related differences in the sensitivity of rats to a selective sigma ligand, **504**, 145
Matsumura, H., Honda, K., Goh, Y., Ueno, R., Sakai, T., Inoué, S. and Hayaishi, O.
Awaking effect of prostaglandin E_2 in freely moving rats, **481**, 242
Matsunaga, T., see Tanaka, M., **504**, 31
Matsunaga, T., see Yamamoto, K., **487**, 158
Matsuno, K., see Nagata, T., **483**, 50
Matsuo, R., see Yamamoto, T., **481**, 286
Matsuoka, I., Mizuno, N. and Kurihara, K.
Cholinergic differentiation of clonal rat pheochromocytoma cells (PC12) induced by retinoic acid: increase of choline acetyltransferase activity and decrease of tyrosine hydroxylase activity, **502**, 53
Matsuoka, Y., see Gong, D., **482**, 122
Matsuoka, Y., see Nagashima, A., **487**, 392
Matsuoka, Y., see Nagashima, A., **499**, 198
Matsushima, R., see Tashiro, T., **481**, 392
Matsushima, R., see Tashiro, T., **491**, 360
Matsushima, R., see Tashiro, T., **494**, 162
Matsushima, R., see Tashiro, T., **497**, 177
Matsutani, S., see Miguel-Hidalgo, J.-J., **476**, 189
Matsuyama, K., see Mori, S., **505**, 66
Matsuyama, T., see Kanagawa-Terayama, Y., **494**, 75
Matthies, H., see Krug, M., **476**, 163
Matthieu, J.-M., see Roch, J.-M., **477**, 292
Mattson, M.P. and Kater, S.B.
Development and selective neurodegeneration in cell cultures from different hippocampal regions, **490**, 110
Mattson, M.P. and Kater, S.B.
Excitatory and inhibitory neurotransmitters in the generation and degeneration of hippocampal neuroarchitecture, **478**, 337
Mattson, M.P.
Acetylcholine potentiates glutamate-induced neurodegeneration in cultured hippocampal neurons, **497**, 402
Mauron, C., see Ulus, I.H., **484**, 217
May, L.J. and Wightman, R.M.
Heterogeneity of stimulated dopamine overflow within rat striatum as observed with in vivo voltammetry, **487**, 311
Mayhan, W.G., see Faraci, F.M., **478**, 121
May III, J.G., see Petry, H.M., **489**, 199
Mayol, B., see Onesti, S.T., **477**, 378
Maysinger, D., Garofalo, L., Jalsenjak, I. and Cuello, A.C.
Effects of microencapsulated monosialoganglioside GM1 on cholinergic neurons, **496**, 165
Mazzuca, M., see Lenders, M.-B., **481**, 344
McAllister II, J.P., Cober, S.R., Schaible, E.R. and Walker, P.D.
Minimal connectivity between six month neostriatal transplants and the host substantia nigra, **476**, 345
McCabe, P.M., see Teich, A.H., **480**, 210
McCall, R.B. and Clement, M.E.
Identification of serotonergic and sympathetic neurons in medullary raphe nuclei, **477**, 172
McCall, R.B., Clement, M.E. and Harris, L.T.
Studies on the mechanism of the sympatholytic effect of 8-OH DPAT: lack of correlation between inhibition of serotonin neuronal firing and sympathetic activity, **501**, 73
McCann, M.J., Hermann, G.E. and Rogers, R.C.
Nucleus raphe obscurus (nRO) influences vagal control of gastric motility in rats, **486**, 181
McCarley, R.W., see Greene, R.W., **476**, 154
McCarthy, K.D., see Gammon, C.M., **479**, 217
McClane, S., see Schwartz, D.H., **479**, 349
McClean, M.D.
Gain and spatial characteristics of human lip-muscle reflexes, **503**, 16
McCulloch, J., see Kurumaji, A., **496**, 268
McDonald, A.J.
Coexistence of somatostatin with neuropeptide Y, but not with cholecystokinin or vasoactive intestinal peptide, in neurons of the rat amygdala, **500**, 37
McDonald, J.K., see Hooi, S.C., **486**, 214
McDonald, J.W., Cline, H.T., Constantine-Paton, M., Maragos, W.F., Johnston, M.V. and Young, A.B.
Quantitative autoradiographic localization of NMDA, quisqualate and PCP receptors in the frog tectum, **482**, 155
McDonald, J.W., Silverstein, F.S. and Johnston, M.V.
Neuroprotective effects of MK-801, TCP, PCP and CPP against *N*-methyl-D-aspartate induced neurotoxicity in an in vivo perinatal rat model, **490**, 33
McEwen, B.C., see O'Callahan, J.P., **494**, 159
McEwen, B.S., see Ball, G.F., **491**, 68
McEwen, B.S., see Grillo, C., **499**, 225
McEwen, B.S., see Schumacher, M., **487**, 178
McEwen, B.S., see Thornton, J.E., **503**, 253
McFarland, E., see Holtzman, D., **483**, 68
McGaugh, J.L., see Brioni, J.D., **487**, 105
McGaugh, J.L., see Cornwell-Jones, C.A., **493**, 258
McGaugh, J.L., see Decker, M.W., **477**, 29
McGaugh, J.L., see Introini-Collison, I.B., **476**, 94
McGeer, E.G., see Beach, T.G., **501**, 171
McGeer, E.G., see Tago, H., **495**, 271
McGeer, E.G., see Zhu, S.G., **481**, 356
McGeer, P.L., see Akiyama, H., **489**, 247
McGeer, P.L., see Tago, H., **495**, 271
McGeer, P.L., see Zhu, S.G., **481**, 356
McGinty, D., see Szymusiak, R., **498**, 355
McGinty, J.F., see Frederickson, C.J., **480**, 317
McGinty, J.F., see Lason, W., **482**, 333
McGregor, I.S., Balleine, B.W. and Atrens, D.M.
Footshock stress facilitates self-stimulation of the medial prefrontal cortex but not the lateral hypothalamus in the rat, **490**, 397

McIlhinney, J.R.A., see Somogyi, P., **496**, 401
McIntosh, R.P., see Sikdar, S.K., **496**, 113
McIntosh, T.K., see Cortez, S.C., **482**, 271
McIntosh, T.K., Vink, R., Yamakami, I. and Faden, A.I. Magnesium protects against neurological deficit after brain injury, **482**, 252
McKenna, D.J., Nazarali, A.J., Hoffman, A.J., Nichols, D.E., Mathis, C.A. and Saavedra, J.M. Common receptors for hallucinogens in rat brain: a comparative autoradiographic study using [^{125}I]LSD and [^{125}I]DOI, a new psychotomimetic radioligand, **476**, 45
McKenna, T.M., Weinberger, N.M. and Diamond, D.M. Responses of single auditory cortical neurons to tone sequences, **481**, 142
McKenzie, J.S., see Donnan, G.A., **504**, 64
McKeon, R.J., Vietje, B.P. and Wells, J. Increase in acetylcholinesterase in the molecular layer of the dentate gyrus in the absence of septal inputs following selective granule cell lesions, **503**, 317
McKinley, M.J., see Park, R., **493**, 123
McKinley, P.A. and Swyter, E. Progressive changes in somatosensory cortical maps in 6-week-old kittens cord-transected at T_{12}, **484**, 378
McLachlan, E.M., Anderson, C.R. and Sinclair, A.D. Are there bulbospinal catecholaminergic neurones in the Guinea pig equivalent to the C1 cell group in the rat and rabbit?, **481**, 274
McLaren, J.D., see Bledsoe Jr., S.C., **493**, 113
McLaughlin, P.J., see Zagon, I.S., **480**, 16
McLaughlin, P.J., see Zagon, I.S., **482**, 297
McLaughlin, P.J., see Zagon, I.S., **490**, 14
McMahon, F.J., Moran, T.H. and Robinson, R.G. Hyperactivity following posterior cortical injury is lateralized, sensitive to lesion size and independent of the nigrostriatal dopamine system, **503**, 185
McMaster, S.E., see Winsky, L., **493**, 136
McMillian, M.K. and Talamo, B.R. Lack of desensitization to neurokinin A due to partial agonist property of this peptide at parotid substance P receptors, **480**, 330
McNamara, J.O., see Morrisett, R.A., **496**, 25
McNamara, J.O., see Okazaki, M.M., **482**, 159
McNaughton, B.L., see Mizumori, S.J.Y., **500**, 99
McNeill, D.L., see Westlund, K.N., **489**, 347
McNeill, T.H., see Melvin, J.E., **485**, 1
McQuarrie, I.G., see Yates, A.J., **479**, 277
McQuay, H.J., see Sullivan, A.F., **482**, 219
Medina, J., see Bolioli, B., **504**, 1
Meeker, R., see Greenwood, R.S., **495**, 58
Mefford, I., see Hilakivi, L.A., **502**, 158
Mefford, I.N. and Garrick, N.A. Effects of xylazine on cerebrospinal fluid catecholamines in the rhesus monkey, **492**, 377
Mehta, A.K. and Ticku, M.K. Chronic ethanol treatment alters the behavioral effects of Ro 15-4513, a partially negative ligand for benzodiazepine binding sites, **489**, 93
Mei, L., Roeske, W.R. and Yamamura, H.I. The coupling of muscarinic receptors to hydrolysis of inositol lipids in human neuroblastoma SH-SY5Y cells, **504**, 7
Meijer, J.H., Rusak, B. and Harrington, M.E. Photically responsive neurons in the hypothalamus of a diurnal ground squirrel, **501**, 315
Meijer, J.H., see Rusak, B., **493**, 283
Meinecke, D.L., Tallman, J. and Rakic, P. $GABA_A$/benzodiazepine receptor-like immunoreactivity in rat and monkey cerebellum, **493**, 303
Meiniel, A., see Didier-Bazes, M., **489**, 137
Meiri, H. and Gross, B. Modification of the Na-dependent action potential in myelinated fibers of rat sciatic nerve exposed to phorbol ester, **502**, 401
Meller, E., see Bordi, F., **489**, 205
Meller, E., see Bordi, F., **504**, 276
Meloni, R., see Segovia, J., **493**, 185
Melvin, J.E. and Hamill, R.W. Hypogastric ganglion perinatal development: evidence for androgen specificity via androgen receptors, **485**, 11
Melvin, J.E., McNeill, T.H., Hervonen, A. and Hamill, R.W. Organizational role of testosterone on the biochemical and morphological development of the hypogastric ganglion, **485**, 1
Memo, M., see Missale, C., **483**, 117
Mena, E.E., see Richter, K.E., **492**, 385
Mena, M.A., Garcia de Yebenes, J., Dwork, A., Fahn, S., Latov, N., Herbert, J., Flaster, E. and Slonim, D. Biochemical properties of monoamine-rich human neuroblastoma cells, **486**, 286
Menaker, M., see Cahill, G.M., **479**, 65
Menaker, M., see Cahill, G.M., **479**, 76
Mendelsohn, F.A.O., see Donnan, G.A., **504**, 64
Menétrey, D., see Leah, J., **495**, 173
Mengod, G., see Palacios, J.M., **488**, 369
Menini, C., see Silva-Barrat, C., **498**, 289
Mennone, A., see Bogan, N., **505**, 257
Merahi, N., see Le Galloudec, E., **503**, 322
Merchant, K.M., Bush, L.G., Gibb, J.W. and Hanson, G.R. Dopamine D_2 receptors exert tonic regulation over discrete neurotensin systems of the rat brain, **500**, 21
Merigan, W.H., see Lynch III, J.L., **499**, 325
Mersey, J.H., see Starkstein, S.E., **478**, 16
Meshul, C.K. and Casey, D.E. Regional, reversible ultrastructural changes in rat brain with chronic neuroleptic treatment, **489**, 338
Meshul, C.K. Calcium channel blocker reverses anticholinesterase-induced myopathy, **497**, 142
Meshul, C.K., see Woodward, W.R., **494**, 42
Mesina, J.E., Page, R.H., Hetzel, F.W. and Chopp, M. Administration of L-2-oxothiazolidine-4-carboxylate increases glutathione levels in rat brain, **478**, 181
Messing, R.O., see Marks, S.S., **478**, 196
Mesulam, M., see Geula, C., **498**, 185
Metherate, R. and Weinberger, N.M. Acetylcholine produces stimulus-specific receptive field alterations in cat auditory cortex, **480**, 372
Metzger, D., see Alescio-Lautier, B., **500**, 287
Meucci, O., see Schettini, G., **492**, 65
Meyer, D.L., see Hofmann, M.H., **492**, 389
Meyer, D.L., see Hofmann, M.H., **498**, 167
Meyer, J.H., see Garcia-Segura, L.M., **498**, 339
Meyer, J.R., see Bledsoe Jr., S.C., **493**, 113
Meyer, R.L., see Kageyama, G.H., **503**, 118
Meyerhoff, J.L., Robinson, M.B., Bixler, M.A., Richards, S.S. and Coyle, J.T. Seizures decrease regional enzymatic hydrolysis of *N*-acetyl-aspartylglutamate in rat brain, **505**, 130
Miaskowski, U., see Schmahl, W., **486**, 297
Miceli, D., see Vesselkin, N.P., **493**, 51
Micevych, P.E., see Matsumoto, A., **495**, 362

Micevych, P.E., see Popper, P., **496**, 180
Michael, D.B., Hazlett, J.C. and Mitchell, J.A.
Innervation of the pituitary gland by supraependymal neurons, **478**, 227
Michael, R.P., Rees, H.D. and Bonsall, R.W.
Sites in the male primate brain at which testosterone acts as an androgen, **502**, 11
Michalodimitrakis, M., see Tsiotos, P., **481**, 87
Michenfelder, J.D., Lanier, W.L., Scheithauer, B.W., Perkins, W.J., Shearman, G.T. and Milde, J.H.
Evaluation of the glutamate antagonist dizocilipine maleate (MK-801) on neurologic outcome in a canine model of complete cerebral ischemia: correlation with hippocampal histopathology, **481**, 228
Michenfelder, J.D., see Perkins, W.J., **498**, 34
Michler, A., see Hofmann, M.H., **492**, 389
Mick, G., see Magnin, M., **488**, 390
Mick, G., see Cooper, H.M., **477**, 350
Miele, P., see Duyckaerts, C., **504**, 94
Mienville, J.-M. and Vicini, S.
Pregnenolone sulfate antagonizes $GABA_A$ receptor-mediated currents via a reduction of channel opening frequency, **489**, 190
Mifsud, J.-C., Hernandez, L. and Hoebel, B.G.
Nicotine infused into the nucleus accumbens increases synaptic dopamine as measured by in vivo microdialysis, **478**, 365
Mignot, E., Bowersox, S.S., Maddaluno, J., Dement, W. and Ciaranello, R.
Evidence for multiple [^{3}H]prazosin binding sites in canine brain membranes, **486**, 56
Mignot, E., Guilleminault, C., Bowersox, S., Frusthofer, B., Nishino, S., Maddaluno, J., Ciaranello, R. and Dement, W.C.
Central α_1 adrenoceptor subtypes in narcolepsy-cataplexy: a disorder of REM sleep, **490**, 186
Mignot, E., see Fruhstorfer, B., **500**, 209
Miguel-Hidalgo, J.-J., Senba, E., Matsutani, S., Takatsuji, K. and Tohyama, M.
Adenosine deaminase containing fiber pathway from the superior colliculus to the lateral posterior nucleus of the rat, **476**, 189
Mikkelsen, J.D., see Fink-Jensen, A., **476**, 194
Mikoshiba, K., see Maeda, N., **489**, 21
Mikuni, M., see Ikeda, M., **495**, 337
Milde, J.H., see Michenfelder, J.D., **481**, 228
Milde, J.H., see Perkins, W.J., **498**, 34
Miledi, R., see Reiser, G., **479**, 83
Miles, J.B., see Ensor, D.M., **490**, 196
Miletich, D.J., see Pellegrino, D.A., **479**, 241
Miley, F.B., see Hall, M.E., **497**, 280
Milgrom, E., see Warembourg, M., **480**, 1
Miller, A.D., Tan, L.K. and Lakos, S.F.
Brainstem projections to cats' upper lumbar spinal cord: implications for abdominal muscle control, **493**, 348
Miller, C.A., see Blanks, J.C., **501**, 364
Miller, J.D., see Murakami, D.M., **482**, 283
Miller, L.P. and Perry, D.C.
Opiate receptor subtype binding in gerbil hippocampus is altered by forebrain ischemia, **495**, 367
Miller, M.W., see Al-Ghoul, W.M., **481**, 361
Miller, R.J., see Harris, K.M., **482**, 23
Miller, R.J., see Harris, K.M., **489**, 185
Miller, S., see Gunion, M.W., **478**, 47
Millhorn, D.E., see Krzeski, R., **504**, 297
Milne, R.J., Gamble, G.D. and Holford, N.H.G.
Behavioural tolerance to morphine analgesia is supraspinally mediated: a quantitative analysis of dose–response relationships, **491**, 316
Milner, T.A., Abate, C., Reis, D.J. and Pickel, V.M.
Ultrastructural localization of phenylethanolamine *N*-methyltransferase-like immunoreactivity in the rat locus coeruleus, **478**, 1
Milner, T.A., Pickel, V.M., Giuliano, R. and Reis, D.J.
Ultrastructural localization of choline acetyltransferase in the rat rostral ventrolateral medulla: evidence for major synaptic relations with non-catecholaminergic neurons, **500**, 67
Milner, T.A., see Morrison, S.F., **503**, 5
Minabe, Y., Emori, K. and Kurachi, M.
An evidence of 'post-seizure excitation' in feline-kindled seizures, **486**, 201
Minagawa, M., see Kumazawa, T., **497**, 231
Minami, M., see Kawamura, M., **497**, 199
Minc-Golomb, D., Eimerl, S. and Schramm, M.
Cysteine sulfinic acid-induced release of D-[^{3}H]aspartate and [^{14}C]GABA in hippocampus slices: the role of sodium channels and cAMP, **490**, 205
Mine, K., see Okada, M., **501**, 23
Minokoshi, Y., see Saito, M., **481**, 298
Minor, T., see Stuckey, J., **476**, 167
Minson, J.B., see Somogyi, P., **496**, 401
Minzenberg, M.J., see Auerbach, S.B., **499**, 281
Miranda, F.J., Torregrosa, G., Salom, J.B., Campos, V., Alabadí, J.A. and Alborch, E.
Inhibitory effect of GABA on cerebrovascular sympathetic neurotransmission, **492**, 45
Miserendino, M.J.D. and Coons, E.E.
Electrical stimulation of the medial prefrontal cortex supports both 'pure reward' and 'reward-escape' behavior in rats, **483**, 226
Miserendino, M.J.D. and Coons, E.E.
Hedonic interactions of medial prefrontal cortex and nucleus reticularis gigantocellularis, **483**, 233
Misgeld, U. and Dietzel, I.
Synaptic potentials in the rat neostriatum in dissociated embryonic cell culture, **492**, 149
Misgeld, U., see Jarolimek, W., **505**, 225
Misgeld, U., see Müller, W., **484**, 184
Missale, C., Nisoli, E., Liberini, P., Rizzonelli, P., Memo, M., Buonamici, M., Rossi, A. and Spano, P.F.
Repeated reserpine administration up-regulates the transduction mechanisms of D_1 receptors without changing the density of [^{3}H]SCH 23390 binding, **483**, 117
Mitchell, C.L., see Rogers, B.C., **493**, 41
Mitchell, J.A., see Michael, D.B., **478**, 227
Mitchell, J.B. and Stewart, J.
Effects of castration, steroid replacement, and sexual experience on mesolimbic dopamine and sexual behaviors in the male rat, **491**, 116
Mitchell, J.H., see Richard, C.A., **482**, 49
Mitchell, L.D., Callahan, M.F., Wilkin, L.D., Gruber, K.A. and Johnson, A.K.
Activation of supraoptic magnocellular neurons by gamma$_2$-melanocyte stimulating hormone (γ_2-MSH), **480**, 388
Mitsacos, A., see Tsiotos, P., **481**, 87
Mitsoglou, G.M., see Padjen, A.L., **488**, 288
Mitsuhiro, Y., see Shigenaga, Y., **505**, 91
Mitsushio, H., see Paris, J.M., **476**, 183
Miura, H., see Gotoh, M., **493**, 97
Miura, H., see Nakahara, D., **495**, 178
Miura, Y., see Nakahara, D., **495**, 178
Miwa, A., see Saito, M., **481**, 16
Miyake, T., Hattori, T., Fukuda, M. and Kitamura, T.
Reactions of S-100-positive glia after injury of mouse cerebral cortex, **489**, 31
Miyake, T., Imamura, Y., Fukuda, M. and Kitamura, T.
Delay of astrocyte reaction in the injured cerebral cortex of hypothyroid mouse, **493**, 376
Miyamoto, E., see Saitoh, Y., **489**, 291

Miyamoto, M., see Nomizu, M., **505**, 326
Miyamoto, Y., see Kawahara, K., **479**, 185
Miyamoto, Y., see Kawahara, K., **491**, 180
Miyashita, E. and Tamai, Y.
Subcortical connections of frontal 'oculomotor' areas in the cat, **502**, 75
Miyatani, Y., see Ito, J.-I., **481**, 335
Miyazaki, T., Coote, J.H. and Dun, N.J.
Excitatory and inhibitory effects of epinephrine on neonatal rat sympathetic preganglionic neurons in vitro, **497**, 108
Miyoshi, R., Kito, S., Katayama, S. and Kim, S.U.
Somatostatin increases intracellular Ca^{2+} concentration in cultured rat hippocampal neurons, **489**, 361
Mizobe, F., see Xu, M., **495**, 232
Mizoi, K., see Amagasa, M., **504**, 87
Mizukawa, K., Takayama, H., Sato, H., Ota, Z., Haba, K. and Ogawa, N.
Alterations of muscarinic cholinergic receptors in the hippocampal formation of stressed rat: in vitro quantitative autoradiographic analysis, **478**, 187
Mizumori, S.J.Y., Barnes, C.A. and McNaughton, B.L.
Reversible inactivation of the medial septum: selective effects on the spontaneous unit activity of different hippocampal cell types, **500**, 99
Mizumura, K., see Kumazawa, T., **497**, 231
Mizuno, N., see Ino, T., **479**, 157
Mizuno, N., see Ogawa, R., **490**, 152
Mizuno, N., see Tashiro, T., **481**, 392
Mizuno, N., see Tashiro, T., **491**, 360
Mizuno, N., see Tashiro, T., **494**, 162
Mizuno, N., see Tashiro, T., **497**, 177
Mizuno, N., see Matsuoka, I., **502**, 53
Mo, N., see Dun, N.J., **476**, 256
Mobley, P.L., see Bedoy, C.A., **490**, 243
Mobley, W.C., see Saffran, B.N., **492**, 245
Mody, I., see Spielman, A.I., **503**, 326
Mody, I., see Stanton, P.K., **476**, 367
Moed, P.J., Pieneman, A.W., Bos, N.P.A. and Ter Maat, A.
The role of cAMP in regulation of electrical activity of the neuroendocrine caudodorsal cells of *Lymnaea stagnalis*, **476**, 298
Moeller, I., Bunn, S.J. and Marley, P.D.
Actions of somatostatin on perfused bovine adrenal glands and cultured bovine adrenal medullary cells, **484**, 192
Moerland, T., see Holtzman, D., **483**, 68
Moffett, J.R., Cassidy, M. and Namboodiri, M.A.A.
Selective distribution of *N*-acetylaspartylglutamate immunoreactivity in the extrapyramidal system of the rat, **494**, 255
Mogenson, G.J., see Schacter, G.B., **494**, 339
Mogenson, G.J., see Tsai, C.T., **494**, 22
Mogenson, G.J., see Yang, C.R., **489**, 237
Mogenson, G.J., see Yim, C.Y., **477**, 202
Mogenson, G.J., Wu, M. and Tsai, C.T.
Subpallidal–pedunculopontine projections but not subpallidal–mediodorsal thalamus projections contribute to spontaneous exploratory locomotor activity, **485**, 396
Moises, H.C. and Smith, C.B.
Electrophysiological responsiveness to isoproterenol in rat hippocampal slices correlates with changes in β-adrenergic receptor density induced by chronic morphine treatment, **485**, 67
Molenaar, P.C. and Polak, R.L.
Effect of potassium propionate on free and bound acetylcholine in frog muscle, **477**, 109
Molgó, J., see Mallart, A., **479**, 167
Molinari, H.H., see Contos, N., **479**, 172
Molinero, M.T., see De Felipe, M.C., **485**, 301
Monaco, S., Jacob, J., Henich, H., Patton, A., Autilio-Gambetti, L. and Gambetti, P.
Axonal transport of neurofilament is accelerated in peripheral nerve during 2,5-hexanedione intoxication, **491**, 328
Moneta, M.E., see Stelzer, A., **490**, 41
Mons, N., see Barthe, J.Y., **497**, 368
Mons, N., see Tison, F., **497**, 260
Monsma Jr., F.J., Brassard, D.L. and Sibley, D.R.
Identification and characterization of D_1 and D_2 dopamine receptors in cultured neuroblastoma and retinoblastoma clonal cell lines, **492**, 314
Monsurro, M.R., see Eder-Colli, L., **500**, 90
Montagne, J., see Oliveras, J.-L., **486**, 1
Montagne, M.-N., Vial, M., Joubert-Bression, D. and Rostène, W.
Hyperprolactinemia-induced modifications in vasoactive intestinal peptide binding site densities in the rat central nervous system and pituitary gland: evidence for an interaction between estradiol-17β and prolactin effects, **485**, 258
Montano, C.Y., see Savage, D.D., **496**, 257
Monteau, R., see Hilaire, G., **485**, 325
Monti-Bloch, L., see Eyzaguirre, C., **477**, 265
Monti-Graziadei, A.G. and Graziadei, P.P.C.
Experimental studies on the olfactory marker protein. V. Olfactory marker protein in the olfactory neurons transplanted within the olfactory bulb, **484**, 157
Monyer, H., Goldberg, M.P. and Choi, D.W.
Glucose deprivation neuronal injury in cortical culture, **483**, 347
Moonen, G., see Leprince, P., **502**, 21
Mooney, R.D., see Bennett-Clarke, C., **500**, 1
Moore, J.A. and Appenteng, K.
The morphology of the axons and axon collaterals of rat jaw-elevator motoneurones, **489**, 383
Moore, R.Y.
The geniculohypothalamic tract in monkey and man, **486**, 190
Moore, S.E., see Wharton, J., **483**, 170
Mora, J., see Humphrey, M.F., **497**, 132
Mora, M., Marchi, M., Polak, J.M., Gibson, S.J. and Cornelio, F.
Calcitonin gene-related peptide immunoreactivity at the human neuromuscular junction, **492**, 404
Moran, D.T., see Rowley III, J.C., **502**, 387
Moran, J. and Patel, A.J.
Stimulation of the *N*-methyl-D-aspartate receptor promotes the biochemical differentiation of cerebellar granule neurons and not astrocytes, **486**, 15
Moran, T.H., see McMahon, F.J., **503**, 185
Moran, T.H., see Starkstein, S.E., **478**, 16
Morara, S., Provini, L. and Rosina, A.
CGRP expression in the rat olivocerebellar system during postnatal development, **504**, 315
Morell, P., see Gammon, C.M., **479**, 217
Morelli, M., Fenu, S. and Di Chiara, G.
Substantia nigra as a site of origin of dopamine-dependent motor syndromes induced by stimulation of μ and δ opioid receptors, **487**, 120
Morgan, M.K., Anderson, R.E. and Sundt Jr., T.M.
A model of the pathophysiology of cerebral arteriovenous malformations by a carotid–jugular fistula in the rat, **496**, 241
Morgan, M.M., Sohn, J.-H. and Liebeskind, J.C.
Stimulation of the periaqueductal gray matter inhibits nociception at the supraspinal as well as spinal level, **502**, 61
Morgan, M.M., Sohn, J.-H., Lohof, A.M., Ben-Eliyahu, S. and Liebeskind, J.C.
Characterization of stimulation-produced analgesia from the nucleus tractus solitarius in the rat, **486**, 175
Morgan, P.F., see Nakajima, T.,

501, 307
Mori, A., Waters, R.S. and Asanuma, H.
Physiological properties and patterns of projection in the cortico-cortical connections from the second somatosensory cortex to the motor cortex, area 4γ, in the cat, **504**, 206
Mori, K., see Ikeda, J., **505**, 176
Mori, N. and Wada, J.A.
Suppression of amygdaloid kindled convulsion following unilateral injection of 2-amino-7-phosphonoheptanoic acid (2-APH) into the substantia innominata of rats, **486**, 141
Mori, N., see Yokoyama, N., **492**, 158
Mori, N., Wada, J.A. and Kumashiro, H.
Bidirectional transfer between kindling induced either by L-glutamate or L-aspartate and electrical stimulation in rats, **498**, 163
Mori, S., Sakamoto, T., Ohta, Y., Takakusaki, K. and Matsuyama, K.
Site-specific postural and locomotor changes evoked in awake, freely moving intact cats by stimulating the brainstem, **505**, 66
Mori-Okamoto, J. and Tatsuno, J.
Participation of cyclic adenosine monophosphate and β-adrenergic receptors in the facilitatory effect of noradrenaline on the response of cultured cerebellar neurons to glutamate, **490**, 64
Moriizumi, T., Nakamura, Y., Tokuno, H., Kudo, M. and Kitao, Y.
Synaptic organization of the pedunculopontine tegmental nucleus of the cat, **478**, 315
Moriizumi, T., see Kitao, Y., **484**, 304
Moriizumi, T., see Tokuno, H., **485**, 189
Morilak, D., see Somogyi, P., **496**, 401
Morin, A.M., Hattori, H., Wasterlain, C.G. and Thomson, D.
[^{3}H]MK-801 binding sites in neonate rat brain, **487**, 376
Morino, Y., see Ando, Y., **477**, 286
Morita, I., see Ishizaki, Y., **494**, 138
Moritani, T., see Yamashita, N., **490**, 148
Morley, B.J. and Murrin, L.C.
AF64 depletes hypothalamic high-affinity choline uptake and disrupts the circadian rhythm of locomotor activity without altering the density of nicotinic acetylcholine receptors, **504**, 238
Morley, J.E. and Flood, J.F.
The effect of neuropeptide Y on drinking in mice, **494**, 129
Morley, J.E., see Flood, J.F., **503**, 73
Morley, J.E., see Gunion, M.W., **485**, 251
Morley, J.S., see Ensor, D.M., **490**, 196
Mormède, P., see Rivet, J.-M., **498**, 149
Mormède, P., see LaHoste, G.J., **483**, 123
Morrell, F., see Geinisman, Y., **480**, 326
Morris, M., see Bennett, B.A., **491**, 109
Morris, R., see Ambalavanar, R., **505**, 171
Morris, M., see MacLean, D.B., **478**, 349
Morrisett, R.A., Chow, C., Nadler, J.V. and McNamara, J.O.
Biochemical evidence for enhanced sensitivity to *N*-methyl-D-aspartate in the hippocampal formation of kindled rats, **496**, 25
Morrison, A.R., see Shouse, M.N., **505**, 271
Morrison, J.H., see Hof, P.R., **493**, 368
Morrison, M.M., see Dodd, P.R., **490**, 320
Morrison, S.F., Callaway, J., Milner, T.A. and Reis, D.J.
Glutamate in the spinal sympathetic intermediolateral nucleus: localization by light and electron microscopy, **503**, 5
Morrow, A.L., see Drugan, R.C., **487**, 45
Morrow, T.J., see Casey, K.L., **501**, 150
Morrow, T.J., see Lin, Y., **479**, 306
Morton, C.R., Hutchison, W.D., Hendry, I.A. and Duggan, A.W.
Somatostatin: evidence for a role in thermal nociception, **488**, 89
Moses, D.F., González, S., Ortí, E. and De Nicola, A.F.
Heterogeneity and properties of transformation of corticosteroid receptors in spinal cord and hippocampus, **481**, 317
Moses, M.A., see Johnson, M., **499**, 184
Moshé, S.L., see Sperber, E.F., **480**, 378
Mosinger, J.L., see Ikonomidou, C., **487**, 184
Moskal, J.R., see Schanne, F.A.X., **503**, 308
Moskowitz, M.A., see Markowitz, S., **477**, 157
Moss, R.L., see Eaton, M.J., **502**, 117
Moszynski, K., see Jenkins, L.W., **477**, 211
Mountjoy, C.Q., see Ichimiya, Y., **499**, 402
Mountjoy, C.Q., see Kobayashi, K., **498**, 170
Mouradian, M.M., see Iadarola, M.J., **479**, 397
Mouradian, R.D., see Sessler, F.M., **499**, 27
Mourre, C., Ben-Ari, Y., Bernardi, H., Fosset, M. and Lazdunski, M.
Antidiabetic sulfonylureas: localization of binding sites in the brain and effects on the hyperpolarization induced by anoxia in hippocampal slices, **486**, 159
Mourre, C., see Bidard, J.-N., **495**, 45
Moya, K.L., see Erzurumlu, R.S., **498**, 135
Mudge, A.W., see Jennings, C.G.B., **504**, 199
Mudrick, L.A. and Baimbridge, K.G.
Long-term structural changes in the rat hippocampal formation following cerebral ischemia, **493**, 179
Mueller, K.
Repeated administration of high doses of amphetamine increases release of ascorbic acid in caudate but not nucleus accumbens, **494**, 30
Mueller, R.A., see Sharif, N.A., **480**, 365
Mulkeen, D., see Anwyl, R., **503**, 148
Mullen, D.A., see Zatz, M., **501**, 37
Mullen, D.A., see Zatz, M., **501**, 46
Muller, D. and Lynch, G.
Evidence that changes in presynaptic calcium currents are not responsible for long-term potentiation in hippocampus, **479**, 290
Muller, D., Larson, J. and Lynch, G.
The NMDA receptor-mediated components of responses evoked by patterned stimulation are not increased by long-term potentiation, **477**, 396
Muller, D., see Thibault, O., **476**, 170
Mullikin-Kilpatrick, D., see Prabhakar, N.R., **481**, 205
Müller, C.M. and Singer, W.
Acetylcholine-induced inhibition in the cat visual cortex is mediated by a GABAergic mechanism, **487**, 335
Müller, W., Misgeld, U. and Lux, H.D.
γ-Aminobutyric acid-induced ion movements in the guinea pig hippocampal slice, **484**, 184
Mulvihill, P. and Perry, G.
Immunoaffinity demonstration that paired helical filaments of Alzheimer disease share epitopes with neurofilaments, MAP2 and tau, **484**, 150
Mumby, S.M., see Vogel, S.S., **478**, 281
Murakami, D.M., Miller, J.D. and Fuller, C.A.
The retinohypothalamic tract in the cat: retinal ganglion cell morphology and pattern of projection, **482**, 283
Murakami, K., see Wong, K.L., **505**, 302
Murakami, N. and Watanabe, T.
Activation of ACTH release is mediated by the same molecule as the final mediator, PGE_2, of febrile response in rats, **478**, 171
Murakami, S., Kubota, Y., Kito, S., Shimada, S., Takagi, H., Wu, J.-Y. and Inagaki, S.
The coexistence of substance P- and glutamic acid decarboxylase-like immunoreactivity in entopeduncular neurons of the rat, **485**, 403
Murakami, T., see Wanaka, A., **485**, 125

Murase, K., see Urban, L., **500**, 12
Murota, S.-I., see Ishizaki, Y., **494**, 138
Murphy, D., see Carter, D.A., **487**, 350
Murphy, K., see Robertson, H.A., **503**, 346
Murphy, V.A., Smith, Q.R. and Rapoport, S.I.
Uptake and concentrations of calcium in rat choroid plexus during chronic hypo- and hypercalcemia, **484**, 65
Murrin, L.C. and Zeng, W.
Dopamine D_1 receptor development in the rat striatum: early localization in striosomes, **480**, 170
Murrin, L.C., see Morley, B.J., **504**, 238
Murugaian, J., see Sundaram, K., **477**, 358
Murugaian, J., see Sundaram, K., **482**, 12
Murugaian, J., see Sundaram, K., **503**, 22
Murugaian, J., see Urbanski, R.W., **491**, 383
Murugaian, J., Sundaram, K. and Sapru, H.
Cholinergic mechanisms in the ventrolateral medullary depressor area, **501**, 355
Murugaian, J., Sundaram, K., Krieger, A. and Sapru, H.
Electrolytic lesions in the depressor area of the ventrolateral medulla of the rat abolish depressor responses to the aortic nerve stimulation, **499**, 371
Mushiake, H., see Kodama, T., **487**, 26
Mushiake, H., see Kodama, T., **487**, 35

N

Nabekura, J., see Fukuda, A., **493**, 357
Nabekura, J., see Ito, C., **503**, 44
Nadler, J.V., see Armstrong, D.R., **476**, 174
Nadler, J.V., see Burke, S.P., **500**, 333
Nadler, J.V., see Morrisett, R.A., **496**, 25
Nadler, J.V., see Okazaki, M.M., **482**, 159
Naftolin, F., see Garcia-Segura, L.M., **498**, 339
Nagahara, A.H., see Brioni, J.D., **487**, 105
Nagahara, A.H., see Introini-Collison, I.B., **476**, 94
Nagai, Y., see Ito, J.-I., **481**, 335
Nagai, Y., see Kusunoki, S., **494**, 391
Nagakura, Y., see Gong, D., **482**, 122
Nagara, H., see Tanaka, K., **482**, 347
Nagara, H., see Tanaka, K., **503**, 160
Nagashima, A., Takano, Y., Tateishi, K., Matsuoka, Y., Hamaoka, T. and Kamiya, H.
Cardiovascular roles of tachykinin peptides in the nucleus tractus solitarii of rats, **487**, 392
Nagashima, A., Takano, Y., Tateishi, K., Matsuoka, Y., Hamaoka, T. and Kamiya, H.-O.
Central pressor actions of neurokinin B: increases in neurokinin B contents in discrete nuclei in spontaneously hypertensive rats, **499**, 198
Nagata, T., Tsukamoto, Y., Matsuno, K. and Hayashi, Y.
Effects of kainic acid lesions in rat ventral lateral geniculate nucleus upon field potentials of the superior colliculus: correlation between morphological and physiological observations, **483**, 50
Nagatsu, T., see Nakahara, D., **495**, 178
Nagatsu, I., see Kitahama, K., **478**, 156
Nagaya, H., see Okada, R., **480**, 383
Nagy, G., Neill, J.D., Makara, G.B. and Halász, B.
Lack of the suckling-induced prolactin release in homozygous Brattleboro rats: the vasopressin-neurophysin-glycopeptide precursor may play a role in prolactin release, **504**, 165
Nagy, J.I., see Carr, P.A., **497**, 163
Nahin, R.L., see Chudler, E.H., **481**, 383
Nahon, J.L., see Imaki, T., **496**, 35
Najimi, M., Chigr, F., Leduque, P., Jordan, D., Charnay, Y., Chayvialle, J.A., Tohyama, M. and Kopp, N.
Immunohistochemical distribution of somatostatin in the infant hypothalamus, **483**, 205
Najlerahim, A., see Francis, P.T., **494**, 315
Naka, K.-I., see Hidaka, S., **498**, 53
Nakahama, H., see Kodama, T., **487**, 26
Nakahara, D., Ozaki, N., Miura, Y., Miura, H. and Nagatsu, T.
Increased dopamine and serotonin metabolism in rat nucleus accumbens produced by intracranial self-stimulation of medial forebrain bundle as measured by in vivo microdialysis, **495**, 178
Nakajima, T., Daval, J.-L., Morgan, P.F., Post, R.M. and Marangos, P.J.
Adenosinergic modulation of caffeine-induced c-fos mRNA expression in mouse brain, **501**, 307
Nakajima, T., see Fukui, K., **482**, 198
Nakajima, T., see Saito, M., **481**, 16
Nakamura, M., see Suzuki, S., **485**, 109
Nakamura, Y., see Tokuno, H., **485**, 189
Nakamura, A., Nakashima, M., Sakai, K., Niwa, M., Nozaki, M. and Shiomi, H.
Delta-sleep-inducing peptide (DSIP) stimulates the release of immunoreactive Met-enkephalin from rat lower brainstem slices in vitro, **481**, 165
Nakamura, A., Sugao, T., Yamaue, K., Kobatake, M. and Shiomi, H.
Involvement of spinal noradrenergic system in the mechanism of an antinociceptive effect of delta-sleep-inducing peptide (DSIP), **480**, 82
Nakamura, H. and Kanaseki, T.
Topography of the corpus callosum in the cat, **485**, 171
Nakamura, K., Ono, T., Tamura, R., Indo, M., Takashima, Y. and Kawasaki, M.
Characteristics of rat lateral hypothalamic neuron responses to smell and taste in emotional behavior, **491**, 15
Nakamura, T., see Yamadori, T., **488**, 143
Nakamura, Y., see Fults, D., **503**, 281
Nakamura, Y., see Kitao, Y., **484**, 304
Nakamura, Y., see Moriizumi, T., **478**, 315
Nakano, S., see Kato, H., **479**, 366
Nakano, S., Kato, H. and Kogure, K.
Neuronal damage in the rat hippocampus in a new model of repeated reversible transient cerebral ischemia, **490**, 178
Nakano, S., see Fujikura, H., **494**, 387
Nakano, Y., see Kohsaka, S., **484**, 340
Nakano, Y., see Lénárd, L., **500**, 359
Nakano, Y., Takei, K., Toya, S., Tsukada, Y., Ghandour, S. and Kohsaka, S.
Mosaic reconstruction of blood vessels in mouse neocortical tissue transplanted into the third ventricle of rat brain, **496**, 336
Nakashima, M., see Nakamura, A., **481**, 165
Nakayama, S., see Takaki, M., **478**, 199
Nakayama, S., see Ukai, M., **496**, 377
Nakazato, T. and Akiyama, A.
Effect of exogenous L-DOPA on behavior in the rat: an in vivo voltammetric study, **490**, 332
Nakazono, Y., see Kawahara, K., **479**, 185
Nakazono, Y., see Kawahara, K., **491**, 180
Namba, H., Iwasa, H., Kubota, M., Yamaura, A., Sato, T., Hagihara, Y. and Makino, H.
Local cerebral glucose utilization in the postictal phase of amygdaloid kindled rats, **486**, 221
Namboodiri, M.A.A., see Moffett, J.R., **494**, 255
Naquet, R., see Silva-Barrat, C., **498**, 289
Narabayashi, H., see Nishi, K., **489**, 157
Narahashi, T., see Ogata, N., **476**, 140

Narváez, J.A., see Aguirre, J.A., **489**, 311
Nash, J.A., see Radosevich, P.M., **498**, 89
Naujoks-Manteuffel, C. and Roth, G. Astroglial cells in a salamander brain (*Salamandra salamandra*) as compared to mammals: a glial fibrillary acidic protein immunohistochemistry study, **487**, 397
Navarrete, R., see Marshall, J.F., **493**, 247
Naylor, R.J., see Barnes, J.M., **491**, 136
Nazarali, A.J., see McKenna, D.J., **476**, 45
Nazruddin, Suemune, S., Shirana, Y., Yamauchi, K. and Shigenaga, Y. The cells of origin of the hypoglossal afferent nerves and central projections in the cat, **490**, 219
Neafsey, E.J., Sørensen, J.C., Tønder, N. and Castro, A.J. Fetal cortical transplants into neonatal rats respond to thalamic and peripheral stimulation in the adult. An electrophysiological study of single-unit activity, **493**, 33
Neal Jr., C.R., Swann, J.M. and Newman, S.W. The colocalization of substance P and prodynorphin immunoreactivity in neurons of the medial preoptic area, bed nucleus of the stria terminalis and medial nucleus of the amygdala of the Syrian hamster, **496**, 1
Neary, J.T., see Babcock-Atkinson, E., **484**, 399
Necker, R., see Schneider, A., **484**, 139
Necker, R., see Schäfer, K., **501**, 66
Neff, N.H., see Hadjiconstantinou, M., **484**, 297
Negishi, N., see Okada, R., **480**, 383
Nehls, D.G., see Kurumaji, A., **496**, 268
Neill, J.D., see Nagy, G., **504**, 165
Neill, K.H., see Armstrong, D.R., **476**, 174
Nelson, J.L., see Chance, W.T., **486**, 316
Nelson, R.B., Linden, D.J. and Routtenberg, A. Phosphoproteins localized to presynaptic terminal linked to persistence of long-term potentiation (LTP): quantitative analysis of two-dimensional gels, **497**, 30
Nelson, R.J. and Douglas, V.D. Changes in premovement activity in primary somatosensory cortex differ when monkeys make hand movements in response to visual vs vibratory cues, **484**, 43
Nemeroff, C.B., see Radke, J.M., **480**, 178
Nennesmo, I., Olsson, T., Ljungdahl, Å., Kristensson, K. and Van der Meide, P.H. Interferon-gamma-like immunoreactivity and T-cell marker expression in rat skeletal muscle fibres, **504**, 306
Nennesmo, I., see Maehlen, J., **481**, 368
Nenov, V., see Woody, C.D., **480**, 72
Ness, T.J. and Gebhart, G.F. Characterization of superficial T_{13}–L_2 dorsal horn neurons encoding for colorectal distension in the rat: comparison with neurons in deep laminae, **486**, 301
Nesterenko, P.N., see Bakalkin, G.Y., **480**, 268
Nestler, E.J., Erdos, J.J., Terwilliger, R., Duman, R.S. and Tallman, J.F. Regulation of G proteins by chronic morphine in the rat locus coeruleus, **476**, 230
Neumaier, J.F. and Chavkin, C. Calcium-dependent displacement of haloperidol-sensitive σ receptor binding in rat hippocampal slices following tissue depolarization, **500**, 215
Neumaier, J.F. and Chavkin, C. Release of endogenous opioid peptides displaces [^{3}H]diprenorphine binding in rat hippocampal slices, **493**, 292
Neuringer, L.J., see Holtzman, D., **483**, 68
Neveu, P.J., Betancur, C., Barnéoud, P., Preud'homme, J.L., Aucouturier, P., LeMoal, M. and Vitiello, S. Functional brain asymmetry and murine systemic lupus erythematosus, **498**, 159
Neveu, P.J., see LaHoste, G.J., **483**, 123
Nevins, M.E. and Arnolde, S.M. A comparison of the anticonvulsant effects of competitive and non-competitive antagonists of the *N*-methyl-D-aspartate receptor, **503**, 1
Newlands, S.D., Kevetter, G.A. and Perachio, A.A. A quantitative study of the vestibular commissures in the gerbil, **487**, 152
Newman, E.A. Potassium conductance block by barium in amphibian Müller cells, **498**, 308
Newman, S.W., see Neal Jr., C.R., **496**, 1
Newman, S.W., see Pieper, D.R., **485**, 382
Newton, B.W. and Hamill, R.W. Target regulation of the serotonin and substance P innervation of the sexually dimorphic cremaster nucleus, **485**, 149
Ng, T., see Sabri, M.I., **483**, 1
Nguyen, T., see Healy, D.P., **484**, 1
Nichols, D.E., see McKenna, D.J., **476**, 45
Nicolaïdis, S., see De Saint Hilaire-Kafi, Z., **478**, 152
Nicolaïdis, S., see De Saint Hilaire-Kafi, Z., **488**, 304
Nicoletti, F., see Clementi, G., **478**, 138
Nielsch, U. and Keen, P. Reciprocal regulation of tachykinin- and vasoactive intestinal peptide-gene expression in rat sensory neurones following cut and crush injury, **481**, 25
Nieoullon, A., see Vuillet, J., **477**, 241
Nierenberg, J., see Weiss, S.R.B., **497**, 72
Nieto-Sampedro, M., see Gómez-Pinilla, F., **479**, 255
Nihonmatsu, I., see Ikegami, S., **496**, 321
Nikolarakis, K., see Bommer, M., **492**, 305
Nikolarakis, K.E., Pfeiffer, A., Stalla, G.K. and Herz, A. Facilitation of ACTH secretion by morphine is mediated by activation of CRF releasing neurons and sympathetic neuronal pathways, **498**, 385
Nikolarakis, K.E., see Ayesta, F.J., **503**, 219
Nikolarakis, K.E., see Sirinathsinghji, D.J.S., **490**, 276
Ninomiya, H., Taniguchi, T., Fujiwara, M., Shimohama, S. and Kameyama, M. Effect of in vivo exposure to hypoxia on muscarinic cholinergic receptor-coupled phosphoinositide turnover in the rat brain, **482**, 109
Nishi, K., Kondo, T. and Narabayashi, H. Difference in recovery patterns of striatal dopamine content, tyrosine hydroxylase activity and total biopterin content after 1-methyl-4-phenyl-1,2,3,6-tetra-hydropyridine (MPTP) administration: a comparison of young and older mice, **489**, 157
Nishi, T. and Gotow, T. A light-induced decrease of cyclic GMP is involved in the photoresponse of molluscan extraocular photoreceptors, **485**, 185
Nishikawa, T., see Ikeda, M., **495**, 337
Nishikawa, T., see Yoshida, Y., **499**, 179
Nishimori, T., see Shigenaga, Y., **477**, 66
Nishimura, M., see Shigenaga, Y., **477**, 66
Nishimura, N., see Fukuda, S., **496**, 397
Nishimura, Y., Schwindt, P.C. and Crill, W.E. Electrical properties of facial motoneurons in brainstem slices from guinea pig, **502**, 127
Nishino, H., see Lénárd, L., **500**, 359
Nishino, S., see Fruhstorfer, B., **500**, 209
Nishino, S., see Mignot, E., **490**, 186
Nisoli, E., see Missale, C., **483**, 117
Nistri, A., see Lacey, G., **488**, 80

Nitsch, C., Goping, G. and Klatzo, I.
Preservarion of GABA-ergic perikarya and boutons after transient ischemia in the gerbil hippocampal CA1 field, **495**, 243
Nitsch, R., see Zipp, F., **495**, 161
Niwa, M., see Nakamura, A., **481**, 165
Nixon, R.A., see Shea, T.B., **492**, 53
Noack, H.J. and Lewis, D.A.
Antibodies directed against tyrosine hydroxylase differentially recognize noradrenergic axons in monkey neocortex, **500**, 313
Noble, E.P., see Bommer, M., **492**, 305
Noble, E.P., see Stelzer, A., **490**, 41
Noble, L.J. and Ellison, J.A.
Effect of transection on the blood–spinal cord barrier of the rat after isolation from descending sources, **487**, 299
Noble, L.J. and Wrathall, J.R.
Distribution and time course of protein extravasation in the rat spinal cord after contusive injury, **482**, 57
Noble, L.J., see Cortez, S.C., **482**, 271
Nobrega, J.N., Kish, S.J. and Burnham, W.M.
Autoradiographic analysis of benzodiazepine binding in entorhinal-kindled rat brains, **498**, 315
Nock, B., see Ball, G.F., **491**, 68
Nock, B., see Thornton, J.E., **503**, 253
Nock, B., see Tubbiola, M.L., **503**, 91
Noda, T., see Mackel, R., **476**, 135
Noguchi, K., see Song, S.-Y., **494**, 383
Nolan, C., see Bagley, P.R., **499**, 214
Nomizu, M. and Miyamoto, M.
Convulsant peptides related to corticotropin-releasing factor (CRF), **505**, 326
Nomura, S., see Pilc, A., **493**, 8
Nona, S.N., see Shehab, S.S.A., **504**, 343
Nordberg, A., see Adem, A., **503**, 299
Nordeen, E.J., see Sohrabji, F., **488**, 253
Nordeen, K.W., see Sohrabji, F., **488**, 253
Norenberg, L.-O.B., see Ducis, I., **493**, 362
Norenberg, L.O.B., see Babcock-Atkinson, E., **484**, 399
Norenberg, M.D., see Babcock-Atkinson, E., **484**, 399
Norenberg, M.D., see Ducis, I., **493**, 362
Norgren Jr., R.B. and Lehman, M.N.
Retrograde transneuronal transport of Herpes simplex virus in the retina after injection in the superior colliculus, hypothalamus and optic chiasm, **479**, 374
Norita, M., see Bando, T., **494**, 369
Norman, A.B., Thomas, S.R., Pratt, R.G., Samaratunga, R.C. and Sanberg, P.R.
A magnetic resonance imaging contrast agent differentiates between the vascular properties of fetal striatal tissue transplants and gliomas in rat brain in vivo, **503**, 156
Norman, A.B., Thomas, S.R., Pratt, R.G., Samaratunga, R.C. and Sanberg, P.R.
Magnetic resonance imaging of rat brain following kainic acid-induced lesions and fetal striatal tissue transplants, **483**, 188
Norman, A.W., see Pfeiffer, B., **476**, 120
Norman, A.W., see Seroogy, K., **496**, 389
Noronha, J.G., see Yamazaki, S., **477**, 19
North, W.G., see Cheng, S.W.T., **479**, 35
Norton, T.T., Holdefer, R.N. and Godwin, D.W.
Effects of bicuculline on receptive field center sensitivity of relay cells in the lateral geniculate nucleus, **488**, 348
Norton, T.T., see Holdefer, R.N., **488**, 341
Noto, H., Roppolo, J.R., Steers, W.D. and De Groat, W.C.
Excitatory and inhibitory influences on bladder activity elicited by electrical stimulation in the pontine micturition center in the rat, **492**, 99
Notter, M.F.D., see Lopez Lozano, J.J., **486**, 351
Novak, J.L. and Wheeler, B.C.
Two-dimensional current source density analysis of propagation delays for components of epileptiform bursts in rat hippocampal slices, **497**, 223
Novin, D., see Raybould, H.E., **495**, 319
Nozaki, M., see Nakamura, A., **481**, 165
Nussinovitch, I.
Somatostatin inhibits two types of voltage-activated calcium currents in rat growth-hormone secreting cells, **504**, 136
Nyakas, C., see Gaykema, R.P.A., **489**, 392

O

Obal Jr., F. Opp, M., Cady, A.B., Johannsen, L. and Krueger, J.M.
Prolactin, vasoactive intestinal peptide, and peptide histidine methionine elicit selective increases in REM sleep in rabbits, **490**, 292
Obeso, A., Almaraz, L. and Gonzalez, C.
Effects of cyanide and uncouplers on chemoreceptor activity and ATP content of the cat carotid body, **481**, 250
O'Brien, T.S., see Sofroniew, M.V., **476**, 358
Öcal-İrez, T., Durmus, G., Sekerkiran, Y., Peker, C. and Uygur, G.
Effect of a pineal indolamine, 5-methoxyindole-3-acetic acid, on the estrous cycle and reproductive organs of female Wistar albino rats, **493**, 1
O'Callahan, J.P., Brinton, R.E. and McEwen, B.C.
Glucocorticoids regulate the concentration of glial fibrillary acidic protein throughout the brain, **494**, 159
Ochs, G., Schenk, M. and Struppler, A.
Painful dysaesthesias following peripheral nerve injury: a clinical and electrophysiological study, **496**, 228
O'Connor, D.T., see Jengeleski, C.A., **481**, 378
O'Connor, D.T., see Powers, R.E., **481**, 194
O'Connor, S., see Hawkins, M., **505**, 141
Octave, J.-N., De Sauvage, F. and Maloteaux, J.-M.
Modification of neuronal cell adhesion affects the genetic expression of the A4 amyloid peptide precursor, **486**, 369
O'Dell, T.J.
Pharmacological characterization of voltage-clamped catfish rod horizontal cell responses to kainic acid, **477**, 118
O'Donovan, C., see Radosevich, P.M., **498**, 89
Oertel, D., see Wickesberg, R.E., **486**, 39
Oertel, D., see Zhang, S., **501**, 194
Oetelman, T.N., see Wiley, R.G., **505**, 44
Ogata, N., Yoshii, M. and Narahashi, T.
Psychotropic drugs block voltage-gated ion channels in neuroblastoma cells, **476**, 140
Ogawa, N., see Mizukawa, K., **478**, 187
Ogawa, T., see Kayama, Y., **489**, 1
Ogawa, T., see Sumitomo, I., **482**, 34
Ogawa, A., see Amagasa, M., **504**, 87
Ogawa, R., Itoh, K., Kaneko, T. and Mizuno, N.
Co-existence of vasoactive intestinal polypeptide (VIP)- and cholecystokinin (CCK)-like immunoreactivities in thalamocortical neuron in the ventrolateral nucleus of the rat, **490**, 152
Ogawa, T., see Konishi, S., **490**, 162
Ogita, K., see Yoneda, Y., **499**, 305
Ogura, A., see Ozawa, S., **495**, 329
Oh, C., Gardiner, T.W. and Rebec, G.V.
Blockade of both D_1- and D_2-dopamine receptors inhibits

amphetamine-induced ascorbate release in the neostriatum, **480**, 184
Oh, U.T., Kim, K.J., Baik-Han, E.J. and Chung, J.M.
Electrophysiological evidence for an increase in the number of ventral root afferent fibers after neonatal peripheral neurectomy in the rat, **501**, 90
Ohfune, Y., see Shinozaki, H., **480**, 355
Ohki, Y., see Hongo, T., **505**, 163
Ohki, Y., see Hongo, T., **505**, 167
Ohmori, Y., see Taguchi, J.-I., **483**, 395
Ohta, A., Hirano, T., Yagi, H., Tanaka, S., Hosokawa, M. and Takeda, T.
Behavioral characteristics of the SAM-P/8 strain in Sidman active avoidance task, **498**, 195
Ohta, Y., see Kasicki, S., **484**, 203
Ohta, Y., see Mori, S., **505**, 66
Oka, H., see Kanemitsu, H., **499**, 367
Oka, J.-I., see Adachi, S., **487**, 196
Oka, N., see Shigematsu, K., **497**, 21
Oka, S., see Ikeda, J., **505**, 176
Okabe, S., Shiomura, Y. and Hirokawa, N.
Immunocytochemical localization of microtubule-associated proteins 1A and 2 in the rat retina, **483**, 335
Okada, M., Mine, K. and Fujiwara, M.
Relationship of calcium and adenylate cyclase messenger systems in rat brain synaptosomes, **501**, 23
Okada, R., Negishi, N. and Nagaya, H.
The role of the nigrotegmental GABAergic pathway in the propagation of pentylenetetrazol-induced seizures, **480**, 383
Okamoto, K., see Sekiguchi, M., **482**, 78
Okamoto, K., see Sekiguchi, M., **482**, 87
Okamura, H., see Kitahama, K., **478**, 156
Okamura, H., see Takahashi, Y., **497**, 374
Okazaki, M.M., McNamara, J.O. and Nadler, J.V.
N-Methyl-D-aspartate receptor autoradiography in rat brain after angular bundle kindling, **482**, 159
Okuda, K., see Hikawa, N., **481**, 162
Okumura-Noji, K., see Ito, J.-I., **481**, 335
Okuno, E., see Schwarcz, R., **490**, 103
Olack, B.J., see Schmidt, R.E., **497**, 393
Oláh, Z., see Joó, F., **490**, 141
Olcese, J. and Hurlbut, E.
Comparative studies on the retinal dopamine response to altered magnetic fields in rodents, **498**, 145
Oliver, M.W., Baudry, M. and Lynch, G.
The protease inhibitor leupeptin interferes with the development of LTP in hippocampal slices, **505**, 233
Oliveras, J.-L., Vos, B., Martin, G. and Montagne, J.
Electrophysiological properties of ventromedial medulla neurons in response to noxious and non-noxious stimuli in the awake, freely moving rat: a single-unit study, **486**, 1
Olivier, A., see Grenier, Y., **480**, 87
Olmos, G., see Garcia-Segura, L.M., **498**, 339
Olney, J.W., see Ikonomidou, C., **487**, 184
Olsen, J.I., see Stolk, J.A., **482**, 1
Olsen, R.W., see Lee, R.J., **487**, 363
Olsen, R.W., see Van Ness, P.C., **504**, 289
Olson, L., see Skirboll, S.L., **484**, 257
Olson, L., see Eriksdotter-Nilsson, M., **478**, 269
Olsson, A.-B., see Maehlen, J., **481**, 368
Olsson, T., see Maehlen, J., **481**, 368
Olsson, T., see Nennesmo, I., **504**, 306
Olster, D.H. and Blaustein, J.D.
Development of progesterone-facilitated lordosis in female guinea pigs: relationship to neural estrogen and progestin receptors, **484**, 168
Omaña-Zapata, I., see Talavera, E., **485**, 141
Omaña Zapata, I., see Condés-Lara, M., **499**, 141
Omaña Zapata, I., see Condés-Lara, M., **499**, 145
O'Meara, J., see Katovich, M.J., **494**, 85
Ondo, J.G., see Boggan, W.O., **478**, 382
O'Neill, J.B., see Giri, P.R., **481**, 131
Onesti, S.T., Strauss, R.C., Mayol, B. and Solomon, R.A.
The effects of norepinephrine depletion on cerebral blood flow in the rat, **477**, 378
Ong, J., see Kerr, D.I.B., **480**, 312
Ono, J.K.
Synaptic connections in the buccal ganglia of *Aplysia* mediated by an identified neuron containing a CCK/gastrin-like peptide co-localized with acetylcholine, **493**, 212
Ono, T., see Nakamura, K., **491**, 15
Onodera, H. and Kogure, K.
Mapping second messenger systems in the rat hippocampus after transient forebrain ischemia: in vitro [^{3}H]forskolin and [^{3}H]inositol 1,4,5-trisphosphate binding, **487**, 343
Onodera, H., Araki, T. and Kogure, K.
Protein kinase C activity in the rat hippocampus after forebrain ischemia: autoradiographic analysis by [^{3}H]phorbol 12,13-dibutyrate, **481**, 1
Onur, R., see Dalkara, T., **498**, 123
Ookuma, K., Yoshimatsu, H., Sakata, T., Fujimoto, K. and Fukagawa, K.
Hypothalamic sites of neuronal histamine action on food intake by rats, **490**, 268
Oomura, Y., see Fukuda, A., **493**, 357
Oomura, Y., see Ito, C., **503**, 44
Oomura, Y., see Lénárd, L., **500**, 359
Opp, M., see Obal Jr., F., **490**, 292
Orban, G.A., see Lagae, L., **496**, 361
Orban, G.A., see Raiguel, S.E., **493**, 155
Orchard, I., see Pannabecker, T., **477**, 38
O'Regan, M.H., see Phillis, J.W., **481**, 309
Oreland, L., see Jossan, S.S., **476**, 291
Orihara, H., see Tsuda, T., **484**, 228
Ortega, A., see Eshhar, N., **476**, 57
Ortí, E., see Moses, D.F., **481**, 317
Osborne, P.A., see Johnson Jr., E.M., **478**, 166
Osborne, P.G., Blair-West, J.R., Denton, D.A. and Weisinger, R.S.
Effect of varying the composition of CSF on urinary excretion in the conscious rat, **499**, 101
Ota, Z., see Makino, S., **501**, 84
Ota, M., see Hilakivi, L.A., **502**, 158
Ota, Z., see Mizukawa, K., **478**, 187
Otani, K., see Shigenaga, Y., **505**, 91
Otani, K., see Tsuru, K., **485**, 29
Otsuki, S., see Akimoto, K., **490**, 339
Otsuki, S., see Akiyama, K., **485**, 95
Otsuki, S., see Hamamura, T., **483**, 78
Otsuki, S., see Yamada, N., **490**, 126
Ottaviani, F., see Grassi, S., **490**, 345
Ouimet, C.C., see Gustafson, E.L., **491**, 297
Overton, J.M. and Fisher, L.A.
Modulation of central nervous system actions of corticotropin-releasing factor by dynorphin-related peptides, **488**, 233
Owczarzak, M.T., see Caruso, D.M., **476**, 129
Owen, D.J., Logan, A. and Robinson, P.P.
A role for nerve growth factor in collateral reinnervation from sensory nerves in the guinea pig, **476**, 248
Owman, C., see Chang, J.-Y., **492**, 79
Oxford, G.S., see Gammon, C.M., **479**, 217
Oyagi, S., Ito, J. and Honjo, I.
Topographic study of the feline trigeminal ganglion via the horseradish peroxidase tracer method, **476**, 382
Oyama, Y., see Akaike, N., **504**, 293
Oyama, Y., see Ishizuka, S., **498**, 181
Oyama, Y., see Kaneda, M., **484**, 348
Oyama, Y., see Kaneda, M., **487**, 192
Oyama, Y., see Wakamori, M., **494**, 374
Oyama, Y., see Yakushiji, T., **488**, 357
Oyanagi, K., Takahashi, H., Wakabayashi, K. and Ikuta, F.
Correlative decrease of large neurons in the neostriatum and basal nucleus of Meynert in Alzheimer's disease, **504**, 354
Ozaki, H.S., Iwahashi, K. and Shimada, M.

Ipsilateral corticocortical projections of fibers which course within Probst's longitudinal bundle seen in the brains of mice with congenital absence of the corpus callosum: a study with the horseradish peroxidase technique, **493**, 66
Ozaki, N., see Nakahara, D., **495**, 178
Ozawa, S., see Tsuzuki, K., **481**, 258
Ozawa, S., Tsuzuki, K., Iino, M., Ogura, A. and Kudo, Y.
Three types of voltage-dependent calcium current in cultured rat hippocampal neurons, **495**, 329

P

Pace-Asciak, C.R., see Carlen, P.L., **497**, 171
Pacelli, G.J., Su, W. and Kelso, S.R.
Activity-induced depression of synaptic inhibition during LTP-inducing patterned stimulation, **486**, 26
Pacheco, P., Martinez-Gomez, M., Whipple, B., Beyer, C. and Komisaruk, B.R.
Somato-motor components of the pelvic and pudendal nerves of the female rat, **490**, 85
Padjen, A.L., Mitsoglou, G.M. and Hassessian, H.
Further evidence in support of taurine as a mediator of synaptic transmission in the frog spinal cord, **488**, 288
Page, R.H., see Mesina, J.E., **478**, 181
Paggi, P., Lasek, R.J. and Katz, M.J.
Slow component B protein kinetics in optic nerve and tract windows, **504**, 223
Palacios, G., see Castellano, B., **492**, 203
Palacios, J.M., Savasta, M. and Mengod, G.
Does cholecystokinin colocalize with dopamine in the human substantia nigra?, **488**, 369
Palacios, J.M., see Cortés, R., **483**, 30
Palacios, J.M., see Dietl, M.M., **483**, 39
Palkovits, M., Kakucska, I. and Makara, G.B.
Substance P-like immunoreactive neurons in the arcuate nucleus project to the median eminence in rat, **486**, 364
Palkovits, M., see Gotow, T., **492**, 325
Palkovits, M., see Horváth, S., **481**, 8
Palm, D.E., Keil, L.C., Sassani, J.W. and Severs, W.B.
Immunoreactive atrial natriuretic peptide in the retina of rats and rabbits, **504**, 142
Palmer, A.M., see Steele, J.E., **500**, 369
Pan-Hou, H., Suda, Y., Sumi, M., Yoshioka, M. and Kawai, N.
A spider toxin (JSTX) inhibits L-glutamate uptake by rat brain synaptosomes, **476**, 354
Pang, K.C.H., see Rose, G.M., **488**, 353
Pangerl, A., Pangerl, B., Reiter, R.J., Vaughan, G.M. and Jones, D.J.
Twenty-four hour variation of α_1-adrenergic receptors in the pineal gland of the male Syrian hamster, **490**, 166
Pangerl, B., see Pangerl, A., **490**, 166
Panhuber, H., see Slotnick, B.M., **500**, 161
Pannabecker, T. and Orchard, I.
Ionic dependence of depolarization-mediated adipokinetic hormone release from the locust corpus cardiacum, **477**, 38
Panocka, I., see Marek, P., **489**, 182
Panula, P., see Heinonen, E., **496**, 187
Panula, P., Flügge, G., Fuchs, E., Pirvola, U., Auvinen, S. and Airaksinen, M.S.
Histamine-immunoreactive nerve fibers in the mammalian spinal cord, **484**, 234
Panula, P., see Majane, E.A., **494**, 1
Panula, P., see Yoshimoto, Y., **504**, 149
Paradiso, C., see Zarola, F., **495**, 217
Pardal, A.M., see Caramia, M.D., **479**, 98
Parent, A., see Smith, Y., **482**, 381
Paris, J.M., Mitsushio, H. and Lorens, S.A.
Intra-raphe neurokinin-induced hyperactivity: effects of 5,7-dihydroxytryptamine lesions, **476**, 183
Park, C.K., see Kurumaji, A., **496**, 268
Park, R., Denton, D.A., McKinley, M.J., Pennington, G. and Weisinger, R.S.
Intracerebroventricular saccharide infusions inhibit thirst induced by systemic hypertonicity, **493**, 123
Pascoe, W.S., Smythe, G.A. and Storlien, L.H.
2-Deoxy-D-glucose-induced hyperglycemia: role for direct sympathetic nervous system activation of liver glucose output, **505**, 23
Pascual, J., González, A.M. and Pazos, A.
Autoradiographic distribution of [^{3}H]hemicholinium-3 binding sites in human brain, **505**, 306
Pascual, J.I., Insausti, R. and Gonzalo, L.M.
The pelvic innervation in the rat: different spinal origin and projections in Sprague–Dawley and Wistar rats, **480**, 397
Paskevich, P.A., see Shea, T.B., **492**, 53
Pasquier, C., see Jacquin, T., **497**, 296
Passonneau, J., see Lust, W.D., **489**, 12
Pastel, R.H., see Tortella, F.C., **485**, 294
Patel, A.J., see Moran, J., **486**, 15
Paterson, I.A., see Van Nguyen, T., **476**, 85
Patrick, R.L., see Colby, K.A., **478**, 103
Patterson, J.T., see Westlund, K.N., **489**, 347
Patton, A., see Monaco, S., **491**, 328
Paul, D., see Kiefel, J.M., **500**, 231
Paul, D., see Yoburn, B.C., **485**, 176
Paul, S.M., see Angel, I., **503**, 339
Paul, S.M., see Drugan, R.C., **487**, 45
Paul, S.M., see Schwartz, R.D., **481**, 169
Pawson, P.A. and Grinnell, A.D.
Seasonal changes in the normal variability in release properties of motor nerve terminal in *Rana pipiens*, **495**, 182
Pazos, A., see Pascual, J., **505**, 306
Pearl, E., see Segal, M., **500**, 139
Péczely, P., see Kovács, K.J., **505**, 239
Peers, M.-C., see Lenders, M.-B., **481**, 344
Pehek, E.A., Thompson, J.T. and Hull, E.M.
The effects of intracranial administration of the dopamine agonist apomorphine on penile reflexes and seminal emission in the rat, **500**, 325
Peker, C., see Öcal-İrez, T., **493**, 1
Pellegrini, A., Currò Dossi, R., Dal Pos, F., Ermani, M., Zanotto, L. and Testa, G.
Ethosuximide alters intrathalamic and thalamocortical synchronizing mechanisms: a possible explanation of its antiabsence effect, **497**, 344
Pellegrini, M., Simoni, A. and Pellegrino, M.
Two types of K^+ channels in excised patches of somatic membrane of the leech AP neuron, **483**, 294
Pellegrino, M., see Pellegrini, M., **483**, 294
Pellegrino, D.A., Becker, G.L., Miletich, D.J. and Albrecht, R.F.
Cerebral mitochondrial respiration in diabetic and chromically hypoglycemic rats, **479**, 241
Pelleymounter, M.A., see MacLennan, A.J., **477**, 300
Pennington, G., see Park, R., **493**, 123
Penniston, J.T., see Borke, J.L., **489**, 355
Pepeu, G., see Di Patre, P.L., **480**, 219
Pepitoni, S., see Sanna, E., **501**, 144
Perachio, A.A., see Newlands, S.D., **487**, 152
Perese, D.A., Ulman, J., Viola, J., Ewing, S.E. and Bankiewicz, K.S.
A 6-hydroxydopamine-induced selective parkinsonian rat model, **494**, 285
Pérez, R., see Cudeiro, J., **484**, 367
Peris, J., Wehner, J.M. and Zahniser, N.R.
[^{35}S]TBPS binding sites are decreased in the colliculi of mice

with a genetic predisposition to bicuculline-induced seizures, **503**, 288
Perkins, W.J., Lanier, W.L., Karlsson, B.R., Milde, J.H. and Michenfelder, J.D.
The effect of the excitatory amino acid receptor antagonist dizocilipine maleate (MK-801) on hemispheric cerebral blood flow and metabolism in dogs: modification by prior complete cerebral ischemia, **498**, 34
Perkins, W.J., see Michenfelder, J.D., **481**, 228
Perlman, I., Knapp, A.G. and Dowling, J.E.
Responses of isolated white perch horizontal cells to changes in the concentration of photoreceptor transmitter agonists, **487**, 16
Perossini, M., see Castrogiovanni, P., **504**, 129
Peroutka, S.J., see Hyde, T.M., **495**, 198
Perry, G., see Mulvihill, P., **484**, 150
Perry, C., see Stolk, J.A., **482**, 1
Perry, D.C. and Grimes, L.M.
Administration of kainic acid and colchicine alters μ and λ opiate binding in rat hippocampus, **477**, 100
Perry, D.C., see Miller, L.P., **495**, 367
Perry, E.K., see Johnson, M., **499**, 184
Perry, E.K., see Smith, C.J., **485**, 317
Perry, R.H., see Johnson, M., **499**, 184
Perumal, A.S., Tordzro, W.K., Katz, M., Jackson-Lewis, V., Cooper, T.B., Fahn, S. and Cadet, J.L.
Regional effects of 6-hydroxydopamine (6-OHDA) on free radical scavengers in rat brain, **504**, 139
Peschanski, M., see Juliano, S.L., **478**, 356
Peschanski, M., see Bernard, J.F., **490**, 181
Peschanski, M., see Zajac, J.-M., **477**, 400
Petersen, S., see Hartman, R.D., **476**, 35
Petersen, S.L. and Barraclough, C.A.
Suppression of spontaneous LH surges in estrogen-treated ovariectomized rats by microimplants of antiestrogens into the preoptic brain, **484**, 279
Petersen, S.L., Hartman, R.D. and Barraclough, C.A.
An analysis of serotonin secretion in hypothalamic regions based on 5-hydroxytryptophan accumulation or push–pull perfusion. Effects of mesencephalic raphe or locus coeruleus stimulation and correlated changes in plasma luteinizing hormone, **495**, 9
Peterson, M.R., see Robertson, H.A., **503**, 346
Petit, H., see Lenders, M.-B., **481**, 344
Petit, J., Filippi, G.-M., Gioux, M. and Laporte, Y.
Does stimulation of sympathetic axons elicit an increase in cat spindle afferent discharge detectable by the antidromic collision technique?, **503**, 181
Petrovic-Minic, B., see Zilles, K., **488**, 14
Petry, H.M., Agarwala, S. and May III, J.G.
Striped pattern of labeling in ground squirrel superior colliculus following intraocular HRP injections, **489**, 199
Peyrichoux, J., see Rio, J.P., **479**, 151
Pezalla, P.D., see Stevens, C.W., **494**, 227
Pfaff, D.W., see Jorgenson, K.L., **502**, 171
Pfaff, D.W., see Schwartz-Giblin, S., **476**, 240
Pfeiffer, A., see Nikolarakis, K.E., **498**, 385
Pfeiffer, B., Norman, A.W. and Hamprecht, B.
Immunocytochemical characterization of neuron-rich rat brain primary cultures: calbindin D_{28K} as marker of a neuronal subpopulation, **476**, 120
Phan, T.-H., see Boadle-Biber, M.C., **482**, 306
Phan, T.H., see Johannessen, J.N., **499**, 357
Phermsangngam, P., see Schmued, L., **487**, 131
Philipson, V., see Lacombe, P., **491**, 1
Phillips, A.G., see Klancnik, J.M., **505**, 145
Phillips, M.H., see Lo, E.H., **504**, 168
Phillipson, O.T., see Cornwall, J., **491**, 194
Phillis, J.W. and Walter, G.A.
Effect of a brief hypoxic/hypotensive episode on the in vivo release of cerebral cortical γ-aminobutyric acid and glycine, **504**, 121
Phillis, J.W., O'Regan, M.H. and Walter, G.A.
Effects of two nucleoside transport inhibitors, dipyridamole and soluflazine, on purine release from the rat cerebral cortex, **481**, 309
Piat, G., see Thomson, M.A., **488**, 241
Picatoste, F., see Sallés, J., **498**, 366
Pich, E.M., see Benfenati, F., **498**, 376
Pickard, G.E.
Entrainment of the circadian rhythm of wheel-running activity is phase shifted by ablation of the intergeniculate leaflet, **494**, 151
Pickel, V.M., Chan, J. and Massari, V.J.
Neuropeptide Y-like immunoreactivity in neurons of the solitary tract nuclei: vesicular localization and synaptic input from GABAergic terminals, **476**, 265
Pickel, V.M., see Aoki, C., **493**, 331
Pickel, V.M., see Milner, T.A., **478**, 1
Pickel, V.M., see Milner, T.A., **500**, 67
Pico, R.M. and Gall, C.
Continuities between outer nuclear membrane and the rough endoplasmic reticulum increase in hippocampal neurons during seizure-induced protein synthesis, **497**, 387
Pieneman, A.W., see Moed, P.J., **476**, 298
Pieper, D.R., Newman, S.W., Lobocki, C.A. and Gogola, G.
Bilateral transection of the lateral olfactory tract but not removal of the vomeronasal organs inhibits short-photoperiod-induced testicular regression in golden hamsters, **485**, 382
Pierotti, D.J., Roy, R.R., Gregor, R.J. and Edgerton, V.R.
Electromyographic activity of cat hindlimb flexors and extensors during locomotion at varying speeds and inclines, **481**, 57
Pierson, M.G., Smith, K.L. and Swann, J.W.
A slow NMDA-mediated synaptic potential underlies seizures originating from midbrain, **486**, 381
Pietruschka, F., see Hescheler, J., **486**, 79
Pignatelli, D., Ribeiro-da-Silva, A. and Coimbra, A.
Postnatal maturation of primary afferent terminations in the substantia gelatinosa of the rat spinal cord. An electron microscopic study, **491**, 33
Pilc, A., Vetulani, J., Nomura, S. and Enna, S.J.
An in vivo procedure for the selective inactivation of rat brain cerebral cortical α-adrenoceptors using *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), **493**, 8
Pilgrim, C., see Engele, J., **483**, 98
Pinard, E., Puiroud, S. and Seylaz, J.
Role of adenosine in cerebral hypoxic hyperemia in the unanesthetized rabbit, **481**, 124
Pinto, L.H., see Kossut, M., **476**, 78
Pirvola, U., see Panula, P., **484**, 234
Pittman, Q., see Thornhill, J.A., **490**, 174
Pittman, Q.J., see Colmers, W.F., **498**, 99
Pittman, Q.J., see Mathieson, W.B., **486**, 49
Pittman, Q.J., see Williams, P.J., **483**, 130
Pivovarov, A.S., see Bakalkin, G.Y., **480**, 268
Pizzolato, G., see Loup, F., **500**, 223
Plaitakis, A., see Tsiotos, P., **481**, 87
Plata-Salamán, C.R., see Fukuda, A., **493**, 357
Platt, K.B., see Strack, A.M., **491**, 156
Platt, K.B., see Strack, A.M., **491**, 274
Plendl, J., see Schmahl, W., **486**, 297
Plurad, S.B., see Schmidt, R.E., **497**, 393
Poduslo, J.F., see Weerasuriya, A., **494**, 114
Pointis, D., see Rivot, J.P., **495**, 140
Polak, J.M., see Gentleman, S.M.,

505, 311
Polak, J.M., see Mora, M., **492**, 404
Polak, J.M., see Wharton, J., **483**, 170
Polak, R.L., see Molenaar, P.C., **477**, 109
Polakiewicz, R.D., see Rosen, H., **493**, 380
Poljak, A., see Lo, E.H., **504**, 168
Pollock, R., see Amir, S., **480**, 340
Pollock, R., see Amir, S., **478**, 361
Polosa, C., see Caverson, M.M., **482**, 365
Poltorak, M. and Freed, W.J.
Immunoreactive phosphorylated epitopes on neurofilaments in neuronal perikarya may be obscured by tissue preprocessing, **480**, 349
Poltorak, M., Freed, W.J. and Schachner, M.
Expression of cell adhesion molecules from the L2/HNK-1 family in cerebellar isografts in mice, **488**, 265
Poplawsky, A. and Isaacson, R.L.
Brief ganglioside treatment produces delayed enhancement of functional recovery after medial septal lesions, **495**, 396
Poppele, R.E., see Kruse, M.N., **496**, 303
Popper, P. and Micevych, P.E.
Localization of calcitonin gene-related peptide and its receptors in a striated muscle, **496**, 180
Poree, L.R., Dickenson, A.H. and Wei, E.T.
Corticotropin-releasing factor inhibits the response of trigeminal neurons to noxious heat, **502**, 349
Porrino, L.J., see Crane, A.M., **499**, 87
Post, R.M., see Nakajima, T., **501**, 307
Post, R.M., see Weiss, S.R.B., **497**, 72
Potter, P.E., Tedford, C.E., Kindel, G. and Hanin, I.
Inhibition of high affinity choline transport attenuates both cholinergic and non-cholinergic effects of ethylcholine aziridinium (AF64A), **487**, 238
Potter, W.Z., see Koulu, M., **503**, 246
Poulain, D.A., see Theodosis, D.T., **484**, 361
Pourcho, R.G., see Caruso, D.M., **476**, 129
Povlishock, J.T., see Jenkins, L.W., **477**, 211
Powers, M.K., see DeMarco Jr., P.J., **482**, 317
Powers, R.E., O'Connor, D.T. and Price, D.L.
Noradrenergic systems in human cerebellum, **481**, 194
Powers, R.E., see Jengeleski, C.A., **481**, 378
Poynton, A., see Francis, P.T., **494**, 315
Prabhakar, N.R., Landis, S.C., Kumar, G.K., Mullikin-Kilpatrick, D., Cherniack, N.S. and Leeman, S.
Substance P and neurokinin A in the cat carotid body: localization, exogenous effects and changes in content in response to arterial pO_2, **481**, 205
Prado, W.A.
Antinociceptive effect of agonists microinjected into the anterior pretectal nucleus of the rat, **493**, 147
Prager, R.H., see Kerr, D.I.B., **480**, 312
Pratt, J.A., see Laurie, D.J., **504**, 101
Pratt, R.G., see Norman, A.B., **483**, 188
Pratt, R.G., see Norman, A.B., **503**, 156
Pretel, S., see Guinan, M.J., **485**, 333
Preud'homme, J.L., see Neveu, P.J., **498**, 159
Preuss, A., see Bauswein, E., **493**, 198
Price, D.L., see Jengeleski, C.A., **481**, 378
Price, D.L., see Koliatsos, V.E., **482**, 205
Price, D.L., see Powers, R.E., **481**, 194
Price, D.L., see Walker, L.C., **499**, 188
Prieto, J.C., see Rodriguez-Sanchez, M.N., **494**, 36
Printz, M.P., see Healy, D.P., **484**, 1
Printz, M.P., see Rettig, R., **505**, 251
Pritchett, J., see Stratton, K.R., **494**, 359
Pritz, M.B. and Stritzel, M.E.
Reptilian dorsal column nucleus lacks GAD immunoreactive neurons, **503**, 175
Probst, A., see Cortés, R., **483**, 30
Probst, A., see Dietl, M.M., **483**, 39
Procter, A.W., see Francis, P.T., **494**, 315
Proske, U., see Jahnke, M.T., **493**, 103
Provini, L., see Morara, S., **504**, 315
Przedborski, S., Wright, M., Fahn, S. and Cadet, J.L.
Regional changes in brain 5-HT_{1A} serotonin receptors in the rat model of persistent spasmodic dyskinesias induced by iminodipropionitrile, **504**, 311
Puel, J.L., Bobbin, R.P. and Fallon, M.
Suppression of auditory nerve activity in the guinea pig cochlea by 1-(*p*-bromobenzoyl)-piperazine-2,3-dicarboxylic acid, **487**, 9
Puelles, L., see Martínez, S., **481**, 181
Puiroud, S., see Pinard, E., **481**, 124
Pullan, L.M. and Cler, J.A.
Schild plot analysis of glycine and kynurenic acid at the *N*-methyl-D-aspartate excitatory amino acid receptor, **497**, 59
Pullara, J.M. and Marshall, J.F.
Striatal dopamine innervation and receptor density: regional effects of the weaver mutation, **480**, 225
Puppa, A.D., see Cadet, J.L., **484**, 57
Pylova, S.I., Majkowska, J., Hilgier, W., Kapuśiński, A. and Albrecht, J.
Rapid decrease of high affinity ouabain binding sites in hippocampal CA1 region following short-term global cerebral ischemia in rat, **490**, 170

Q

Quearry, B.J., see Heyes, M.P., **491**, 173
Quintana, J., Fuster, J.M. and Yajeya, J.
Effects of cooling parietal cortex on prefrontal units in delay tasks, **503**, 100
Quirion, R., see Araujo, D.M., **484**, 130
Quirion, R., see Araujo, D.M., **498**, 257
Quirion, R., see Krantic, S., **498**, 267
Quirion, R., see Lapchak, P.A., **496**, 285

R

Raappana, P., see Arvidsson, J., **480**, 111
Rabié, A., see Rami, A., **485**, 20
Rachel, R.A. and Sieber-Blum, M.
Glutamate-immunoreactive sensory neurons in quail neural crest cell culture, **497**, 43
Rader, R.K., see Watson, G.B., **498**, 81
Radke, J.M., MacLennan, A.J., Beinfeld, M.C., Bissette, G., Nemeroff, C.B., Vincent, S.R. and Fibiger, H.C.
Effects of short- and long-term haloperidol administration and withdrawal on regional brain cholecystokinin and neurotensin concentrations in the rat, **480**, 178
Radosevich, P.M., Nash, J.A., Lacy, D.B., O'Donovan, C., Williams, P.E. and Abumrad, N.N.
Effects of low- and high-intensity exercise on plasma and cerebrospinal fluid levels of ir-β-endorphin, ACTH, cortisol, norepinephrine and glucose in the conscious dog, **498**, 89
Radulovacki, M., see Hawkins, M., **505**, 141
Raggenbass, M., see Charpak, S., **483**, 164
Raiguel, S., see Lagae, L., **496**, 361
Raiguel, S.E., Lagae, L., Gulyàs, B.

and Orban, G.A.
Response latencies of visual cells in macaque areas V1, V2 and V5, **493**, 155
Raiteri, M., see Bonanno, G., **480**, 242
Rakic, P., see Meinecke, D.L., **493**, 303
Rakkah, N.I.A., see Bagust, J., **479**, 138
Ramberg, D.A. and Yaksh, T.L.
Effects of cervical spinal hemisection on dihydromorphine binding in brainstem and spinal cord in cat, **483**, 61
Rami, A., Lomri, N., Bréhier, A., Thomasset, M. and Rabié, A.
Effects of altered thyroid states and undernutrition on the calbindin-D_{28K} (calcium-binding protein) content of the hippocampal formation in the developing rat, **485**, 20
Ramirez, V.D., see Chang, G.D., **481**, 265
Ramirez, V.D., see Dluzen, D.E., **476**, 332
Ramirez, V.D., see Dluzen, D.E., **476**, 338
Ramirez, V.D., see Dluzen, D.E., **494**, 122
Ramos, J.A., see Fernández-Ruiz, J.J., **476**, 388
Randić, M., see Urban, L., **500**, 12
Rao, K. and Lund, R.D.
Degeneration of optic axons induces the expression of major histocompatibility antigens, **488**, 332
Rapoport, S.I., see Atack, J.R., **483**, 367
Rapoport, S.I., see Ault, B., **485**, 165
Rapoport, S.I., see Ault, B., **497**, 191
Rapoport, S.I., see Murphy, V.A., **484**, 65
Rapoport, S.I., see Soncrant, T.T., **487**, 255
Rapoport, S.I., see Wadhwani, K.C., **493**, 231
Rapoport, S.I., see Yamazaki, S., **477**, 19
Raps, S.P., Lai, J.C.K., Hertz, L. and Cooper, A.J.L.
Glutathione is present in high concentrations in cultured astrocytes but not in cultured neurons, **493**, 398
Rasenick, M.M., Hughes, J.M. and Wang, N.
Guanosine-5'-*O*thiodiphosphate functions as a partial agonist for the receptor-independent stimulation of neural adenylate cyclase, **488**, 105
Rasmussen, K. and Aghajanian, G.K.
Withdrawal-induced activation of locus coeruleus neurons in opiate-dependent rats: attenuation by lesions of the nucleus paragigantocellularis, **505**, 346
Rausche, G., see Albrecht, D., **480**, 393
Rauschecker, J.P. and Harris, L.R.
Auditory and visual neurons in the cat's superior colliculus selective for the direction of apparent motion stimuli, **490**, 56
Ravindranath, V., Anandatheerthavarada, H.K. and Shankar, S.K.
Xenobiotic metabolism in human brain — presence of cytochrome *P*-450 and associated mono-oxygenases, **496**, 331
Ray, R.H., see Klein, C.M., **479**, 194
Raybould, H.E., Jakobsen, L.J., Novin, D. and Taché, Y.
TRH stimulation and L-glutamic acid inhibition of proximal gastric motor activity in the rat dorsal vagal complex, **495**, 319
Rebec, G.V., see Haracz, J.L., **489**, 365
Rebec, G.V., see Oh, C., **480**, 184
Reber, A., see Auvray, N., **505**, 291
Rebillard, G. and Bryant, G.M.
Effects of in vivo perfusion of glutamate dehydrogenase in the guinea pig cochlea on the VIIth nerve compound action potential, **494**, 379
Reddy, V.K., Fung, S.J., Zhuo, H. and Barnes, C.D.
Spinally projecting noradrenergic neurons of the dorsolateral pontine tegmentum: a combined immunocytochemical and retrograde labeling study, **491**, 144
Redfern, R.M., see Ensor, D.M., **490**, 196
Redmond, D.J., see Daval, J.-L., **491**, 212
Redpath, G.T., see Hubbard, C.M., **486**, 170
Rees, H.D., see Michael, R.P., **502**, 11
Rees, L.H., see Tsagarakis, S., **502**, 167
Reeves, P.M., see Stolk, J.A., **482**, 1
Reinoso-Suárez, F., see Clascá, F., **490**, 361
Reiriz, J., see Ballarin, M., **483**, 184
Reis, D.J., see Chida, K., **500**, 177
Reis, D.J., see Iadecola, C., **501**, 188
Reis, D.J., see Milner, T.A., **478**, 1
Reis, D.J., see Milner, T.A., **500**, 67
Reis, D.J., see Morrison, S.F., **503**, 5
Reiser, G. and Hamprecht, B.
Substance P and serotonin act synergistically to activate a cation permeability in a neuronal cell line., **479**, 40
Reiser, G. and Miledi, R.
Changes in the properties of synaptic channels opened by acetylcholine in denervated frog muscle, **479**, 83
Reisert, I., see Engele, J., **483**, 98
Reisman, J.E. and Anderson, J.H.
Compensatory eye movements during head and body rotation in infants, **484**, 119
Reiter, R.J., see Pangerl, A., **490**, 166
Reiter, R.J., see Vaughan, M.K., **489**, 318
Reith, M.E.A., see Kramer, H.K., **503**, 296
Reivich, M., see Uematsu, D., **482**, 129
Rekling, J.C. and Laursen, A.M.
Evidence for a persistent sodium conductance in neurons from the nucleus prepositus hypoglossi, **500**, 276
Renaud, L.P., see Jhamandas, J.H., **487**, 52
Renner, K.J., see Jhanwar-Uniyal, M., **500**, 247
Repérant, J., see Rio, J.P., **479**, 151
Repérant, J., see Vesselkin, N.P., **493**, 51
Resko, J.A., see Connolly, P.B., **503**, 312
Resko, J.A., see Handa, R.J., **483**, 312
Rettig, R., see Healy, D.P., **484**, 1
Rettig, R., see Rohmeiss, P., **502**, 198
Rettig, R., see Unger, T., **486**, 33
Rettig, R., White, F.C. and Printz, M.P.
Effects of drinking and central angiotensin II stimulation on organ blood flow in conscious rats, **505**, 251
Rettig, W.J., Triche, T.J. and Garin-Chesa, P.
Stimulation of human neuronectin secretion by brain-derived growth factors, **487**, 171
Reuss, S., see Stehle, J., **488**, 275
Revishchin, A.V., see Garey, L.J., **485**, 278
Reynolds, G.P., see Cheetham, S.C., **502**, 332
Reynolds, G.P., see Simpson, M.D.C., **484**, 273
Reynolds, J.N. and Carlen, P.L.
Diminished calcium currents in aged hippocampal dentate gyrus granule neurones, **479**, 384
Rhee, S.G., see Choi, W.C., **499**, 193
Rhoades, R.W., see Bennett-Clarke, C., **500**, 1
Rhys-Maitland, E.R., see Lacey, G., **488**, 80
Ribeiro-da-Silva, A., see Pignatelli, D., **491**, 33
Ricaurte, G.A., DeLanney, L.E., Irwin, I., Witkin, J.M., Katz, J.L. and Langston, J.W.
Evaluation of the neurotoxic potential of *N,N*-dimethylamphetamine: an illicit analog of methamphetamine, **490**, 301
Ricaurte, G.A., see Finnegan, K.T., **496**, 251
Ricaurte, G.A., see Woolverton, W.L., **486**, 73
Rice, K.C., see Long, J.B., **497**, 155
Rich, K.M., see Eichler, M.E., **482**, 340
Richard, C.A., Waldrop, T.G., Bauer, R.M., Mitchell, J.H. and Stremel, R.W.
The nucleus reticularis gigantocellularis modulates the cardiopulmonary responses to central and peripheral drives related to exercise, **482**, 49
Richard, R., see Sei, C.A., **479**, 162

Richards, S.S., see Meyerhoff, J.L., **505**, 130
Richardson, G.S., see Hooi, S.C., **486**, 214
Richardson, U.I., Liscovitch, M. and Blusztajn, J.K.
Acetylcholine synthesis and secretion by LA-N-2 human neuroblastoma cells, **476**, 323
Richter, K.E. and Mena, E.E.
L-β-Methylaminoalanine inhibits [^{3}H]glutamate binding in the presence of bicarbonate ions, **492**, 385
Richter-Levin, G. and Segal, M.
Raphe cells grafted into the hippocampus can ameliorate spatial memory deficits in rats with combined serotonergic/cholinergic deficiencies, **478**, 184
Richter-Levin, G. and Segal, M.
Spatial performance is severely impaired in rats with combined reduction of serotonergic and cholinergic transmission, **477**, 404
Rico, I., see Salaices, M., **490**, 133
Ridley, R.M., Aitken, D.M. and Baker, H.F.
Learning about rules but not about reward is impaired following lesions of the cholinergic projection to the hippocampus, **502**, 306
Riedel, A., Klekamp, J., Harper, C. and Kretschmann, H.-J.
Morphometric study on the postnatal growth of the cerebellum of Australian Aborigines and Caucasians, **499**, 333
Riedel, A., see Klekamp, J., **485**, 79
Riederer, P., see Kornhuber, J., **489**, 397
Riederer, P., see Kornhuber, J., **499**, 81
Rieske, E., Graeber, M.B., Tetzlaff, W., Czlonkowska, A., Streit, W.J. and Kreutzberg, G.W.
Microglia and microglia-derived brain macrophages in culture: generation from axotomized rat facial nuclei, identification and characterization in vitro, **492**, 1
Rigamonti, D.D., see Long, J.B., **497**, 155
Rigo, J.-M., see Leprince, P., **502**, 21
Rinne, J.O., Lönnberg, P., Marjamäki, P. and Rinne, U.K.
Brain muscarinic receptor subtypes are differently affected in Alzheimer's disease and Parkinson's disease, **483**, 402
Rinne, U.K., see Rinne, J.O., **483**, 402
Rio, J.P., Repérant, J., Ward, R., Peyrichoux, J. and Vesselkin, N.
A preliminary description of the regeneration of optic nerve fibers in a reptile, *Vipera aspis*, **479**, 151
Rio, J.P., see Vesselkin, N.P., **493**, 51
Risling, M., Lindå, H., Cullheim, S. and Franson, P.
A persistent defect in the blood–brain barrier after ventral funiculus lesion in adult cats: implications for CNS regeneration?, **494**, 13
Rivero-Melian, C. and Arvidsson, J.
Dose- and time-dependent selective and non-selective effects of ricin (RCA 120) on rat primary sensory neurons, **496**, 131
Rivet, J.-M., see Cador, M., **486**, 357
Rivet, J.-M., Stinus, L., LeMoal, M. and Mormède, P.
Behavioral sensitization to amphetamine is dependent on corticosteroid receptor activation, **498**, 149
Rivot, J.P., Pointis, D. and Besson, J.M.
A comparison of the effects of morphine on 5-HT metabolism in the periaqueductal gray, ventromedial medulla and medullary dorsal horn: in vivo electrochemical studies in freely moving rats, **495**, 140
Rizzonelli, P., see Missale, C., **483**, 117
Roach, A., see Roch, J.-M., **477**, 292
Robbins, E., see Chesselet, M.-F., **492**, 237
Robbins, J. and Ikeda, H.
Benzodiazepines and the mammalian retina. I. Autoradiographic localisation of receptor sites and the lack of effect on the electroretinogram, **479**, 313
Robbins, J. and Ikeda, H.
Benzodiazepines and the mammalian retina. II. Actions on retinal ganglion cells, **479**, 323
Robbins, J. and Ikeda, H.
Benzodiazepines and the mammalian retina. III. Postnatal development, **479**, 334
Robbins, R.J., see De Lanerolle, N.C., **495**, 387
Robbins, R.J., see Garcia-Segura, L.M., **498**, 339
Roberts, D.C.S., see Bialik, R.J., **502**, 88
Roberts Jr., E.L., see Martin, F.R., **492**, 392
Roberts, G.W., see Gentleman, S.M., **505**, 311
Roberts, J.L., see Anderson, J., **478**, 391
Roberts, M.H., Bedian, V. and Chen, Y.
Kinase inhibition lengthens the period of the circadian pacemaker in the eye of *Bulla gouldiana*, **504**, 211
Robertson, G.S., see Robertson, H.A., **503**, 346
Robertson, H.A., Peterson, M.R., Murphy, K. and Robertson, G.S.
D_1-dopamine receptor agonists selectively activate striatal c-*fos* independent of rotational behaviour, **503**, 346
Robertson, H.A., see Herrera, D.G., **503**, 205
Robertson, R.G., Farmery, S.M., Sambrook, M.A. and Crossman, A.R.
Dyskinesia in the primate following injection of an excitatory amino acid antagonist into the medial segment of the globus pallidus, **476**, 317
Robertson, S.C., see Talman, W.T., **477**, 7
Robinson, C.R., see Landis, C.A., **488**, 195
Robinson, M.B., see Meyerhoff, J.L., **505**, 130
Robinson, P.P.
The reinnervation of the tongue and salivary glands after lingual nerve injuries in cats, **483**, 259
Robinson, P.P., see Owen, D.J., **476**, 248
Robinson, R.G., see McMahon, F.J., **503**, 185
Robinson, R.G., see Starkstein, S.E., **478**, 16
Robinson, S.E., Ryland, J.E., Martin, R.M., Gyenes, C.A. and Davis, T.R.
The effects of morphine and traumatic brain injury on central cholinergic neurons, **503**, 32
Robinson, T.G., see Lewis, S.J., **494**, 232
Robitaille, Y., see Grenier, Y., **480**, 87
Robitaille, Y., see Kish, S.J., **489**, 373
Roch, J.-M., Tosic, M., Roach, A. and Matthieu, J.-M.
The duplicated myelin basic protein gene in *mld* mutant mice does not impair transcription, **477**, 292
Rodriguez-Sanchez, M.N., Colas, B., Prieto, J.C. and Arilla, E.
Effects of insulin-induced hypoglycemia on somatostatin level and binding in rat cerebral cortex and hippocampus, **494**, 36
Roe, M.J., see Gelsema, A.J., **482**, 67
Roeske, W.R., see Mei, L., **504**, 7
Roeske, W.R., see Wang, J.-X., **477**, 322
Roffwarg, H.P., see Marks, G.A., **494**, 294
Rogers, B.C., Barnes, M.I., Mitchell, C.L. and Tilson, H.A.
Functional deficits after sustained stimulation of the perforant path, **493**, 41
Rogers, D.C., see Dunnett, S.B., **501**, 401
Rogers, L.J., see Adret, P., **478**, 59
Rogers, R.C., see McCann, M.J., **486**, 181
Rogister, B., see Leprince, P., **502**, 21
Rohmeiss, P., see Unger, T., **486**, 33
Rohmeiss, P., Demmert, G., Rettig, R and Unger, T.
Centrally administered atrial natriuretic factor inhibits central angiotensin-induced natriuresis, **502**, 198
Rohmeiss, P., see Lebrun, C.J., **505**, 39
Romijn, H.J. and De Jong, B.M.
Unlike hypoxia, hypoglycemia does not preferentially destroy GABAergic neurons in developing rat neocortex explants in culture, **480**, 58

Romijn, H.J.
Preferential loss of GABAergic neurons in hypoxia-exposed neocortex slab cultures is attenuated by the NMDA receptor blocker D-2-amino-7-phosphonoheptanoate, **501**, 100
Rompré, P.-P. and Boye, S.
Localization of reward-relevant neurons in the pontine tegmentum: a moveable electrode mapping study, **496**, 295
Rompré, P.-P. and Wise, R.A.
Behavioral evidence for midbrain dopamine depolarization inactivation, **477**, 152
Rompré, P.-P. and Wise, R.A.
Opioid-neuroleptic interaction in brainstem self-stimulation, **477**, 144
Rompré, P.-P., see Amir, S., **498**, 140
Rompré, P.-P., see Shizgal, P., **499**, 234
Room, P. and Tielemans, A.J.P.C.
Circadian variations in local cerebral glucose utilization in freely moving rats, **505**, 321
Roording, P., see Van Giersbergen, P.L.M., **498**, 154
Roppolo, J.R., see Noto, H., **492**, 99
Roques, B.P., see Kayser, V., **497**, 94
Roques, B.P., see Zajac, J.-M., **477**, 400
Rosa de Sagarra, M., see Balfagon, G., **477**, 196
Rose, G.M. and Pang, K.C.H.
Differential effect of norepinephrine upon granule cells and interneurons in the dentate gyrus, **488**, 353
Rose, G.M., see Diamond, D.M., **492**, 356
Rose, G.M., see Gerhardt, G.A., **499**, 157
Rosecrans, J., see Boadle-Biber, M.C., **482**, 306
Rosen, A.S., see Andrew, R.D., **498**, 175
Rosen, H. and Polakiewicz, R.D.
Increase in hypothalamic pro-opiomelanocortin gene expression in response to prolonged low level lead exposure, **493**, 380
Rosen, J.B., see Yeomans, J.S., **486**, 147
Rosenberg, H.C., see Zhang, H., **488**, 73
Rosengren, E., see Kalén, P., **492**, 187
Rosenstein, J.M., Krum, J.M. and Trapp, B.D.
The astroglial response to autonomic tissue grafts, **476**, 110
Rosenthal, M., see Martin, F.R., **492**, 392
Rosenthal, M.J., see Gunion, M.W., **478**, 47
Rosenthal, M.J., see Gunion, M.W., **485**, 251
Rosina, A., see Morara, S., **504**, 315
Rosner, M., see Assia, E., **476**, 205
Ross, D.T. and Duhaime, A.-C.
Degeneration of neurons in the thalamic reticular nucleus: following transient ischemia due to raised intracranial pressure: excitotoxic degeneration mediated via non-NMDA receptors?, **501**, 129
Rossi, A., see Missale, C., **483**, 117
Rossignol, S., see Dubuc, R., **491**, 335
Rossignol, S., see Dubuc, R., **491**, 349
Rossini, P.M., see Caramia, M.D., **479**, 98
Rossini, P.M., see Zarola, F., **495**, 217
Rostène, W., see Montagne, M.-N., **485**, 258
Roth, G., see Naujoks-Manteuffel, C., **487**, 397
Roth, G.S., see Han, Z., **498**, 299
Roth, G.S., see Joseph, J.A., **505**, 195
Roth, R.H., see During, M.J., **476**, 384
Roth, R.H., see Knorr, A.M., **495**, 355
Roth, R.H., see Yurek, D.M., **497**, 250
Rothfeld, J.M., see Guinan, M.J., **485**, 333
Rothman, R.B., see Brady, L.S., **477**, 382
Rothman, S.M., see Yamada, K.A., **498**, 351
Roubos, E.W., see Schmidt, E.D., **489**, 325
Rouet-Karama, S., see Tison, F., **497**, 260
Rouiller, E.M., Capt, M., Dolivo, M. and De Ribaupierre, F.
Neuronal organization of the stapedius reflex pathways in the rat: a retrograde HRP and viral transneuronal tracing study, **476**, 21
Routtenberg, A., see Colley, P.A., **495**, 205
Routtenberg, A., see Nelson, R.B., **497**, 30
Routtenberg, A., see Wong, K.L., **505**, 302
Rowan, M.J., see Anwyl, R., **503**, 148
Rowley III, J.C., Moran, D.T. and Jafek, B.W.
Peroxidase backfills suggest the mammalian olfactory epithelium contains a second morphologically distinct class of bipolar sensory neuron: the microvillar cell, **502**, 387
Roy, E.J., see Cohen-Parsons, M., **476**, 363
Roy, R.R., see Hutchison, D.L., **479**, 56
Roy, R.R., see Hutchison, D.L., **502**, 233
Roy, R.R., see Hutton, R.S., **492**, 230
Roy, R.R., see Pierotti, D.J., **481**, 57
Royet, J.-P., see Sicard, G., **481**, 325
Royston, M.C., see Simpson, M.D.C., **484**, 273
Rozental, J.M., Kaminska, G., Turner, J., Schwartz, T., Cadahia, V. and Brooks, B.R.
Neuropeptide degradation by large vessel and microvessel-derived endothelial cells in vitro: cell surface catabolism of thyrotropin releasing hormone (TRH), **499**, 397
Ruan, D.-Y., see Fox, D.A., **498**, 229
Rubinstein, J.E., Hitzemann, R.J., Ashby Jr., C.R. and Wang, R.Y.
Long-term treatment with antipsychotics does not alter the phosphoinositide response to muscarinic or D_2 dopaminergic agonists in rat striatum, **496**, 385
Rubinstein, J.E., see Ashby Jr., C.R., **493**, 194
Rubinstein, M., see Bolioli, B., **504**, 1
Ruda, M.A., see Tashiro, T., **491**, 360
Ruijs, T.C.J., see Grenier, Y., **480**, 87
Ruiz, G., see Trancard, J., **476**, 213
Rumpf, R., see Humphrey, M.F., **497**, 132
Rupp, M.E., see Luttge, W.G., **493**, 190
Rusak, B., see Zhang, D.X., **504**, 161
Rusak, B., Meijer, J.H. and Harrington, M.E.
Hamster circadian rhythms are phase-shifted by electrical stimulation of the geniculo-hypothalamic tract, **493**, 283
Rusak, B., see Meijer, J.H., **501**, 315
Rusk, I.N. and Cooper, S.J.
Microstructural analysis of the anorectic effect of N-0437, a highly selective dopamine D_2 agonist, **494**, 350
Russell, J.A., see Leng, G., **484**, 290
Russell, J.A., see Summer, B.E.H., **489**, 283
Russell, N.J., see Tortella, F.C., **482**, 179
Russell, V., see Allin, R., **501**, 389
Ryan, A.F., Braverman, S., Woolf, N.K. and Axelsson, G.A.
Auditory neural activity evoked by pure-tone stimulation as a function of intensity, **483**, 283
Ryland, J.E., see Robinson, S.E., **503**, 32

S

Saadé, N.E., Bassim, Y.R., Atweh, S.F. and Jabbur, S.J.
Auditory influences via cochlear nucleus on cuneate neurons in decerebrate-decerebellate cats, **486**, 403
Saadé, N.E., Frangieh, A.S., Atweh, S.F. and Jabbur, S.J.
Dorsal column input to cochlear neurons in decerebrate-decerebellate cats, **486**, 399
Saadi, M., Gerozissis, K. and Dray, F.
Release of luteinizing hormone-releasing hormone: interrelations between eicosanoids and catecholamines, **488**, 97
Saavedra, J.M., see Koulu, M., **503**, 246
Saavedra, J.M., see McKenna, D.J., **476**, 45

Sabatini, A.M., see Valentini, R.F., **480**, 300
Sabri, M.I., Dairman, W., Fenton, M., Juhasz, L., Ng, T. and Spencer, P.S. Effect of exogenous pyruvate on acrylamide neuropathy in rats, **483**, 1
Sachdev, R.N.S., Gilman, S. and Aldridge, J.W. Effects of excitotoxic striatal lesions on single unit activity in globus pallidus and entopeduncular nucleus of the cat, **501**, 295
Sadun, A.A., see Blanks, J.C., **501**, 364
Sadzot, B., Frost, J.J. and Wagner Jr., H.N. In vivo labeling of central benzodiazepine receptors with the partial inverse agonist [^{3}H]Ro 15-4513, **491**, 128
Saffran, B.N., Woo, J.E., Mobley, W.C. and Crutcher, K.A. Intraventricular NGF infusion in the mature rat brain enhances sympathetic innervation of cerebrovascular targets but fails to elicit sympathetic ingrowth, **492**, 245
Sagen, J. and Kemmler, J.E. Increased levels of Met-enkephalin-like immunoreactivity in the spinal cord CSF of rats with adrenal medullary transplants, **502**, 1
Sahara, Y., see Saito, M., **481**, 16
Saint-Cyr, J.A., see Durand, D., **477**, 373
Saito, K., see Markowitz, S., **477**, 157
Saito, K., see Song, S.-Y., **494**, 383
Saito, M., Minokoshi, Y. and Shimazu, T. Accelerated norepinephrine turnover in peripheral tissues after ventromedial hypothalamic stimulation in rats, **481**, 298
Saito, M., Sahara, Y., Miwa, A., Shimazaki, K., Nakajima, T. and Kawai, N. Effects of a spider toxin (JSTX) on hippocampal CA1 neurons in vitro, **481**, 16
Saitoh, T., see Zivin, J.A., **482**, 189
Saitoh, Y., Yamamoto, H., Ushio, Y. and Miyamoto, E. Characterization of polyclonal antibodies to brain protein phosphatase 2A and immunohistochemical localization of the enzyme in rat brain, **489**, 291
Sakaguchi, T., see Yamazaki, M., **484**, 357
Sakaguchi, T. and Bray, G.A. Effect of norepinephrine, serotonin and tryptophan on the firing rate of sympathetic nerves, **492**, 271
Sakai, Y., see Sekiguchi, M., **482**, 78
Sakai, Y., see Sekiguchi, M., **482**, 87
Sakai, K., see Lin, J.-S., **479**, 225
Sakai, K., see Nakamura, A., **481**, 165
Sakai, K., see Yoshimoto, Y., **504**, 149
Sakai, T., see Matsumura, H., **481**, 242
Sakamoto, N., see Gotoh, M., **493**, 97
Sakamoto, T., Arissian, K. and Asanuma, H. Functional role of the sensory cortex in learning motor skills in cats, **503**, 258
Sakamoto, T., see Mori, S., **505**, 66
Sakanaka, M., see Inoue, N., **493**, 87
Sakanaka, M. and Magari, S. Reassessment of enkephalin (ENK)-containing afferents to the rat lateral septum with reference to the fine structures of septal ENK fibers, **479**, 205
Sakanaka, M., Magari, S., Shibasaki, T. and Inoue, N. Co-localization of corticotropin-releasing factor- and enkephalin-like immunoreactivities in nerve cells of the rat hypothalamus and adjacent areas, **487**, 357
Sakata, T., see Ookuma, K., **490**, 268
Sako, K., see Tanaka, S., **478**, 385
Sakuma, S., Maekawa, K. and Ishikawa, H. Immunohistochemical studies on the somatostatin- and growth hormone-releasing factor (GRF)-neurons in the hypothalamus of the novel dwarf rat; the spontaneous dwarf rat (*dr*), **493**, 402
Salaices, M., Alonso, M.J., Rico, I., Fernández-Alfonso, M.S. and Marín, J. Vasoconstrictor effect of the Ca^{2+} agonist Bay K 8644 on human cerebral arteries, **490**, 133
Salamone, J.D., Keller, R.W., Zigmond, M.J. and Stricker, E.M. Behavioral activation in rats increases striatal dopamine metabolism measured by dialysis perfusion, **487**, 215
Salánki, J., Evans, M.L. and Carpenter, D.O. Desensitization kinetics of a K^+ acetylcholine response in *Aplysia*, **495**, 298
Saleh, J., see Steinberg, G.K., **497**, 382
Salin, P., see Vuillet, J., **477**, 241
Salinger, W.L., see Guido, W., **501**, 397
Sallés, J., Claro, E., García, A., Picatoste, F. and Badia, A. Differential effects of chronic treatment with mianserin and protryptiline on rat brain cortical α_1-adrenoceptors, **498**, 366
Salom, J.B., see Miranda, F.J., **492**, 45
Salonen, L.D., see Dong, W.K., **484**, 314
Salt, T.E. Modulation of NMDA receptor-mediated responses by glycine and D-serine in the rat thalamus in vivo, **481**, 403
Salter, M.W., see Spielman, A.I., **503**, 326
Salvert, D., see Yoshimoto, Y., **504**, 149
Samanin, R., see Giraud, O., **488**, 174
Samaratunga, R.C., see Norman, A.B., **483**, 188
Samaratunga, R.C., see Norman, A.B., **503**, 156
Samathanam, G., Duffy, P., Kalivas, P.W. and White, S.R. A comparison of 5-hydroxytryptophan effects on rat lumbar spinal cord serotonin release and monosynaptic response amplitude, **501**, 179
Sambrook, M.A., see Robertson, R.G., **476**, 317
Sampson, S.R., see Brodie, C., **488**, 186
Sanberg, P.R., see Norman, A.B., **483**, 188
Sanberg, P.R., see Norman, A.B., **503**, 156
Sanchez, M., see Dietl, M.M., **483**, 39
Sánchez-Alvarez, M., see Condés-Lara, M., **499**, 141
Sánchez-Alvarez, M., see Condés-Lara, M., **499**, 145
Sandner, G., see Di Scala, G., **483**, 91
Sandri, C., see Bennett, M.V.L., **488**, 22
Sandrini, M., Vergoni, A.V. and Bertolini, A. [^{3}H]Imipramine binding in discrete brain areas is affected by castration in male rats, **496**, 29
Sands, S.B. and Barish, M.E. A quantitative description of excitatory amino acid neurotransmitter responses on cultured embryonic *Xenopus* spinal neurons, **502**, 375
Sands, S.B. and Barish, M.E. NMDA receptor activation by residual glutamate in glutamine preparations: a cauditionary note regarding weak NMDA receptor agonists, **495**, 193
Sanes, J.N., see Dimitrov, B., **496**, 211
Saneto, R.P., see Seil, F.J., **503**, 111
Sangalang, V., see Benstead, T.J., **489**, 177
Sanghera, M.K. Electrophysiological and pharmacological properties of putative A13 incertohypothalamic dopamine neurons in the rat, **483**, 361
Sanghera, M.K., see Crespi, F., **500**, 241
Sanna, E., Serra, M., Pepitoni, S. and Biggio, G. Dramatic increase in nigral *t*-[^{35}S]butylbicyclophosphorothionate binding sites elicited by the degeneration of the striato-nigral GABAergic pathway: reversal by diazepam, **501**, 144
Sano, K., see Kanemitsu, H., **499**, 367
Sapru, H., see Murugaian, J., **499**, 371
Sapru, H., see Murugaian, J., **501**, 355
Sapru, H., see Sundaram, K., **477**, 358
Sapru, H., see Sundaram, K., **482**, 12
Sapru, H., see Sundaram, K., **503**, 22
Sapru, H.N., see Urbanski, R.W., **491**, 383
Sara, V., see Adem, A., **503**, 299

Sardelis, M., see Bialik, R.J., **502**, 88
Saroff, D., see Delfs, J., **488**, 31
Sarter, M., see Kaulen, P., **503**, 229
Sarvey, J.M., see Burgard, E.C., **482**, 351
Sasaki, H., Sato, F. and Mannen, H.
Morphological analysis of single astrocytes of the adult cat central nervous system visualized by HRP microinjection, **501**, 339
Sasaki, K., Gemba, H. and Tsujimoto, T.
Suppression of visually initiated hand movement by stimulation of the prefrontal cortex in the monkey, **495**, 100
Sasaki, M., see Hongo, T., **505**, 163
Sassani, J.W., see Palm, D.E., **504**, 142
Sato, F., see Sasaki, H., **501**, 339
Sato, H., see Mizukawa, K., **478**, 187
Sato, J., see Kumazawa, T., **497**, 231
Sato, M., Yoshizaki, K. and Koyana, H.
Veratridine stimulation of sodium influx in carotid body cells from newborn rabbits in primary culture, **504**, 132
Sato, T., see Namba, H., **486**, 221
Satoda, T., see Tashiro, T., **481**, 392
Satoda, T., see Tashiro, T., **491**, 360
Satoda, T., see Tashiro, T., **494**, 162
Satoda, T., see Tashiro, T., **497**, 177
Satoh, M., see Kawamura, M., **497**, 199
Satomi, H., Takahashi, K., Kosaka, I. and Aoki, M.
Reappraisal of projection levels of the corticospinal fibers in the cat, with special reference to the fibers descending through the dorsal funiculus: a WGA-HRP study, **492**, 255
Satou, M., Takeuchi, H. and Ueda, K.
Tongue-muscle-controlling motoneurons in the Japanese toad: neural inputs from the thalamus, **481**, 39
Satou, M., Tsai, H.-J., Shiraishi, A. and Ueda, K.
After-effects of moving textured background in motion-sensitive neurons of anuran optic tectum, **504**, 320
Savage, D.D., Montano, C.Y. and Kasarskis, E.J.
Quantitative histofluorescence of hippocampal mossy fiber zinc, **496**, 257
Savage, D.D., see Jimenez-Rivera, C.A., **485**, 363
Savasta, M., see Palacios, J.M., **488**, 369
Sawada, M., Ichinose, M. and Maeno, T.
Intracellularly injected inositol 1,3,4,5,6-pentakisphosphate induces a slow inward current in identified neurons of *Aplysia kurodai*, **503**, 167
Sawada, M., Kondo, N., Suzumura, A. and Marunouchi, T.
Production of tumor necrosis factor-alpha by microglia and astrocytes in culture, **491**, 394
Sawada, T., see Baba, A., **486**, 372
Sawchenko, P.E., see Imaki, T., **496**, 35
Sawyer, W.B., see Strack, A.M., **491**, 156
Sawyer, W.B., see Strack, A.M., **491**, 274
Saxena, V.K., De Deyn, P.P., Schoups, A.A., Coen, E.P. and De Potter, W.P.
Relationship between external calcium concentration and noradrenaline- and neuropeptide Y-evoked release from perfused dog spleen, **486**, 310
Scabini, D., see Knight, R.T., **502**, 109
Scabini, D., see Knight, R.T., **504**, 338
Scammell, T.E., Schwartz, W.J. and Smith, C.B.
No evidence for a circadian rhythm of protein synthesis in the rat suprachiasmatic nuclei, **494**, 155
Scapagnini, U., see Clementi, G., **478**, 138
Schachner, M., see Poltorak, M., **488**, 265
Schacter, G.B., Yang, C.R., Innis, N.K. and Mogenson, G.J.
The role of the hippocampal-nucleus accumbens pathway in radial-arm maze performance, **494**, 339
Schaden, G.E., see Szabolcs, M.J., **492**, 129
Schäfer, B., see Hartung, H.-P., **489**, 113
Schäfer, B., see Hartung, H.-P., **489**, 120
Schäfer, K., Necker, R. and Braun, H.A.
Analysis of avian cold receptor function, **501**, 66
Schäfer, M.K-H., see Herman, J.P., **501**, 235
Schäfer, S.S., see Awiszus, F., **489**, 41
Schaible, E.R., see McAllister II, J.P., **476**, 345
Schallert, T., see Hernandez, T.D., **487**, 89
Schanne, F.A.X., Moskal, J.R. and Gupta, R.K.
Effect of lead on intracellular free calcium ion concentration in a presynaptic neuronal model: ^{19}F-NMR study of NG108-15 cells, **503**, 308
Scharfman, H.E. and Schwartzkroin, P.A.
Selective depression of GABA-mediated IPSPs by somatostatin in area CA1 of rabbit hippocampal slices, **493**, 205
Scharp, D.W., see Schmidt, R.E., **497**, 393
Scheithauer, B.W., see Michenfelder, J.D., **481**, 228
Scheller, R.H., see Sossin, W.S., **494**, 205
Schenk, M., see Ochs, G., **496**, 228
Scherini, E., see Giacometti, S., **488**, 365
Schettini, G., Florio, T., Meucci, O., Landolfi, E., Grimaldi, M., Ventra, C. and Marino, A.
Somatostatin inhibition of adenylate cyclase activity in different brain areas, **492**, 65
Schiffmann, S.N., see Lotstra, F., **478**, 211
Schild, C.P., see Stein, P.S.G., **479**, 379
Schindler, D., see Shizgal, P., **499**, 234
Schinelli, S., see Zuddas, A., **501**, 1
Schinelli, S., see Zuddas, A., **501**, 11
Schleicher, A., see Zilles, K., **488**, 14
Schlesinger, P.H., see Fukami, Y., **499**, 249
Schmahl, W., Funk, R., Miaskowski, U. and Plendl, J.
Long-lasting effects of naltrexone, an opioid receptor antagonist, on cell proliferation in developing rat forebrain, **486**, 297
Schmechel, D.E., see Walsh, T.J., **478**, 24
Schmelzer, J.D., see Shupeck, M., **493**, 225
Schmid, K. and Böhmer, G.
Involvement of fast synaptic inhibition in the generation of high-frequency oscillation in central respiratory system, **485**, 193
Schmid-Antomarchi, H., see De Weille, J.R., **485**, 199
Schmidley, J.W.
Studies of endothelial mitochondrial density in degenerating rat optic nerve, **481**, 154
Schmidt, E.D. and Roubos, E.W.
Quantitative immunoelectron microscopy and tannic acid study of dynamics of neurohaemal and non-synaptic peptide release by the caudodorsal cells of *Lymnaea stagnalis*, **489**, 325
Schmidt, R.E., Plurad, S.B., Olack, B.J. and Scharp, D.W.
The effect of pancreatic islet transplantation and insulin therapy on neuroaxonal dystrophy in sympathetic autonomic ganglia of chronic streptozocin-diabetic rats, **497**, 393
Schmued, L., Phermsangngam, P., Lee, H., Thio, S., Chen, E., Truong, P., Colton, E. and Fallon, J.
Collateralization and GAD immunoreactivity of descending pallidal efferents, **487**, 131
Schneider, A. and Necker, R.
Spinothalamic projections in the pigeon, **484**, 139
Schneider, A.S., see Fitzgerald, L.R., **481**, 373
Schneider, H.H., see Kaulen, P., **503**, 229
Schneiderman, N., see Teich, A.H., **480**, 210
Schneiderman, L.S., see Teich, A.H., **480**, 210
Schober, M., Fischer-Colbrie, R. and Winkler, H.

Ontogenesis of chromogranin A and B and catecholamines in rat adrenal medulla, **478**, 41
Schofield, G.G. and Ikeda, S.R. Potassium currents of acutely isolated adult rat superior cervical ganglion neurons, **485**, 205
Schoknecht, G., see Gertz, H.-J., **487**, 373
Schonberg, M., see Vogel, S.S., **478**, 281
Schotte, A., De Bruyckere, K., Janssen, P.F.M. and Leysen, J.E. Receptor occupancy by ritanserin and risperidione measured using ex vivo autoradiography, **500**, 295
Schottler, F., see Thibault, O., **476**, 170
Schoups, A.A., see Saxena, V.K., **486**, 310
Schramm, M., see Minc-Golomb, D., **490**, 205
Schröder, H., Zilles, K., Maelicke, A. and Hajós, F. Immunohisto- and cytochemical localization of cortical nicotinic cholinoceptors in rat and man, **502**, 287
Schroeder, C.E., Tenke, C.E., Arezzo, J.C. and Vaughan Jr., H.G. Timing and distribution of flash-evoked activity in the lateral geniculate nucleus of the alert monkey, **477**, 183
Schugens, M., see Buscher, W., **487**, 321
Schumacher, U., see Trudrung, P., **497**, 399
Schumacher, M., Coirini, H. and McEwen, B.S. Regulation of high-affinity $GABA_A$ receptors in the dorsal hippocampus by estradiol and progesterone, **487**, 178
Schut, L., see Kish, S.J., **489**, 373
Schwarcz, R., Okuno, E. and White, R.J. Basal ganglia lesions in the rat: effects on quinolinic acid metabolism, **490**, 103
Schwartz, M., see Assia, E., **476**, 205
Schwartz, D., Hernandez, L. and Hoebel, B.G. Fenfluramine administered systemically or locally increases extracellular serotonin in the lateral hypothalamus as measured by microdialysis, **482**, 261
Schwartz, D.H., McClane, S., Hernandez, L. and Hoebel, B.G. Feeding increases extracellular serotonin in the lateral hypothalamus of the rat as measured by microdialysis, **479**, 349
Schwartz, J.H., see Vogel, S.S., **478**, 281
Schwartz, L. and Atlas, D. Synergy between membrane depolarization and muscarinic receptor activation leads to potentiation of neurotransmitter release (II), **503**, 62
Schwartz, R.D., Seale, T.W., Skolnick, P. and Paul, S.M. Differential seizure sensitivities to picrotoxinin in two inbred strains of mice (DBA/2J and BALB/c ByJ): parallel changes in GABA receptor-mediated chloride flux and receptor binding, **481**, 169
Schwartz, T., see Rozental, J.M., **499**, 397
Schwartz, W.J., see Scammell, T.E., **494**, 155
Schwartz-Giblin, S., Korotzer, A. and Pfaff, D.W. Steroid hormone effects on picrotoxin-induced seizures in female and male rats, **476**, 240
Schwartzkroin, P.A., see Scharfman, H.E., **493**, 205
Schwegler, H., see Heimrich, B., **490**, 404
Schweitz, H., see Bidard, J.-N., **495**, 45
Schweitzer, J.B. Nerve growth factor receptor-mediated transport from CSF labels cholinergic neurons: direct demonstration by a double-labeling study, **490**, 390
Schweizer, M.P., see Stolk, J.A., **482**, 1
Schwerdtfeger, W.K., see Germroth, P., **494**, 187
Schwindt, P.C., see Nishimura, Y., **502**, 127
Scott, B.S., see Bunting, T.A., **501**, 105
Scott, J.R. and Fraser, H. Enucleation after intraocular scrapie injection delays the spread of infection, **504**, 301
Scott Young III, W., see Walker, L.C., **499**, 188
Scriba, G.K.E. and Borchardt, R.T. Metabolism of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) by bovine brain microvessel endothelial cells, **501**, 175
Scroggs, R.S. and Anderson, E.G. Serotonin modulates calcium-dependent plateau of action potentials recorded from bull frog A-type sensory neurons which is ω-conotoxin GVIA-sensitive, but dihydropyridine-insensitive, **485**, 391
Seale, T.W., see Schwartz, R.D., **481**, 169
Sears, T.A., see Johnson, I.P., **489**, 400
Sebille, A., see Bondoux-Jahan, M., **490**, 350
Secunda, S.I., see Gusovsky, F., **492**, 72
See, W.R., see Christakos, C.N., **482**, 376
Segal, M., see Richter-Levin, G., **477**, 404
Segal, M., see Richter-Levin, G., **478**, 184
Segal, D.S., see Callaway, C.W., **505**, 83
Segal, M., Azmitia, E.C. and Whitaker-Azmitia, P.M. Physiological effects of selective $5\text{-}HT_{1a}$ and $5\text{-}HT_{1b}$ ligands in rat hippocampus: comparison to 5-HT, **502**, 67
Segal, M., Greenberger, V. and Pearl, E. Septal transplants ameliorate spatial deficits and restore cholinergic functions in rats with a damaged septo-hippocampal connection, **500**, 139
Segarra, A.C. and Strand, F.L. Perinatal administration of nicotine alters subsequent sexual behavior and testosterone levels of male rats, **480**, 151
Segovia, J., Meloni, R. and Gale, K. Effect of dopaminergic denervation and transplant-derived reinnervation on a marker of striatal GABAergic function, **493**, 185
Segu, L., see François-Bellan, A.-M., **503**, 144
Segura, T., Hasser, E.M., Shade, R.E. and Haywood, J.R. Evidence of an endogenous forebrain GABAergic system capable of inhibiting baroreceptor-mediated vasopressin release, **499**, 53
Sei, C.A., Richard, R. and Dores, R.M. Steady-state levels of pro-dynorphin-related end-products from the brain of the amphibian, *Xenopus laevis*, **479**, 162
Seibert, C., see Farrar, R.P., **500**, 374
Seiden, L.S., see Kleven, M.S., **488**, 121
Seiden, L.S., see Kleven, M.S., **505**, 351
Seiden, L.S., see Woolverton, W.L., **486**, 73
Seidman, S.H. and Leigh, R.J. The human torsional vestibulo-ocular reflex during rotation about an earth-vertical axis, **504**, 264
Seidman, S.H., see Maas, E.F., **499**, 153
Seifert, W., see Terlau, H., **484**, 352
Seiger, Å., see Eriksdotter-Nilsson, M., **478**, 269
Seil, F.J., Johnson, M.L., Saneto, R.P., Herndon, R.M. and Mass, M.K. Myelination of axons within cytosine arabinoside treated mouse cerebellar explants by cultured rat oligodendrocytes, **503**, 111
Seil, F.J., see Bourdette, D.N., **478**, 175
Seitelberger, F., see Bancher, C., **477**, 90
Sejnowski, T.J., see Chattarji, S., **495**, 145
Sekerkiran, Y., see Öcal-İrez, T., **493**, 1
Sekiguchi, M., Okamoto, K. and Sakai, Y. Low-concentration *N*-acetylaspartylglutamate

suppresses the climbing fiber response of Purkinje cells in Guinea pig cerebellar slices and the responses to excitatory amino acids of *Xenopus laevis* oocytes injected with cerebellar mRNA, **482**, 87
Sekiguchi, M., Okamoto, K. and Sakai, Y.
Release of endogenous *N*-acetylaspartylglutamate (NAAG) and uptake of [^{3}H]NAAG in Guinea pig cerebellar slices, **482**, 78
Sekiya, K., see Ball, J.A., **479**, 300
Selley, D.E. and Bidlack, J.M.
Guanine nucleotide regulation of [^{125}I]β-endorphin binding to NG108-15 and SK-N-SH cell membranes: specific cation requirements, **493**, 23
Semba, K., see Jourdain, A., **505**, 55
Semba, K., see Yoshida, M., **496**, 373
Semba, R., see Aoki, E., **502**, 245
Senba, E., see Ishida-Yamamoto, A., **491**, 93
Senba, E., see Miguel-Hidalgo, J.-J., **476**, 189
Senba, E., see Tamatani, M., **495**, 122
Senba, E., see Tanaka, M., **504**, 31
Senba, E., see Yamamoto, K., **487**, 158
Sercombe, R., see Lacombe, P., **491**, 1
Seroogy, K., Hökfelt, T., Buchan, A., Brown, J.C., Terenius, L., Norman, A.W. and Goldstein, M.
Somatostatin-like immunoreactivity in rat main olfactory bulb: extent of coexistence with neuropeptide Y-, tyrosine hydroxylase- and vitamin D-dependent calcium binding protein-like immunoreactivities, **496**, 389
Serra, M., see Sanna, E., **501**, 144
Sershen, H., see Bauman, W.A., **500**, 156
Sershen, H., see Kramer, H.K., **503**, 296
Sessle, B.J., see Chiang, C.Y., **485**, 371
Sessle, B.J., see Chiang, C.Y., **497**, 325
Sessle, B.J., see Henry, J.L., **491**, 150
Sessler, F.M., Mouradian, R.D., Cheng, J.-T., Yeh, H.H., Liu, W. and Waterhouse, B.D.
Noradrenergic potentiation of cerebellar Purkinje cell responses to GABA: evidence for mediation through the β-adrenoceptor-coupled cyclic AMP system, **499**, 27
Seubert, P., Lee, K. and Lynch, G.
Ischemia triggers NMDA receptor-linked cytoskeletal proteolysis in hippocampus, **492**, 366
Severs, W.B., see Palm, D.E., **504**, 142
Seyfried, T.N., see Wieraszko, A., **485**, 244
Seyfried, T.N., see Wieraszko, A., **491**, 356
Seylaz, J., see Lacombe, P., **491**, 1
Seylaz, J., see Pinard, E., **481**, 124
Shade, R.E., see Segura, T., **499**, 53
Shankar, S.K., see Ravindranath, V., **496**, 331
Shannon, R., see Lindsey, B.G., **483**, 373
Sharav, Y., see Tal, M., **497**, 138
Sharav, Y. and Tal, M.
Masseter inhibitory periods and sensations evoked by electrical tooth-pulp stimulation in subjects under hypnotic anesthesia, **479**, 247
Sharif, N.A., Towle, A.C., Burt, D.R., Mueller, R.A. and Breese, G.R.
Cotransmitters: differential effects of serotonin (5-HT)-depleting drugs on levels of 5-HT and TRH and their receptors in rat brain and spinal cord, **480**, 365
Shashoua, V.E. and Hesse, G.W.
Classical conditioning leads to changes in extracellular concentrations of ependymin in goldfish brain, **484**, 333
Shaulsky, G., see Kalinoski, D.L., **488**, 163
Shaver, S.W., Kadekaro, M. and Gross, P.M.
High metabolic activity in the dorsal vagal complex of Brattleboro rats, **505**, 316
Shavit, Y., see Yirmiya, R., **479**, 16
Shaw, C.-F., Cohen, M.I. and Barnhardt, R.
Inspiratory-modulated neurons of the rostrolateral pons: effects of pulmonary afferent input, **485**, 179
Shea, T.B., Clarke, J.F., Wheelock, T.R., Paskevich, P.A. and Nixon, R.A.
Aluminum salts induce the accumulation of neurofilaments in perikarya of NB2a/dl neuroblastoma, **492**, 53
Shearman, G.T., see Michenfelder, J.D., **481**, 228
Shehab, S.S.A., Stafford, C.A., Nona, S.N. and Cronly-Dillon, J.R.
Anti-goldfish glial fibrillary acidic protein (GFAP) recognises astrocytes from rat CNS, **504**, 343
Shen, K.-F. and Crain, S.M.
Dual opioid modulation of the action potential duration of mouse dorsal root ganglion neurons in culture, **491**, 227
Shepherd, A., see Siviy, S.M., **487**, 79
Sherwin, A.L., see Dubeau, F., **481**, 200
Shewey, L.M., Brot, M.D., Szot, P. and Dorsa, D.M.
Enhanced phosphoinositol hydrolysis in response to vasopressin in the septum of the homozygous Brattleboro rat, **478**, 95
Shey, F.-S., see Colley, P.A., **495**, 205
Shibasaki, T., see Sakanaka, M., **487**, 357
Shibuki, K.
Calcium-dependent and ouabain-resistant oxygen consumption in the rat neurohypophysis, **487**, 96
Shigematsu, K., Akiguchi, I., Oka, N., Kamo, H., Matsubayashi, K., Kameyama, M., Kawamura, J. and Maeda, T.
Monoamine oxidase-containing nerve fibers in the major cerebral arteries of rats, **497**, 21
Shigematsu, K., Kamo, H., Akiguchi, I., Kimura, J., Kameyama, M. and Kimura, H.
Neovascularization in kainic acid-induced lesions of rat striatum. An immunohistochemical study with laminin, **501**, 215
Shigemoto, R., see Ino, T., **479**, 157
Shigenaga, Y., see Nazruddin, **490**, 219
Shigenaga, Y., see Tsuru, K., **485**, 29
Shigenaga, Y., Doe, K., Suemune, S., Mitsuhiro, Y., Tsuru, K., Otani, K., Shirana, Y., Hosoi, M., Yoshida, A., and Kagawa, K.
Physiological and morphological characteristics of periodontal mesencephalic trigeminal neurons in the cat — intra-axonal staining with HRP, **505**, 91
Shigenaga, Y., Nishimura, M., Suemune, S., Nishimori, T., Doe, K. and Tsuru, H.
Somatotopic organization of tooth pulp primary afferent neurons in the cat, **477**, 66
Shima, K., see Kodama, T., **487**, 26
Shima, K., see Kodama, T., **487**, 35
Shimada, M., see Ozaki, H.S., **493**, 66
Shimada, S., see Kayama, Y., **489**, 1
Shimada, S., see Murakami, S., **485**, 403
Shimamoto, K., see Shinozaki, H., **480**, 355
Shimazaki, K., see Saito, M., **481**, 16
Shimazu, T., see Saito, M., **481**, 298
Shimohama, S., see Ninomiya, H., **482**, 109
Shimoji, K., see Fukuda, S., **496**, 397
Shimoyama, M. and Kito, S.
Effect of cerulein on in vivo release of acetylcholine from the rat striatum, **492**, 381
Shingai, R., see Hidaka, S., **498**, 53
Shinnick-Gallagher, P., see Gean, P.-W., **480**, 160
Shinnick-Gallagher, P., see Gean, P.-W., **494**, 177
Shinozaki, H., Ishida, M., Gotoh, Y. and Kwak, S.
Specific lesions of rat spinal interneurons induced by systemic administration of acromelic acid, a new potent kainate analogue, **503**, 330
Shinozaki, H., Ishida, M., Shimamoto, K. and Ohfune, Y.
A conformationally restricted analogue of L-glutamate, the (2*S*,3*R*,4*S*) isomer of L-α-(carboxycyclopropyl)glycine, activates the NMDA-type receptor more markedly than NMDA in the isolated rat spinal cord, **480**, 355
Shinozaki, T., see Kohsaka, S., **484**, 340
Shiomi, H., see Nakamura, A., **480**, 82
Shiomi, H., see Nakamura, A., **481**, 165

Shiomura, Y. and Hirokawa, N.
A novel heat-stable 205 kDa microtubule-associated protein is involved in the neural development of the rat brain, **502**, 356
Shiomura, Y., see Okabe, S., **483**, 335
Shioya, M. and Tanaka, J.
Inputs from the nucleus of the solitary tract to subfornical organ neurons projecting to the paraventricular nucleus in the rat, **483**, 192
Shipley, M.T., Ennis, M. and Behbehani, M.M.
Acetylcholinesterase and Nissl staining in the same histological section, **504**, 347
Shiraishi, A., see Satou, M., **504**, 320
Shirana, Y., see Nazruddin, **490**, 219
Shirana, Y., see Shigenaga, Y., **505**, 91
Shiromani, P.J., see Velazquez-Moctezuma, J., **503**, 128
Shirouzu, M., see Yoshida, M., **496**, 373
Shiwaku, T., see Dong, W.K., **484**, 314
Shizgal, P., Schindler, D. and Rompré, P.-P.
Forebrain neurons driven by rewarding stimulation of the medial forebrain bundle in the rat: comparison of psychophysical and electrophysiological estimates of refractory periods, **499**, 234
Shizgal, P., see Amir, S., **498**, 140
Shnayder, L., see Starkstein, S.E., **478**, 16
Shoham, S., Blatteis, C.M. and Krueger, J.M.
Effects of preoptic area lesions on muramyl dipeptide-induced sleep and fever, **476**, 396
Shouse, M.N., Siegel, J.M., Wu, M.F., Szymusiak, R. and Morrison, A.R.
Mechanisms of seizure suppression during rapid-eye-movement (REM) sleep in cats, **505**, 271
Shrager, P.
Sodium channels in single demyelinated mammalian axons, **483**, 149
Shuntoh, H., Taniyama, K. and Tanaka, C.
Involvement of protein kinase C in the Ca^{2+}-dependent vesicular release of GABA from central and enteric neurons of the guinea pig, **483**, 384
Shupeck, M., Ward, K.K., Schmelzer, J.D. and Low, P.A.
Comparison of nerve regeneration in vascularized and conventional grafts: nerve electrophysiology, norepinephrine, prostacyclin, malondialdehyde, and the blood–nerve barrier, **493**, 225
Shupliakov, O.V., see Vesselkin, N.P., **493**, 51
Sibbald, J.R., Wilson, B.K.J. and Day, T.A.
Neuropeptide Y potentiates excitation of supraoptic neurosecretory cells by noradrenaline, **499**, 164
Sibley, D.R., see Monsma Jr., F.J., **492**, 314
Sica, A.L., see Donnelly, D.F., **491**, 243
Sica, A.L., see Donnelly, D.F., **505**, 149
Sicard, G., Royet, J.-P. and Jourdan, F.
A comparative study of 2-deoxyglucose patterns of glomerular activation in the olfactory bulbs of C57 BL/6J and AKR/J mice, **481**, 325
Sieber-Blum, M., see Rachel, R.A., **497**, 43
Siegel, J.M., see Shouse, M.N., **505**, 271
Siegel, J.M., see Suzuki, S.S., **484**, 78
Siegel, J.M., see Wu, M.-F., **499**, 7
Sierrra, V., see Yoburn, B.C., **485**, 176
Sikdar, S.K., McIntosh, R.P. and Mason, W.T.
Differential modulation of Ca^{2+}-activated K^+ channels in ovine pituitary gonadotrophs by GnRH, Ca^{2+} and cyclic AMP, **496**, 113
Sikdar, S.K., see Ishizuka, S., **498**, 181
Sikdar, S.K., see Sirinathsinghji, D.J.S., **489**, 369
Silberberg, D.H., see Suzumura, A., **480**, 51
Silva, E. and Hernandez, L.
Goldthioglucose causes brain norepinephrine and serotonin depletion correlated with increased body weight, **490**, 192
Silva-Barrat, C., Champagnat, J., Brailowsky, S., Menini, C. and Naquet, R.
Relationship between tolerance to $GABA_A$ agonist and bursting properties in neocortical neurons during GABA-withdrawal syndrome, **498**, 289
Silver, M.D., see Cechetto, D.F., **502**, 296
Silverman, A.-J., see Silverman, R.C., **501**, 260
Silverman, R.C., Silverman, A.-J. and Gibson, M.J.
Identification of gonadotropin releasing hormone (GnRH) neurons projecting to the median eminence from third ventricular preoptic area grafts in hypogonadal mice, **501**, 260
Silverstein, F.S., see McDonald, J.W., **490**, 33
Simantov, R. and Levy, R.
Selective regulation of different muscarinic receptors in septum and hippocampus neuronal cultures, **505**, 160
Simone, D.A., Baumann, T.K., Collins, J.G. and La Motte, R.H.
Sensitization of cat dorsal horn neurons to innocuous mechanical stimulation after intradermal injection of capsaicin, **486**, 185
Simoni, A., see Pellegrini, M., **483**, 294
Simonnet, G., see Allard, M., **500**, 169
Simpkins, J.W., see Katovich, M.J., **494**, 85
Simpson, J.N., see Lason, W., **482**, 333
Simpson, M.D.C., Slater, P., Cross, A.J., Mann, D.M.A., Royston, M.C., Deakin, J.F.W. and Reynolds, G.P.
Reduced D-[^{3}H]aspartate binding in Down's syndrome brains, **484**, 273
Simson, P.E. and Weiss, J.M.
Peripheral, but not local or intracerebroventricular, administration of benzodiazepines attenuates evoked activity of locus coeruleus neurons, **490**, 236
Sincini, E., see Stelzer, A., **490**, 41
Sinclair, A.D., see McLachlan, E.M., **481**, 274
Singer, W., see Müller, C.M., **487**, 335
Singh, J., see Knight, R.T., **498**, 190
Sircar, R., Frusciante, M.J., Javitt, D.C. and Zukin, S.R.
Glycine reverses 7-chlorokynurenic acid-induced inhibition of [^{3}H]MK-801 binding, **504**, 325
Sirinathsinghji, D.J.S. and Dunnett, S.B.
Disappearance of the μ-opiate receptor patches in the rat neostriatum following lesioning of the ipsilateral nigrostriatal dopamine pathway with 1-methyl-4-phenylpyridinium ion (MPP^+): restoration by embryonic nigral dopamine grafts, **504**, 115
Sirinathsinghji, D.J.S., Heavens, R.P. and Sikdar, S.K.
Stimulation of dopamine release in the rat neostriatum in vivo by activation of the voltage-sensitive sodium channel by scorpion venom neurotoxin, **489**, 369
Sirinathsinghji, D.J.S., Nikolarakis, K.E. and Herz, A.
Corticotropin-releasing factor stimulates the release of methionine-enkephalin and dynorphin from the neostriatum and globus pallidus of the rat: in vitro and in vivo studies, **490**, 276
Sirinathsinghji, D.J.S., see Dunnett, S.B., **501**, 401
Sisken, B.F., Kanje, M., Lundborg, G., Herbst, E. and Kurtz, W.
Stimulation of rat sciatic nerve regeneration with pulsed electromegnetic fields, **485**, 309
Sivam, S.P.
D_1 Dopamine receptor-mediated substance P depletion in the striatonigral neurons of rats subjected to neonatal dopaminergic denervation: implications for self-injurious behavior, **500**, 119
Siviy, S.M., Kritikos, A., Atrens, D.M. and Shepherd, A.
Effects of norepinephrine infused in the paraventricular hypothalamus on energy expenditure in the rat, **487**, 79
Sjöberg, J. and Kanje, M.

Insulin-like growth factor (IGF-1) as a stimulator of regeneration in the freeze-injured rat sciatic nerve, **485**, 102
Sjöberg, J., see Kanje, M., **486**, 396
Sjölander, P., see Sojka, P., **483**, 177
Skirboll, S.L., Verhofstad, A. and Olson, L.
Survival of adult 5-HT neurons following intraocular transplantation, **484**, 257
Skolnick, P., see Schwartz, R.D., **481**, 169
Skottner, A., see Ekström, P.A.R., **496**, 141
Skottner, A., see Kanje, M., **486**, 396
Sladek, C.D., see Herman, J.P., **501**, 235
Sladek Jr., J.R., see Marciano, F.F., **483**, 135
Sladek Jr., J.R., see Yurek, D.M., **497**, 250
Slater, P., see Simpson, M.D.C., **484**, 273
Slonim, D., see Mena, M.A., **486**, 286
Slotnick, B.M., Panhuber, H., Bell, G.A. and Laing, D.G.
Odor-induced metabolic activity in the olfactory bulb of rats trained to detect propionic acid vapor, **500**, 161
Smiley, J.F. and Basinger, S.F.
Glycine high-affinity uptake labels a subpopulation of somatostatin-like immunoreactive cells in the *Rana pipiens* retina, **495**, 31
Smith, C.B., see Moises, H.C., **485**, 67
Smith, C.B., see Scammell, T.E., **494**, 155
Smith, C.J., Court, J.A., Keith, A.B. and Perry, E.K.
Increases in muscarinic stimulated hydrolysis of inositol phospholipids in rat hippocampus following cholinergic deafferentiation are not parallelled by alterations in cholinergic receptor density, **485**, 317
Smith, D.O., see Williams, K.D., **493**, 14
Smith, J.A.M., see Allerton, C.A., **502**, 149
Smith, K.E., see Cechetto, D.F., **502**, 296
Smith, K.L., see Pierson, M.G., **486**, 381
Smith, Q.R., see Murphy, V.A., **484**, 65
Smith, S.M. and Hughes, D.
1-(2-Pyrimidinyl)piperazine antagonizes GABA-activated currents in cultured spinal neurones of the rat, **493**, 366
Smith, S.S.
Estrogen administration increases neuronal responses to excitatory amino acids as a long-term effect, **503**, 354
Smith, S.S., Woodward, D.J. and Chapin, J.K.
Sex steroids modulate motor-correlated increases in cerebellar discharge, **476**, 307
Smith, W.K., see Manaye, K.F., **491**, 307
Smith, Y. and Bolam, J.P.
Neurons of the substantia nigra reticulata receive a dense GABA-containing input from the globus pallidus in the rat, **493**, 160
Smith, Y., Lavoie, B., Dumas, J. and Parent, A.
Evidence for a distinct nigropallidal dopaminergic projection in the squirrel monkey, **482**, 381
Smock, T., see Cach, R., **483**, 221
Smolens, I., see Xu, H., **504**, 36
Smythe, G.A., see Holmes, L.J., **496**, 204
Smythe, G.A., see Pascoe, W.S., **505**, 23
Smythe, J.W., see Bialik, R.J., **502**, 88
Snead III, O.C., see Depaulis, A., **498**, 64
Snyder, S., see Anderson, J., **478**, 391
So, K.-F., see Cho, E.Y.P., **484**, 371
Sofroniew, M.V., Isacson, O. and O'Brien, T.S.
Nerve growth factor receptor immunoreactivity in the rat suprachiasmatic nucleus, **476**, 358
Sofuoğlu, M., see Dalkara, T., **498**, 123
Soghomonian, J.-J., Descarries, L. and Watkins, K.C.
Serotonin innervation in adult rat neostriatum. II. Ultrastructural features: a radioautographic and immunocytochemical study, **481**, 67
Sohn, J.-H., see Morgan, M.M., **486**, 175
Sohn, J.-H., see Morgan, M.M., **502**, 61
Sohrabji, F., Nordeen, K.W. and Nordeen, E.J.
Projections of androgen-accumulating neurons in a nucleus controlling avian song, **488**, 253
Sojka, P., Johansson, H., Sjölander, P., Lorentzon, R. and Djupsjöbacka, M.
Fusimotor neurones can be reflexly influenced by activity in receptor afferents from the posterior cruciate ligament, **483**, 177
Sokolovsky, M., see Cohen-Armon, M., **496**, 107
Sokrab, T.-E.O., Kalimo, H. and Johansson, B.B.
Endogenous serum albumin content in brain after short-lasting epileptic seizures, **489**, 231
Solomon, A., see Assia, E., **476**, 205
Solomon, R.A., see Onesti, S.T., **477**, 378
Soltesz, I., Lightowler, S., Leresche, N. and Crunelli, V.
Optic tract stimulation evokes $GABA_A$ but not $GABA_B$ IPSPs in the rat ventral lateral geniculate nucleus, **479**, 49
Somjen, G.G., see Balestrino, M., **497**, 102
Somjen, G.G., see Czéh, G., **486**, 274
Somjen, G.G., see Czéh, G., **495**, 89
Somogyi, P., Minson, J.B., Morilak, D., Llewellyn-Smith, I., McIlhinney, J.R.A. and Chalmers, J.
Evidence for an excitatory amino acid pathway in the brainstem and for its involvement in cardioascular control, **496**, 401
Soncrant, T.T., Holloway, H.W., Greig, N.H. and Rapoport, S.I.
Regional brain metabolic responsivity to the muscarinic cholinergic agonist arecoline is similar in young and aged Fischer-344 rats, **487**, 255
Song, S.-Y., Saito, K., Noguchi, K. and Konishi, S.
Different GTP-binding proteins mediate regulation of calcium channels by acetylcholine and noradrenaline in rat sympathetic neurons, **494**, 383
Song, S.-Y., see Konishi, S., **490**, 162
Sonsalla, P.K., see Manaye, K.F., **491**, 307
Sontag, K.-H., see Wüllner, U., **496**, 341
Sørensen, J.C., see Neafsey, E.J., **493**, 33
Sørensen, K.E., see Christesen, H.B.T., **505**, 75
Soriano, E. and Frotscher, M.
A GABAergic axo-axonic cell in the fascia dentata controls the main excitatory hippocampal pathway, **503**, 170
Soriano, E., see Zipp, F., **495**, 161
Sossin, W.S. and Scheller, R.H.
A bag cell neuron-specific antigen localizes to a subset of dense core vesicles in *Aplysia californica*, **494**, 205
Sotelo, C., see Angaut, P., **479**, 361
Soumireu-Mourat, B., see Alescio-Lautier, B., **500**, 287
Spano, P.F., see Missale, C., **483**, 117
Spates, M.J., see Chrobak, J.J., **504**, 269
Spatz, W.B.
Loss of ocular dominance columns with maturity in the monkey, *Callithrix jacchus*, **488**, 376
Speck, D.F. and Beck, E.R.
Respiratory rhythmicity after extensive lesions of the dorsal and ventral respiratory groups in the decerebrate cat, **482**, 387
Spencer, D.D., see De Lanerolle, N.C., **495**, 387
Spencer, D.D., see Masukawa, L.M., **493**, 168
Spencer, P.S., see Sabri, M.I., **483**, 1
Sperber, E.F., Wurpel, J.N.D., Zhao, D.Y. and Moshé, S.L.
Evidence for the involvement of nigral $GABA_A$ receptors in seizures of adult rats, **480**, 378
Sperelakis, N., see Lomneth, R., **486**, 95
Spielman, A.I., Mody, I., Brand, J.G., Whitney, G., MacDonald, J.F. and

Salter, M.W.
A method for isolating and patch-clamping single mammalian taste receptor cells, **503**, 326
Spray, D.C., see Cappell, M.S., **502**, 258
Spray, D.C., see Cappell, M.S., **502**, 266
Squatrito, S., see Maioli, M.G., **498**, 389
Srebro, B., see Bramham, C.R., **493**, 74
S.-Rózsa, K., see Vehovszky, A., **484**, 404
Stachowiak, M.K., see Zhang, W., **484**, 389
Stackman, R.W., see Chrobak, J.J., **504**, 269
Stafford, C.A., see Shehab, S.S.A., **504**, 343
Stalla, G.K., see Nikolarakis, K.E., **498**, 385
Stanfield, B.B.
Excessive intra- and supragranular mossy fibers in the dentate gyrus of tottering (*tg/tg*) mice, **480**, 294
Stanley, B.G., Lanthier, D., Chin, A.S. and Leibowitz, S.F.
Suppression of neuropeptide Y-elicited eating by adrenalectomy or hypophysectomy: reversal with corticosterone, **501**, 32
Stanley, E.F.
Calcium currents in a vertebrate presynaptic nerve terminal: the chick ciliary ganglion calyx, **505**, 341
Stanton, P.K., Mody, I. and Heinemann, U.
Down-regulation of norepinephrine sensitivity after induction of long-term neuronal plasticity (kindling) in the rat dentate gyrus, **476**, 367
Stanton, P.K., see Chattarji, S., **495**, 145
Starkstein, S.E., Ginsberg, S., Shnayder, L., Bowersox, J., Mersey, J.H., Robinson, R.G. and Moran, T.H.
Developmental and hormonal factors in the sexually dimorphic, asymmetrical response to focal cortical lesions, **478**, 16
Starz, K.E., see Hawkins, M., **505**, 141
Steel, J.A., see Tortella, F.C., **482**, 179
Steele, J.E., Palmer, A.M., Stratmann, G.C. and Bowen, D.M.
The *N*-methyl-D-aspartate receptor complex in Alzheimer's disease: reduced regulation by glycine but not zinc, **500**, 369
Steele Russell, I., see Christie, D., **497**, 378
Steers, W.D., see Noto, H., **492**, 99
Stehle, J., Reuss, S. and Vollrath, L.
Day–night differences in the sensitivity of adrenoceptors in the Syrian hamster pineal gland: an in vivo iontophoretic study, **488**, 275
Steimer, T. and Hutchison, J.B.
Is the androgen-dependent increase in preoptic estradiol-17β formation due to aromatase induction?, **480**, 335
Stein, L., see Trujillo, K.A., **492**, 15
Stein, P.S.G. and Schild, C.P.
N-Methyl-D-aspartate antagonist applied to the spinal cord hindlimb enlargement reduces the amplitude of flexion reflex in the turtle, **479**, 379
Stein, R.B., see Greer, J.J., **477**, 369
Steinberg, G.K., Saleh, J., DeLaPaz, R., Kunis, D. and Zarnegar, S.R.
Pretreatment with the NMDA antagonist dextrorphan reduces cerebral injury following transient focal ischemia in rabbits, **497**, 382
Steinberg, G.K., see Lo, E.H., **504**, 168
Steinbusch, H.W.M., see De Vente, J., **504**, 332
Steindler, D.A., see Cooper, N.G.F., **489**, 167
Steketee, J., see Swann, A.C., **476**, 351
Stellar, J.R. and Corbett, D.
Regional neuroleptic microinjections indicate a role for nucleus accumbens in lateral hypothalamic self-stimulation reward, **477**, 126
Stelz, T., see Auvray, N., **505**, 291
Stelzer, A., Feasey, K.J., Moneta, M.E., Sincini, E., Ten Bruggencate, G. and Noble, E.P.
Inositol 1-phosphate formation in long-term potentiation and kindling, **490**, 41
Stensaas, L.J., see Wang, Z.-Z., **498**, 131
Stephens, D.N. and Weidmann, R.
Blockade of FG 7142 kindling by anticonvulsants acting at sites distant from the benzodiazepine receptor, **492**, 89
Stevens, C.W. and Pezalla, P.D.
Endogenous opioid system down-regulation during hibernation in amphibians, **494**, 227
Steward, O., see Goldschmidt, R.B., **486**, 133
Steward, O., see Chang, H.S., **505**, 220
Stewart, J., see Mitchell, J.B., **491**, 116
Stewart, J., see Vezina, P., **499**, 108
Stewart, D.J., see Vanderwolf, C.H., **504**, 181
Stewart, J. and Vezina, P.
Microinjections of Sch-23390 into the ventral tegmental area and substantia nigra pars reticulata attenuate the development of sensitization to the locomotor activating effects of systemic amphetamine, **495**, 401
Stewart, J.M., see Hall, M.E., **497**, 280
Stewart, M. and Fox, S.E.
Detection of an atropine-resistant component of the hippocampal theta rhythm in urethane-anesthetized rats, **500**, 55
Stewart, M.G., see Csillag, A., **479**, 391
Stieber, A., Erulkar, S.D. and Gonatas, N.K.
A hypothesis for the superior sensitivity of wheat germ agglutinin as a neuroanatomical probe, **495**, 131
Stinus, L., see Cador, M., **486**, 357
Stinus, L., see Rivet, J.-M., **498**, 149
Stirpe, F., see Wiley, R.G., **505**, 44
Stock, S.M., see Yates, A.J., **479**, 277
Stoessl, A.J., Martin-Iverson, M.T., Barth, T.M., Dourish, C.T. and Iversen, S.D.
Effects of ageing on the behavioural responses to dopamine agonists: decreased yawning and locomotion, but increased stereotypy, **495**, 20
Stolk, J.A., Olsen, J.I., Reeves, P.M., Chen, M., Perry, C., Alderman, D.W., Lee, Y.C. and Schweizer, M.P.
In vivo [^{31}P]NMR studies on the influence of age on rat brain hypoxia, **482**, 1
Storlien, L.H., see Holmes, L.J., **496**, 204
Storlien, L.H., see Pascoe, W.S., **505**, 23
Strack, A.M., Sawyer, W.B., Hughes, J.H., Platt, K.B. and Loewy, A.D.
A general pattern of CNS innervation of the sympathetic outflow demonstrated by transneuronal pseudorabies viral infections, **491**, 156
Strack, A.M., Sawyer, W.B., Platt, K.B. and Loewy, A.D.
CNS cell groups regulating the sympathetic outflow to adrenal gland as revealed by transneuronal cell body labeling with pseudorabies virus, **491**, 274
Strada, S.J., see Duman, R.S., **477**, 166
Strader, C.D., see Aoki, C., **493**, 331
Strahlendorf, H.K., see Lai, Y.-Y., **484**, 268
Strand, F.L., see Segarra, A.C., **480**, 151
Stratmann, G.C., see Steele, J.E., **500**, 369
Stratton, K.R., Cole, A.J., Pritchett, J., Eccles, C.U., Worley, P.F. and Baraban, J.M.
Intrahippocampal injection of pertussis toxin blocks adenosine suppression of synaptic responses, **494**, 359
Strauss, R.C., see Onesti, S.T., **477**, 378
Straznicky, C., see Hiscock, J., **494**, 55
Straznicky, C., see Tóth, P., **499**, 378
Strecker, G.J., see Woody, C.D., **480**, 72
Strecker, R.E., see Daszuta, A., **498**, 323
Strecker, R.E., see Kalén, P., **492**, 187
Streit, W.J., see Rieske, E., **492**, 1
Stremel, R.W., see Richard, C.A., **482**, 49
Stricker, E.M., see Salamone, J.D., **487**, 215
Stritzel, M.E., see Pritz, M.B.,

503, 175
Struppler, A., see Jahnke, M.T., **493**, 103
Struppler, A., see Jahnke, M.T., **501**, 324
Struppler, A., see Ochs, G., **496**, 228
Stuart, M., see Yoshimoto, Y., **504**, 149
Stuckey, J., Marra, S., Minor, T. and Insel, T.R.
Changes in mu opiate receptors following inescapable shock, **476**, 167
Stuckey, J.A., see Johannessen, J.N., **499**, 357
Su, H.-S., see Chen, S., **483**, 379
Su, W., see Pacelli, G.J., **486**, 26
Su, W.-G., see Carlen, P.L., **497**, 171
Suda, Y., see Pan-Hou, H., **476**, 354
Suemune, S., see Nazruddin, **490**, 219
Suemune, S., see Shigenaga, Y., **477**, 66
Suemune, S., see Shigenaga, Y., **505**, 91
Suemune, S., see Tsuru, K., **485**, 29
Sugao, T., see Nakamura, A., **480**, 82
Sugawara, M., Kashiwayanagi, M. and Kurihara, K.
Mechanism of the water response in frog gustation: possible significance of surface potential, **486**, 269
Sugaya, A., see Sugaya, E., **497**, 239
Sugaya, E., Sugaya, A., Takagi, T., Tsuda, T., Kajiwara, K., Yasuda, K. and Komatsubara, J.
Pentylenetetrazole-induced changes of the single potassium channel in primary cultured cerebral cortical neurons, **497**, 239
Sugaya, K., see Kubota, K., **485**, 62
Sugimoto, T., Takemura, M., Ichikawa, H. and Akai, M.
Carbonic anhydrase activity in the trigeminal primary afferent neuronal cell bodies with peripheral axons innervating the mandibular molar tooth pulps of the rat, **505**, 354
Sugita, M., see Tsuchiyama, M., **494**, 168
Suh, P.G., see Choi, W.C., **499**, 193
Sullivan, A.C., see Levin, B.E., **488**, 221
Sullivan, A.F., McQuay, H.J., Bailey, D. and Dickenson, A.H.
The spinal antinociceptive actions of morphine metabolites morphine-6-glucuronide and normorphine in the rat, **482**, 219
Sullivan, H., see Greenwood, R.S., **495**, 58
Sumi, M., see Pan-Hou, H., **476**, 354
Sumitomo, I., Takahashi, Y., Kayama, Y. and Ogawa, T.
Burst discharges of thalamic reticular neurons: an intracellular analysis in anesthetized rats, **482**, 34
Summer, B.E.H., Kawata, M. and Russell, J.A.
Does acute, intense stimulation of oxytocin neurones in the supraoptic nucleus increase their content of oxytocin mRNA?, **489**, 283
Sumners, C., see Ganesan, R., **499**, 121
Sumová, A. and Jakoubek, B.
Analgesia and impact induced by anticipation stress: involvement of the endogenous opioid peptide system, **503**, 273
Sun, D., see Sun, X., **495**, 1
Sun, M.-K. and Guyenet, P.G.
Effects of vasopressin and other neuropeptides on rostral medullary sympathoexcitatory neurons 'in vitro', **492**, 261
Sun, X. and Jen, P.H-S.
Electrical stimulation of bat superior colliculus influences responses of inferior collicular neurons to acoustic stimuli, **497**, 214
Sun, X., Jen, P.H-S., Sun, D. and Zhang, S.
Corticofugal influences on the responses of bat inferior collicular neurons to sound stimulation, **495**, 1
Sundaram, K., Murugaian, J. and Sapru, H.
Cardiac responses to the microinjections of excitatory amino acids into the intermediolateral cell column of the rat spinal cord, **482**, 12
Sundaram, K., Murugaian, J., Krieger, A. and Sapru, H.
Microinjections of cholinergic agonists into the intermediolateral cell column of the spinal cord at T_1–T_3 increase heart rate and contractility, **503**, 22
Sundaram, K., Murugaian, J., Watson, M. and Sapru, H.
M_2 muscarinic receptor agonists produce hypotension and bradycardia when injected into the nucleus tractus solitarii, **477**, 358
Sundaram, K., see Murugaian, J., **499**, 371
Sundaram, K., see Murugaian, J., **501**, 355
Sundt Jr., T.M., see Morgan, M.K., **496**, 241
Surichamorn, W., Amrhein, C.L., Forray, C. and El-Fakahany, E.E.
Inhibition of cyclic AMP formation in N1E-115 neuroblastoma cells is mediated by a non-cardiac M_2 muscarinic receptor subtype, **493**, 320
Surlemont, C., see Balthazart, J., **501**, 205
Susswein, A.J., see Cappell, M.S., **502**, 258
Susswein, A.J., see Cappell, M.S., **502**, 266
Suzuki, K., see Tanaka, K., **503**, 160
Suzuki, M., see Kato, M., **476**, 145
Suzuki, S., Takeshita, A., Imaizumi, T., Hirooka, Y., Yoshida, M. and Nakamura, M.
Evidence against the central nervous system being involved in altered reflex control of sympathetic nerve activity by atrial natriuretic peptide, **485**, 109
Suzuki, S.S., Siegel, J.M. and Wu, M.-F.
Role of pontomedullary reticular formation neurons in horizontal head movements: an ibotenic acid lesion study in the cat, **484**, 78
Suzumura, A. and Silberberg, D.H.
Lymphokines facilitate maturation of oligodendrocytes in vitro, **480**, 51
Suzumura, A., see Sawada, M., **491**, 394
Sved, A.F.
PNMT-containing catecholaminergic neurons are not necessarily adrenergic, **481**, 113
Swann, A.C. and Steketee, J.
Forskolin infusion in vivo increases ouabain binding in brain, **476**, 351
Swann, J.M., see Neal Jr., C.R., **496**, 1
Swann, J.W., see Chesnut, T.J., **502**, 365
Swann, J.W., see Pierson, M.G., **486**, 381
Sweazey, R.D. and Bradley, R.M.
Responses of neurons in the lamb nucleus tractus solitarius to stimulation of the caudal oral cavity and epiglottis with different stimulus modalities, **480**, 133
Swyter, E., see McKinley, P.A., **484**, 378
Szabolcs, M.J., Kopp, M. and Schaden, G.E.
Carbonic anhydrase activity in the peripheral nervous system of rat: the enzyme as a marker for muscle afferents, **492**, 129
Szallasi, A., Joo, F. and Blumberg, P.M.
Duration of desensitization and ultrastructural changes in dorsal root ganglia in rats treated with resiniferatoxin, an ultrapotent capsaicin analog, **503**, 68
Szczepanik, A.M., see Wilmot, C.A., **487**, 288
Szechtman, H., see Eilam, D., **490**, 255
Szele, F., see Weiss, S.R.B., **497**, 72
Szemeredi, K., see Bagdy, G., **489**, 216
Szente, M.B. and Baranyi, A.
Properties of depolarizing plateau potentials in aminopyridine-induced ictal seizure foci of cat motor cortex, **495**, 261
Szente, M.B., see Woody, C.D., **480**, 72
Szot, P., see Shewey, L.M., **478**, 95
Szymusiak, R. and McGinty, D.
Effects of basal forebrain stimulation on the waking discharge of neurons in the midbrain reticular formation of cats, **498**, 355
Szymusiak, R., see Shouse, M.N., **505**, 271

T

Tabakoff, B., see Valverius, P., **503**, 38
Tabuchi, T., Umetani, T. and

Yamadori, T.
Corticonuclear and corticovestibular projections from the uvula in the albino rat: differential projections from sublobuli of the uvula, **492**, 176
Taché, Y., see Raybould, H.E., **495**, 319
Taché, Y., see Gunion, M.W., **478**, 47
Taft, W.C., Clifton, G.L., Blair, R.E. and DeLorenzo, R.J.
Phenytoin protects against ischemia-produced neuronal cell death, **483**, 143
Taga, K., see Fukuda, S., **496**, 397
Taglialatela, M., Canzoniero, L.M.T., Amoroso, S., Fatatis, A., Di Renzo, G.F. and Annunziato, L.
Cobalt-sensitive and dihydropyridine-insensitive stimulation of dopamine release from tuberoinfundibular neurons by high extracellular concentrations of barium ions, **488**, 114
Tago, H., McGeer, P.L., McGeer, E.G., Akiyama, H. and Hersh, L.B.
Distribution of choline acetyltransferase immunopositive structures in the rat brainstem, **495**, 271
Taguchi, J.-I., Kuriyama, T., Ohmori, Y. and Kuriyama, K.
Immunohistochemical studies on distribution of $GABA_A$ receptor complex in the rat brain using antibody against purified $GABA_A$ receptor complex, **483**, 395
Taiwo, Y.O. and Levine, J.D.
Contribution of guanine nucleotide regulatory proteins to prostaglandin hyperalgesia in the rat, **492**, 400
Taiwo, Y.O. and Levine, J.D.
Prostaglandin effects after elimination of indirect hyperalgesic mechanisms in the skin of the rat, **492**, 397
Taiwo, Y.O., Coderre, T.J. and Levine, J.D.
The contribution of training to sensitivity in the nociceptive paw-withdrawal test, **487**, 148
Taiwo, Y.O., see Levine, J.D., **487**, 143
Taizhen, H., see Berry, R.L., **481**, 221
Takács, J., see Garey, L.J., **485**, 278
Takagi, H., see Kawai, Y., **479**, 344
Takagi, H., see Murakami, S., **485**, 403
Takagi, T., see Sugaya, E., **497**, 239
Takagishi, Y. and Yamamura, H.
Purkinje cell abnormalities and synaptogenesis in genetically jaundiced rats (Gunn rats), **492**, 116
Takahashi, K., see Ikeda, M., **495**, 337
Takahashi, K., see Yoshida, Y., **499**, 179
Takahashi, H., see Oyanagi, K., **504**, 354
Takahashi, J.S., see Wollnik, F., **496**, 82
Takahashi, K., see Satomi, H., **492**, 255
Takahashi, Y., Okamura, H., Yanaihara, N., Hamada, S., Fujita, S. and Ibata, Y.
Vasoactive intestinal peptide immunoreactive neurons in the rat suprachiasmatic nucleus demonstrate diurnal variation, **497**, 374
Takahashi, Y., see Sumitomo, I., **482**, 34
Takaki, M., Jin, J.-G. and Nakayama, S.
Possible involvement of calcitonin gene-related peptide (CGRP) in non-cholinergic non-adrenergic relaxation induced by mesenteric nerve stimulation in guinea pig ileum, **478**, 199
Takakusaki, K., see Mori, S., **505**, 66
Takami, K., see Yamadori, T., **488**, 143
Takano, T., Kubota, Y., Wanaka, A., Usuda, S., Tanaka, M., Malbon, C.C. and Tohyama, M.
β-Adrenergic receptors in the vasopressin-containing neurons in the paraventricular and supraoptic nucleus of the rat, **499**, 174
Takano, Y., see Nagashima, A., **487**, 392
Takano, Y., see Nagashima, A., **499**, 198
Takashima, Y., see Nakamura, K., **491**, 15
Takatani, O., see Kanda, M., **484**, 325
Takatsuji, K. and Tohyama, M.
The organization of the rat lateral geniculate body by immunohistochemical analysis of neuroactive substances, **480**, 198
Takatsuji, K., see Miguel-Hidalgo, J.-J., **476**, 189
Takayama, H., see Mizukawa, K., **478**, 187
Takayasu, M. and Dacey Jr., R.G.
Effects of inhibitory and excitatory amino acid neurotransmitters on isolated cerebral parenchymal arterioles, **482**, 393
Takeda, K., see Maruyama, M., **504**, 328
Takeda, T., see Ohta, A., **498**, 195
Takeda, N., see Tanaka, M., **504**, 31
Takei, K., see Kohsaka, S., **484**, 340
Takei, K., see Nakano, Y., **496**, 336
Takei, N., see Ikegami, S., **496**, 321
Takemura, M., Kishino, J., Yamatodani, A. and Wada, H.
Inhibition of histamine release from rat hypothalamic slices by ω-conotoxin GVIA, but not by nilvadipine, a dihydropyridine derivative, **496**, 351
Takemura, M., see Sugimoto, T., **505**, 354
Takenaka, T., see Hikawa, N., **481**, 162
Takenaka, T., see Horie, H., **477**, 233
Takeshita, A., see Suzuki, S., **485**, 109
Takeuchi, H., see Satou, M., **481**, 39
Tal, M., see Sharav, Y., **479**, 247
Tal, M. and Sharav, Y.
Masseter inhibitory periods and sensations upon electrical tooth-pulp stimulation in children and adults, **497**, 138
Talamo, B.R., see McMillian, M.K., **480**, 330
Talavera, E., Omaña-Zapata, I., Asai, M. and Condés-Lara, M.
Regional brain IR-Met-, IR-Leu-enkephalin concentrations during progress and full electrical amygdaloid kindling, **485**, 141
Taljaard, J., see Allin, R., **501**, 389
Tallman, J., see Meinecke, D.L., **493**, 303
Tallman, J.F., see Nestler, E.J., **476**, 230
Talman, W.T. and Robertson, S.C.
Glycine, like glutamate, microinjected into the nucleus tractus solitarii of rat decreases arterial pressure and heart rate, **477**, 7
Tamai, Y., see Miyashita, E., **502**, 75
Tamatani, M., Senba, E. and Tohyama, M.
Calcitonin gene-related peptide- and substance P-containing primary afferent fibers in the dorsal column of the rat, **495**, 122
Tamura, A., see Kanemitsu, H., **499**, 367
Tamura, R., see Nakamura, K., **491**, 15
Tan, L.K., see Miller, A.D., **493**, 348
Tanaka, C., see Shuntoh, H., **483**, 384
Tanaka, J., see Shioya, M., **483**, 192
Tanaka Jr., D. and Bursian, S.J.
Degeneration patterns in the chicken central nervous system induced by ingestion of the organophosphorus delayed neurotoxin tri-*ortho*-tolyl phosphate. A silver impregnation study, **484**, 240
Tanaka, K., Nagara, H., Kobayashi, T. and Goto, I.
The twitcher mouse: accumulation of galactosylsphingosine and pathology of the central nervous system, **482**, 347
Tanaka, K., Nagara, H., Kobayashi, T., Goto, I. and Suzuki, K.
The twitcher mouse: attenuated processes of Schwann cells in unmyelinated fibers, **503**, 160
Tanaka, M., see Li, C.-Y., **496**, 307
Tanaka, M., see Takano, T., **499**, 174
Tanaka, M., see Yoshida, M., **496**, 373
Tanaka, M., Takeda, N., Senba, E., Tohyama, M., Kubo, T. and Matsunaga, T.
Localization, origin and fine structure of calcitonin gene-related peptide-containing fibers in the vestibular end-organs of the rat, **504**, 31
Tanaka, R., see Ito, J.-I., **481**, 335
Tanaka, S., Sako, K., Tanaka, T. and Yonemasu, Y.
Regional calcium accumulation and kainic acid (KA)-induced limbic seizure status in rats, **478**, 385
Tanaka, S., see Ohta, A., **498**, 195

Tanaka, S., see Tanaka, T., **498**, 215
Tanaka, T., see Tanaka, S., **478**, 385
Tanaka, T., Tanaka, S., Kaijima, M. and Yonemasu, Y.
Ibotenic acid-induced nigral lesion and limbic seizure in cats, **498**, 215
Tandon, P., Harry, G.J. and Tilson, H.A.
Colchicine-induced alterations in receptor-stimulated phosphoinositide hydrolysis in the rat hippocampus, **477**, 308
Tanganelli, S., Von Euler, G., Fuxe, K., Agnati, L.F. and Ungerstedt, U.
Neurotensin counteracts apomorphine-induced inhibition of dopamine release as studied by microdialysis in rat neostriatum, **502**, 319
Taniguchi, T., see Ninomiya, H., **482**, 109
Tanii, Y., see Yoshida, Y., **499**, 179
Taniuchi, M., see Johnson Jr., E.M., **478**, 166
Taniyama, K., see Shuntoh, H., **483**, 384
Taranger, M.-A., see Angel, I., **490**, 367
Taraskevich, P.S. and Douglas, W.W.
Effects of BAY K 8644 on Ca-channel currents and electrical activity in mouse melanotrophs, **491**, 102
Tarjan, E., Denton, D.A. and Weisinger, R.S.
Cerebral sodium sensors in the sodium-deplete sheep, **500**, 352
Tashiro, T., Ruda, M.A., Satoda, T., Matsushima, R. and Mizuno, N.
Convergence of serotonin-, enkephalin- and substance P-like immunoreactive afferent fibers onto cat medullary dorsal horn projection neurons: a triple immunocytochemical staining technique combined with the retrograde HRP-tracing method, **491**, 360
Tashiro, T., Satoda, T., Matsushima, R. and Mizuno, N.
Convergence of serotonin-, enkephalin- and substance P-like immunoreactive afferent fibers on single pudendal motoneurons in Onuf's nucleus of the cat: a light microscope study combining the triple immunocytochemical staining technique with the retrograde HRP-tracing method, **481**, 392
Tashiro, T., Satoda, T., Matsushima, R. and Mizuno, N.
Enkephalin-, substance P- and serotonin-like immunoreactive axonal varicosities in close apposition to perikarya of mesencephalic trigeminal nucleus neurons in the cat, **494**, 162
Tashiro, T., Satoda, T., Matsushima, R. and Mizuno, N.
Possible origins of substance P-like immunoreactive axons within Onuf's nucleus of the cat, **497**, 177
Tasker, R.R., see Lenz, F.A., **496**, 357
Tateishi, K., see Nagashima, A., **487**, 392
Tateishi, K., see Nagashima, A., **499**, 198
Tatemoto, K., see Gunion, M.W., **485**, 251
Tatsuno, J., see Maru, E., **478**, 112
Tatsuno, J., see Mori-Okamoto, J., **490**, 64
Tatsuno, J., see Kanda, M., **484**, 325
Tauc, L., see Fossier, P., **491**, 390
Taylor, D.H., see Isaacson, L.G., **488**, 403
Taylor, J.S., see Clarke, R.W., **505**, 1
Taylor, S.J. and Greenfield, S.A.
Pulsatile release of acetylcholinesterase from the substantia nigra following electrical stimulation of the striatum, **505**, 153
Taylor, S.J. and Greenfield, S.A.
Release of acetylcholinesterase from the guinea-pig substantia nigra during peripheral nerve stimulation, **482**, 356
Tazawa, M., see Usami, S.-I., **503**, 213
Tedford, C.E., see Potter, P.E., **487**, 238
Tehrani, M.H.J., see Hablitz, J.J., **501**, 332
Teich, A.H., McCabe, P.M., Gentile, C.C., Schneiderman, L.S., Winters, R.W., Liskowsky, D.R. and Schneiderman, N.
Auditory cortex lesions prevent the extinction of Pavlovian differential heart rate conditioning to tonal stimuli in rabbits, **480**, 210
Teichberg, V.I., see Eshhar, N., **476**, 57
Tempel, D., see Leibowitz, S.F., **496**, 219
Tempel, A., see Unterwald, E.M., **505**, 111
Ten Bruggencate, G., see Stelzer, A., **490**, 41
Tenke, C.E., see Schroeder, C.E., **477**, 183
Ten Tusscher, M.P.M., Klooster, J. and Vrensen, G.F.J.M.
Satellite cells as blood–ganglion cell barrier in autonomic ganglia, **490**, 95
Ten Tusscher, M.P.M., Klooster, J., Van der Want, J.J.L., Lamers, W.P.M.A. and Vrensen, G.F.J.M.
The allocation of nerve fibres to the anterior eye segment and peripheral ganglia of rats. I. The sensory innervation, **494**, 95
Ten Tusscher, M.P.M., Klooster, J., Van der Want, J.J.L., Lamers, W.P.M.A. and Vrensen, G.F.J.M.
The allocation of nerve fibres to the anterior eye segment and peripheral ganglia of rats. II. The sympathetic innervation, **494**, 105
Teoh, R., see Lee, C.-M., **488**, 328
Ter Maat, A., see Moed, P.J., **476**, 298
Terasawa, E., see Crawford, K., **503**, 265
Terenius, L., see Arvidsson, U., **489**, 387
Terenius, L., see Elfvin, L.-G., **502**, 341
Terenius, L., see Seroogy, K., **496**, 389
Terlau, H. and Seifert, W.
Influence of epidermal growth factor on long-term potentiation in the hippocampal slice, **484**, 352
Terrian, D.M., see Gannon, R.L., **495**, 151
Terry, L.C., see Lin, Y., **479**, 306
Terry, R., see Masliah, E., **493**, 240
Terwilliger, R., see Nestler, E.J., **476**, 230
Testa, G., see Pellegrini, A., **497**, 344
Testylier, G., see Fossier, P., **491**, 390
Tetzlaff, W., see Rieske, E., **492**, 1
Teyler, T.J., see Berry, R.L., **481**, 221
Theodosis, D.T. and Poulain, D.A.
Neuronal-glial and synaptic plasticity in the adult rat paraventricular nucleus, **484**, 361
Thesleff, S., see Mallart, A., **479**, 167
Thibault, O., Joly, M., Muller, D., Schottler, F., Dudek, S. and Lynch, G.
Long-lasting physiological effects of bath applied *N*-methyl-D-aspartate, **476**, 170
Thienhaus, O.J., see Zemlan, F.P., **476**, 160
Thierry, A.-M., see Jay, T.M., **505**, 337
Thierry, A.M., see Mantz, J., **476**, 377
Thio, S., see Schmued, L., **487**, 131
Thiringer, K., see Kjellmer, I., **478**, 241
Thomas, S.R., see Norman, A.B., **483**, 188
Thomas, S.R., see Norman, A.B., **503**, 156
Thomasset, M., see Bousez-Dumesnil, N., **486**, 165
Thomasset, M., see Rami, A., **485**, 20
Thompson, G.C., see Usami, S.-I., **503**, 213
Thompson, J.T., see Pehek, E.A., **500**, 325
Thompson, T.L., see Colby, K.A., **478**, 103
Thomson, D., see Morin, A.M., **487**, 376
Thomson, M.A., Piat, G., Cordonnier, V., Ellouze-Kallel, J., Delhaye-Bouchaud, N. and Mariani, J.
Representation of vibrissae inputs through the climbing fiber pathway in lobule VII of the adult rat cerebellar vermis, **488**, 241
Thornhill, J.A., Gregor, L., Mathison, R. and Pittman, Q.
Intrathecal dynorphin A administration causes pressor responses in rats associated with an increased resistance to spinal cod blood flow, **490**, 174
Thornton, J.E., Nock, B., Feder, H.H. and McEwen, B.S.

Sex differences in cytosolic progestin receptors in microdissected regions of the hypothalamus/preoptic area of guinea pigs, **503**, 253
Thornton, S.N., Baldwin, B.A. and Forsling, M.L.
The influence of central hyperosmotic solutions on drinking and vasopressin release following peripheral hyperosmotic NaCl in the minipig, **488**, 297
Thorpe, P., see Wiley, R.G., **505**, 44
Ticku, M.K., see Frey, J.M., **491**, 57
Ticku, M.K., see Lehoullier, P.F., **487**, 205
Ticku, M.K., see Mehta, A.K., **489**, 93
Tielemans, A.J.P.C., see Room, P., **505**, 321
Tietz, E.I., see Zhang, H., **488**, 73
Tiligada, E. and Wilson, J.F.
Regulation of α-melanocyte-stimulating hormone release from superfused slices of rat hypothalamus by serotonin and the interaction of serotonin with the dopaminergic system inhibiting peptide release, **503**, 225
Tilson, H., see Zhang, W., **484**, 389
Tilson, H.A., see Rogers, B.C., **493**, 41
Tilson, H.A., see Tandon, P., **477**, 308
Tison, F., Mons, N., Rouet-Karama, S., Geffard, M. and Henry, P.
Endogenous L-DOPA in the rat dorsal vagal complex: an immunocytochemical study by lightand electron microscopy, **497**, 260
Titeler, M., see Herrick-Davis, K., **483**, 155
Toda, H., see Bando, T., **494**, 369
Toda, M., see Kubota, K., **485**, 62
Todd, R.D., see Zorumski, C.F., **494**, 193
Toffano, G., see Benfenati, F., **498**, 376
Tohyama, M., see Hamaji, M., **488**, 283
Tohyama, M., see Hamano, K., **489**, 254
Tohyama, M., see Ishida-Yamamoto, A., **491**, 93
Tohyama, M., see Kanagawa-Terayama, Y., **494**, 75
Tohyama, M., see Miguel-Hidalgo, J.-J., **476**, 189
Tohyama, M., see Takano, T., **499**, 174
Tohyama, M., see Takatsuji, K., **480**, 198
Tohyama, M., see Tamatani, M., **495**, 122
Tohyama, M., see Tsuchiyama, M., **494**, 168
Tohyama, M., see Wanaka, A., **479**, 190
Tohyama, M., see Wanaka, A., **485**, 125
Tohyama, M., see Yamamoto, K., **487**, 158
Tohyama, I., see Fukui, K., **482**, 198
Tohyama, M., see Najimi, M., **483**, 205
Tohyama, M., see Tanaka, M., **504**, 31
Tokuno, H., see Kitao, Y., **484**, 304
Tokuno, H., Moriizumi, T., Kudo, M., Kitao, Y. and Nakamura, Y.
Monosynaptic striatal inputs to the nigrotegmental neurons: an electron microscopic study in the cat, **485**, 189
Tokuno, H., see Moriizumi, T., **478**, 315
Tomonaga, M., see Uchida, Y., **481**, 190
Tønder, N., see Neafsey, E.J., **493**, 33
Tonnaer, J.A.D.M., see Dekker, A.J.A.M., **477**, 327
Toran-Allerand, C.D., see Hauser, K.F., **485**, 157
Tordzro, W.K., see Perumal, A.S., **504**, 139
Torigoe, Y., see Blanks, R.H.I., **487**, 278
Torrealba, F., see Claps, A., **489**, 80
Torregrosa, G., see Miranda, F.J., **492**, 45
Tortella, F.C., Echevarria, E., Pastel, R.H., Cox, B. and Blackburn, T.P.
Suppressant effects of selective 5-HT_2 antagonists on rapid eye movement sleep in rats, **485**, 294
Tortella, F.C., Martin, D.A., Allot, C.P., Steel, J.A., Blackburn, T.P., Loveday, B.E. and Russell, N.J.
Dextromethorphan attenuates post-ischemic hypoperfusion following incomplete global ischemia in the anesthetized rat, **482**, 179
Tósaki, A., see Joó, F., **490**, 141
Tosic, M., see Roch, J.-M., **477**, 292
Tóth, P. and Straznicky, C.
Biplexiform ganglion cells in the retina of *Xenopus laevis*, **499**, 378
Towle, A.C., see Sharif, N.A., **480**, 365
Toya, S., see Kohsaka, S., **484**, 340
Toya, S., see Nakano, Y., **496**, 336
Toyka, K.V., see Hartung, H.-P., **489**, 113
Toyka, K.V., see Hartung, H.-P., **489**, 120
Toyoshi, T., see Ukai, M., **499**, 299
Tramu, G., see Coveñas, R., **481**, 185
Tramu, G., see Lenders, M.-B., **481**, 344
Tramy, G., see Aguirre, J.A., **489**, 311
Tran, T., see Cornwell-Jones, C.A., **493**, 258
Trancard, J., Delamanche, I.S., Ruiz, G. and Bouchaud, C.
Interspecific variations of cerebral endothelial cholinesterases in rodents and carnivores, **476**, 213
Tranchand-Bunel, D., see Delbende, C., **497**, 86
Trapido-Rosenthal, H.G., see Gleeson, R.A., **497**, 12
Trapp, B.D., see Rosenstein, J.M., **476**, 110
Traversa, R., see Zarola, F., **495**, 217
Treiman, M., Allesøe, K. and Von Spreckelsen, S.
Facilitation by forskolin of electrically evoked vasopressin release in vitro requires bursting pattern of stimulation, **488**, 260
Tremblay, L. and Filion, M.
Responses of pallidal neurons to striatal stimulation in intact waking monkeys, **498**, 1
Tremblay, L., Filion, M. and Bédard, P.J.
Responses of pallidal neurons to striatal stimulation in monkeys with MPTP-induced parkinsonism, **498**, 17
Triarhou, L.C. and Ghetti, B.
The dendritic dopamine projection of the substantia nigra: phenotypic denominator of weaver gene action in hetero- and homozygosity, **501**, 373
Tribollet, E., see Dubois-Dauphin, M., **496**, 45
Tribollet, E., see Dubois-Dauphin, M., **496**, 66
Tribollet, E., see Loup, F., **500**, 223
Triche, T.J., see Rettig, W.J., **487**, 171
Trifunovic, R., see Wirtshafter, D., **482**, 225
Triller, A., see Eshhar, N., **476**, 57
Trudeau, N., see Marchand, S., **487**, 388
Trudrung, P. and Schumacher, U.
Analysis of wheat germ agglutinin (WGA), *Phaseolus vulgaris* leucoagglutinin (PHA-L), and *Lens culinaris* agglutinin (LCA) binding to isolated rat neocortical membrane glycoproteins and to brain tissue sections, **497**, 399
Trujillo, K.A., Belluzzi, J.D. and Stein, L.
Opiate antagonists and self-stimulation: extinction-like response patterns suggest selective reward deficit, **492**, 15
Truong, P., see Schmued, L., **487**, 131
Trzebski, A., see Krzeski, R., **504**, 297
Tsagarakis, S., Rees, L.H., Besser, G.M. and Grossman, A.
Neuropeptide-Y stimulates CRF-41 release from rat hypothalami in vitro, **502**, 167
Tsai, C.T., Mogenson, G.J., Wu, M. and Yang, C.R.
A comparison of the effects of electrical stimulation of the amygdala and hippocampus on subpallidal output neurons to the pedunculopontine nucleus, **494**, 22
Tsai, C.T., see Mogenson, G.J., **485**, 396
Tsai, H.-J., see Satou, M., **504**, 320
Tschanz, J.A.T., see Haracz, J.L., **489**, 365
Tsiotos, P., Plaitakis, A., Mitsacos, A., Voukelatou, G., Michalodimitrakis, M. and Kouvelas, E.D.
L-Glutamate binding sites of normal and atrophic human cerebellum, **481**, 87
Tsuchiyama, M., Kubota, Y.,

Sugita, M., Usuda, S., Yamano, M. and Tohyama, M.
Direct synaptic contacts of catecholamine fibers on neuropeptide Y-containing neurons of the rat cerebral cortex, **494**, 168
Tsuda, T., Kogure, K., Ishii, K. and Orihara, H.
Postischemic changes of calcium and endogenous antagonist in the rat hippocampus studied by proton-induced X-ray emission analysis, **484**, 228
Tsuda, T., see Sugaya, E., **497**, 239
Tsuji, S., see Ito, J.-I., **481**, 335
Tsujimoto, T., see Sasaki, K., **495**, 100
Tsukada, Y., see Kohsaka, S., **484**, 340
Tsukada, Y., see Nakano, Y., **496**, 336
Tsukamoto, Y., see Nagata, T., **483**, 50
Tsukui, A., see Fukuda, S., **496**, 397
Tsuru, H., see Shigenaga, Y., **477**, 66
Tsuru, K., Otani, K., Kajiyama, K., Suemune, S. and Shigenaga, Y.
Central terminations of periodontal mechanoreceptive and tooth pulp afferents in the trigeminal principal and oral nuclei of the cat, **485**, 29
Tsuru, K., see Shigenaga, Y., **505**, 91
Tsuzuki, K., Iino, M. and Ozawa, S.
Ion channels activated by quinolinic acid in cultured rat hippocampal neurons, **481**, 258
Tsuzuki, K., see Ozawa, S., **495**, 329
Tubbiola, M.L., Nock, B. and Bittman, E.L.
Photoperiodic changes in opiate binding and their functional implications in golden hamsters, **503**, 91
Tucker, S.P., see Bagley, P.R., **499**, 214
Turcotte, J.C., see Blaustein, J.D., **495**, 75
Turek, F.W., see Wee, B.E.F., **505**, 209
Turek, F.W., see Wollnik, F., **496**, 82
Turner, J., see Rozental, J.M., **499**, 397
Turner, J.E., see Laedtke, T.W., **500**, 61
Turski, W.A.
Homocysteic acid: convulsant action of stereoisomers in mice, **479**, 371
Twery, M.J. and Gallagher, J.P.
Somatostatin hyperpolarizes neurons and inhibits spontaneous activity in the rat dorsolateral septal nucleus, **497**, 315

U

Uchida, Y. and Tomonaga, M.
Neurotrophic action of Alzheimer's disease brain extract is due to the loss of inhibitory factors for survival and neurite formation of cerebral cortical neurons, **481**, 190
Ueda, K., see Satou, M., **481**, 39
Ueda, K., see Satou, M., **504**, 320
Ueda, H., see Kitagawa, K., **479**, 263
Uematsu, D., Greenberg, J.H., Reivich, M. and Karp, A.
Cytosolic free calcium and NAD/NADH redox state in the cat cortex during in vivo activation of NMDA receptors, **482**, 129
Uemura, E., Levin, E.D., DeLuna, R. and Bowman, R.E.
Suppressive effects of halothane on reactive synaptogenesis in the dentate gyrus of rats, **496**, 317
Uemura, K., see Gotoh, M., **493**, 97
Ueno, R., see Matsumura, H., **481**, 242
Ukai, M., Nakayama, S., Hamada, T. and Kameyama, T.
Blockade of dopamine D_1 receptors by SCH 23390 antagonizes discriminative stimulus effects of pentazocine, **496**, 377
Ukai, M., Toyoshi, T. and Kameyama, T.
Dynorphin A(1–3) modulates apomorphine-induced behaviors using multidimensional behavioral analyses in the mouse, **499**, 299
Ulfhake, B., see Arvidsson, U., **489**, 387
Ulman, J., see Perese, D.A., **494**, 285
Ulus, I.H., Wurtman, R.J., Mauron, C. and Blusztajn, J.K.
Choline increases acetylcholine release and protects against the stimulation-induced decrease in phosphatide levels within membranes of rat corpus striatum, **484**, 217
Umetani, T., see Tabuchi, T., **492**, 176
Unger, T., see Lebrun, C.J., **505**, 39
Unger, T., see Rohmeiss, P., **502**, 198
Unger, T., Horst, P.J., Bauer, M., Demmert, G., Rettig, R. and Rohmeiss, P.
Natriuretic action of central angiotensin II in conscious rats, **486**, 33
Ungerstedt, U., see Hurd, Y.L., **498**, 199
Ungerstedt, U., see Tanganelli, S., **502**, 319
Unterwald, E.M., Tempel, A., Koob, G.F. and Zukin, R.S.
Characterization of opioid receptors in rat nucleus accumbens following mesolimbic dopaminergic lesions, **505**, 111
Urban, I.J.A., see Van den Hooff, P., **505**, 181
Urban, L., Willetts, J., Murase, K. and Randić, M.
Cholinergic effects on spinal dorsal horn neurons in vitro: an intracellular study, **500**, 12
Urbanski, R.W., Murugaian, J., Krieger, A.J. and Sapru, H.N.
Cardiovascular effects of substance P receptor stimulation in the ventrolateral medullary pressor and depressor areas, **491**, 383
Uruno, T., see Gong, D., **482**, 122
Usami, S.-I., Hozawa, J., Tazawa, M., Igarashi, M., Thompson, G.C., Wu, J.-Y. and Wenthold, R.J.
Immunocytochemical study of the GABA system in chicken vestibular endorgans and the vestibular ganglion, **503**, 213
Usherwood, P.N.R., see Dudel, J., **481**, 215
Ushio, Y., see Saitoh, Y., **489**, 291
Usuda, S., see Takano, T., **499**, 174
Usuda, S., see Tsuchiyama, M., **494**, 168
Uygur, G., see Öcal-İrez, T., **493**, 1
Uylings, H.B.M., see Kalsbeek, A., **479**, 339

V

Vahlsing, H.L., see Hagg, T., **505**, 29
Vale, W., see Imaki, T., **496**, 35
Valeggia, C., Fernandez-Duque, E. and Maldonado, H.
Danger stimulus-induced analgesia in the crab *Chasmagnathus granulatus*, **481**, 304
Valentini, R.F., Sabatini, A.M., Dario, P. and Aebischer, P.
Polymer electret guidance channels enhance peripheral nerve regeneration in mice, **480**, 300
Valentino, R.J. and Wehby, R.G.
Locus ceruleus discharge characteristics of morphine-dependent rats: effects of naltrexone, **488**, 126
Valk, P.E., see Lo, E.H., **504**, 168
Valverius, P., Hoffman, P.L. and Tabakoff, B.
Brain forskolin binding in mice dependent on and tolerant to ethanol, **503**, 38
Van Damme, J., see Carmeliet, P., **491**, 199
Van den Hooff, P., Urban, I.J.A. and De Wied, D.
Vasopressin maintains long-term potentiation in rat lateral septum slices, **505**, 181
Van der Hoek, G., see Cooper, S.J., **494**, 172
Van der Meide, P.H., see Nennesmo, I., **504**, 306
Van der Want, J.J.L., see Ten Tusscher, M.P.M., **494**, 105
Van der Want, J.J.L., see Ten Tusscher, M.P.M., **494**, 95
Van Galen, H., see Kalsbeek, A., **479**, 339
Van Giersbergen, P.L.M., Roording, P., De Lang, H. and De Jong, W.
Participation of opiate receptors

located in the nucleus tractus solitarii in the hypotension induced by α-methyldopa, **498**, 154
Van Loon, G.R., see Houdi, A.A., **497**, 195
Van Ness, P.C., Olsen, R.W. and Verity, M.A.
MPTP is proconvulsant acutely but has no long-term effect in rodent models of seizure and epilepsy, **504**, 289
Van Nguyen, T., Paterson, I.A., Juorio, A.V., Greenshaw, A.J. and Boulton, A.A.
Tryptamine receptors: neurochemical and electrophysiological evidence for postsynaptic and functional binding sites, **476**, 85
Van Reempts, J., see Ashton, D., **487**, 368
Van Vugt, D.A., see Donevan, S.D., **488**, 398
Van Vulpen, E.H.S. and Verwer, R.W.H.
Organization of projections from the mediodorsal nucleus of the thalamus to the basolateral complex of the amygdala in the rat, **500**, 389
Van Woert, M.H., see Hunter, C., **482**, 247
VandenBerg, S.R., see Hall, S.W., **495**, 373
VandenBerg, S.R., see Hubbard, C.M., **486**, 170
Vanderhaeghen, J.-J., see Lotstra, F., **478**, 211
Vanderwolf, C.H.
A general role for serotonin in the control of behavior: studies with intracerebral 5,7-dihydroxytryptamine, **504**, 192
Vanderwolf, C.H., Leung, L.W.S., Baker, G.B. and Stewart, D.J.
The role of serotonin in the control of cerebral activity: studies with intracerebral 5,7-dihydroxytryptamine, **504**, 181
Vaněček, J. and Janský, L.
Short days induce changes in specific melatonin binding in hamster median eminence and anterior pituitary, **477**, 387
Vaněček, J. and Vollrath, L.
Melatonin inhibits cyclic AMP and cyclic GMP accumulation in the rat pituitary, **505**, 157
Vanni-Mercier, G., see Lin, J.-S., **479**, 225
Varon, S., see Hagg, T., **505**, 29
Varro, A., see Butcher, S.P., **505**, 119
Vaudry, H., see Delbende, C., **497**, 86
Vaughan, G.M., see Pangerl, A., **490**, 166
Vaughan, G.M., see Vaughan, M.K., **489**, 318
Vaughan Jr., H.G., see Schroeder, C.E., **477**, 183
Vaughan, M.K., Vaughan, G.M., Little, J.C., Buzzell, G.R., Chambers, J.P. and Reiter, R.J.
Pineal lysosomal enzymes in the Syrian hamster: circadian rhythm and effects of castration or short photoperiod treatment, **489**, 318
Vauquelin, G., see De Keyser, J., **484**, 36
Vauquelin, G., see De Keyser, J., **496**, 327
Veale, W.L., see Fyda, D.M., **494**, 307
Veale, W.L., see Mathieson, W.B., **486**, 49
Vehovszky, A., Kemenes, G. and S.-Rózsa, K.
Monosynaptic connections between serotonin-containing neurones labelled by 5,6-dihydroxytryptamine-induced pigmentation in the snail *Helix pomatia* L., **484**, 404
Vejsada, R., see Jami, L., **478**, 34
Velazquez-Moctezuma, J., Gillin, J.C. and Shiromani, P.J.
Effect of specific M1, M2 muscarinic receptor agonists on REM sleep generation, **503**, 128
Ventra, C., see Schettini, G., **492**, 65
Verberne, A.J.M., see Lewis, S.J., **494**, 232
Vergnes, M., see Depaulis, A., **486**, 121
Vergnes, M., see Depaulis, A., **498**, 64
Vergoni, A.V., see Sandrini, M., **496**, 29
Verhofstad, A., see Skirboll, S.L., **484**, 257
Verity, M.A., see Van Ness, P.C., **504**, 289
Verrecchia, C., see Lacombe, P., **491**, 1
Versace, P., see Bonanno, G., **480**, 242
Verst, M., see Villringer, A., **504**, 159
Versteeg, D.H.G., see Florijn, W.J., **494**, 247
Verwer, R.W.H., see Van Vulpen, E.H.S., **500**, 389
Vesselkin, N., see Rio, J.P., **479**, 151
Vesselkin, N.P., Repérant, J., Kenigfest, N.B., Rio, J.P., Miceli, D. and Shupliakov, O.V.
Centrifugal innervation of the lamprey retina. Light- and electron microscopic and electrophysiological investigations, **493**, 51
Vetulani, J., see Pilc, A., **493**, 8
Vezina, P., see Stewart, J., **495**, 401
Vezina, P. and Stewart, J.
The effect of dopamine receptor blockade on the development of sensitization to the locomotor activating effects of amphetamine and morphine, **499**, 108
Vial, M., see Montagne, M.-N., **485**, 258
Vicini, S., see Mienville, J.-M., **489**, 190
Vickroy, T.W., see Gerhardt, G.A., **499**, 157
Vietje, B.P., see McKeon, R.J., **503**, 317
Vigano, M.A., see Lysko, P.G., **499**, 258
Vigil, A., see Jimenez-Rivera, C.A., **485**, 363
Villar, M.J., see Wiesenfeld-Hallin, Z., **486**, 205
Villiger, J.W., see Faull, R.L.M., **488**, 381
Villringer, A., Haberl, R.L., Dirnagl, U., Anneser, F., Verst, M. and Einhäupl, K.M.
Confocal laser microscopy to study microcirculation on the rat brain surface in vivo, **504**, 159
Vincent, J.D., see Allard, M., **500**, 169
Vincent, S.R., see Radke, J.M., **480**, 178
Vink, R., see McIntosh, T.K., **482**, 252
Vink, R., Yum, S.W., Lemke, M., Demediuk, P. and Faden, A.I.
Traumatic spinal cord injury in rabbits decreases intracellular free magnesium concentration as measured by ^{31}P MRS, **490**, 144
Vinogradova, O.S., see Kitchigina, V.F., **502**, 39
Viola, J., see Perese, D.A., **494**, 285
Vion-Dury, J., Galons, J.-P., Fantini, J., Confort-Gouny, S., Kriat, M. and Cozzone, P.J.
Phosphorus-31 nuclear magnetic resonance study of the C6 glioma cell line cultured on microcarrier beads, **493**, 175
Viret, J., see Fossier, P., **491**, 390
Viswanath, D., see Leibowitz, S.F., **503**, 132
Vitiello, S., see Neveu, P.J., **498**, 159
Vitte, P.-A., Brun, J., Lestage, P., Claustrat, B. and Bobillier, P.
The effects of melatonin and pinealectomy upon local cerebral glucose utilization in awake unrestained rats are restricted to a few specific regions, **489**, 273
Vogel, S.S., Chin, G.J., Mumby, S.M., Schonberg, M. and Schwartz, J.H.
G proteins in *Aplysia*: biochemical characterization and regional and subcellular distribution, **478**, 281
Vogt, B.A., see Crino, P.B., **504**, 247
Volicer, L., see Crino, P.B., **504**, 247
Vollrath, L., see Stehle, J., **488**, 275
Vollrath, L., see Vaněček, J., **505**, 157
Von Bernhardi, R. and Alvarez, J.
Is the supply of axoplasmic proteins a burden for the cell body? Morphometry of sensory neurons and amino acid incorporation into their cell bodies, **478**, 301
Von Euler, G., see Tanganelli, S., **502**, 319
Von Klitzing, L.
Static magnetic fields increase the power intensity of EEG of man, **483**, 201
Von Lubitz, D.K.J.E., see Daval, J.-L., **491**, 212
Von Spreckelsen, S., see Treiman, M., **488**, 260
Vos, B., see Oliveras, J.-L., **486**, 1
Vos, M.D., see Bellingham, M.C., **486**, 391
Voukelatou, G., see Tsiotos, P., **481**, 87
Vrensen, G.F.J.M., see Ten

Tusscher, M.P.M., **490**, 95
Vrensen, G.F.J.M., see Ten Tusscher, M.P.M., **494**, 105
Vrensen, G.F.J.M., see Ten Tusscher, M.P.M., **494**, 95
Vuillet, J., Kerkerian, L., Salin, P. and Nieoullon, A.
Ultrastructural features of NPY-containing neurons in the rat striatum, **477**, 241

W

Wada, H., see Takemura, M., **496**, 351
Wada, J.A., see Mori, N., **486**, 141
Wada, J.A., see Mori, N., **498**, 163
Wada, K., see Maeda, N., **489**, 21
Wadhwani, K.C., Latker, C.H., Balbo, A. and Rapoport, S.I.
Perineurial permeability and endoneurial edema during Wallerian degeneration of the frog peripheral nerve, **493**, 231
Wadman, W.J., see Kamphuis, W., **479**, 23
Wafford, K.A., Dunwiddie, T.V. and Harris, R.A.
Calcium-dependent chloride currents elicited by injection of ethanol into *Xenopus* oocytes, **505**, 215
Wagner, C.K. and Clemens, L.G.
Anatomical organization of the sexually dimorphic perineal neuromuscular system in the house mouse, **499**, 93
Wagner Jr., H.N., see Sadzot, B., **491**, 128
Wagner, M., see Krug, M., **476**, 163
Wagner, U., see Buscher, W., **487**, 321
Wagster, M.V., see Atack, J.R., **483**, 367
Wakabayashi, K., see Oyanagi, K., **504**, 354
Wakamori, M., Kaneda, M., Oyama, Y. and Akaike, N.
Effects of chlordiazepoxide, chlorpromazine, diazepam, diphenylhydantoin, flunitrazepam and haloperidol on the voltage-dependent sodium current of isolated mammalian brain neurons, **494**, 374
Waldrop, T.G., see Richard, C.A., **482**, 49
Walker, D.W., see King, M.A., **497**, 361
Walker, J.M., see Matsumoto, R.R., **504**, 145
Walker, L.C., Price, D.L. and Scott Young III, W.
GABAergic neurons in the primate basal forebrain magnocellular complex, **499**, 188
Walker, L.C., see Koliatsos, V.E., **482**, 205
Walker, P.D., see McAllister II, J.P., **476**, 345
Walker, R., see Beach, T.G., **501**, 171
Wallace, W., see Anderson, J., **478**, 391
Walraevens, H., see De Keyser, J., **484**, 36
Walsh, F.S., see Wharton, J., **483**, 170
Walsh, J.P., Hull, C.D., Levine, M.S. and Buchwald, N.A.
Kynurenic acid antagonizes the excitatory postsynaptic potential elicited in neostriatal neurons in the in vitro slice of the rat, **480**, 290
Walsh, J.P., see Cepeda, C., **494**, 215
Walsh, T.J., Emerich, D.F. and Schmechel, D.E.
GM1 ganglioside attenuates the behavioral deficits but not the granule cell damage produced by intradentate colchicine, **478**, 24
Walsh, T.J., see Chrobak, J.J., **504**, 269
Walsh, U.A., see Leibowitz, S.F., **503**, 132
Walter, G.A., see Phillis, J.W., **481**, 309
Walter, G.A., see Phillis, J.W., **504**, 121
Walz, W. and Wuttke, W.A.
Resistance of astrocyte electrical membrane properties to acidosis changes in the presence of lactate, **504**, 82
Wanaka, A., Kiyama, H., Murakami, T., Matsumoto, M., Kamada, T., Malbon, C.C. and Tohyama, M.
Immunocytochemical localization of β-adrenergic receptors in the rat brain, **485**, 125
Wanaka, A., Malbon, C.C., Matsumoto, M., Kamada, T. and Tohyama, M.
Presence of catecholaminergic axon-terminals containing -adrenergic receptor in the periventricular zone of the rat hypothalamus, **479**, 190
Wanaka, A., see Kanagawa-Terayama, Y., **494**, 75
Wanaka, A., see Takano, T., **499**, 174
Wang, N., see Rasenick, M.M., **488**, 105
Wang, J.-X., Roeske, W.R., Hawkins, K.N., Gehlert, D.R. and Yamamura, H.I.
Quantitative autoradiography of M_2 muscarinic receptors in the rat brain identified by using a selective radioligand [^{3}H]AF-DX 116, **477**, 322
Wang, R.Y., see Ashby Jr., C.R., **493**, 194
Wang, R.Y., see Ashby Jr., C.R., **498**, 393
Wang, R.Y., see Hu, X.-T., **486**, 325
Wang, R.Y., see Rubinstein, J.E., **496**, 385
Wang, Y.-Y. and Aghajanian, G.K.
Excitation of locus coeruleus neurons by vasoactive intestinal peptide: evidence for a G-protein-mediated inward current, **500**, 107
Wang, Z.-Z., Stensaas, L.J., Dinger, B. and Fidone, S.J.
Immunocytochemical localization of choline acetyltransferase in the carotid body of the cat and rabbit, **498**, 131
Ward, D.G.
Neurons in the parabrachial nuclei respond to hemorrhage, **491**, 80
Ward, H.K., see Bradford, H.F., **476**, 29
Ward, K.K., see Shupeck, M., **493**, 225
Ward, R., see Rio, J.P., **479**, 151
Warembourg, M., Jolivet, A. and Milgrom, E.
Immunohistochemical evidence of the presence of estrogen and progesterone receptors in the same neurons of the guinea pig hypothalamus and preoptic area, **480**, 1
Warner, J.K., see Yates, A.J., **479**, 277
Warsh, J.J., see Kish, S.J., **489**, 373
Washburne, D.L., see Juraska, J.M., **479**, 115
Washington, L.W., see Fitch, J.M., **479**, 105
Wasserschaff, M., see Wernig, A., **489**, 352
Wasterlain, C.G., see Bronstein, J., **495**, 83
Wasterlain, C.G., see Morin, A.M., **487**, 376
Watanabe, S., see Hori, Y., **497**, 291
Watanabe, T., see Murakami, N., **478**, 171
Watanabe, Y., see Ikeda, J., **505**, 176
Watanabe, Y., see Watanabe, Y., **478**, 143
Watanabe, Y., Watanabe, Y., Hamada, K., Bommelaer-Bayt, M.-C., Dray, F., Kaneko, T., Yumoto, N. and Hayaishi, O.
Distinct localization of prostaglandin D_2, E_2 and $F_{2\alpha}$ binding sites in monkey brain, **478**, 143
Waterhouse, B.D., see Sessler, F.M., **499**, 27
Waters, R.S., see Mori, A., **504**, 206
Watkins, K.C., see Soghomonian, J.-J., **481**, 67
Watkins, L.R., see Guinan, M.J., **485**, 333
Watson, D.F., Hoffman, P.N., Fittro, K.P. and Griffin, J.W.
Neurofilament and tubulin transport slows along the course of mature motor axons, **477**, 225
Watson, D.L., see Marks, S.S., **478**, 196
Watson, G.B., Rader, R.K. and Lanthorn, T.H.
Epileptiform activity in vitro can produce long-term synaptic failure and persistent neuronal depolarization, **498**, 81
Watson, M., see Sundaram, K., **477**, 358

Watson, S.J., see Herman, J.P., **501**, 235
Watson, W.E.J., see Dodd, P.R., **490**, 320
Wauquier, A., see Ashton, D., **487**, 402
Waxman, S.G., see Gordon, T.R., **502**, 252
Webb, H.A., see Kennaway, D.J., **495**, 349
Webb, R.A., see Gordon, B., **486**, 376
Webster, R.A., see Farrant, M., **480**, 344
Webster, R.A., see Farrant, M., **504**, 49
Wee, B.E.F. and Turek, F.W.
Carbachol phase shifts the circadian rhythm of locomotor activity in the Djungarian hamster, **505**, 209
Weerasuriya, A., Curran, G.L. and Poduslo, J.F.
Blood–nerve transfer of albumin and its implications for the endoneurial microenvironment, **494**, 114
Wehby, R.G., see Valentino, R.J., **488**, 126
Wehner, J.M., see Peris, J., **503**, 288
Wei, E.T., see Poree, L.R., **502**, 349
Weidmann, R., see Stephens, D.N., **492**, 89
Weigel, M.A., see Krukoff, T.L., **499**, 1
Weight, F.F., see Marietta, C.A., **496**, 173
Weinberger, N.M., see McKenna, T.M., **481**, 142
Weinberger, N.M., see Metherate, R., **480**, 372
Weiner, H., see Yirmiya, R., **479**, 16
Weisinger, R.S., see Osborne, P.G., **499**, 101
Weisinger, R.S., see Park, R., **493**, 123
Weisinger, R.S., see Tarjan, E., **500**, 352
Weiss, F., see Hurd, Y.L., **498**, 199
Weiss, G.F., see Leibowitz, S.F., **503**, 132
Weiss, G.K., see Jimenez-Rivera, C.A., **485**, 363
Weiss, J.H., Koh, J.Y. and Choi, D.W.
Neurotoxicity of *β*-*N*-methylamino-L-alanine (BMAA) and *β*-*N*-oxalylamino-L-alanine (BOAA) on cultured cortical neurons, **497**, 64
Weiss, J.M., see Simson, P.E., **490**, 236
Weiss, S.
Two distinct quisqualate receptor systems are present on striatal neurons, **491**, 189
Weiss, S.R.B., Post, R.M., Szele, F., Woodward, R. and Nierenberg, J.
Chronic carbamazepine inhibits the development of local anesthetic seizures kindled by cocaine and lidocaine, **497**, 72
Weissmann, D., see Krantic, S., **498**, 267
Weizman, A., see Drugan, R.C., **487**, 45
Weizman, R., see Drugan, R.C., **487**, 45
Wells, J., see McKeon, R.J., **503**, 317
Wen, Y.-F., see Lai, H., **488**, 361
Wenk, G.L., see Atack, J.R., **483**, 367
Wenthold, R.J., see Helfert, R.H., **501**, 269
Wenthold, R.J., see Juiz, J.M., **504**, 173
Wenthold, R.J., see Usami, S.-I., **503**, 213
Wenzel, J., see Beck, T., **497**, 205
Wernig, A., Irintchev, A. and Wasserschaff, M.
Prolonged running does not improve muscle coordination after cross-union of tibial and peroneal nerves in mice, **489**, 352
Westlund, K.N., McNeill, D.L., Patterson, J.T. and Coggeshall, R.E.
Aspartate immunoreactive axons in normal rat L_4 dorsal roots, **489**, 347
Westphal, H.M., see Kovács, K.J., **505**, 239
Wharton, J., Gordon, L., Walsh, F.S., Flanigan, T.P., Moore, S.E. and Polak, J.M.
Neural cell adhesion molecule (N-CAM) expression during cardiac development in the rat, **483**, 170
Wheaton, A.B., see Lust, W.D., **489**, 12
Wheeler, B.C., see Novak, J.L., **497**, 223
Wheeler, F.B., see MacLean, D.B., **478**, 349
Wheelock, T.R., see Shea, T.B., **492**, 53
Whipple, B., see Pacheco, P., **490**, 85
Whitaker-Azmitia, P.M. and Azmitia, E.C.
Stimulation of astroglial serotonin receptors produces culture media which regulates growth of serotonergic neurons, **497**, 80
Whitaker-Azmitia, P.M., see Segal, M., **502**, 67
White, R., see Fults, D., **503**, 281
White, D.M., Leah, J.D. and Zimmermann, M.
The localization and release of substance P and calcitonin gene-related peptide at nerve fibre endings in rat cutaneous nerve neuroma, **503**, 198
White, E.L., see Keller, A., **496**, 105
White, F.C., see Rettig, R., **505**, 251
White, R.J., see Schwarcz, R., **490**, 103
White, S.R. and Fung, S.J.
Serotonin depolarizes cat spinal motoneurons in situ and decreases motoneuron afterhyperpolarizing potentials, **502**, 205
White, S.R., see Samathanam, G., **501**, 179
White, T.D., see Hoehn, K., **478**, 149
Whitehouse, P.J., see Atack, J.R., **483**, 367
Whitham, E.M., see Barnes, S., **486**, 89
Whitney, G., see Spielman, A.I., **503**, 326
Whittemore, E.R. and Koerner, J.F.
Novel recognition site for L-quisqualate sensitizes neurons to depolarization by L-2-amino-4-phosphonobutanoate (L-AP4), **489**, 146
Wiche, G., see Bancher, C., **477**, 90
Wickelgren, W.O., see Womble, M.D., **485**, 89
Wickesberg, R.E. and Oertel, D.
Auditory nerve neurotransmitter acts on a kainate receptor: evidence from intracellular recordings in brain slices from mice, **486**, 39
Wickesberg, R.E., see Zhang, S., **501**, 194
Widmann, C., see Bidard, J.-N., **495**, 45
Wiegand, S.J., see Marciano, F.F., **483**, 135
Wieraszko, A. and Seyfried, T.N.
ATP-induced synaptic potentiation in hippocampal slices, **491**, 356
Wieraszko, A., Goldsmith, G. and Seyfried, T.N.
Stimulation-dependent release of adenosine triphosphate from hippocampal slices, **485**, 244
Wiesenfeld-Hallin, Z.
Nerve section alters the interaction between C-fibre activity and intrathecal neuropeptides on the flexor reflex in rat, **489**, 129
Wiesenfeld-Hallin, Z., Villar, M.J. and Hökfelt, T.
The effects of intrathecal galanin and C-fiber stimulation on the flexor reflex in the rat, **486**, 205
Wightman, R.M., see May, L.J., **487**, 311
Wilcox, B.J., Matsumoto, A.M., Dorsa, D.M. and Baskin, D.G.
Reduction of insulin binding in the arcuate nucleus of the rat hypothalamus after 6-hydroxydopamine treatment, **500**, 149
Wild, J.M.
Pretectal and tectal projections to the homologue of the dorsal lateral geniculate nucleus in the pigeon: an anterograde and retrograde tracing study with cholera toxin conjugated to horseradish peroxidase, **479**, 130
Wiley, R.G., see Davis, T.L., **504**, 216
Wiley, R.G., Stirpe, F., Thorpe, P. and Oetelman, T.N.
Neuronotoxic effects of monoclonal anti-Thy 1 antibody (OX7) coupled to the ribosome inactivating protein, saporin, as studied by suicide transport experiments in the rat, **505**, 44
Wilkin, L.D., see Mitchell, L.D., **480**, 388
Wilkinson, L.W., see Auerbach, S.B., **499**, 281
Willar, C.D. and Crowne, D.P.
Circling, hemispheric asymmetry, and left–right discrimination, **500**, 405

Willems, R., see Ashton, D., **487**, 368
Willems, R., see Ashton, D., **487**, 402
Willetts, J., see Urban, L., **500**, 12
Williams, F., see Burde, R.M., **498**, 371
Williams, M., see Jarvis, M.F., **484**, 111
Williams, G., see Kreymann, B., **502**, 325
Williams, K.D. and Smith, D.O.
Cholesterol conservation in skeletal muscle associated with age- and denervation-related atrophy, **493**, 14
Williams, L.R., Jodelis, K.S. and Donald, M.R.
Axotomy-dependent stimulation of choline acetyltransferase activity by exogenous mouse nerve growth factor in adult rat basal forebrain, **498**, 243
Williams, P.E., see Radosevich, P.M., **498**, 89
Williams, P.J., MacVicar, B.A. and Pittman, Q.J.
Identification of a GABA-activated chloride-mediated synaptic potential in rat pars intermedia, **483**, 130
Williams, T.H., see Gotow, T., **492**, 325
Williamson, A., see Fang, F.G., **501**, 116
Williamson, A.M., see Haws, C.M., **483**, 272
Williamson, R.
Electrical coupling between secondary hair cells in the statocyst of the squid *Alloteuthis subulata*, **486**, 67
Wilmot, C.A. and Szczepanik, A.M.
Effects of acute and chronic treatments with clozapine and haloperidol on serotonin (5-HT_2) and dopamine (D_2) receptors in the rat brain, **487**, 288
Wilson, B.K.J., see Sibbald, J.R., **499**, 164
Wilson, J.F., see Tiligada, E., **503**, 225
Wilson, J.X., see Cechetto, D.F., **502**, 296
Wilson, P.M. and Astheimer, L.B.
Laminar and non-laminar patterns of acetylcholinesterase activity in the marsupial lateral geniculate nucleus, **486**, 236
Winblad, B., see Adem, A., **503**, 299
Winkler, H., see Schober, M., **478**, 41
Winsky, L., Harvey, J.A., McMaster, S.E. and Jacobowitz, D.M.
A study of proteins in the auditory system of rabbits using two-dimensional gels: identification of glial fibrillary acidic protein and vitamin D-dependent calcium binding protein, **493**, 136
Winters, R.W., see Teich, A.H., **480**, 210
Wirtshafter, D., Trifunovic, R. and Krebs, J.C.
Behavioral and biochemical evidence for a functional role of excitatory amino acids in the median raphe nucleus, **482**, 225
Wise, P.M., see Cohen, I.R., **476**, 400
Wise, R.A., see Blander, A., **483**, 12
Wise, R.A., see Rompré, P.-P., **477**, 144
Wise, R.A., see Rompré, P.-P., **477**, 152
Wisniewski, H.M., see Bancher, C., **477**, 90
Witkin, J.M., see Ricaurte, G.A., **490**, 301
Wixon, H.N., see Marietta, C.A., **496**, 173
Woerly, S. and Marchand, R.
A fluorescence histochemical method for the demonstration of central catecholamine neurons in young embryonic tissues, **495**, 377
Wolf, A.L., see Jaeger, C.B., **487**, 225
Wolf, W.A., see Elghozi, J.-L., **499**, 39
Wollnik, F., Turek, F.W., Majewski, P. and Takahashi, J.S.
Phase shifting the circadian clock with cycloheximide: response of hamsters with an intact or a split rhythm of locomotor activity, **496**, 82
Wolski, D., see Cechetto, D.F., **502**, 296
Womble, M.D. and Wickelgren, W.O.
Activation of adenylate cyclase by forskolin prolongs calcium action potential duration in lamprey sensory neurons, **485**, 89
Wong, K.L., Murakami, K. and Routtenberg, A.
Dietary *cis*-fatty acids that increase protein F_1 phosphorylation enhance spatial memory, **505**, 302
Woo, J.E., see Saffran, B.N., **492**, 245
Woodbury, J.W., see Eyzaguirre, C., **477**, 265
Woodruff, K.H., see Lo, E.H., **504**, 168
Woods, D.L., see Knight, R.T., **498**, 190
Woods, D.L., see Knight, R.T., **502**, 109
Woods, D.L., see Knight, R.T., **504**, 338
Woodward, D.J., see Manaye, K.F., **491**, 307
Woodward, D.J., see Smith, S.S., **476**, 307
Woodward, R., see Weiss, S.R.B., **497**, 72
Woodward, W.R., Meshul, C.K. and Coull, B.M.
Ultrastructural and functional evidence for the survival of corticogeniculate neurons in kainic acid-lesioned lateral geniculate nucleus, **494**, 42
Woody, C.D., Baranyi, A., Szente, M.B., Gruen, E., Holmes, W., Nenov, V. and Strecker, G.J.
An aminopyridine-sensitive, early outward current recorded in vivo in neurons of the precruciate cortex of cats using single-electrode voltage–clamp techniques, **480**, 72
Woody, C.D., see Holmes, W.R., **505**, 12
Woolf, N.K., see Ryan, A.F., **483**, 283
Woolverton, W.L., Ricaurte, G.A., Forno, L.S. and Seiden, L.S.
Long-term effects of chronic methamphetamine administration in rhesus monkeys, **486**, 73
Woolverton, W.L., see Kleven, M.S., **488**, 121
Wooten, G.F., see Bekenstein, J.W., **481**, 97
Worley, P., see Zarbin, M.A., **497**, 334
Worley, P.F., see Stratton, K.R., **494**, 359
Woulfe, J. and Beaudet, A.
Immunocytochemical evidence for direct connections between neurotensin-containing axons and dopaminergic neurons in the rat ventral midbrain tegmentum, **479**, 402
Wrathall, J.R., see Noble, L.J., **482**, 57
Wree, A., see Zilles, K., **488**, 14
Wright, D.C., see Jørgensen, M.B., **484**, 393
Wright, J.W., see Jensen, L.L., **490**, 48
Wright, L.L. and Luebke, J.I.
Somatostatin-, vasoactive intestinal polypeptide- and neuropeptide Y-like immunoreactivity in eye- and submandibular gland-projecting sympathetic neurons, **494**, 267
Wright, M., see Przedborski, S., **504**, 311
Wroblewski, J.T., see Danysz, W., **479**, 270
Wu, J.-Y., see Murakami, S., **485**, 403
Wu, J.-Y., see Usami, S.-I., **503**, 213
Wu, M., see Mogenson, G.J., **485**, 396
Wu, M., see Tsai, C.T., **494**, 22
Wu, M.-F., Mallick, B.N. and Siegel, J.M.
Lateral geniculate spikes, muscle atonia and startle response elicited by auditory stimuli as a function of stimulus parameters and arousal state, **499**, 7
Wu, M.-F., see Suzuki, S.S., **484**, 78
Wu, M.F., see Shouse, M.N., **505**, 271
Wu, P.H., see Carlen, P.L., **497**, 171
Wüllner, U., Klockgether, T. and Sontag, K.-H.
Phaclofen antagonizes the depressant effect of baclofen on spinal reflex transmission in rats, **496**, 341
Wurpel, J.N.D., see Sperber, E.F., **480**, 378
Wurtman, R.J., see Buyukuysal, R.L., **482**, 371
Wurtman, R.J., see Laferrere, B., **504**, 258
Wurtman, R.J., see Ulus, I.H., **484**, 217
Wuttke, W.A., see Walz, W., **504**, 82

X

Xi, M.-C., see Hongo, T., **505**, 163 , **505**, 167

Xie, C.-W., Lee, P.H.K., Douglass, J., Crain, B. and Hong, J.-S. Deep prepyriform cortex kindling differentially alters the levels of prodynorphin mRNA in rat hippocampus and striatum, **495**, 156

Xu, H., Smolens, I. and Gintzler, A.R. Opioids can enhance and inhibit the electrically evoked release of methionine-enkephalin, **504**, 36

Xu, M., Mizobe, F., Yamamoto, T. and Kato, T. Differential effects of M_1- and M_2-muscarinic drugs on striatal dopamine release and metabolism in freely moving rats, **495**, 232

Y

Yagi, H., see Ohta, A., **498**, 195

Yajeya, J., see Quintana, J., **503**, 100

Yajima, Y. and Hayashi, Y. Electrophysiological evidence for axonal branching of ambiguous laryngeal motoneurons, **478**, 309

Yaksh, T.L., see Borke, J.L., **489**, 355

Yaksh, T.L., see Grabow, T.S., **489**, 223

Yaksh, T.L., see Jensen, T.S., **476**, 1

Yaksh, T.L., see Ramberg, D.A., **483**, 61

Yakushiji, T., see Akaike, N., **504**, 293

Yakushiji, T., Oyama, Y. and Akaike, N. Comparative study on barbiturates using isolated single neurons: GABA-mimetic action and augmentatory action on GABA response, **488**, 357

Yamada, K.A. and Rothman, S.M. Glutamine currents in hippocampal neurons are attributable to contaminating glutamate, **498**, 351

Yamada, N., Akiyama, K. and Otsuki, S. Hippocampal kindling enhances excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the hippocampus and amygdala/pyriform cortex, **490**, 126

Yamada, N., see Akiyama, K., **485**, 95

Yamada, T., see Kossut, M., **476**, 78

Yamadori, T., see Tabuchi, T., **492**, 176

Yamadori, T., Nakamura, T. and Takami, K. A study on the retinal ganglion cell which has an uncrossed bifurcating axon in the albino rat, **488**, 143

Yamaguchi, T., see Hishinuma, M., **482**, 184

Yamaguchi, K. and Hama, H. Evaluation for roles of periventricular cholinoceptors in vasopressin secretion in response to angiotensin II and an osmotic stimulus, **496**, 345

Yamaguchi, K. and Hama, H. Facilitatory role of central dopamine in the osmotic release of vasopressin, **481**, 388

Yamakami, I., see McIntosh, T.K., **482**, 252

Yamamoto, M., see Kodama, T., **487**, 26

Yamamoto, M., see Kodama, T., **487**, 35

Yamamoto, B.K., see Glynn, G.E., **481**, 235

Yamamoto, H., see Saitoh, Y., **489**, 291

Yamamoto, K., Senba, E., Matsunaga, T. and Tohyama, M. Calcitonin gene-related peptide containing sympathetic preganglionic and sensory neurons projecting to the superior cervical ganglion of the rat, **487**, 158

Yamamoto, T., Matsuo, R., Kiyomitsu, Y. and Kitamura, R. Response properties of lateral hypothalamic neurons during ingestive behavior with special reference to licking of various taste solutions, **481**, 286

Yamamoto, T., see Carr, P.A., **497**, 163

Yamamoto, T., see Xu, M., **495**, 232

Yamamura, H., see Takagishi, Y., **492**, 116

Yamamura, H.I., see Mei, L., **504**, 7

Yamamura, H.I., see Wang, J.-X., **477**, 322

Yamano, M., see Tsuchiyama, M., **494**, 168

Yamasaki, H., see Kanagawa-Terayama, Y., **494**, 75

Yamashita, N. and Moritani, T. Anticipatory changes of soleus H-reflex amplitude during execution process for heel raise from standing position, **490**, 148

Yamatodani, A., see Takemura, M., **496**, 351

Yamauchi, K., see Nazruddin, **490**, 219

Yamauchi, M., see Yoshino, K., **503**, 152

Yamauchi, Y., see Kawahara, K., **479**, 185

Yamaue, K., see Nakamura, A., **480**, 82

Yamaura, A., see Namba, H., **486**, 221

Yamazaki, M. and Sakaguchi, T. Pancreatic vagal functional distribution in the secretion of insulin evoked by portal infusion of D-glucose, **484**, 357

Yamazaki, S., Noronha, J.G., Bell, J.M. and Rapoport, S.I. Incorporation of plasma [^{14}C]palmitate into the hypoglossal nucleus following unilateral axotomy of the hypoglossal nerve in adult rat, with and without regeneration, **477**, 19

Yanaihara, C., see Kanagawa-Terayama, Y., **494**, 75

Yanaihara, N., see Takahashi, Y., **497**, 374

Yang, C.R. and Mogenson, G.J. Ventral pallidal neuronal responses to dopamine receptor stimulation in the nucleus accumbens, **489**, 237

Yang, C.R., see Schacter, G.B., **494**, 339

Yang, C.R., see Tsai, C.T., **494**, 22

Yang, H.-Y.T., see Majane, E.A., **494**, 1

Yang, J., see Zorumski, C.F., **484**, 102

Yarygin, K.N., see Bakalkin, G.Y., **480**, 268

Yashpal, K., see Hong, Y., **499**, 169

Yasuda, K., see Sugaya, E., **497**, 239

Yasui, S., see Ishizuka, S., **498**, 181

Yates, A.J., Warner, J.K., Stock, S.M. and McQuarrie, I.G. Ganglioside synthesis and transport in regenerating sensory neurons of the rat sciatic nerve, **479**, 277

Yatomi, A., see Gotoh, M., **493**, 97

Yeh, H.H., see Sessler, F.M., **499**, 27

Yen, C.-T., Fu, T.-C. and Chen, R.-C. Distribution of thalamic nociceptive neurons activated from the tail of the rat, **498**, 118

Yeomans, J.S., Rosen, J.B., Barbeau, J. and Davis, M. Double-pulse stimulation of startle-like responses in rats: refractory periods and temporal summation, **486**, 147

Ygge, J. Neuronal loss in lumbar dorsal root ganglia after proximal compared to distal sciatic nerve resection: a quantitative study in the rat, **478**, 193

Yim, C.Y. and Mogenson, G.J. Low doses of accumbens dopamine modulate amygdala suppression of spontaneous exploratory activity in rats, **477**, 202

Yirmiya, R., see Marek, P., **489**, 182

Yirmiya, R., Shavit, Y., Ben-Eliyahu, S., Martin, F.C., Weiner, H. and Liebeskind, J.C. Natural killer cell activity in vasopressin-deficient rats (Brattleboro strain), **479**, 16

Yoburn, B.C., Paul, D., Azimuddin, S., Lufty, K. and Sierrra, V. Chronic opioid antagonist treatment increases μ and δ receptor mediated spinal opioid analgesia, **485**, 176

Yokota, T., see Asato, F., **488**, 135

Yokoyama, N., Mori, N. and Kumashiro, H. Chemical kindling induced by cAMP and transfer to electrical kindling, **492**, 158

Yoneda, Y. and Ogita, K.
Labeling of NMDA receptor channels by [^{3}H]MK-801 in brain synaptic membranes treated with Triton X-100, **499**, 305
Yonemasu, Y., see Tanaka, S., **478**, 385
Yonemasu, Y., see Tanaka, T., **498**, 215
Yoon, M.G., see Henken, D.B., **501**, 247
York, D.A., see Holt, S.J., **481**, 106
York, D.A., see Holt, S.J., **497**, 183
York, D.A., see Holt, S.J., **500**, 384
Yoshida, A., see Shigenaga, Y., **505**, 91
Yoshida, M., see Suzuki, S., **485**, 109
Yoshida, M., Shirouzu, M., Tanaka, M., Semba, K. and Fibiger, H.C.
Dopaminergic neurons in the nucleus raphe dorsalis innervate the prefrontal cortex in the rat: a combined retrograde tracing and immunohistochemical study using anti-dopamine serum, **496**, 373
Yoshida, Y., Nishikawa, T., Tanii, Y. and Takahashi, K.
Frontal decortication decreases the affinity of *N*-(1-[2-thienyl]cylohexyl)-[^{3}H]piperidine binding to rat striatum, **499**, 179
Yoshii, F., Ginsberg, M.D., Kelley, R.E., Chang, J.Y., Barker, W.W., Ingenito, G., Apicella, A.M., Globus, M.Y-T., Duara, R., and Boothe, T.E.
Asymmetric somatosensory activation with right- vs left-hand stimulation: a positron emission tomographic study, **483**, 355
Yoshii, M., see Ogata, N., **476**, 140
Yoshimatsu, H., see Ookuma, K., **490**, 268
Yoshimoto, T., see Amagasa, M., **504**, 87
Yoshimoto, Y., Sakai, K., Panula, P., Salvert, D., Stuart, M. and Jouvet, M.
Cells of origin of histaminergic afferents to the cat median eminence, **504**, 149
Yoshino, K., Andoh, S., Kawagishi, S., Yamauchi, M., Jones, T.E. and Amano, N.
Innervation of the tooth pulp by the mesencephalic trigeminal nucleus in the cat: a retrograde horseradish peroxidase study, **503**, 152
Yoshioka, M., see Pan-Hou, H., **476**, 354
Yoshiura, M., see Kanemitsu, H., **499**, 367
Yoshizaki, K., see Sato, M., **504**, 132
Young, A.B., see Albin, R.L., **491**, 185
Young, A.B., see McDonald, J.W., **482**, 155
Young, E.A., see Herman, J.P., **501**, 235
Young, H.F., see Jenkins, L.W., **477**, 211
Young, J.D., see Lee, C.-M., **488**, 328
Young, L.H.Y. and Dowling, J.E.
Localization of cyclic adenosine monophosphate in the teleost retina: effects of dopamine and prolonged darkness, **504**, 57
Yu, W.-H.A.
Survival of motoneurons following axotomy is enhanced by lactation or by progesterone treatment, **491**, 379
Yuan, C.-S., see Barber, W.D., **487**, 1
Yum, S.W., see Vink, R., **490**, 144
Yumoto, N., see Watanabe, Y., **478**, 143
Yurek, D.M., Deutch, A.Y., Roth, R.H. and Sladek Jr., J.R.
Morphological, neurochemical, and behavioral characterizations associated with the combined treatment of diethyldithiocarbamate and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice, **497**, 250
Yuzaki, M., see Maeda, N., **489**, 21

Z

Zaborszky, L. and Cullinan, W.E.
Hypothalamic axons terminate on forebrain cholinergic neurons: an ultrastructural double-labeling study using PHA-L tracing and ChAT immunocytochemistry, **479**, 177
Zagon, I.S. and McLaughlin, P.J.
Endogenous opioid systems regulate growth of neural tumor cells in culture, **490**, 14
Zagon, I.S. and McLaughlin, P.J.
Opioid antagonist modulation of murine neuroblastoma: a profile of cell proliferation and opioid peptides and receptors, **480**, 16
Zagon, I.S., Goodman, S.R. and McLaughlin, P.J.
Characterization of zeta (ζ): a new opioid receptor involved in growth, **482**, 297
Zahm, D.S. and Johnson, S.N.
Asymmetrical distribution of neurotensin immunoreactivity following unilateral injection of 6-hydroxydopamine in rat ventral tegmental area (VTA), **483**, 301
Zahm, D.S.
Evidence for a morphologically distinct subpopulation of striatipetal axons following injections of WGA-HRP into the ventral tegmental area in the rat, **482**, 145
Zahniser, N.R., see Peris, J., **503**, 288
Zajac, J.-M., Lombard, M.-C., Peschanski, M., Besson, J.-M. and Roques, B.P.
Autoradiographic study of μ and δ opioid binding sites and neutral endopeptidase-24.11 in rat after dorsal root rhizotomy, **477**, 400
Zalc, B., see Bourdette, D.N., **478**, 175
Zamir, O., see Hanini, M., **497**, 245
Zanotto, L., see Pellegrini, A., **497**, 344
Zarbin, M.A., Baraban, J. and Worley, P.
Autoradiographic distribution of forskolin and phorbol ester binding sites in the retina, **497**, 334
Zarnegar, S.R., see Steinberg, G.K., **497**, 382
Zarola, F., Caramia, M.D., Paradiso, C., Mariorenzi, R., Martino, G., Traversa, R. and Rossini, P.M.
Single fibre motor evoked potentials to brain, spinal roots and nerve stimulation. Comparisons of the 'central' and 'peripheral' response jitter to magnetic and electric stimuli, **495**, 217
Zarola, F., see Caramia, M.D., **479**, 98
Zatz, M. and Mullen, D.A.
Ouabain (or salt solution lacking potassium) mimics the effects of dark pulses on the circadian pacemaker in cultured chick pineal cells, **501**, 37
Zatz, M. and Mullen, D.A.
Photoendocrine transduction in cultured chick pineal cells. III. Ouabain (or dark) pulses can block, overcome, or alter the phase response of the melatonin rhythm to light pulses, **501**, 46
Zatz, M.
Relationship between light, calcium influx and cAMP in the acute regulation of melatonin production by cultured chick pineal cells, **477**, 14
Zeigler, H.P., see Arends, J.J.A., **487**, 69
Zemcik, B.A., see Aoki, C., **493**, 331
Zemlan, F.P., Thienhaus, O.J. and Bosmann, H.B.
Superoxide dismutase activity in Alzheimer's disease: possible mechanism for paired helical filament formation, **476**, 160
Zeng, W., see Murrin, L.C., **480**, 170
Zhang, H., see Donnelly, D.F., **491**, 243
Zhang, H., see Donnelly, D.F., **505**, 149
Zhang, S., see Sun, X., **495**, 1
Zhang, D.X. and Rusak, B.
Photic sensitivity of geniculate neurons that project to the suprachiasmatic nuclei or the contralateral geniculate, **504**, 161
Zhang, D.X., Hackman, J.C. and Davidoff, R.A.
NMDA antagonists and potentiation of NMDA-induced motoneuron depolarizations in the isolated frog spinal cord, **493**, 129
Zhang, H., Rosenberg, H.C. and Tietz, E.I.
Injection of benzodiazepines but not

GABA or muscimol into pars reticulata of substantia nigra suppresses pentylenetetrazol seizures, **488**, 73
Zhang, S., Wickesberg, R.E. and Oertel, D.
Jaundiced Gunn rats have increased synaptic delays in the ventral cochlear nucleus, **501**, 194
Zhang, W., Tilson, H., Stachowiak, M.K. and Hong, J.S.
Repeated haloperidol administration changes basal release of striatal dopamine and subsequent response to haloperidol challenge, **484**, 389
Zhao, D.Y., see Sperber, E.F., **480**, 378
Zhou, F.C. and Buchwald, N.
Connectivities of the striatal grafts in adult rat brain: a rich afference and scant striatonigral efference, **504**, 15
Zhu, S.G., McGeer, E.G. and McGeer, P.L.
Effect of MK-801, kynurenate, glycine, dextrorphan and 4-acetylpyridine on striatal toxicity of quinolinate, **481**, 356
Zhuo, M., see Chiang, C.-Y., **478**, 293
Zhuo, H., see Reddy, V.K., **491**, 144
Zib, B., see Gunion, M.W., **478**, 47
Zielinski, B.S., Getchell, M.L. and Getchell, T.V.
Ultrastructural evidence for peptidergic innervation of the apical region of frog olfactory epithelium, **492**, 361
Zigmond, M.J., see Bernath, S., **476**, 373
Zigmond, M.J., see Salamone, J.D., **487**, 215
Zilles, K., see Schröder, H., **502**, 287
Zilles, K., Wree, A., Petrovic-Minic, B., Schleicher, A. and Beck, T.
Different metabolic changes in the lateral geniculate nucleus and the superior colliculus of adult rats after simultaneous or delayed double enucleation, **488**, 14
Zimmerman, M., see Hartung, M., **499**, 363
Zimmermann, M., see White, D.M., **503**, 198
Zipp, F., Nitsch, R., Soriano, E. and Frotscher, M.
Entorhinal fibers form synaptic contacts on parvalbumin-immunoreactive neurons in the rat fascia dentata, **495**, 161
Zivin, J.A., Kochhar, A. and Saitoh, T.
Phenothiazines reduce ischemic damage to the central nervous system, **482**, 189
Zochodne, D.W., Low, P.A. and Dyck, P.J.
Adrenergic sympathectomy ablates unmyelinated fibers in the rat 'preganglionic' cervical sympathetic trunk, **498**, 221
Zoli, M., see Benfenati, F., **498**, 376
Zona, C., see Dichter, M.A., **492**, 219
Zong-lian, H., see Liu, R.H., **481**, 350
Zorumski, C.F., Todd, R.D. and Clifford, D.B.
Complex responses activated by ibotenate in postnatal rat hippocampal neurons, **494**, 193
Zorumski, C.F., Yang, J., Baker, K., Covey, D.F. and Clifford, D.B.
Convulsant γ-butyrolactones block GABA currents in cultured chick spinal cord neurons, **484**, 102
Zubenko, G.S. and Hanin, I.
Cholinergic and noradrenergic toxicity of intraventricular aluminum chloride in the rat hippocampus, **498**, 381
Zuddas, A., Corsini, G.U., Schinelli, S., Barker, J.L., Kopin, I.J. and Di Porzio, U.
Acetaldehyde directly enhances MPP^+ neurotoxicity and delays its elimination from the striatum, **501**, 11
Zuddas, A., Corsini, G.U., Schinelli, S., Johannessen, J.N., Di Porzio, U. and Kopin, I.J.
MPTP treatment combined with ethanol or acetaldehyde selectively destroys dopaminergic neurons in mouse substantia nigra, **501**, 1
Zufall, F., Franke, C. and Hatt, H.
Similarities between the effects of lindane (γ-HCH) and picrotoxin on ligand-gated chloride channels in crayfish muscle membrane, **503**, 342
Zukin, R.S., see Unterwald, E.M., **505**, 111
Zukin, S.R., see Sircar, R., **504**, 325
Zytnicki, D., see Jami, L., **478**, 34

BRAIN RESEARCH
SUBJECT INDEX
1989
VOLUMES 476–502; 503–505

A

A-current
4-Aminopyridine (4-AP); Action potential accommodation; Basolateral amygdala (Gean, P.-W.) **480,** 160

Ionic conductance; Neocortex (Woody, C.D.) **480,** 72

A2/C2 cell group
L-3,4-Dihydroxyphenylalanine; Dopamine; Immunocytochemistry; Dorsal vagal complex; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

A5 cell group
Respiration; In vitro; Newborn rat; Norepinephrine; α_2-Adrenoceptor (Hilaire, G.) **485,** 325

Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

A9 cell group
Parkinsonian; 6-Hydroxydopamine; Selective dopaminergic lesion; A10 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

A10 cell group
Parkinsonian; 6-Hydroxydopamine; Selective dopaminergic lesion; A9 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

A68
Alzheimer's disease; Visual cortex; Laminar; Immunoperoxidase; Alz-50; Vision (Beach, T.G.) **501,** 171

Abdominal muscle
Nucleus retroambiguus; Ventral respiratory group; Medial reticular formation; Horseradish peroxidase retrograde transport (Miller, A.D.) **493,** 348

Abducens internuclear neuron
Abducens motoneuron; Lateral rectus; Eye movement; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Abducens motoneuron
Abducens internuclear neuron; Lateral rectus; Eye movement; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Abnormal axon
Norepinephrine (Powers, R.E.) **481,** 194

Acallosal brain
Corpus callosum; Probst's bundle; Corticocortical projection; Association fiber; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Acceleration of transport
Axonal transport; 2,5-Hexanedione; Neurofilament; Giant axonal neuropathy (Monaco, S.) **491,** 328

Accessory olfactory bulb
Behavioral recovery; Lesion; Preference of odor; T-maze test; Rat (Ichikawa, M.) **498,** 45

Accessory optic
Principal optic nuclei; Tectum; Avian; Cholera toxin B-chain–horseradish peroxidase (Wild, J.M.) **479,** 130

Accessory optic system
Macaque monkey; Visual cortex; Superior temporal sulcus; Autoradiography (Maioli, M.G.) **498,** 389

Accommodation
Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Central electrical stimulation; Ciliary muscle; Coincidence refractometry; Contrast ventriculoradiography; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Accumbens
Dopamine; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Accumulation
Excitatory amino acid; L-Cysteic acid; L-Glutamate transporter (Koyama, Y.) **487,** 113

[^{3}H]-Accumulation
Nicotine; Synaptic vesicle; Transport; Dopamine; Reserpine (Kramer, H.K.) **503,** 296

Acepromazine
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Acetaldehyde
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Ethanol; Neurotoxicity; Dopamine; Substantia nigra (Zuddas, A.) **501,** 1

Dopaminergic neuron; Striatum; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; 1-Methyl-4-phenylpyridinium ion; Ethanol (Zuddas, A.) **501,** 11

Acetylcholine
Carbachol; Rapid eye movement sleep; Brainstem reticular formation; Conductance; Inward rectification (Greene, R.W.) **476,** 154

Norepinephrine; Inhibitory avoidance; Spatial learning; DSP-4; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Neuromuscular junction (Molenaar, P.C.) **477,** 109

Serotonin; Spatial memory (Richter-Levin, G.) **477,** 404

Raphe; Graft; Hippocampus; Spatial memory (Richter-Levin, G.) **478,** 184

Auditory cortex; Receptive field; Neuromodulator; Single neuron; Neuronal plasticity (Metherate, R.) **480,** 372

Perforant path; Dentate gyrus; Carbachol; Atropine; Pirenzepine (Kahle, J.S.) **482,** 159

Long-term potentiation; Hippocampus; Monoamine; Memory; Denervation (Buzsáki, G.) **484,** 94

Choline; Phospholipid; Phosphatidylcholine; Precursor; Striatum (Ulus, I.H.) **484,** 217

Choline acetyltransferase; Acetylcholinesterase; Penis; Parasympathetic; Cholinergic innervation (Dail, W.G.) **487,** 165

Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Serotonin; Norepinephrine (Potter, P.E.) **487,** 238

Aging; Arecoline; Brain metabolism; Deoxyglucose; Rat (Soncrant, T.T.) **487,** 255

Visual cortex; Inhibition; γ-Aminobutyric acid; Arousal; Iontophoresis (Müller, C.M.) **487,** 335

Co-localization; Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Interleukin-1; AlT_{20}; Alzheimer's disease (Carmeliet, P.) **491,** 199

Cerulein; Cholecystokinin; Intracerebral dialysis; Striatum;

A

A-current
4-Aminopyridine (4-AP); Action potential accommodation; Basolateral amygdala (Gean, P.-W.) **480,** 160

Ionic conductance; Neocortex (Woody, C.D.) **480,** 72

A2/C2 cell group
L-3,4-Dihydroxyphenylalanine; Dopamine; Immunocytochemistry; Dorsal vagal complex; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

A5 cell group
Respiration; In vitro; Newborn rat; Norepinephrine; α_2-Adrenoceptor (Hilaire, G.) **485,** 325

Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

A9 cell group
Parkinsonian; 6-Hydroxydopamine; Selective dopaminergic lesion; A10 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

A10 cell group
Parkinsonian; 6-Hydroxydopamine; Selective dopaminergic lesion; A9 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

A68
Alzheimer's disease; Visual cortex; Laminar; Immunoperoxidase; Alz-50; Vision (Beach, T.G.) **501,** 171

Abdominal muscle
Nucleus retroambiguus; Ventral respiratory group; Medial reticular formation; Horseradish peroxidase retrograde transport (Miller, A.D.) **493,** 348

Abducens internuclear neuron
Abducens motoneuron; Lateral rectus; Eye movement; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Abducens motoneuron
Abducens internuclear neuron; Lateral rectus; Eye movement; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Abnormal axon
Norepinephrine (Powers, R.E.) **481,** 194

Acallosal brain
Corpus callosum; Probst's bundle; Corticocortical projection; Association fiber; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Acceleration of transport
Axonal transport; 2,5-Hexanedione; Neurofilament; Giant axonal neuropathy (Monaco, S.) **491,** 328

Accessory olfactory bulb
Behavioral recovery; Lesion; Preference of odor; T-maze test; Rat (Ichikawa, M.) **498,** 45

Accessory optic
Principal optic nuclei; Tectum; Avian; Cholera toxin B-chain–horseradish peroxidase (Wild, J.M.) **479,** 130

Accessory optic system
Macaque monkey; Visual cortex; Superior temporal sulcus; Autoradiography (Maioli, M.G.) **498,** 389

Accommodation
Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Central electrical stimulation; Ciliary muscle; Coincidence refractometry; Contrast ventriculoradiography; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Accumbens
Dopamine; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Accumulation
Excitatory amino acid; L-Cysteic acid; L-Glutamate transporter (Koyama, Y.) **487,** 113

[^{3}H]-Accumulation
Nicotine; Synaptic vesicle; Transport; Dopamine; Reserpine (Kramer, H.K.) **503,** 296

Acepromazine
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Acetaldehyde
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Ethanol; Neurotoxicity; Dopamine; Substantia nigra (Zuddas, A.) **501,** 1

Dopaminergic neuron; Striatum; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; 1-Methyl-4-phenylpyridinium ion; Ethanol (Zuddas, A.) **501,** 11

Acetylcholine
Carbachol; Rapid eye movement sleep; Brainstem reticular formation; Conductance; Inward rectification (Greene, R.W.) **476,** 154

Norepinephrine; Inhibitory avoidance; Spatial learning; DSP-4; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Neuromuscular junction (Molenaar, P.C.) **477,** 109

Serotonin; Spatial memory (Richter-Levin, G.) **477,** 404

Raphe; Graft; Hippocampus; Spatial memory (Richter-Levin, G.) **478,** 184

Auditory cortex; Receptive field; Neuromodulator; Single neuron; Neuronal plasticity (Metherate, R.) **480,** 372

Perforant path; Dentate gyrus; Carbachol; Atropine; Pirenzepine (Kahle, J.S.) **482,** 159

Long-term potentiation; Hippocampus; Monoamine; Memory; Denervation (Buzsáki, G.) **484,** 94

Choline; Phospholipid; Phosphatidylcholine; Precursor; Striatum (Ulus, I.H.) **484,** 217

Choline acetyltransferase; Acetylcholinesterase; Penis; Parasympathetic; Cholinergic innervation (Dail, W.G.) **487,** 165

Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Serotonin; Norepinephrine (Potter, P.E.) **487,** 238

Aging; Arecoline; Brain metabolism; Deoxyglucose; Rat (Soncrant, T.T.) **487,** 255

Visual cortex; Inhibition; γ-Aminobutyric acid; Arousal; Iontophoresis (Müller, C.M.) **487,** 335

Co-localization; Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Interleukin-1; AtT_{20}; Alzheimer's disease (Carmeliet, P.) **491,** 199

Cerulein; Cholecystokinin; Intracerebral dialysis; Striatum;

Vagotomy (Shimoyama, M.) **492,** 381

Dorsal lateral geniculate nucleus; Sleep–wake cycle; State dependency; Microiontophoresis; Rat (Marks, G.A.) **494,** 294

Noradrenaline; Calcium channel; Guanosine triphosphate-binding protein; Superior cervical ganglion; Sympathetic neuron (Song, S.-Y.) **494,** 383

Desensitization; *Aplysia*; Potassium conductance (Salánki, J.) **495,** 298

Aplysia; Desensitization; Chloride; Receptor (Evans, M.L.) **495,** 309

Somatostatin; Cysteamine; Physostigmine; Nucleus basalis of Meynert; Memory (Haroutunian, V.) **496,** 98

Vesicle; Sucrose gradient; Zonal centrifugation; *Torpedo* electric organ; Morphometric analysis (Fox, G.Q.) **498,** 279

In situ hybridization; Nucleus basalis of Meynert; Nucleus of the diagonal band of Broca (Walker, L.C.) **499,** 188

Dorsal horn neuron; Substance P (Urban, L.) **500,** 12

Medial septum; Rhythmic cell; γ-Aminobutyric acid (Stewart, M.) **500,** 55

Hippocampus; Septum; Graft (Segal, M.) **500,** 139

Monkey; Amygdala; Feeding behavior; Unit activity; Microelectrophoresis; Atropine (Lénárd, L.) **500,** 359

Cerebral cortex; Nicotinic acetylcholine receptor; Immunocytochemistry; Human brain; Rat brain (Schröder, H.) **502,** 287

Vertical limb of the diagonal band of Broca; Learning; Marmoset (Ridley, R.M.) **502,** 306

Traumatic brain injury; Rat; Morphine (Robinson, S.E.) **503,** 32

Dorsal motor nucleus of the vagus; Intracellular recording; Rat brainstem slice; Depolarization; Nicotinic receptor (Ito, C.) **503,** 44

Lindane; Picrotoxin; Chloride channel; γ-Aminobutyric acid; Glutamate; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Acetylcholinesterase; Cytoarchitectonics; Histochemistry; Neuroanatomy method (Shipley, M.T.) **504,** 347

Neuronal depolarization; Receptor subtypes; Postreceptor mechanisms; GTP-binding proteins (Simantov, R.) **505,** 160

Acetylcholine receptor
Substance P; Somatostatin; Caudate nucleus; Autoradiography (Ariano, M.A.) **497,** 51

Acetylcholine receptor channel
Denervation; End-plate; Schwann cell; Miniature end-plate current (Reiser, G.) **479,** 83

Acetylcholine release
Acetylcholine synthesis; Neuroblastoma; Human; Phosphocholine; Choline uptake (Richardson, U.I.) **476,** 323

Insulin-like growth factor; Autoradiography; Hippocampus (Araujo, D.M.) **484,** 130

Angiotensin II; Entorhinal cortex; Cognition; Angiotensin converting enzyme inhibitor SQ 29852 (Barnes, J.M.) **491,** 136

Interleukin-2; Autoradiography; Hippocampus (Araujo, D.M.) **498,** 257

Acetylcholine synthesis
Septum; Hippocampus; Septo-hippocampal neuron; Hemicholinium-3; Choline transport; Single unit recording (Jobert, A.) **476,** 220

Acetylcholine release; Neuroblastoma; Human; Phosphocholine; Choline uptake (Richardson, U.I.) **476,** 323

Acetylcholine system
α-Bungarotoxin; Ontogeny; Neocortex; Cortical development; Receptor autoradiography (Fuchs, J.L.) **501,** 223

Monocular paralysis; Lateral geniculate nucleus X/Y ratio; 6-Hydroxydopamine; Noradrenergic system; Oculomotor information; Brainstem activating system (Guido, W.) **501,** 397

Acetylcholinesterase
Butyrylcholinesterase; Cerebral microvessel; Rodent; Carnivore; Blood–brain barrier (Trancard, J.) **476,** 213

Ventrobasal complex; Homotypic grafting; Fetal neuron; Cytochrome oxidase; 2-Deoxyglucose; Metabolic activity (Juliano, S.L.) **478,** 356

Guinea-pig; Push–pull cannula; Substantia nigra; Peripheral nerve stimulation; Evoked release (Taylor, S.J.) **482,** 356

Marsupial; Lateral geniculate nucleus; Horseradish peroxidase; Cytoarchitecture; Retinal terminal (Wilson, P.M.) **486,** 236

Choline acetyltransferase; Penis; Parasympathetic; Acetylcholine; Cholinergic innervation (Dail, W.G.) **487,** 165

Nerve growth factor; Nucleus basalis of Meynert; Choline acetyltransferase (Haroutunian, V.) **487,** 200

Spinal cord; Ventral horn neuron; Dorsal horn neuron; Organotypic explant culture; Roller tube; Rat (Delfs, J.) **488,** 31

Neurotensin receptor; Autoradiography; Neurochemical compartment; Caudate nucleus; Human (Faull, R.L.M.) **488,** 381

Neuron; In vivo microspectrophotometry; Electrophysiology (Fossier, P.) **491,** 390

Transplantation; AF64A; Hippocampus; Cholinergic neuron; Radial maze; Spatial memory (Ikegami, S.) **496,** 321

Sprouting; Granule cell; Hilar interneuron (McKeon, R.J.) **503,** 317

Acetylcholine; Cytoarchitectonics; Histochemistry; Neuroanatomy method (Shipley, M.T.) **504,** 347

Striatal stimulation; Push–pull cannula; Chemiluminiscent assay (Taylor, S.J.) **505,** 153

Acetylcholinesterase inhibitor
Electron microscopy; Myopathy; Calcium channel blocker; Diltiazem; Muscular dystrophy (Meshul, C.K.) **497,** 142

4-Acetylpyridine
Quinolinic acid; MK-801; Huntington's disease; Kynurenate; Glycine; Dextrorphan (Zhu, S.G.) **481,** 356

***N*-Acetylaspartylglutamate**
Uptake; Release; Aspartate; Glutamate; Cerebellum (Sekiguchi, M.) **482,** 78

Climbing fiber response; MRNA; *Xenopus laevis* oocyte; Excitatory amino acid; Uptake; Cerebellum (Sekiguchi, M.) **482,** 87

Extrapyramidal system; Immunohistochemistry; Carbodiimide; Striatum; Pallidum; Substantia nigra (Moffett, J.R.) **494,** 255

Kindling; Seizure; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

***N*-Acetylated-α-linked acidic dipeptidase**
Kindling; Seizure; *N*-Acetyl-aspartylglutamate; Glutamate; Aspartate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

***N*-Acetylgalactosamine**
Parvalbumin; Lectin; γ-Aminobutyric acid; Cerebral cortex (Kosaka, T.) **483,** 158

***N*-Acetyltransferase**
Rat; Pineal; Circadian rhythm; Entrainment; Light–dark cycle (Illnerová, H.) **494,** 365

Acid phosphatase
β-Glucuronidase; Hexosaminidase; β-Glucosidase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Acoustic reflex
Stapedius muscle; Middle ear; Transneuronal tracing; Retrograde horseradish peroxidase tracing; Rat; Superior olivary complex (Rouiller, E.M.) **476,** 21

Acoustic startle response
Auditory system; Long-term habituation; Learning; 2-Deoxyglucose (Gonzalez-Lima, F.) **489,** 67

Acromelic acid
Excitotoxin; Kainic acid; Spinal cord; Spastic paraplegia (Shinozaki, H.) **503,** 330

Acromelic acid A
Glutamic acid; Kainic acid; Frog; Spinal cord; Binding experiment (Maruyama, M.) **504,** 328

Acrylamide
Microtubule; Neurofilament; Cytoskeletal protein; Neurotoxicity (Lapadula, D.M.) **481,** 157

Neuropathy; Neurotoxicity; Retrograde axonal transport (Sabri, M.I.) **483,** 1

Selective degeneration; Squirrel monkey; Retinal ganglion cell; Parallel visual pathway; Visual system; Cytochrome oxidase; Neurotoxicity (Lynch III, J.L.) **499,** 325

Actin
Tachykinin; Vasoactive intestinal peptide; Sensory neuron; Nerve injury; Gene expression (Nielsch, U.) **481,** 25

Axonal transport; Cytoskeleton; Transport kinetics; Slow component; Clathrin (Paggi, P.) **504,** 223

Actin synthesis
Axonal protein synthesis; Tubulin synthesis; Retinal ganglion cell axon; Regenerating axon (Koenig, E.) **481,** 119

Action potential
Central nervous system; Optic nerve; Injury; Degeneration; Laser (Assia, E.) **476,** 205

Cell membrane expansion; Tissue culture; Mouse; Dorsal root ganglion; Osmolarity; Aging; Adaptation (Horie, H.) **477,** 233

Trisomy 16; Down syndrome; Patch clamp (Ault, B.) **485,** 165

Serotonin; ω-Conotoxin GVIA; Bay K 8644; Nifedipine; Calcium-dependent plateau; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Sodium channel; Skeletal myotube; Skeletal muscle; Tissue culture (Brodie, C.) **488,** 186

Down syndrome; Superoxide dismutase; Whole cell; Patch recording (Ault, B.) **497,** 191

Action potential accommodation
A-current; 4-Aminopyridine (4-AP); Basolateral amygdala (Gean, P.-W.) **480,** 160

Action potential burst
Pain; Spinal cord injury; Human thalamus; Calcium; Nervous system plasticity; Slow wave sleep (Lenz, F.A.) **496,** 357

Action potential duration
Excitatory opioid receptor; Dorsal root ganglion neuron; Cyclic AMP; *Pertussis* toxin-sensitive G protein; Membrane Ca^{2+} conductance; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

Spike duration; Temperature; Hibernation; Information processing; Biophysical properties of neurons; Central nervous system (Krilowicz, B.L.) **498,** 73

Action potential frequency
Thyrotropin-releasing hormone; GH_3 cell; Diacylglycerol; Inositol phosphate; Phorbol ester (Gammon, C.M.) **479,** 217

Action potential repolarization
Optic tract; 4-Aminopyridine; Tetraethylammonium; Potassium channel; Frequency-following; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Action spectrum
Molluscan photoreceptor; Generator potential; Potassium current (Gotow, T.) **479,** 120

Active period
Nucleolus; Purkinje cell; Cerebellar cortex; Hedgehog; Hibernation (Giacometti, S.) **488,** 365

Activity
Medial septal lesion; Ganglioside; Recovery from brain damage; Body weight; Stereotypy (Poplawsky, A.) **495,** 396

Lateralization; Dopamine; Cortex; Substantia nigra (McMahon, F.J.) **503,** 185

Adaptation
Cell membrane expansion; Tissue culture; Mouse; Dorsal root ganglion; Osmolarity; Aging; Action potential (Horie, H.) **477,** 233

Addiction
Nicotine; Dopamine; Microdialysis; Nucleus accumbens (Mifsud, J.-C.) **478,** 365

Cocaine self-administration; Dopamine release; Dopamine uptake; Microdialysis (Hurd, Y.L.) **498,** 199

Adenosine
Caffeine; Naloxone; Feeding; N^6-R-phenylisopropyladenosine receptor (Levine, A.S.) **477,** 280

5-Hydroxytryptamine; Cynomolgus monkey; Microsphere; Cerebral circulation; Dog (Faraci, F.M.) **478,** 121

Glutamate; *N*-Methyl-D-aspartate; Cortex; Purine; Excitatory amino acid (Hoehn, K.) **478,** 149

Respiratory control; Nucleus tractus solitarius; 5′-Ethylcarboxamidoadenosine (Barraco, R.A.) **480,** 360

Hypoxia; Cerebral blood flow; Mass spectrometry; Rabbit; Theophylline (Pinard, E.) **481,** 124

Dopamine release; Microdialysis; 1-Methyl-1,4-phenylpyridinium ion; Puridine; Striatum (Ballarin, M.) **483,** 184

Receptor; Autoradiography; Striatum; 5′-*N*-Ethylcarboxamidoadenosine; N^6-Cyclopentyladenosine (Jarvis, M.F.) **484,** 111

Hippocampus; Hypoxia; Theophylline; 8-Phenyltheophylline (Fowler, J.C.) **490,** 378

A_2-adenosine receptor; Purinergic receptor; Retinal pigment epithelium; Cyclic adenosine monophosphate; Adenylate cyclase (Friedman, Z.) **492,** 29

Hippocampus; Pertussis toxin; Guanosine triphosphate-binding protein; Caffeine (Stratton, K.R.) **494,** 359

Adenosine 3′,5′-cyclic monophosphate
Forskolin; Adenylate cyclase; Lamprey; Calcium action potential (Womble, M.D.) **485,** 89

Adenosine 3′,5′-monophosphate
Vasopressin; Oxytocin; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Noradrenaline; In vitro cerebellum; Forskolin; 3-Isobutyl-1-methylxanthine; γ-Aminobutyric acid (Sessler, F.M.) **499,** 27

Adenosine A_1-receptor
Brain ischemia; G-protein; Adenylate cyclase; Cyclohexyladenosine; Autoradiography (Daval, J.-L.) **491,** 212

Adenosine A_2-receptor
Adenosine; Purinergic receptor; Retinal pigment epithelium; Cyclic adenosine monophosphate; Adenylate cyclase (Friedman, Z.) **492,** 29

Adenosine deaminase
Superior colliculus; Lateral posterior nucleus; Horseradish peroxidase tracing; Immunohistochemistry (Miguel-Hidalgo, J.-J.) **476,** 189

Adenosine diphosphate ribosylation
Opiate addiction; Tolerance and dependence; Pertussis toxin; Adenosine monophosphate, cyclic (Nestler, E.J.) **476,** 230

Adenosine monophosphate, cyclic
Opiate addiction; Tolerance and dependence; Pertussis toxin; Adenosine diphosphate ribosylation (Nestler, E.J.) **476,** 230

N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Adrenoceptor; Inositol phosphate (Pilc, A.) **493,** 8

Adenosine receptor
Caffeine; 5′-*N*-Ethylcarboxamide adenosine; C-fos; Mice (Nakajima, T.) **501,** 307

Triazolam; Striatum; Rat (Hawkins, M.) **505,** 141

Adenosine triphosphate
Release; Electrical stimulation; Hippocampal slice (Wieraszko, A.) **485,** 244

Hibernation; Hypothermia; Brain; Lactate; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Long-term potentiation; Hippocampal slice (Wieraszko, A.) **491,** 356

Chemoreceptor; Antagonism; Lobster; Nucleotide; Ectonucleotidase; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Phosphocreatine; *N*-Methyl-D-aspartate (NMDA); Excitatory transmission; Magnetic resonance spectroscopy; Brain slice (Jacquin, T.) **497,** 296

Adenosine triphosphate-sensitive K^+ channel
Autoradiography; Intracellular recording; Rat (Mourre, C.) **486,** 159

Adenosine uptake
Release; Purine; Dipyridamole; Soluflazine; Cerebral cortex (Phillis, J.W.) **481,** 309

Adenosine-3′,5′-monophosphate (cAMP)
Pituitary gonadotroph; Phosphorylation; Patch clamp; Ion channel; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Adenylate cyclase
G protein; *Aplysia*; Pertussis toxin; Cholera toxin; Synaptosome (Vogel, S.S.) **478,** 281

Reserpine; D_1 receptor; Supersensitivity; Striatum; [^{3}H]SCH 23390 binding (Missale, C.) **483,** 117

Forskolin; Adenosine 3′,5′-cyclic monophosphate; Lamprey; Calcium action potential (Womble, M.D.) **485,** 89

Cerebral ischemia; Delayed neuronal death; Forskolin; Hippocampus; Inositol trisphosphate (Onodera, H.) **487,** 343

Brain ischemia; Adenosine A_1-receptor; G-protein; Cyclohexyladenosine; Autoradiography (Daval, J.-L.) **491,** 212

Adenosine; A_2-adenosine receptor; Purinergic receptor; Retinal pigment epithelium; Cyclic adenosine monophosphate (Friedman, Z.) **492,** 29

Somatostatin; Brain; Norepinephrine; Dopamine; Vasointestinal; Polypeptide; Forskolin (Schettini, G.) **492,** 65

Receptor, D_1-; Receptor, D_2-; Supersensitivity; Caudate-putamen; Autoradiography; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Pertussis toxin; G-protein; Electrophysiology; Cautate-putamen; Rat (Boyajian, C.L.) **495,** 66

Transient forebrain ischemia; Striatum; Dopamine receptor; DARPP-32; Autoradiography; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

Chronic ethanol ingestion; Guanine nucleotide binding protein; Forskolin binding; Mouse (Valverius, P.) **503,** 38

Adipokinetic hormone
Insect; Locust; Neurosecretion; Corpus cardiacum; Octopamine; Calcium; Sodium (Pannabecker, T.) **477,** 38

Adjuvant arthritis
Chronic pain; Experimental pain; Analgesic; Sleep (Landis, C.A.) **488,** 195

Adoptive transfer–experimental autoimmune neuritis
Interleukin-2 receptor; Monoclonal antibody ART 18; Immunosuppression (Hartung, H.-P.) **489,** 120

Adrenal demedullation
Stress; Hyperglycemia; Brain norepinephrine depletion (Bialik, R.J.) **502,** 88

Adrenal gland
A5 cell group; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Paraventricular nucleus; Hypothalamus; Pituitary; Corticosterone; Norepinephrine; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

Adrenal medulla
Ontogenesis; Chromogranin A; Chromogranin B; Catecholamine (Schober, M.) **478,** 41

Parkinsonism; Catecholamine; Transplant; Rotation; Amphetamine; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Catecholamine secretion; Inositol phosphate; Somatostatin; Chromaffin cell; Catecholamine (Moeller, I.) **484,** 192

Neural implants; Chromaffin cell; Nociception; Spinal cord; Opioid peptide; Analgesia; Neural graft (Sagen, J.) **502,** 1

Adrenal medullary strip
Chromaffin cell; Dopamine; β-Endorphin; MPF (Ensor, D.M.) **490,** 196

Adrenal secretion
Adrenocorticotropin; Adrenaline; γ-Amino-butyric acid; Nociception; Noradrenaline; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Adrenal steroid receptors
Brain; Lymphoid tissue; Corticosterone; Pituitary; Rat; Adrenalectomy (Lowy, M.T.) **503,** 191

Adrenalectomy
Corticosteroid receptor; Corticosterone; Hippocampus; Aging; Up-regulation (Eldridge, J.C.) **478,** 248

Kainic acid; Dexamethasone; Wet dog shake; Seizure (Lee, P.H.K.) **480,** 322

CA1; Long-term potentiation; Neuronal plasticity; Stress; Learning; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

Neostigmine; Brain cholinergic neuron; Insulin secretion; Vagus nerve (Gotoh, M.) **493,** 97

Glial fibrillary acidic protein; Astrocyte; Glucocorticoid; Corticosterone (O'Callaghan, J.P.) **494,** 159

Corticosterone; Noradrenaline; Dopamine; Hypothalamus; Paraventricular nucleus (Jhanwar-Uniyal, M.) **500,** 247

Adrenal steroid receptors; Brain; Lymphoid tissue; Corticosterone; Pituitary; Rat (Lowy, M.T.) **503,** 191

Adrenaline
Immunocytochemistry; Pons; Electron microscopy (Milner, T.A.) **478,** 1

Adrenal secretion; Adrenocorticotropin; γ-Amino-butyric acid; Nociception; Noradrenaline; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Sympathetic preganglionic neuron; Adrenergic α_1 receptor; Adrenergic α_2 receptor; Excitation; Inhibition (Miyazaki, T.) **497,** 108

Neuropeptide Y; Corticotropin-releasing factor; Adrenocorticotropic hormone; Noradrenaline; 6-Hydroxydopamine; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Noradrenaline; Catecholamine; Substantia innominata; Extended amygdala (Chang, H.T.) **503,** 350

Adrenals
Corticosterone; Eating behavior; Neuropeptide Y; Paraventricular nucleus; Pituitary gland (Stanley, B.G.) **501,** 32

Adrenergic
Epilepsy; α_1-Adrenoceptor; Human brain; Phosphatidylinositol; Neurotransmitter (Dubeau, F.) **481,** 200

Ventrolateral medulla; Noradrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

α-Adrenergic
β-Estradiol; Hyperalgesia; Raynaud's phenomenon; Pain; Cyclooxygenase; Arachidonic acid; Sympathetic postganglionic neuron (Levine, J.D.) **487,** 143

α_2-Adrenergic
p-Amino-clonidine; Sex difference; Nucleus intercollicularis; Reproductive behavior; Japanese quail; Autoradiography (Ball, G.F.) **491,** 68

Adrenergic neuron
Substance P afferent; Solitary nucleus; Synaptic interaction (Kawai, Y.) **479,** 344

Tyrosine hydroxylase; Phenylethanolamine-*N*-methyltransferase; Cholinergic neuron; Endothelial cell; Cardiovascular regulation (Milner, T.A.) **500,** 67

Adrenergic receptor
Immunocytochemistry; Rat brain (Wanaka, A.) **485,** 125

Cultured cerebellar neuron; Glutamate; Noradrenaline; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

α-Adrenergic receptor
Glucocorticoid; Dexamethasone; β-Adrenergic receptor; Cyclic adenosine monophosphate; Adrenocorticotropic hormone (Duman, R.S.) **477,** 166

γ-Aminobutyric acid; Hypothalamic slice; Medial preoptic area; Noradrenaline; Estrogen; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Locus coeruleus; Benzodiazepine; Anxiety (Simson, P.E.) **490,** 236

α_1-Adrenergic receptor
Muscarinic receptor; Phosphatidyl inositol; Depolarization; Brain slice (Diamant, S.) **503,** 55

Adrenaline; Sympathetic preganglionic neuron; Adrenergic α_2 receptor; Excitation; Inhibition (Miyazaki, T.) **497,** 108

2-(β-4-Hydroxyphenyl-ethylamino-ethyltetralone); Human brain; Prefrontal cortex; Aging; Alzheimer's disease (Kalaria, R.N.) **501,** 287

α_2-Adrenergic receptor
Adrenaline; Sympathetic preganglionic neuron; Adrenergic α_1 receptor; Excitation; Inhibition (Miyazaki, T.) **497,** 108

Kindling; Locus coeruleus; Epilepsy; Seizure (Jimenez-Rivera, C.A.) **485,** 363

β-Adrenergic receptor
Glucocorticoid; Dexamethasone; α-Adrenergic receptor; Cyclic adenosine monophosphate; Adrenocorticotropic hormone (Duman, R.S.) **477,** 166

Immunoelectron microscopy; Hypothalamus; Presynaptic autoreceptor (Wanaka, A.) **479,** 190

Morphine dependence; Withdrawal; Hippocampal slice; Electrophysiological responsiveness; Radioligand binding (Moises, H.C.) **485,** 67

Signal transduction; Guanosine triphosphate-binding protein; Receptor–effector coupling; Photoaffinity labeling; Cyclic nucleotide; C6 glioma cell (Rasenick, M.M.) **488,** 105

Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Autonomic; Catecholamine; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Vasopressin neuron; Paraventricular nucleus; Supraoptic nucleus; Rat; Immunocytochemistry (Takano, T.) **499,** 174

Imipramine; Serotonergic receptor; Hippocampal slice in vitro; CA1 pyramidal cell; Antidepressant; Intracellular recording (Beck, S.G.) **504,** 72

Adrenoceptor
Autonomic; Brain slice; Clonidine; Nucleus tractus solitarii; Synaptic excitability (Feldman, P.D.) **480,** 190

[^{3}H]Mazindol binding; Paraventricular nucleus; Insulin secretion; Glucose homeostasis (Angel, I.) **490,** 367

N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Adenosine monophosphate, cyclic; Inositol phosphate (Pilc, A.) **493,** 8

Neuropeptide-Y; Corticotropin releasing factor; Hypothalamus; Stress; Norepinephrine (Tsagarakis, S.) **502,** 167

α-Adrenoceptor
Paraventricular nucleus; Noradrenaline; Vasopressin; Brattleboro rat (Harland, D.) **496,** 14

α_1-Adrenoceptor
Mianserin; Protryptiline; Prazosin binding; Phosphoinositide hydrolysis; Cerebral cortex (Sallés, J.) **498,** 366

Epilepsy; Human brain; Phosphatidylinositol; Adrenergic; Neurotransmitter (Dubeau, F.) **481,** 200

Pineal gland; Circadian variation (Pangerl, A.) **490,** 166

Ex vivo; Dopamine D_2; Serotonin-2; Autoradiography (Schotte, A.) **500,** 295

α_1- and α_2-Adrenoceptor
Development; Noradrenaline; Dorsal motor nucleus of the vagus; Medulla oblongata slice; Intracellular recording (Fukuda, A.) **493,** 357

α_2-Adrenoceptor
Respiration; In vitro; Newborn rat; Norepinephrine; A_5 cell group (Hilaire, G.) **485,** 325

Calcium; Cyclic adenosine monophosphate; Clonidine; Yohimbine; Isoproterenol; Synaptosome; Hypoxia (Okada, M.) **501,** 23

α_2-Adrenoceptor agonist
Cerebral artery; Noradrenaline release; α_2-Adrenoceptor antagonists; Protein kinase C; Phorbol ester; Ionophore A23187 (Balfagon, G.) **477,** 196

α_2-Adrenoceptor antagonists
Cerebral artery; Noradrenaline release; α_2-Adrenoceptor agonist; Protein kinase C; Phorbol ester; Ionophore A23187 (Balfagon, G.) **477,** 196

Adrenocorticosteroid receptor
Mineralocorticoid; Glucocorticoid; Steroid binding; Receptor stability; Type I receptor; Type II receptor (Luttge, W.G.) **493,** 190

Adrenocorticotropic hormone
Glucocorticoid; Dexamethasone; α-Adrenergic receptor; β-Adrenergic receptor; Cyclic adenosine monophosphate (Duman, R.S.) **477,** 166

Org 2766; Binding; Spinal cord; Sciatic nerve crush; Melanocyte stimulating hormone (Dekker, A.J.A.M.) **477,** 327

Interleukin-1; Prostaglandin E_2; Fever; Rat; Indomethacin (Murakami, N.) **478,** 171

Metabolism; Brain; Chromogranin A; Metabolic fuel; Pituitary; Autonomic nervous system (Gunion, M.W.) **485,** 251

Cortisol; Glucocorticoid; Brain region; Plasma; β-Endorphin (Bagdy, G.) **489,** 216

Angiotensin II; Sodium valproate; Arginine vasopressin (Coiro, V.) **491,** 169

Neuropeptide Y; Corticotropin-releasing factor; Noradrenaline; Adrenaline; 6-Hydroxydopamine; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Corticotropin-releasing factor; Chlorisondamine; Opiate receptor; Morphine (Nikolarakis, K.E.) **498,** 385

Angiotensin II; Atrial natriuretic polypeptide; Sympathetic nervous system; Catecholamine; Blood pressure (Makino, S.) **501,** 84

Glucocorticoid receptor; Corticotropin-releasing factor; Co-localization; Hypothalamus; Brainstem; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Adrenocorticotropic hormone-(1–24)
[^{3}H]Dopamine release; [^{3}H]Noradrenaline release; Septal slice in vitro; Dopamine D_2 receptor (Florijn, W.J.) **494,** 247

Adrenal secretion; Adrenaline; γ-Amino-butyric acid; Nociception; Noradrenaline; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

β-Endorphin; Brain; Cell culture; Regulation; Hypothalamus; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Adult rat
Sympathetic; Target-specific neuron; Neuropeptide; Gender difference (Wright, L.L.) **494,** 267

Adult salamander
Glial fibrillary acidic protein; Immunohistochemistry; Radial glial cell; Vascular endfoot; Mammalian astrocyte (Naujoks-Manteuffel, C.) **487,** 397

Adult serotonin neuron
Intraocular transplantation; Immunohistochemistry; Oxygen treatment; Hyperbaric oxygen; Iris (Skirboll, S.L.) **484,** 257

AF102B
Brain dialysis; Striatal dopamine release; Muscarinic receptor; Oxotremorine; Pirenzepine; AF-DX116 (Xu, M.) **495,** 232

AF64
Ethylcholine aziridinium; Cholinergic neurotoxin; Circadian rhythm; Hypothalamus; Nicotinic cholinergic receptor (Morley, B.J.) **504,** 238

AF64A
Cholinergic neurotoxin; Monoamine oxidase (Jossan, S.S.) **476,** 291

Transplantation; Hippocampus; Cholinergic neuron; Radial maze; Spatial memory; Acetylcholinesterase (Ikegami, S.) **496,** 321

AFDX-116
Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

M_2 receptor; Central nervous system; Regional distribution (Wang, J.-X.) **477,** 322

Muscarinic receptor subtype; 4-Diphenylacetoxy-*N*-methyl-piperidine methiodide; Hexahydro-sila-difenidol; Cyclic adenosine monophosphate; N1E-115 neuroblastoma (Surichamorn, W.) **493,** 320

Brain dialysis; Striatal dopamine release; Muscarinic receptor; AF102B; Oxotremorine; Pirenzepine (Xu, M.) **495,** 232

Blood pressure; *Cis*-Methyldioxolane; Heart rate; M_1 and M_2 muscarinic receptor; McN-A-343; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Affective disorder
Potassium; Lithium; Toxicity; Hamster; Circadian rhythm (Klemfuss, H.) **492,** 300

Afferent connection
Enkephalin; Lateral septum; Rat brain; Immunohistochemistry; Combined HRP and immuno-β-galactosidase method; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Afferent, C-
Neuropeptide; Flexor reflex; Nerve section; Vasoactive intestinal polypeptide; Substance P; Calcitonin gene-related peptide; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Afterdischarge
Kindling; Seizure; Amygdala; Pyriform; Vasopressin; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

Afterhyperpolarization
Serotonin; ω-Conotoxin GVIA; Bay K 8644; Nifedipine; Calcium-dependent plateau; Action potential (Scroggs, R.S.) **485,** 391

Hippocampal slice; Interictal bursting; Epilepsy; Phorbol ester; Electrographic seizure; CA3 pyramidal cell (Chamberlin, N.L.) **492,** 337

Arachidonic acid; Hepoxilin; Intracellular recording; Hippocampal CA1 neuron; Inhibitory postsynaptic potential (Carlen, P.L.) **497,** 171

N-Methyl-D-aspartate receptor; Calcium; Locomotion; Spinal cord (Hill, R.H.) **499,** 388

Facial motoneuron; Electrical property; Repetitive firing; Subthreshold response; Potassium current; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Serotonin; 5-Hydroxytryptamine; Motoneuron; Spinal cord (White, S.R.) **502,** 205

Optic nerve; Ion channel; 4-Aminopyridine; Apamin; Tetraethylammonium (Gordon, T.R.) **502,** 252

Age
Senescence; Aging; Oxygen consumption; Hippocampal slice; Brain; Potassium (Martin, F.R.) **492,** 392

Corpus callosum; Factor analysis; Sex difference; Early experience (Denenberg, V.H.) **497,** 271

Sigma receptor; Di-o-tolylguanidine; Movement; Posture (Matsumoto, R.R.) **504,** 145

Aggression
Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Aging
Cell membrane expansion; Tissue culture; Mouse; Dorsal root ganglion; Osmolarity; Adaptation; Action potential (Horie, H.) **477,** 233

Corticosteroid receptor; Corticosterone; Hippocampus; Adrenalectomy; Up-regulation (Eldridge, J.C.) **478,** 248

Hippocampal formation; Intraocular transplantation;

Immunohistochemistry; Electrophysiology; Electrochemistry (Eriksdotter-Nilsson, M.) **478,** 269

Nerve growth factor receptor; Nucleus basalis; Diagonal band; Septum; Immunohistochemistry (Gómez-Pinilla, F.) **479,** 255

Calcium current; Voltage-clamp; Hippocampus; Dentate granule neuron (Reynolds, J.N.) **479,** 384

Hypoxia; Brain phosphate metabolism; In vivo [^{31}P]nuclear magnetic resonance (Stolk, J.A.) **482,** 1

Motor unit; Electromyography; Firing rate; Cocontraction; Myoelectric signal (Kamen, G.) **482,** 136

Glycine; Strychnine binding, [^{3}H]; Seizure; Rat; Amino acid (Hunter, C.) **482,** 247

Acetylcholine; Arecoline; Brain metabolism; Deoxyglucose; Rat (Soncrant, T.T.) **487,** 255

Age; Senescence; Oxygen consumption; Hippocampal slice; Brain; Potassium (Martin, F.R.) **492,** 392

Cholesterol; Muscle; Neuromuscular junction; Denervation; Phospholipid (Williams, K.D.) **493,** 14

Striatum; Reduced excitation; Intracellular recording; Elevated excitatory threshold (Cepeda, C.) **494,** 215

Apomorphine; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

5,7-Dihydroxytryptamine; Serotonin; Norepinephrine; Monoamine oxidase; Parkinson's disease; Neurotoxin (Finnegan, K.T.) **496,** 251

Striatum; Receptor; Neuron (Han, Z.) **498,** 299

Alzheimer's disease; Paired helical filament; Protease; τ-Immunoreactivity; Ubiquitin immunoreactivity (Ivy, G.) **498,** 360

Nerve growth factor receptor; Spatial memory; Basal forebrain (Koh, S.) **498,** 397

Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Electrophysiology; Ethanol (Bunting, T.A.) **501,** 105

2-(β-4-Hydroxyphenylethylamino-ethyltetralone); α_1-Adrenergic receptor; Human brain; Prefrontal cortex; Alzheimer's disease (Kalaria, R.N.) **501,** 287

Dopamine; Striatum; Muscarinic; Motor behavior; Estrogen; Prolactin (Joseph, J.A.) **505,** 195

Agonist
Benzodiazepine; Diazepam; Norepinephrine fiber; Hypothalamus; Binding site; Antagonist (Harary, N.) **492,** 293

Agonistic behavior
Dopamine; Central pattern generator; Lobster; Monoclonal antibody (Barthe, J.Y.) **497,** 368

α_2-Agonist
Cerebrospinal fluid; Xylazine; Catecholamine; Noradrenaline (Mefford, I.N.) **492,** 377

κ-Agonist
U-50,488H; Glucose utilization; Limbic brain structure; Pituitary; Spinal cord (Ableitner, A.) **478,** 326

μ-Agonist; Opiate; Analgesia; Nucleus raphe magnus; Periaqueductal (Fang, F.G.) **501,** 116

Opioid; U50488; Corticotropin releasing factor; Cortisol; Stress; Dog (Gué, M.) **502,** 143

μ-Agonist
κ-Agonist; Opiate; Analgesia; Nucleus raphe magnus; Periaqueductal (Fang, F.G.) **501,** 116

AKR/J mouse
Specific anosmia; Isovaleric acid; Olfactory glomerular layer; C57BL/6J mouse (Sicard, G.) **481,** 325

D-Ala^2-*N*-methyl-Phe^4,Gly-ol^5-enkephalin
Autoradiography; Morphine tolerance; μ-Opiate receptor; Receptor upregulation (Brady, L.S.) **477,** 382

β-Alanine
Taurine; Frog spinal cord; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

Albumin
Immobilized progesterone; Corpus striatum; Female rat; In vitro dopamine release; Tetrodotoxin; Interneuron (Dluzen, D.E.) **476,** 338

Blood–nerve barrier; Capillary permeability; Endoneurial capillary; Endoneurium; Perineurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Alcoholism
Calcium channel; Calcium channel antagonist; (+)-[^{3}H]PN 200-110; Ethanol; Alzheimer's disease (Marks, S.S.) **478,** 196

Class III alcohol dehydrogenase; ω-Hydroxyfatty acid (Giri, P.R.) **481,** 131

Aldosterone
Spinal cord; Hippocampus; Glucocorticoid receptor; Mineralocorticoid receptor; Dexamethasone; Corticosterone; RNAse A (Moses, D.F.) **481,** 317

Alert monkey
Subcortical visual pathway; Visually evoked potential; Multiunit activity; Oscillatory potential (Schroeder, C.E.) **477,** 183

Alkaline phosphatase
Rat; Cerebral microvessel; Brain lesion; Ibotenic acid (Iadecola, C.) **501,** 188

Allocortex
Alzheimer's disease; Amyloid; Neuritic plaque; Neurofibrillary tangle; Neuropil thread; Presubiculum (Kalus, P.) **494,** 198

Allopurinol
Uric acid; Rat brain; Ischemia; Liquid chromatography; Electrochemical detection (Kanemitsu, H.) **499,** 367

Aluminum
Neuronal cell; Neurofilament; Phosphorylation; Neurotoxicity; Neurofibrillary pathology; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Neurotoxicity; Choline; Norepinephrine; Rat hippocampus (Zubenko, G.S.) **498,** 381

Alz-50
Alzheimer's disease; Visual cortex; Laminar; Immunoperoxidase; A68; Vision (Beach, T.G.) **501,** 171

Alzheimer's disease
Paired helical filament; Superoxide dismutase; Free radical; Senile plaques; Neurodegenerative disorder (Zemlan, F.P.) **476,** 160

Neurofibrillary tangle; Paired helical filament; Protein phosphorylation; Tau; Ubiquitin (Bancher, C.) **477,** 90

Calcium channel; Calcium channel antagonist; (+)-[^{3}H]PN 200-110; Ethanol; Alcoholism (Marks, S.S.) **478,** 196

β-Amyloid precursor protein; Cell-free translation; Polysome runoff; Messenger ribonucleic acid; Immunoblot; Processing (Anderson, J.) **478,** 391

Inhibitory factor; Neurotrophic factor; Cerebral cortical neuron; Cell culture (Uchida, Y.) **481,** 190

Dystrophic neurite; Neuromediator system; Senile plaque; Paired helical filament; Amyloid substance (Lenders, M.-B.) **481,** 344

Subplate; Cortical plate; Down's syndrome; Differentiation (Al-Ghoul, W.M.) **481,** 361

Somatostatin; Cysteamine; Behavior; Learning; Memory (DeNoble, V.J.) **482,** 42

Axotomy; Cholinergic neuron; Cytoskeleton; Septohippocampal system (Koliatsos, V.E.) **482,** 205

Parkinson's disease; Muscarinic receptor; M_1-receptor; M_2-receptor; Choline acetyltransferase; Dementia (Rinne, J.O.) **483,** 402

Somatostatin; Neuropeptide Y; Co-localization; Cortex; Bed nucleus of stria terminalis (Gaspar, P.) **490,** 1

Interleukin-1; Acetylcholine; AtT_{20} (Carmeliet, P.) **491,** 199

Aluminum; Neuronal cell; Neurofilament; Phosphorylation; Neurotoxicity; Neurofibrillary pathology; Amyotrophic lateral sclerosis (Shea, T.B.) **492,** 53

Cholinergic hypothesis; Thalamic reticular nuclei; Thalamic mediodorsal nuclei; Neuritic plaque (Masliah, E.) **493,** 240

Amyloid; Neuritic plaque; Neurofibrillary tangle; Neuropil thread; Allocortex; Presubiculum (Kalus, P.) **494,** 198

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Parkinson's disease; Dementia; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Cholinesterase; Plaque; Tangle; Cholinesterase inhibitor (Geula, C.) **498,** 185

Aging; Paired helical filament; Protease; τ-Immunoreactivity; Ubiquitin immunoreactivity (Ivy, G.) **498,** 360

N-Methyl-D-aspartate receptor; Zinc; Glycine (Steele, J.E.) **500,** 369

Visual cortex; Laminar; Immunoperoxidase; Alz-50; A68; Vision (Beach, T.G.) **501,** 171

2-(β-4-Hydroxyphenyl-ethylamino-ethyltetralone); α_1-Adrenergic receptor; Human brain; Prefrontal cortex; Aging (Kalaria, R.N.) **501,** 287

Retinal ganglion cell; Human retina; Histopathology; Degeneration (Blanks, J.C.) **501,** 364

Corticotropin-releasing factor; Immunocytochemistry; Hypothalamus; Cerebellum; Hippocampus; Senile plaque (Kelley, M.) **501,** 392

Neuronal loss; Neuronal atrophy; Computer simulation (Duyckaerts, C.) **504,** 94

Serotonin; Neurotoxin; Limbic system (Crino, P.B.) **504,** 247

Progressive supranuclear palsy; Neostriatum; Basal nucleus of Meynert; Large neuron; Cholinergic neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Galanin; Immunocytochemistry; Human; Hypothalamus; Hippocampus; Sprouting (Gentleman, S.M.) **505,** 311

Alzheimer-type dementia
Vicia villosa lectin; Calbindin D_{28K}; Parvalbumin (Kobayashi, K.) **498,** 170

Calbindin; Cholinergic neuron; Nucleus basalis of Meynert (Ichimiya, Y.) **499,** 402

Amacrine cell
Enkephalin; Release; Retina; Chick (Boelen, M.K.) **488,** 43

Coexistence; Enkephalin; Somatostatin; Immunocytochemistry (Hamano, K.) **489,** 254

Retina; Cell matrix; Neuropeptide Y; Anura (Hiscock, J.) **494,** 55

Amastatin
Bestatin; Sarthran; Blood pressure; Intracerebroventricular infusion; Jugular infusion; Spontaneously hypertensive rat (Jensen, L.L.) **490,** 48

Ambiguous motoneuron
Axonal branching; Laryngeal nerve; Unitary discharge; Antidromic activation; Rat (Yajima, Y.) **478,** 309

Amidation
Peptidylglycine; Dorsal root ganglia; Spinal cord; Copper-dependency; Ascorbate-dependency (Graham, L.) **491,** 371

Amino acid
Glycine; Glutamate; Blood pressure; Baroreceptor reflex; Nucleus tractus solitarii; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Aging; Glycine; Strychnine binding, [^{3}H]; Seizure; Rat (Hunter, C.) **482,** 247

Cerebral microcirculation; Vascular smooth muscle; Neurotransmitter; γ-Aminobutyric acid; Glycine; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Cancer; Anorexia; Ammonia; Neurotransmitter (Chance, W.T.) **486,** 316

Tryptophan; Brain; Serotonin; Human; Rat (Hernández-R., J.) **488,** 1

γ-Aminobutyric acid; L-Glutamic acid; Neurotransmitter; Uptake; Human central nervous system; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

Amino acid antagonist
D(–)-2-Amino-5-phosphonovalerate
Flexion reflex; Scratch reflex; *N*-Methyl-D-aspartate (Stein, P.S.G.) **479,** 379

Amino acid pool
Synaptosome; Glutaminase-inhibition; Evoked release of amino acid neurotransmitter (Bradford, H.F.) **476,** 29

Amino acid transmitter
Argiotoxin; Glutamate; Hippocampus; Neurotoxin (Ashe, J.H.) **480,** 234

Amino acid transmitter receptor
Glutamate receptor; Nerve development; *Xenopus* (Sands, S.B.) **502,** 375

Amino acid transport
Brain endothelium; Cell culture; Blood–brain barrier (Hughes, C.C.W.) **480,** 126

Aminopeptidase
Endothelial cell; Neuropeptide; Thyrotropin releasing hormone (Rozental, J.M.) **499,** 397

2-Amino-5-phosphonovalerate
N-Methyl-D-aspartate; Glycine; Spermine; Long-term potentiation (Thibault, O.) **476,** 170

Spinal cord; Spinal root; Magnesium; *N*-Methyl-D-aspartic acid (Bagust, J.) **479,** 138

2-Amino-5-phosphonovaleric acid
Glutamate receptor; Joro spider toxin; Hippocampus; Slice; Long-term potentiation; *N*-Methyl-D-aspartate (Saito, M.) **481,** 16

Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Norepinephrine-induced long-lasting potentiation; Long-term potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

N-Methyl-D-aspartate; Neurotrophic action of excitatory amino acids; Cerebellar granule cell; Astrocyte; Transmembrane Ca^{2+} entry; Cerebellar development (Moran, J.) **486,** 15

2-Amino-7-phosphonoheptanoic acid
Amygdala; Kindling; *N*-Methyl-D-aspartate receptor antagonist; Substantia innominata; Seizure suppression; Elevation of seizure threshold (Mori, N.) **486,** 141

N-Methyl-D-aspartate receptor; 3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate; MK-801; Phencyclidine; Anticonvulsant (Nevins, M.E.) **503,** 1

Aminopyridine
Ictal seizure; Cat neocortex; Depolarizing plateau potential;

Intracellular recording (Szente, M.B.) **495,** 261

4-Aminopyridine
Calcium; Transmitter release; Facilitation; Presynaptic mechanism (Muller, D.) **479,** 290

A-current; Action potential accommodation; Basolateral amygdala (Gean, P.-W.) **480,** 160

Tetrahydroaminoacridine; Choline uptake; Striatal synaptosome; Hippocampal synaptosome (Buyukuysal, R.L.) **482,** 371

Tetrapentylammonium; Cerebellar slice; Spontaneous glutamate release; Calcium (Barnes, S.) **486,** 89

Antidromic discharge; Dorsal root; Spinal cord; Cat; Autocorrelation; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

Unitary discharge; Antidromic discharge; Dorsal root; Ventral root; Cat (Dubuc, R.) **491,** 349

Mast-cell degranulating peptide; Dendrotoxin; Potassium channel blocker; Potassium channel opener; Seizure; Epilepsy (Gandolfo, G.) **495,** 189

Optic tract; Tetraethylammonium; Potassium channel; Action potential repolarization; Frequency-following; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Optic nerve; Ion channel; Afterhyperpolarization; Apamin; Tetraethylammonium (Gordon, T.R.) **502,** 252

Protein kinase C; Tetrodotoxin; Sodium channel; Sea anemone toxin; Antibody to synthetic peptides; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide
Taurine; Frog spinal cord; Dorsal root potential; Taurine antagonist; β-Alanine; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

***p*-Amino-clonidine**
α_2-Adrenergic; Sex difference; Nucleus intercollicularis; Reproductive behavior; Japanese quail; Autoradiography (Ball, G.F.) **491,** 68

β-Aminobutyric acid receptor–ionophore complex
Barbiturate; γ-Aminobutyric acid-mimetic action; Frog sensory neuron; Concentration clamp; Augmentation; Voltage clamp (Yakushiji, T.) **488,** 357

γ-Aminobutyric acid
Ganglion cell; Superior colliculus; Retina (Caruso, D.M.) **476,** 129

Dopamine; In vitro; Release; Slice; Striatum; Uptake (Bernath, S.) **476,** 373

Calcium; Dendritic outgrowth; Diazepam; Glutamate; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Medial septum; Diagonal band; Septohippocampal; Parvalbumin (Freund, T.F.) **478,** 375

Kindling; Hippocampus; Epilepsy; Seizure; Immunocytochemistry; Parvalbumin; Calcium-binding protein; Co-localization (Kamphuis, W.) **479,** 23

Ventral lateral geniculate nucleus; Dorsal lateral geniculate nucleus; Baclofen; Phaclofen; $GABA_A$ inhibitory postsynaptic potential; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

Benzodiazepine; Benzodiazepine antagonist; Retinal ganglion cell; Endogenous benzodiazepine receptor ligand (Robbins, J.) **479,** 323

Wheatgerm agglutinin–horseradish peroxidase; Immunogold; Dentato-olivary projection (Angaut, P.) **479,** 361

Substantia nigra; Perfusion; Intra-/extracellular concentration ratio; Aspartate; Glutamate; Taurine; Rat (Farrant, M.) **480,** 344

Seizure; Convulsion; Muscimol; Bicuculline; Baclofen; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Substantia nigra; Pedunculopontine nucleus; Pentylenetetrazol-induced seizure (Okada, R.) **480,** 383

Retroinsular cortex; Area 7b; Immunocytochemistry; Somatosensory system; Monkey (Chudler, E.H.) **481,** 383

Cerebral microcirculation; Vascular smooth muscle; Neurotransmitter; Amino acid; Glycine; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Periaqueductal gray; Semicarbazide; Muscimol; Microinjection; Aversion; Conditioned place preference (Di Scala, G.) **483,** 91

Melanotroph; Pituitary; In vitro; Receptor (Williams, P.J.) **483,** 130

Parvalbumin; Lectin; *N*-Acetylgalactosamine; Cerebral cortex (Kosaka, T.) **483,** 158

Basal ganglia; Dopamine; Reaction time; Rat (Amalric, M.) **483,** 389

Picrotoxinin; *t*-Butylbicyclophosphorothionate (TBPS); Voltage–clamp; Patch–clamp; Spinal cord neuron (Zorumski, C.F.) **484,** 102

Neuron; Cetacea; Propoise; Visual cortex; Immunocytochemistry (Garey, L.J.) **485,** 278

α-Adrenergic receptor; Hypothalamic slice; Medial preoptic area; Noradrenaline; Estrogen; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Benzodiazepine receptor; Chloride ion flux; In vivo binding; Receptor occupancy; Shuttlebox active avoidance; Anxiety; Depression (Drugan, R.C.) **487,** 45

Amygdala; Bicuculline-methiodide; Caudate-putamen; Inhibitory avoidance; Memory; Muscimol (Brioni, J.D.) **487,** 105

Estradiol; Progesterone; Receptor, $GABA_A$; Hippocampus; Autoradiography (Schumacher, M.) **487,** 178

Visual cortex; Acetylcholine; Inhibition; Arousal; Iontophoresis (Müller, C.M.) **487,** 335

Epilepsy; Gerbil; Intracerebral injection; Thalamus; Muscimol; Seizure (Lee, R.J.) **487,** 363

Benzodiazepines; Substantia nigra pars reticulata; Seizure; Muscimol; Flurazepam; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

Geniculate body; Neural transmission; Neural inhibition; Receiver operating characteristic curve; Attention; Tree shrew (Holdefer, R.N.) **488,** 341

Geniculate body; Sensory threshold; Physiology; Neural inhibition; Vision; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Pregnenolone sulfate; Picrotoxin; Pentobarbital; Chloride current; Steroid; Patch-clamp (Mienville, J.-M.) **489,** 190

Dopamine; Nucleus accumbens; Ventral pallidum; Disinhibition; Enkephalin (Yang, C.R.) **489,** 237

Adrenal secretion; Adrenocorticotropin; Adrenaline; Nociception; Noradrenaline; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Dentate gyrus; Excitatory amino acid; Glutamate; Hippocampus; Neurodegeneration; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

L-Glutamic acid; Neurotransmitter; Amino acid; Uptake; Human central nervous system; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

γ-Aminobutyric acid receptor; Globus pallidus; Chronic haloperidol; Supersensitivity; Microiontophoresis; Glycine (Frey, J.M.) **491,** 57

Co-localization; Glutamic acid decarboxylase; Choline

acetyltransferase; Acetylcholine; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Subthalamic nucleus; Glutamate; Glycine; Immunohistochemistry (Albin, R.L.) **491,** 185

Rat; Mouse; Striatum; Messenger RNA; In situ hybridization; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Monkey; Auditory cortex; Thalamocortical synapse; Double-labeling immunocytochemistry; Peptide (Cipolloni, P.B.) **492,** 347

Epilepsy; Human; Dentate gyrus; Brain slice; Frequency potentiation; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Glutamic acid decarboxylase; Dopamine; Transplant; Striatum; Substantia nigra (Segovia, J.) **493,** 185

Somatostatin; Hippocampal slice; Inhibitory postsynaptic potential; Excitatory postsynaptic potential; Pressure application (Scharfman, H.E.) **493,** 205

Glycine; Chloride channel; Buspirone; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

Ventrolateral nucleus of the solitary tract; Bötzinger complex; Dorsal respiratory group; Respiration; Ventrolateral medulla (Livingston, C.A.) **494,** 143

Epilepsy; Kindling; *N*-Methyl-D-aspartate; Amygdala (Gean, P.-W.) **494,** 177

Hippocampus; Perforant path; Entorhinal cortex; Intracellular injection; Lucifer yellow; Immunocytochemistry (Germroth, P.) **494,** 187

Depressive illness; Psychosurgery; Human brain; Glutamic acid; Homocysteic acid (Francis, P.T.) **494,** 315

Seizure; *N*-Methyl-D-aspartate; Divalent cation (Czéh, G.) **495,** 89

Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline (Ikeda, M.) **495,** 337

Benzodiazepine; Dopamine; Striatum; Tyrosine hydroxylase; Anxiety (Knorr, A.M.) **495,** 355

Somatosensory cortex; Barrel; Cortical circuitry; Inhibition; Neural network (Keller, A.) **496,** 105

Melanocyte-stimulating hormone; Proopiomelanocortin; Hypothalamus; Perifusion (Delbende, C.) **497,** 86

Somatostatin; Septal slice; Electrophysiology; Potassium conductance; Rat (Twery, M.J.) **497,** 315

Muscimol; Intracerebral injection; Epilepsy; Electroencephalogram; Substantia nigra; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Focal epilepsy; Withdrawal syndrome; In vitro study; Cerebral cortex (Silva-Barrat, C.) **498,** 289

Noradrenaline; In vitro cerebellum; Adenosine 3′,5′-monophosphate; Forskolin; 3-Isobutyl-1-methylxanthine (Sessler, F.M.) **499,** 27

Cardiovascular regulation; Arginine-vasopressin; Baroreceptor; Converting enzyme inhibition; Chlorisondamine (Segura, T.) **499,** 53

Inferior colliculus; Binaural inhibition; Bicuculline; Strychnine; Benzodiazepine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Medial septum; Rhythmic cell; Acetylcholine (Stewart, M.) **500,** 55

Butylbicyclophosphorothionate binding; Substantia nigra; Striato-nigral pathway; Receptor, $GABA_A$; Diazepam; Bicuculline (Sanna, E.) **501,** 144

Valproate; Substantia nigra; Epilepsy (Löscher, W.) **501,** 198

Single unit activity; Huntington's disease; Basal ganglia; Globus pallidus; Entopeduncular nucleus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Muscimol; Disinhibition; Epilepsy; Hippocampus (Chesnut, T.J.) **502,** 365

L-Glutamate decarboxylase; γ-Aminobutyric acid-transaminase; Immunoreactivity; Vestibular endorgan; Vestibular ganglion; Chicken (Usami, S.-I.) **503,** 213

Seizure; Ethanol; Colliculus; Long sleep mouse; Short sleep mouse; Receptor (Peris, J.) **503,** 288

Lindane; Picrotoxin; Chloride channel; Glutamate; Acetylcholine; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Valproate; Substantia nigra; Aspartate; Synaptic inhibition (Farrant, M.) **504,** 49

Glycine; Cerebrospinal fluid; Release; Cerebral cortex (Phillis, J.W.) **504,** 121

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; Avian; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

γ-Aminobutyric acid-A receptor
Pregnenolone sulfate; Chloride ionophore; Steroid; Steroid metabolite (Gee, K.W.) **482,** 169

Inhibition; Chloride transport; γ-Aminobutyric acid-induced ion movement; Hippocampal slice (Müller, W.) **484,** 184

Cochlear nucleus; Neurotransmitter receptor; Benzodiazepine receptor; Receptor heterogeneity; Immunocytochemistry (Juiz, J.M.) **504,** 173

γ-Aminobutyric acid-A receptor complex
γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex; Receptor antibody; Immunohistochemistry; γ-Aminobutyric acidergic neuron; Cerebral distribution (Taguchi, J.-I.) **483,** 395

γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex
γ-Aminobutyric acid-A receptor complex; Receptor antibody; Immunohistochemistry; γ-Aminobutyric acidergic neuron; Cerebral distribution (Taguchi, J.-I.) **483,** 395

γ-Aminobutyric acid-B receptor
Cerebral blood flow; Cerebral artery; Noradrenaline release; Baclofen (Miranda, F.J.) **492,** 45

γ-Aminobutyric acid complex
Experimental epilepsy; Hippocampus; Kindling; Receptor binding; Quantitative autoradiography; Benzodiazepine (Nobrega, J.N.) **498,** 315

γ-Aminobutyric acid receptor
Chloride ion channel; Synaptoneurosome; Barbiturate; Picrotoxinin; Picrotoxin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

γ-Aminobutyric acid; Globus pallidus; Chronic haloperidol; Supersensitivity; Microiontophoresis; Glycine (Frey, J.M.) **491,** 57

Chloride current; Chick cortex; Neuronal development; γ-Aminobutyric acid/benzodiazepine receptor (Hablitz, J.J.) **501,** 332

γ-Aminobutyric acid release
Hippocampus; Primary culture; Excitatory amino acid; Cation

(Harris, K.M.) **482,** 23

Phorbol ester; Protein kinase C; Ouabain; Deep cerebellar nucleus; Enteric neuron (Shuntoh, H.) **483,** 384

N-Methyl-D-aspartate receptor; 6-Cyano-7-nitroquinoxaline-2,3-dione; 7-Chlorokynurenate; Kainate receptor; Cortex (Harris, K.M.) **489,** 185

Quisqualate receptor; Inositol monophosphate formation; Striatal neuron; Primary culture (Weiss, S.) **491,** 189

γ-Aminobutyric acid synaptic pharmacology
GABA receptor complex; Spinal cord neuron; Chloride channel; Benzodiazepine receptor (Lehoullier, P.F.) **487,** 205

γ-Aminobutyric acid uptake
Subcommissural organ; Ependymocyte; Serotonin innervation (Didier-Bazes, M.) **489,** 137

γ-Aminobutyric acid-activated chloride channel
Ethanol; Benzodiazepine receptor; Flunitrazepam; Genetics; HS mouse; LS/SS mouse (Harris, R.A.) **490,** 26

γ-Aminobutyric acid-induced ion movement
Inhibition; γ-Aminobutyric $acid_A$-receptor; Chloride transport; Hippocampal slice (Müller, W.) **484,** 184

γ-Aminobutyric acid-like immunocytochemistry
Rat visual cortex; Cortical slice; Intracellular recording; Inhibitory synaptic potential (Chun, M.H.) **494,** 401

γ-Aminobutyric acid-mimetic action
Barbiturate; β-Aminobutyric acid receptor–ionophore complex; Frog sensory neuron; Concentration clamp; Augmentation; Voltage clamp (Yakushiji, T.) **488,** 357

γ-Aminobutyric acid-transaminase
γ-Aminobutyric acid; L-Glutamate decarboxylase; Immunoreactivity; Vestibular endorgan; Vestibular ganglion; Chicken (Usami, S.-I.) **503,** 213

γ-Aminobutyric acid/benzodiazepine receptor
γ-Aminobutyric acid receptor; Chloride current; Chick cortex; Neuronal development (Hablitz, J.J.) **501,** 332

γ-Aminobutyric acidergic neuron
γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex; γ-Aminobutyric acid-A receptor complex; Receptor antibody; Immunohistochemistry; Cerebral distribution (Taguchi, J.-I.) **483,** 395

Hypoxia; D-2-Amino-7-phosphonoheptanoate; Neocortex explant; Culture (Romijn, H.J.) **501,** 100

α-Aminoisobutyrate
Ornithine decarboxylase; Polyamine; Putrescine; α-Difluoromethylornithine; Blood–brain barrier breakdown; Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

D,L-2-Amino-5-phosphonovaleric acid
Cytosolic free calcium; Fluorometry; Indo-1; Magnesium ion; *N*-Methyl-D-aspartate (Uematsu, D.) **482,** 129

Lateral superior olivary; Neurotransmitter; Excitant amino acid; *N*-Methyl-D-aspartate; Quisqualate; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

D-2-Amino-7-phosphonoheptanoate
Hypoxia; Neocortex explant; Culture; γ-Aminobutyric acidergic neuron (Romijn, H.J.) **501,** 100

DL-2-Amino-4-phosphonobutyric acid
Electroretinogram; ON-pathway; Retina; Goldfish (DeMarco, P.J.) **482,** 317

DL-2-Amino-5-phosphonopentanoic acid
Luteinizing hormone; Phencyclidine; *N*-Methyl-D-aspartate; Excitatory amino acid; Glutamate; Homocysteic acid (Boggan, W.O.) **478,** 382

DL-2-Amino-5-phosphonovalerate
Glutamate; Kainate; Cochlear nucleus; *N*-Methyl-D-aspartate; Kynurenic acid; Brain slice (Wickesberg, R.E.) **486,** 39

L(+)-2-Amino-4-phosphonobutyrate
Hippocampus; Mossy fiber expansion; Glutamate; Dynorphin; Synaptosome; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

L-2-Amino-4-phosphonobutanoate
L-Quisqualate; Sensitization; Excitatory amino acid; Uptake; Second messenger; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

Ammon's horn
Hippocampus; Dentate gyrus; Brainstem; Raphe nuclei; Cat; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Ammonia
Cancer; Anorexia; Amino acid; Neurotransmitter (Chance, W.T.) **486,** 316

Astrocyte; Benzodiazepine receptor; Hepatic encephalopathy (Ducis, I.) **493,** 362

Amphetamine
Ascorbate; Dopamine receptor; In vivo voltammetry; Neostriatum; Neuroleptic drug (Oh, C.) **480,** 184

Adrenal medulla; Parkinsonism; Catecholamine; Transplant; Rotation; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Freely moving rat; Neostriatum; Single-unit activity (Haracz, J.L.) **489,** 365

Ascorbic acid; Uric acid; Voltammetry in vivo; Caudate; Nucleus accumbens (Mueller, K.) **494,** 30

Sch-23390; Ventral tegmental area; Substantia nigra; Locomotion (Stewart, J.) **495,** 401

Sensitization; Glucocorticoid receptor; Stress; Dopamine; Noradrenaline (Rivet, J.-M.) **498,** 149

Behavioral sensitization; Morphine; Dopamine receptor antagonist; D-1 and D-2; Ventral tegmental area; Locomotor activity (Vezina, P.) **499,** 108

Dopamine; Dialysis; Reserpine; Stereotypy; Striatum (Callaway, C.W.) **505,** 83

D-Amphetamine
Cholecystokinin; Intracerebroventricular; Caudate-putamen; Dopamine release; 3-Methoxytyramine (Altar, C.A.) **483,** 321

D-Amphetamine infusion
Dopamine; Single-unit recording; Synthesis; Autoreceptor (Lee, T.H.) **483,** 17

Amphibian
Thyroxine; Visual system; Optic tectum; Neuronal sprouting; Neuronal plasticity (Hofmann, M.H.) **492,** 389

Nervus terminalis; Septum; Transient connection; Tadpole; Ontogeny; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

Amygdala
Naloxone; Propranolol; Inhibitory avoidance; Discrimination learning; Memory; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Nucleus accumbens; Locomotor activity; Dopamine; Neuromodulation (Yim, C.Y.) **477,** 202

Morphine; Caudate nucleus; Hippocampus; Lesion; Locomotor activity; C57BL/6 mouse (Libri, V.) **479,** 1

Kindling; Seizure susceptibility; Excitatory amino acid; Ibotenate; Polyphosphoinositide hydrolysis (Akiyama, K.) **485,** 95

Amygdaloid kindling; Behavior; Electrophysiology; IR-Met-enkephalin; IR-Leu-enkephalin; Long-lasting change; Hippocampus (Talavera, E.) **485,** 141

Kindling; *N*-Methyl-D-aspartate receptor antagonist; Substantia innominata; 2-Amino-7-phosphonoheptanoic acid; Seizure suppression; Elevation of seizure threshold (Mori, N.) **486,** 141

Bicuculline-methiodide; Caudate-putamen; γ-Aminobutyric acid; Inhibitory avoidance; Memory; Muscimol (Brioni, J.D.) **487,** 105

Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus (Levin, B.E.) **488,** 221

Cyclic adenosine monophosphate (cAMP); Chemical kindling; Electrical kindling; Transfer of chemical to electrial kindling (Yokoyama, N.) **492,** 158

Epilepsy; Kindling; γ-Aminobutyric acid; *N*-Methyl-D-aspartate (Gean, P.-W.) **494,** 177

Kindling; Afterdischarge; Seizure; Pyriform; Vasopressin; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

D_1 dopamine receptor; Huntington's disease; Guanine nucleotide binding protein; Striatum; Frontal cortex (De Keyser, J.) **496,** 327

Rat; Isolated neuron; Calcium current; Calcium blocker (Kaneda, M.) **497,** 187

Kindling; L-Glutamate; L-Aspartate; Electrical stimulation; Rat (Mori, N.) **498,** 163

Neuropeptide; Somatostatin; Neuropeptide Y; Vasoactive intestinal peptide; Cholecystokinin; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Monkey; Feeding behavior; Unit activity; Microelectrophoresis; Acetylcholine; Atropine (Lénárd, L.) **500,** 359

Anterograde transport of *Phaseolus*; Basolateral complex; Mediodorsal thalamus (Van Vulpen, E.H.S.) **500,** 389

Androgen; Testosterone; Dihydrotestosterone; Primate; Hypothalamus; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

Photoperiod; Opiate; Naloxone; Hamster; Luteinizing hormone; Sexual behavior (Tubbiola, M.L.) **503,** 91

Amygdaloid body
Brain; Australoid race; Basal ganglia; Cerebellum; Corpus striatum; Thalamus (Klekamp, J.) **485,** 79

Amygdaloid kindling
Behavior; Electrophysiology; IR-Met-enkephalin; IR-Leu-enkephalin; Long-lasting change; Amygdala; Hippocampus (Talavera, E.) **485,** 141

Amygdalospinal tract
Reptile; Horseradish peroxidase; Corticospinal tract; Efferent pathway (Follett, K.A.) **496,** 89

Amyloid
Alzheimer's disease; Neuritic plaque; Neurofibrillary tangle; Neuropil thread; Allocortex; Presubiculum (Kalus, P.) **494,** 198

Amyloid precursor
Neuronal adhesion; Heparan sulfate proteoglycan; Heparin (Octave, J.-N.) **486,** 369

Amyloid substance
Alzheimer's disease; Dystrophic neurite; Neuromediator system; Senile plaque; Paired helical filament (Lenders, M.-B.) **481,** 344

β-Amyloid precursor protein
Alzheimer's disease; Cell-free translation; Polysome runoff; Messenger ribonucleic acid; Immunoblot; Processing (Anderson, J.) **478,** 391

Amyotrophic lateral sclerosis
Substance P; Receptor autoradiography; Radioimmunohistochemistry; Human spinal cord (Dietl, M.M.) **483,** 39

Aluminum; Neuronal cell; Neurofilament; Phosphorylation; Neurotoxicity; Neurofibrillary pathology; Alzheimer's disease (Shea, T.B.) **492,** 53

Glutamate; *N*-Methyl-D-aspartate receptor; Alzheimer's disease; Parkinson's disease; Dementia; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Analgesia
Periaqueductal gray; Glutamate; Opiate receptor; Medulla (Jensen, T.S.) **476,** 1

Periaqueductal gray; Opioid; μ-Receptor; Coupling; Guanine nucleotide binding protein (Fedynyshyn, J.P.) **476,** 103

Opiate receptor; Stress (Stuckey, J.) **476,** 167

Morphine; Atropine; Phentolamine; Methysergide; Tail-flick; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

μ-Opioid receptor; Clonidine; Hypertensive rat (Mastrianni, J.A.) **479,** 283

Morphine-6-glucuronide; Normorphine; μ-Opioid; Spinal cord (Sullivan, A.F.) **482,** 219

Dihydromorphine; Opiate binding; Periaqueductal gray; Medulla (Ramberg, D.A.) **483,** 61

Rat; Naloxone; Neuropathy; Hyperalgesia (Attal, N.) **494,** 276

Shock titration; Pain; Rhesus monkey; Morphine; Meperidine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

μ-Agonist; κ-Agonist; Opiate; Nucleus raphe magnus; Periaqueductal (Fang, F.G.) **501,** 116

Nociception; Pain; Temperature; Behavior (Casey, K.L.) **501,** 150

Neural implants; Chromaffin cell; Nociception; Spinal cord; Opioid peptide; Adrenal medulla; Neural graft (Sagen, J.) **502,** 1

Arylacetamide; Autoradiography; Binding site; Electrophysiology; κ Opioid; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

Analgesic
Chronic pain; Experimental pain; Adjuvant arthritis; Sleep (Landis, C.A.) **488,** 195

Anatomy
Somatosensory system; Thalamus; Spinal cord; Pigeon (Schneider, A.) **484,** 139

Androgen
Aromatase; Estrogen; Enzyme induction; Preoptic area; Ring dove; Male sexual behavior (Steimer, T.) **480,** 335

Zebra finch; Song system; Projection; Autoradiography (Sohrabji, F.) **488,** 253

Testosterone; Dihydrotestosterone; Primate; Hypothalamus; Amygdala; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

Androgen receptor
Hypothalamus; Preoptic area; Idazoxin; Yohimbine; Prazosin; R1881 (Handa, R.J.) **483,** 312

Hypogastric ganglion; Tyrosine hydroxylase; Testosterone; Development (Melvin, J.E.) **485,** 11

Progesterone; Promegestone; Copulatory behavior; Neural receptor (Connolly, P.B.) **503,** 312

***Anemonia sulcata* toxin**
Excitatory amino acid; Cyclic adenosine monophosphate potentiated release; Ca^{2+} withdrawal; Fatty acid free bovine serum albumin (Minc-Golomb, D.) **490,** 205

Anesthesia
Glutamate agonist; Excitotoxin; Ibotenate; Hippocampus; Phencyclidine agonist; Ketamine; Halothane; Neurotoxicity (Lees, G.J.) **502,** 280

Angiogenesis
Peripheral nerve regeneration; Matrigel; Extracellular matrix;

Schwann cell; Trophic factor (Humphrey, M.F.) **497,** 132

Angiotensin converting enzyme inhibitor SQ 29852
Angiotensin II; Acetylcholine release; Entorhinal cortex; Cognition (Barnes, J.M.) **491,** 136

Angiotensin II
Jaw movement; Masticatory muscle; Drinking; Electromyography; Guinea pig (Gerstner, G.E.) **478,** 233

Drinking behavior; Catecholamine (Cunningham, J.T.) **480,** 65

Immunocytochemistry; Rat; Thalamus; Cell body; Neuropeptide (Coveñas, R.) **481,** 185

Sarcosine[1],isoleucine[8]-angiotensin II; Nucleus tractus solitarii; Dorsal vagal nucleus; Sinoaortic denervation; Nodose ganglionectomy; Baroreceptor reflex (Healy, D.P.) **484,** 1

Brain; Natriuresis; Saralasin (Unger, T.) **486,** 33

Brainstem; Respiratory nuclei; Immunocytochemistry; Cat; Colchicine (Aguirre, J.A.) **489,** 311

Acetylcholine release; Entorhinal cortex; Cognition; Angiotensin converting enzyme inhibitor SQ 29852 (Barnes, J.M.) **491,** 136

Sodium valproate; Arginine vasopressin; Adrenocorticotropic hormone (Coiro, V.) **491,** 169

Vasopressin; Osmotic stimulus; Cholinoceptor; Carbachol; Hexamethonium; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Drinking; Glucocorticoid; Brain; Angiotensin II receptor (Ganesan, R.) **499,** 121

Atrial natriuretic polypeptide; Sympathetic nervous system; Catecholamine; Blood pressure; Adrenocorticotropic hormone (Makino, S.) **501,** 84

Atrial natriuretic factor; Brain; Natriuresis (Rohmeiss, P.) **502,** 198

Drinking; Hemodynamics; Tracer microsphere technique; Organ blood flow (Rettig, R.) **505,** 251

Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Dehydration; Atriopeptin (Shaver, S.W.) **505,** 316

Angiotensin II immunoreactivity
Subfornical organ; Supraoptic neuron; Saralasin; Electrophysiology (Jhamandas, J.H.) **487,** 52

Angiotensin II receptor
Angiotensin II; Drinking; Glucocorticoid; Brain (Ganesan, R.) **499,** 121

Animal model
Luteinizing hormone-releasing hormone; Skin temperature; Morphine dependence; Hot flush; Luteinizing hormone (Katovich, M.J.) **494,** 85

Learning deficit; Memory deficit; Sidman active avoidance; Senescence accelerated mouse (Ohta, A.) **498,** 195

Anorexia
Cancer; Ammonia; Amino acid; Neurotransmitter (Chance, W.T.) **486,** 316

Anoxia
CCK-8; Sleep; EEG; Spectral analysis; Rat (De Saint Hilaire-Kafi, Z.) **488,** 304

Anoxic depolarization
Hippocampal slice; Epileptic depolarization; Long-term synaptic failure; Persistent depolarization; *N*-Methyl-D-aspartate antagonist (Watson, G.B.) **498,** 81

Antagonism
Adenosine triphosphate; Chemoreceptor; Lobster; Nucleotide; Ectonucleotidase; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Antagonist
Anthramycin; Cholecystokinin; Benzodiazepine; Autoradiography; Mouse; Brain (Kubota, K.) **485,** 62

1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA); Neurotransmitter; Guinea pig; Cochlea; Excitatory amino acid (Puel, J.L.) **487,** 9

Glycine binding; *N*-Methyl-D-aspartate receptor; *N*-(1-(2-Thienyl)cyclohexyl)-piperidine binding; 6-Cyano-7-nitroquinoxaline-2,3-dione; 6,7-Dinitroquinoxaline-2,3-dione; Quinoxaline derivative (Kessler, M.) **489,** 377

Benzodiazepine; Diazepam; Norepinephrine fiber; Hypothalamus; Binding site; Agonist (Harary, N.) **492,** 293

Anterior eye segment
Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Superior cervical ganglion; Nodose ganglion; Sensory innervation (Ten Tusscher, M.P.M.) **494,** 95

Sympathetic innervation; Superior cervical ganglion; Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Anterior hypothalamic area
Brain stimulation reward; Stria medullaris; Medial forebrain bundle (Blander, A.) **483,** 12

Anterior hypothalamus
Sleep mechanism; Arousal; Reticular formation; Basal forebrain; Preoptic area (Szymusiak, R.) **498,** 355

Viscerosomatic reflex; Preoptic area (Lumb, B.M.) **500,** 400

Anterior interpositus nucleus
Anterior pretectal nucleus; Central lateral nucleus; Dorsal accessory olivary nucleus; Motor cortex; Electron microscopy; Retrograde double-labeling (Kitao, Y.) **484,** 304

Anterior pituitary
Melatonin binding sites; Hamster; Photoperiodism; Median eminence (Vaněček, J.) **477,** 387

Melatonin; Pars tuberalis; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Vaněček, J.) **505,** 157

Anterior pituitary cell
Growth hormone releasing factor; Somatostatin; Extracellular Na^+; *bis*-Oxonol; Fura 2 (Kato, M.) **476,** 145

Anterior pretectal nucleus
Central lateral nucleus; Dorsal accessory olivary nucleus; Anterior interpositus nucleus; Motor cortex; Electron microscopy; Retrograde double-labeling (Kitao, Y.) **484,** 304

Antinociception; Pain; Pretectal complex; Stimulation-produced analgesia; 5-Hydroxytryptamine; Morphine-induced analgesia (Prado, W.A.) **493,** 147

Jaw-opening reflex; Descending modulation; Trigeminal; Tooth pulp; Rat (Chiang, C.Y.) **497,** 325

Anterograde axonal tracing
Entorhinal cortex; Retrograde axonal tracing (Christesen, H.B.T.) **505,** 75

Anterograde degeneration
Parabrachial nucleus; Spinal cord; Anterograde transport; Nociception (Blomqvist, A.) **480,** 29

Electron microscopy; Neural pathway; Neuroanatomical technique; Thalamocortical; Visual cortex (Dashe, J.F.) **505,** 203

Anterograde tracing
Visual system; Retinal projection; Olfactory tubercle; Basal telencephalon; Mammal (Cooper, H.M.) **477,** 350

Parabrachial nucleus; Thalamus; Zona incerta; Hypothalamus; Retrograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

Anterograde transport
Axonal transport; Diisopropyl phosphorofluoridate; Neurotoxicant; Organophosphorus compound-induced delayed neurotoxicity (Carrington, C.D.) **476,** 179

Parabrachial nucleus; Spinal cord; Anterograde degeneration; Nociception (Blomqvist, A.) **480,** 29

Anterograde transport of *Phaseolus*
Amygdala; Basolateral complex; Mediodorsal thalamus (Van Vulpen, E.H.S.) **500,** 389

Anteromedial cortex
Monocular angular difference threshold; Ocular neglect; Rat (Christie, D.) **497,** 378

Anteromedial cortex lesion
Diazepam; Ro 15-1788; Recovery of function; Somatosensory asymmetry; Spontaneous activity; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Anthramycin
Cholecystokinin; Antagonist; Benzodiazepine; Autoradiography; Mouse; Brain (Kubota, K.) **485,** 62

Anti-axon antibody
Ganglioside antibody; Demyelination; Myelination inhibition; Tissue culture (Bourdette, D.N.) **478,** 175

Anti-gamma aminobutyric acid antibody
Gamma aminobutyric acidergic neuron; Developing cerebellum; Migrating neuron; Neurotransmitter; Purkinje cell; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Anti-vasopressin serum
[Arg^8]Vasopressin; Dorsal hippocampus; Appetitive discrimination; Retrieval (Alescio-Lautier, B.) **500,** 287

Antibiotic
Nerve terminal; Calcium current; Mouse (Bourret, C.) **478,** 403

Antibody
Sympathetic; Sensory; Survival; Nerve growth factor; Receptor (Johnson, E.M.) **478,** 166

Neurofibrillary tangle; Immunocytochemistry; Cytoskeleton; Microtubule; Neurodegenerative disease (Mulvihill, P.) **484,** 150

Antibody microprobe
Somatostatin; Thermal nociception (Morton, C.R.) **488,** 89

Antibody to synthetic peptides
Protein kinase C; Tetrodotoxin; Sodium channel; Sea anemone toxin; 4-Aminopyridine; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

Anticipation stress
Stress-induced analgesia; Tail flick latency; Endogenous opioid; Stress-sensitive organ; Corticosterone (Sumová, A.) **503,** 273

Anticipatory electromyographic activity
Execution process; Standing movement; H-reflex; Electromyographic reaction time (Yamashita, N.) **490,** 148

Anticonvulsant
Epilepsy; Substantia nigra; Superior colliculus; Nigrotectal; Bicuculline, γ-Aminobutyric acid (Dean, P.) **477,** 391

Astrocyte; Calcium; Diazepam; Epilepsy; Calmodulin kinase; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

FG 7142; Kindling; Benzodiazepine receptor (Stephens, D.N.) **492,** 89

N-Methyl-D-aspartate receptor; 2-Amino-7-phosphonoheptanoic acid; 3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate; MK-801; Phencyclidine (Nevins, M.E.) **503,** 1

Antidepressant
Cyclic adenosine monophosphate; Phosphodiesterase; Rolipram; Autoradiography; Limbic system (Kaulen, P.) **503,** 229

Imipramine; β-Adrenergic receptor; Serotonergic receptor; Hippocampal slice in vitro; CA1 pyramidal cell; Intracellular recording (Beck, S.G.) **504,** 72

Antidepressant drug
Serotonin; Serotonin turnover; Suicide; Depression; Postmortem human brain (Cheetham, S.C.) **502,** 332

Antidromic activation
Ambiguous motoneuron; Axonal branching; Laryngeal nerve; Unitary discharge; Rat (Yajima, Y.) **478,** 309

Medulla; Lateral reticular nucleus; Reticulospinal neuron (Liu, R.H.) **481,** 350

Pedunculopontine nucleus; Subthalamic nucleus; Intracellular recording; Intracellular labeling (Granata, A.R.) **488,** 57

Nucleus parabrachialis; Nucleus tractus solitarii; Intracellular recording; Intracellular labeling (Granata, A.R.) **492,** 281

Intergeniculate leaflet; Suprachiasmatic nucleus; Photic response; Neurophysiology; Circadian rhythm entrainment (Zhang, D.X.) **504,** 161

Antidromic collision
Neuromuscular spindle; Secondary spindle sensory ending; Group I and group II afferent fibre; Sympathetic nervous system; Lumbar sympathetic chain (Petit, J.) **503,** 181

Antidromic depression
Hippocampus; Dentate field potential; Paired-pulse depression; Recurrent inhibition; Long-term potentiation (Maru, E.) **478,** 112

Antidromic discharge
4-Aminopyridine; Dorsal root; Spinal cord; Cat; Autocorrelation; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

4-Aminopyridine; Unitary discharge; Dorsal root; Ventral root; Cat (Dubuc, R.) **491,** 349

Antidromic identification
Corticostriatal cell; Motor cortex; Pyramidal tract neuron; Behaving monkey; Single-unit recording (Bauswein, E.) **493,** 198

Antiestrogen
CI-628; LY10074; Keoxifene; Luteinizing hormone; Norepinephrine turnover; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

Antihistamine, H_1
Histamine H_1-receptor; Feeding; Ventromedial nucleus; Paraventricular nucleus; Microinfusion; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

Antinociception
Nucleus cuneiformis; Nucleus parabrachialis; Pontomesencephalic reticular formation; Single unit recording; Rat (Haws, C.M.) **483,** 272

Rat; Tail-flick reflex; Pain; Stimulation-produced analgesia; Naloxone; Midbrain (Guinan, M.J.) **485,** 333

Nucleus tractus solitarius; Pain modulation; Tail-flick test; Pentobarbital; Glutamate; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Pain; Pretectal complex; Anterior pretectal nucleus; Stimulation-produced analgesia; 5-Hydroxytryptamine; Morphine-induced analgesia (Prado, W.A.) **493,** 147

Intraspinal; Dynorphin; Morphine; Hibernation; Opioid; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Calcitonin gene-related peptide; Antiserum; Spinal cord; Intrathecal; Noxious stimulus; Hyperalgesia (Kawamura, M.) **497,** 199

Stimulation-produced analgesia; Periaqueductal gray; Descending pain modulation; Ascending pain modulation; Tail-flick test; Hot-plate test (Morgan, M.M.) **502,** 61

Corticotropin-releasing hormone; Opioid; Tolerance; Stress (Ayesta, F.J.) **503,** 219

Rexed's lamina X; Rostroventral medulla; Retrograde tracing; Raphe-spinal projection (Du, H.-J.) **505,** 135

Antinociceptive effect
Delta-sleep-inducing peptide; Descending inhibitory system; Spinal noradrenergic system; Spinal serotonergic system; Tail-pinch test;

Hot plate test (Nakamura, A.) **480,** 82

Antioxidant
α-Tocopherol; 6-Hydroxydopamine; Rotation; Striatum; Parkinson's disease; Free radical (Cadet, J.L.) **476,** 10

Antipsychotic
Neuroleptic; Haloperidol; Clozapine; Dopamine receptor; Serotonin receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Receptor, σ; 2-Deoxyglucose; Brain metabolism; Glucose utilization; Pentazocine (Della Puppa, A.) **505,** 283

Antipsychotic drug
Dopamine receptor subtype; Cholecystokinin; Subchronic drug treatment; Haloperidol; Clozapine; Supersensitivity; Caudate putamen (Hu, X.-T.) **486,** 325

Dopamine receptor subtype; Haloperidol; Clozapine; Neostriatum; Cyclic adenosine monophosphate; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

D_2 dopamine receptor; Chronic drug treatment; Inositol phosphate; Rat striatum; Muscarinic receptor; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Antipyresis
Ventral septal area; Bed nucleus stria terminalis; Fever (Mathieson, W.B.) **486,** 49

Antisera against opioid peptide
α-Methyldopa-induced hypotension; Nucleus tractus solitarii; Opiate receptor; Naltrexone; Conscious normotensive rat (Van Giersbergen, P.L.M.) **498,** 154

Antiserum
Calcitonin gene-related peptide; Antinociception; Spinal cord; Intrathecal; Noxious stimulus; Hyperalgesia (Kawamura, M.) **497,** 199

Anura
Retina; Amacrine cell; Cell matrix; Neuropeptide Y (Hiscock, J.) **494,** 55

Biplexiform ganglion cell; Retina; Cobaltic-lysine complex; Horseradish peroxidase (Tóth, P.) **499,** 378

Anxiety
Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ion flux; In vivo binding; Receptor occupancy; Shuttlebox active avoidance; Depression (Drugan, R.C.) **487,** 45

Locus coeruleus; Benzodiazepine; α-Adrenergic receptor (Simson, P.E.) **490,** 236

Benzodiazepine; Dopamine; Striatum; Tyrosine hydroxylase; γ-Aminobutyric acid (Knorr, A.M.) **495,** 355

α-Mouse; Submissive mouse; Behavioral 'despair'; Exploration; Seizure threshold; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Anxiolytic
Benzodiazepine; Diazepam; [^{14}C]Deoxyglucose technique; Glucose utilization; Tolerance; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Aortic nerve
Atrial natriuretic peptide; Arterial baroreflex; Central nervous system; Renal nerve; Blood pressure; Sinoaortic denervation; Rabbit (Suzuki, S.) **485,** 109

Apamin
Optic nerve; Ion channel; 4-Aminopyridine; Afterhyperpolarization; Tetraethylammonium (Gordon, T.R.) **502,** 252

Aplysia
G protein; Pertussis toxin; Cholera toxin; Adenylate cyclase; Synaptosome (Vogel, S.S.) **478,** 281

Co-localization; Identified neuron; Synaptic transmission; Buccal ganglia; Cholecystokinin/gastrin peptide; Cholinergic transmission (Ono, J.K.) **493,** 212

Dense-cored vesicle; Bag cell (Sossin, W.S.) **494,** 205

Desensitization; Acetylcholine; Potassium conductance (Salánki, J.) **495,** 298

Desensitization; Chloride; Receptor; Acetylcholine (Evans, M.L.) **495,** 309

Inositol 1,3,4,5,6-pentakisphosphate; Intracellular injection; Ionic mechanism; Non-specific cation conductance (Sawada, M.) **503,** 167

Apnea
Respiratory rhythm; Superior laryngeal nerve; Phrenic nerve; Upper airway receptor (Donnelly, D.F.) **505,** 149

Apneusis
N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Excitatory amino acid; Respiration; Vagus nerve; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

Apomorphine
Ageing; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Monkey (Tremblay, L.) **498,** 17

Dynorphin A(1–13); (–)-(1R,5R,9R)-5,9-diethyl-2-(3-furylmethyl)-2′-hydroxy-6,7-benzomorphan; Rearing; Locomotor activity; Mouse (Ukai, M.) **499,** 299

Neurotensin; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Microdialysis; Striatum; Rat (Tanganelli, S.) **502,** 319

Apomorphine-induced aggression
Opioid receptor; Nucleus raphe dorsalis; Serotonin (Giraud, O.) **488,** 174

Apomorphine-induced rhythmic jaw movement
Drinking; Jaw movement; Masticatory muscle; Electromyography; Guinea pig (Gerstner, G.E.) **479,** 6

Apparent motion
Cat; Superior colliculus; Direction selectivity; Visual–auditory interaction (Rauschecker, J.P.) **490,** 56

Appetitive discrimination
[Arg^8]Vasopressin; Anti-vasopressin serum; Dorsal hippocampus; Retrieval (Alescio-Lautier, B.) **500,** 287

Appetitive learning
Feeding response; Discriminative learning; Stimulus generalization; Generalization of extinction; *Lymnaea* (Kemenes, G.) **489,** 163

α-Arabinosidase
β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Arachidonic acid
β-Estradiol; Hyperalgesia; Raynaud's phenomenon; Pain; Cyclooxygenase; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Pain; Hyperalgesia; Nociception; Prostaglandin; Cyclooxygenase; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Astrocyte; Cyclooxygenase; Lipoxygenase; C_6 glioma cell; Prostaglandin; Leukotriene (Ishizaki, Y.) **494,** 138

Hepoxilin; Intracellular recording; Hippocampal CA1 neuron; Afterhyperpolarization; Inhibitory postsynaptic potential (Carlen, P.L.) **497,** 171

Arcuate nucleus
Luteinizing hormone; Prolactin; Serotonin; Estradiol; Ovariectomy; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus (Cohen, I.R.) **476,** 400

Growth hormone-releasing hormone; Somatostatin; Immunocytochemistry; Electron microscopy; Hypothalamic periventricular nucleus (Horváth, S.)

481, 8

Substance P; Immunohistochemistry; Median eminence; Hypothalamic lesion (Palkovits, M.) **486,** 364

Drinking; Ingestive behavior; Mouse; Monosodium glutamate; Neuropeptide Y; Thirst (Morley, J.E.) **494,** 129

Brain; Insulin receptor; Quantitative autoradiography; Catecholamine; 6-Hydroxydopamine (Wilcox, B.J.) **500,** 149

Histamine; H_1-receptor antagonist; H_2-receptor antagonist; Substance P; Estrogen; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

Area 7b
Retroinsular cortex; γ-Aminobutyric acid; Immunocytochemistry; Somatosensory system; Monkey (Chudler, E.H.) **481,** 383

Area 20
Extrastriate cortex; Lateral suprasylvian area; Pupil; Wheatgerm agglutinin-horseradish peroxidase; Cat (Bando, T.) **494,** 369

Area cSTP
P3; Orientation; Attention; Temporal–parietal; Area Tpt; Memory (Knight, R.T.) **502,** 109

Area DP
Monkey; Prelunate gyrus; Eye movement; Attention (Li, C.-Y.) **496,** 307

Area postrema
Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

Vagus nerve; Cholecystokinin receptor; Nucleus tractus solitarii; Satiety; Human brainstem (Hyde, T.M.) **495,** 198

Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Area Tpt
P3; Orientation; Attention; Temporal–parietal; Area cSTP; Memory (Knight, R.T.) **502,** 109

Arecoline
Acetylcholine; Aging; Brain metabolism; Deoxyglucose; Rat (Soncrant, T.T.) **487,** 255

Arg-vasopressin
Cerebral vasospasm; Microvessel; Rat hippocampal slice (Cach, R.) **483,** 221

Arginine vasopressin
Neurophysin; 1-Deamino[8-D-arginine] vasopressin; Negative feedback; Sodium chloride; Radioimmunoassay (Cheng, S.W.T.) **479,** 35

Neuropeptide Y; Salt-loading; Brattleboro rat; Rat (Hooi, S.C.) **486,** 214

Angiotensin II; Sodium valproate; Adrenocorticotropic hormone (Coiro, V.) **491,** 169

Arginine-vasopressin
Suprachiasmatic nucleus; Brain slice; Circadian rhythm (Liou, S.Y.) **477,** 336

Cardiovascular regulation; γ-Aminobutyric acid; Baroreceptor; Converting enzyme inhibition; Chlorisondamine (Segura, T.) **499,** 53

Argiotoxin
Amino acid transmitter; Glutamate; Hippocampus; Neurotoxin (Ashe, J.H.) **480,** 234

Aromatase
Estrogen; Androgen; Enzyme induction; Preoptic area; Ring dove; Male sexual behavior (Steimer, T.) **480,** 335

Neurotoxin; *N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Sexual behavior; Luteinizing hormone; Noradrenergic; Norepinephrine (Balthazart, J.) **492,** 163

Arousal
Visual cortex; Acetylcholine; Inhibition; γ-Aminobutyric acid; Iontophoresis (Müller, C.M.) **487,** 335

Sleep mechanism; Reticular formation; Basal forebrain; Preoptic area; Anterior hypothalamus (Szymusiak, R.) **498,** 355

Sleep; Rapid eye movement sleep; Startle; Audition; Ponto-geniculo-occipital spike; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Cerebral cortex; Hibernation; Feeding; Dopamine; Serotonin; Bat (Bauman, W.A.) **500,** 156

Arousal reaction
Freely moving cat; Locomotion; Posture; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field (Mori, S.) **505,** 66

Array
Hippocampal slice; Current source density analysis; Electrode; Epileptiform; Propagation (Novak, J.L.) **497,** 223

Arterial baroreflex
Atrial natriuretic peptide; Central nervous system; Renal nerve; Blood pressure; Sinoaortic denervation; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Arterial blood pressure
Plasma catecholamine; Insular ortex (Cechetto, D.F.) **502,** 296

Arterial pressure
Heart rate; Excitatory aminoacid; Forebrain (Gelsema, A.J.) **482,** 67

Defense reaction; Skeletal muscle vasodilation; Emotion; Midbrain periaqueductal gray; Excitatory amino acid; Cat (Carrive, P.) **483,** 251

Baroreflex; Ventilation; Pentobarbital; Nicotine; Ventral medulla (Jung, R.) **485,** 399

Corticotropin-releasing factor; Dynorphin-related peptide; Central nervous system; Sympathetic nervous system; Heart rate (Overton, J.M.) **488,** 233

Rostral ventrolateral medulla; Neuroactive peptide; Brain slice (Sun, M.-K.) **492,** 261

Spontaneous hypertension; Development; Hexokinase; Metabolic activity; Histochemistry (Krukoff, T.L.) **499,** 1

Strychnine; Tonic inhibition; Spinal cord; Heart rate (Hong, Y.) **499,** 169

Arteriovenous malformation
Autoradiography; Cerebral blood flow; Rat; Hyperemia (Morgan, M.K.) **496,** 241

Arthritic rat
Thalamus; Ventrobasal neuron; Pain (Guilbaud, G.) **484,** 383

Inhibitor; Multiple enkephalin-degrading enzyme; Normal rat; Vocalization threshold (Kayser, V.) **497,** 94

Arylacetamide
Analgesia; Autoradiography; Binding site; Electrophysiology; κ Opioid; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

Ascending pain modulation
Stimulation-produced analgesia; Periaqueductal gray; Descending pain modulation; Tail-flick test; Hot-plate test; Antinociception (Morgan, M.M.) **502,** 61

Ascending pain modulation pathway
Nociception; Medial prefrontal cortex; Centralis lateralis nucleus; Dorsal raphe nucleus; Rat (Condés-Lara, M.) **499,** 145

Ascending pathway
Centralis lateralis nucleus; Medial prefrontal cortex; Dorsal raphe nucleus; Rat (Condés-Lara, M.) **499,** 141

Ascending reticular system
Lateral geniculate nucleus; Relay neuron; Dorsal raphe nucleus; Serotonin; Electroencephalography (Kayama, Y.) **489,** 1

Ascorbate
Amphetamine; Dopamine receptor; In vivo voltammetry; Neostriatum; Neuroleptic drug (Oh, C.) **480,** 184

Glutathione; Astrocyte; Neuron (Raps, S.P.) **493,** 398

Ascorbate-dependency
Amidation; Peptidylglycine; Dorsal root ganglia; Spinal cord; Copper-dependency (Graham, L.) **491,** 371

Ascorbic acid
Amphetamine; Uric acid; Voltammetry in vivo; Caudate; Nucleus accumbens (Mueller, K.) **494,** 30

Aspartate
Substantia nigra; Perfusion; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Glutamate; Taurine; Rat (Farrant, M.) **480,** 344

Cerebral microcirculation; Vascular smooth muscle; Neurotransmitter; Amino acid; γ-Aminobutyric acid; Glycine; Glutamate (Takayasu, M.) **482,** 393

N-Acetylaspartylglutamate; Uptake; Release; Glutamate; Cerebellum (Sekiguchi, M.) **482,** 78

Glutamate; *N*-Methyl-D-aspartate receptor; Neurotoxicity; Excitatory amino acid; Cortex; Cell culture (Monyer, H.) **483,** 347

Immunocytochemistry; Primary afferent fiber (Westlund, K.N.) **489,** 347

Neurotransmitter release; Frog lateral line; Hair cell; Glutamate; High performance liquid chromatography (Bledsoe, S.C.) **493,** 113

Striatum; Synaptoneurosome; Synaptosome; Membrane sac; Glutamate; Kainate (Heinonen, E.) **496,** 187

Hypoglycemia; Glutamate; Transmitter release; Hippocampus; Glucose (Burke, S.P.) **500,** 333

Glutamate; Excitatory amino acid; Kindling; Epilepsy; Seizure (Croucher, M.J.) **501,** 58

Valproate; Substantia nigra; γ-Aminobutyric acid; Synaptic inhibition (Farrant, M.) **504,** 49

Kindling; Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

D-Aspartate binding
Down's syndrome; Post-mortem brain; *N*-(1-[2-Thienyl]cyclohexyl)piperidine binding (Simpson, M.D.C.) **484,** 273

L-Aspartate
Kindling; L-Glutamate; Electrical stimulation; Rat; Amygdala (Mori, N.) **498,** 163

Aspiration reflex
Respiration; Recruitment; Cat; Firing property; Phrenic motoneuron (Jodkowski, J.S.) **505,** 187

Aspirin
Prostaglandin E_1; Porcine cerebral artery; Eicosanoid; Cyclooxygenase inhibitor; Indomethacin (Fukuda, S.) **496,** 397

Association fiber
Corpus callosum; Acallosal brain; Probst's bundle; Corticocortical projection; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Learning; Motor cortex; Sensory cortex; Motor learning; Sensory input; Cortical lesion (Sakamoto, T.) **503,** 258

Associative learning
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Associative long-term potentiation/depression
CA3; Hippocampus; Long-term potentiation; Mossy fiber; *N*-Methyl-D-aspartate; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

Astrocyte
Neural graft; Autonomic ganglion; Cellular migration; Neovascularization; Immunocytochemistry (Rosenstein, J.M.) **476,** 110

Patch-clamp; Potassium channel; Primary cell culture; Voltage dependence (Jalonen, T.) **484,** 177

Calcium; Diazepam; Epilepsy; Anticonvulsant; Calmodulin kinase; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

Cytotoxic edema; Cytoplasmic pH; Lactic acid; Cell swelling; Na^+/H^+ exchange; Glioma cell (Jakubovicz, D.E.) **485,** 215

N-Methyl-D-aspartate; Neurotrophic action of excitatory amino acids; Cerebellar granule cell; 2-Amino-5-phosphonovaleric acid; Transmembrane Ca^{2+} entry; Cerebellar development (Moran, J.) **486,** 15

Human; Electrophysiology; Ion transport; Glutamine synthetase (Lomneth, R.) **486,** 95

Ketamine; Glutamate; Glial swelling; *N*-Methyl-D-aspartate receptor (Chan, P.H.) **487,** 380

Regeneration; Graft; Spinal cord; Neuronal rescue; Neuronal maintenance (Bernstein, J.J.) **488,** 180

Interleukin-1; Eicosanoid; Protein kinase C; Immune response; Inflammation; Rat (Hartung, H.-P.) **489,** 113

Gliosis; S-100; Thymidine; Proliferation; Cell number; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Glial fibrillary acidic protein; Axotomy; Stimulation; Hypoglossal (Hall, L.L.) **490,** 157

Cell culture; Cell morphology; Cyclic adenosine monophosphate; Protein kinase C; Protein kinase inhibitor; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Transplantation; Graft; Migration; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Microglia; Tumor necrosis factor-alpha; Cytokine; Glia; Brain culture (Sawada, M.) **491,** 394

Ammonia; Benzodiazepine receptor; Hepatic encephalopathy (Ducis, I.) **493,** 362

Hypothyroidism; Gliosis; Glial fibrillary acidic protein; S-100; Immunohistochemistry; Autoradiography (Miyake, T.) **493,** 376

Glutathione; Ascorbate; Neuron (Raps, S.P.) **493,** 398

Arachidonic acid; Cyclooxygenase; Lipoxygenase; C_6 glioma cell; Prostaglandin; Leukotriene (Ishizaki, Y.) **494,** 138

Glial fibrillary acidic protein; Glucocorticoid; Corticosterone; Adrenalectomy (O'Callaghan, J.P.) **494,** 159

Phosphoinositide second messenger system; Glia (Choi, W.C.) **499,** 193

Thallium-201; Membrane potential; Glioma; Scintigraphy; Human (Brismar, T.) **500,** 30

Astrocytoma; Central nervous system neoplasia; Glioblastoma multiforme; Immunocytochemistry; Ubiquitin (Galloway, P.G.) **500,** 343

Cell culture; Ischemia; Lactacidosis; Membrane potential; Proton (Walz, W.) **504,** 82

Substance P; Multiple sclerosis (Kostyk, S.K.) **504,** 284

Glial fibrillary acidic protein; Immunohistochemistry (Shehab, S.S.A.) **504,** 343

Astrocytic glia
Sympathetic preganglionic neuron; Rostral ventrolateral medulla; Sympathetic nerve discharge; Immunocytochemistry; Spinal cord

(Morrison, S.F.) **503,** 5

Astrocytoma
Astrocyte; Central nervous system neoplasia; Glioblastoma multiforme; Immunocytochemistry; Ubiquitin (Galloway, P.G.) **500,** 343

Astroglia
Glycolipid; Sialosyl cholesterol; Growth inhibition; Differentiation (Ito, J.-I.) **481,** 335

Neuronotoxic activity; Excitotoxin; Neuronal death; Ionic effect (Leprince, P.) **502,** 21

Astroglial cell
Serotonin; Serotonin receptor; Neuronal development; 8-Hydroxy-2-(di-n-propylamino)tetralin (Whitaker-Azmitia, P.M.) **497,** 80

Asymmetry
Sex difference; Chicken; Thalamofugal pathway; True blue; Visual Wulst (Adret, P.) **478,** 59

Ataxia
Inositol 1,4,5-trisphosphate; Cerebellum; Purkinje cell; Granule cell; Glutamate; Dominantly inherited olivopontocerebellar atrophy (Kish, S.J.) **489,** 373

(Na+K)-ATPase
Cyclic adenosine monophosphate; Forskolin; Ouabain binding (Swann, A.C.) **476,** 351

Serotonin; Kindling (Hernández-R., J.) **480,** 403

Salt intake; Deoxycorticosterone; Mineralocorticoid receptor (Grillo, C.) **499,** 225

Atrial natriuretic factor
Angiotensin II; Brain; Natriuresis (Rohmeiss, P.) **502,** 198

Atrial natriuretic peptide
Arterial baroreflex; Central nervous system; Renal nerve; Blood pressure; Sinoaortic denervation; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Retina; Immunohistochemistry (Palm, D.E.) **504,** 142

Atrial natriuretic polypeptide
Angiotensin II; Sympathetic nervous system; Catecholamine; Blood pressure; Adrenocorticotropic hormone (Makino, S.) **501,** 84

Atriopeptin
Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Dehydration; Angiotensin II (Shaver, S.W.) **505,** 316

Atropine
Morphine; Phentolamine; Methysergide; Analgesia; Tail-flick; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

Perforant path; Dentate gyrus; Acetylcholine; Carbachol; Pirenzepine (Kahle, J.S.) **482,** 159

Vasopressin; Angiotensin II; Osmotic stimulus; Cholinoceptor; Carbachol; Hexamethonium; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Monkey; Amygdala; Feeding behavior; Unit activity; Microelectrophoresis; Acetylcholine (Lénárd, L.) **500,** 359

AFDX-116; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Corticotropin-releasing hormone; Cocaine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

REM sleep; Electroconvulsive shock; Systemic penicillin epilepsy; Pontine lesion; Cat (Shouse, M.N.) **505,** 271

AtT_{20}
Interleukin-1; Acetylcholine; Alzheimer's disease (Carmeliet, P.) **491,** 199

Attention
Geniculate body; Neural transmission; γ-Aminobutyric acid; Neural inhibition; Receiver operating characteristic curve; Tree shrew (Holdefer, R.N.) **488,** 341

Geniculate body; Sensory threshold; Physiology; γ-Aminobutyric acid; Neural inhibition; Vision; Drug effect; Tree shrew (Norton, T.T.) **488,** 348

Monkey; Prelunate gyrus; Area DP; Eye movement (Li, C.-Y.) **496,** 307

P3; Orientation; Temporal–parietal; Area Tpt; Area cSTP; Memory (Knight, R.T.) **502,** 109

Prefrontal; Middle-latency auditory evoked potential; Gating; Inhibition; Pa (Knight, R.T.) **504,** 338

Audiogenic seizure
Inferior colliculus; Brain slice; Epilepsy; *N*-Methyl-D-aspartate; Rat (Pierson, M.G.) **486,** 381

Audition
Sleep; Rapid eye movement sleep; Startle; Arousal; Ponto-geniculo-occipital spike; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Auditory cortex
Bradycardia; Differential Pavlovian conditioning; Extinction; Heart rate; Rabbit (Teich, A.H.) **480,** 210

Acetylcholine; Receptive field; Neuromodulator; Single neuron; Neuronal plasticity (Metherate, R.) **480,** 372

Tone sequence; Single neuron; Cat (McKenna, T.M.) **481,** 142

Monkey; Thalamocortical synapse; Double-labeling immunocytochemistry; γ-Aminobutyric acid; Peptide (Cipolloni, P.B.) **492,** 347

Auditory pathway
Brain slice; Electrophysiology; V_1-receptor; Immunocytochemistry; Sex difference; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Auditory response
Inferior colliculus; Corticocollicular influence; Bat auditory neuron (Sun, X.) **495,** 1

Auditory (freeze) startle reflex
Vestibular afferent; Semicircular canal; Natural stimulation (Blanks, R.H.I.) **487,** 278

Auditory system
Long-term habituation; Acoustic startle response; Learning; 2-Deoxyglucose (Gonzalez-Lima, F.) **489,** 67

Two-dimensional gel; Glial fibrillary acidic protein; Calcium binding protein; Rabbit (Winsky, L.) **493,** 136

Augmentation
Barbiturate; γ-Aminobutyric acid-mimetic action; β-Aminobutyric acid receptor–ionophore complex; Frog sensory neuron; Concentration clamp; Voltage clamp (Yakushiji, T.) **488,** 357

Australoid race
Brain; Basal ganglia; Cerebellum; Corpus striatum; Amygdaloid body; Thalamus (Klekamp, J.) **485,** 79

Neuron; Purkinje cell; Growth; Development (Riedel, A.) **499,** 333

Auto-antibody
Neuroimmunology; Brain asymmetry; New Zealand black mouse; Systemic lupus erythematosus (Neveu, P.J.) **498,** 159

Autocorrelation
4-Aminopyridine; Antidromic discharge; Dorsal root; Spinal cord; Cat; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

Autoinhibition
α_2-Receptor; [^{3}H]Yohimbine binding; Narcolepsy; Dog; Locus ceruleus;

Noradrenaline (Fruhstorfer, B.) **500,** 209

Autonomic
Adrenoceptor; Brain slice; Clonidine; Nucleus tractus solitarii; Synaptic excitability (Feldman, P.D.) **480,** 190

Extrathalamic ascending system; Cortico-subcortical connection; Visceral; Limbic; Cat (Clascá, F.) **490,** 361

Neuroplasticity; Sprouting; Somatostatin; Rat amygdala; Ultrastructure; Immunohistochemistry; Central nervous system (Gotow, T.) **492,** 325

β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Catecholamine; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Autonomic ganglion
Neural graft; Astrocyte; Cellular migration; Neovascularization; Immunocytochemistry (Rosenstein, J.M.) **476,** 110

Autonomic nervous system
Metabolism; Brain; Chromogranin A; Metabolic fuel; Pituitary; Adrenocorticotropic hormone (Gunion, M.W.) **485,** 251

Superior cervical ganglion; Trigeminal ganglion; Intercellular junction; Horseradish peroxidase; Blood–brain barrier (Ten Tusscher, M.P.M.) **490,** 95

Intermediolateral nucleus; Column of Terni; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Autoradiography
Kainate receptor; Kainyl-bovine serum albumin; Ligand binding; Chick cerebellum (Eshhar, N.) **476,** 57

Axotomy; Hypoglossal nucleus; Palmitate; Regeneration; Degeneration; Plasticity; Lipid metabolism (Yamazaki, S.) **477,** 19

D-Ala^2-*N*-methyl-Phe^4,Gly-ol^5-enkephalin; Morphine tolerance; μ-Opiate receptor; Receptor upregulation (Brady, L.S.) **477,** 382

Prostaglandin; Binding site; Monkey; Brain; In vitro labeling (Watanabe, Y.) **478,** 143

Benzodiazepine; Benzodiazepine receptor; Benzodiazepine antagonist; Retina; Electroretinogram (Robbins, J.) **479,** 313

Cerebral ischemia; Hippocampus; Phorbol ester; Protein kinase C; Selective vulnerability; Synaptic plasticity (Onodera, H.) **481,** 1

Excitatory amino acid; *N*-Methyl-D-aspartic acid; Quisqualate; Phencyclidine; Visual plasticity; Frog; Tectum (McDonald, J.W.) **482,** 155

Glycine; Hippocampus; *N*-Methyl-D-aspartate receptor; Phencyclidine receptor (Jansen, K.L.R.) **482,** 174

Serotonin$_{1D}$ receptor; *p*-Chloroamphetamine; Paroxetine-labeled serotonin uptake site (Herrick-Davis, K.) **483,** 155

Adenosine; Receptor; Striatum; 5′-*N*-Ethylcarboxamidoadenosine; N^6-Cyclopentyladenosine (Jarvis, M.F.) **484,** 111

Insulin-like growth factor; Acetylcholine release; Hippocampus (Araujo, D.M.) **484,** 130

Anthramycin; Cholecystokinin; Antagonist; Benzodiazepine; Mouse; Brain (Kubota, K.) **485,** 62

Brain injury; Reactive astrocyte proliferation; Immunocytochemistry; Rat (Janeczko, K.) **485,** 236

Hyperprolactinemia; Vasoactive intestinal peptide; Estradiol-17β; Prolactin; Central nervous system; Pituitary gland (Montagne, M.-N.) **485,** 258

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Adenosine triphosphate-sensitive K^+ channel; Intracellular recording; Rat (Mourre, C.) **486,** 159

Estradiol; Progesterone; γ-Aminobutyric acid; Receptor, $GABA_A$; Hippocampus (Schumacher, M.) **487,** 178

2-Deoxyglucose; Fetal plasma glucose (Kostreva, D.R.) **487,** 384

Zebra finch; Androgen; Song system; Projection (Sohrabji, F.) **488,** 253

Neurotensin receptor; Acetylcholinesterase; Neurochemical compartment; Caudate nucleus; Human (Faull, R.L.M.) **488,** 381

ω-Conotoxin; Calcium channel; Cerebellar mutant mouse (Maeda, N.) **489,** 21

Gliosis; Astrocyte; S-100; Thymidine; Proliferation; Cell number; Ultrastructure; Mouse (Miyake, T.) **489,** 31

Nerve growth factor; Monoclonal antibody; Immunohistochemistry; Cholinergic basal forebrain (Schweitzer, J.B.) **490,** 390

α_2-Adrenergic; *p*-Amino-clonidine; Sex difference; Nucleus intercollicularis; Reproductive behavior; Japanese quail (Ball, G.F.) **491,** 68

Brain ischemia; Adenosine A_1-receptor; G-protein; Adenylate cyclase; Cyclohexyladenosine (Daval, J.-L.) **491,** 212

Receptor, D_1-; Adenylate cyclase; Receptor, D_2-; Supersensitivity; Caudate-putamen; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Hypothyroidism; Gliosis; Astrocyte; Glial fibrillary acidic protein; S-100; Immunohistochemistry (Miyake, T.) **493,** 376

Arteriovenous malformation; Cerebral blood flow; Rat; Hyperemia (Morgan, M.K.) **496,** 241

N-Methyl-D-aspartate receptor; MK-801; 3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid; Deoxy sugar; Cerebral glucose utilisation (Kurumaji, A.) **496,** 268

Excitatory amino acid; *N*-Methyl-D-aspartate receptor; Cardiovascular control; Blood pressure (Somogyi, P.) **496,** 401

Acetylcholine receptor; Substance P; Somatostatin; Caudate nucleus (Ariano, M.A.) **497,** 51

Receptor; Retina; Forskolin; Phorbol ester (Zarbin, M.A.) **497,** 334

Superior cervical ganglion; Muscarinic receptor; Neuropeptide; Immunocytochemistry; Cell culture (James, S.) **498,** 205

Interleukin-2; Acetylcholine release; Hippocampus (Araujo, D.M.) **498,** 257

Transient forebrain ischemia; Striatum; Dopamine receptor; Adenylate cyclase; DARPP-32; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

Macaque monkey; Visual cortex; Superior temporal sulcus; Accessory optic system (Maioli, M.G.) **498,** 389

Ex vivo; Dopamine D_2; Serotonin-2; α_1-Adrenoceptor (Schotte, A.) **500,** 295

Androgen; Testosterone; Dihydrotestosterone; Primate; Hypothalamus; Amygdala; Pituitary gland (Michael, R.P.) **502,** 11

Analgesia; Arylacetamide; Binding site; Electrophysiology; κ Opioid; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

Dopamine receptor; Receptor proliferation; Denervation; Metoclopramide; Spiroperidol, [^{3}H]-; Chronic neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Cyclic adenosine monophosphate; Phosphodiesterase; Antidepressant;

Rolipram; Limbic system (Kaulen, P.) **503,** 229

Catecholamine; Mazindol, [^{3}H]; Desmethylimipramine (Donnan, G.A.) **504,** 64

μ-Opiate receptor; Neostriatum; 1-Methyl-4-phenylpyridinium ion; Nigrostriatal dopamine pathway; Neural transplantation; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propyl-amino-^{3}H]tetralin; Receptor, 5-HT$_{1A}$; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Hemicholinium-3; High-affinity choline uptake; Cholinergic nerve terminals; Human brain (Pascual, J.) **505,** 306

Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Autoradiography in vitro
Stress; Muscarinic cholinergic receptor; Quinuclidinyl benzilate binding; Hippocampus (Mizukawa, K.) **478,** 187

Autoradiography, ^{45}Ca
Kainic acid; Hippocampus; Thalamic reticular nucleus; Neuronal cell death (Tanaka, S.) **478,** 385

Autoradiography, quantitative
Serotonin uptake site; Methamphetamine; Neurotoxicity (Kovachich, G.B.) **505,** 123

Autoradiography, [^{14}C]leucine
Suprachiasmatic nucleus; Circadian rhythm; Paraventricular nucleus; Brain protein synthesis; Neutral amino acid (Scammell, T.E.) **494,** 155

Autoreceptor
D-Amphetamine infusion; Dopamine; Single-unit recording; Synthesis (Lee, T.H.) **483,** 17

Dopamine; Incertohypothalamic A13 neuron; Iontophoresis; Tyrosine hydroxylase immunocytochemistry (Sanghera, M.K.) **483,** 361

β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Autonomic; Catecholamine; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Ageing; Apomorphine; Dopamine; D$_1$ receptor; D$_2$ receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Noradrenaline; Hippocampus; Pyramidal neuron; Locus ceruleus; Noradrenergic neurotransmission; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

Autoregulation
Medial zona incerta; Ventromedial nucleus of hypothalamus; In vitro brain slice; Extracellular action potential; Dopamine (Eaton, M.J.) **502,** 117

Autospectrogram
4-Aminopyridine; Antidromic discharge; Dorsal root; Spinal cord; Cat; Autocorrelation; Cross-correlation (Dubuc, R.) **491,** 335

Aversion
Benzodiazepine; Diazepam; Escape; Lateral hypothalamus; Reward; Self-stimulation (Carden, S.E.) **483,** 327

Aversion; Conditioned place preference
Periaqueductal gray; γ-Aminobutyric acid; Semicarbazide; Muscimol; Microinjection (Di Scala, G.) **483,** 91

Avian
Principal optic nuclei; Accessory optic; Tectum; Cholera toxin B-chain–horseradish peroxidase (Wild, J.M.) **479,** 130

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Avian brain
Naloxone binding, [^{3}H]-; Opiates; Quantitative autoradiography; Domestic chick (Csillag, A.) **479,** 391

Avidin
Neuroanatomical tracing; Biotin (King, M.A.) **497,** 361

Avoidance behavior
Circadian rhythm; 5,7-Dihydroxytryptamine; Open field; Serotonin; Social behavior; Scopolamine (Vanderwolf, C.H.) **504,** 192

Avoiding behavior
Tongue muscle-controlling motoneuron; Hypoglossal motoneuron; Thalamus; Visually guided behavior; Prey-catching behavior; Toad (Satou, M.) **481,** 39

Axo-axonic synapse
Neuronal inhibition; Fascia dentata; Epilepsy (Soriano, E.) **503,** 170

Axon
Demyelination; Sodium channel; Multiple sclerosis (Shrager, P.) **483,** 149

Axon guidance
Transplant; Rat; Mouse; Rhodamine microsphere (Jaeger, C.B.) **487,** 225

Axon-like process
Peripheral nerve graft; Optic nerve crush; Retinal ganglion cell; Hamster (Cho, E.Y.P.) **484,** 371

Axon morphology
Jaw motoneuron; Recurrent collateral (Moore, J.A.) **489,** 383

Axon terminal
Axonal transport; Cross-bridge; Protease; Vesicle (Martz, D.) **476,** 199

Axon tracing
Lateral geniculate nucleus; Geniculo-striate pathway; Functional architecture; Mapping transformation (Bowling, D.B.) **502,** 180

Fluoro-Gold; Blood–brain barrier (Ambalavanar, R.) **505,** 171

Axonal branching
Ambiguous motoneuron; Laryngeal nerve; Unitary discharge; Antidromic activation; Rat (Yajima, Y.) **478,** 309

Axonal collateralization
Basal forebrain; Reticular thalamic nucleus; Mesopontine tegmentum; Cerebral cortex; Cholinergic neuron; Parvalbumin (Jourdain, A.) **505,** 55

Axonal injury
Concussion; Secondary ischemia; Delayed neuronal necrosis; Selective vulnerability; Hippocampal hyperactivity (Jenkins, L.W.) **477,** 211

Axonal protein synthesis
Tubulin synthesis; Actin synthesis; Retinal ganglion cell axon; Regenerating axon (Koenig, E.) **481,** 119

Axonal regeneration
Axotomy; Guidance channel; Electret (Valentini, R.F.) **480,** 300

Conditioning lesion; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Axonal transport
Diisopropyl phosphorofluoridate; Anterograde transport; Neurotoxicant; Organophosphorus compound-induced delayed neurotoxicity (Carrington, C.D.) **476,** 179

Axon terminal; Cross-bridge; Protease; Vesicle (Martz, D.) **476,** 199

Tubulin; Neurofilament; Cytoskeleton (Watson, D.F.) **477,** 225

Neuron–glia interaction; Proline (Contos, N.) **479,** 172

Cholinergic enzyme; Ischemia; Spinal cord (Malatová, Z.) **481,** 31

Major histocompatibility complex antigen; Nerve regeneration; Skeletal muscle; Neuroimmunology (Maehlen, J.) **481,** 368

Retrograde tracer; Trigeminal nerve; Pathway tracing; Peripheral nervous system (Colin, W.) **486,** 334

2,5-Hexanedione; Neurofilament; Giant axonal neuropathy; Acceleration of transport (Monaco, S.) **491,** 328

Regenerating nerve; Goldfish optic nerve; Glycosaminoglycan; Heparan sulfate; Proteoglycan (Coughlin, C.) **493,** 326

Lectin tracing; *Lens culinaris* agglutinin; Leucoagglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Cytoskeleton; Transport kinetics; Slow component; Clathrin; Actin (Paggi, P.) **504,** 223

Axonopathy
Hexanedione; Neurotoxicity; Protein phosphorylation; Nerve injury; Sciatic nerve (Horan, K.L.) **491,** 366

Axoplasm
Ventral striatum; Ventral tegmental area; Wheat germ agglutinin-horseradish peroxidase; Symmetric synapse; Vesicle (Zahm, D.S.) **482,** 145

Axospinous synapse
Dentate gyrus; Discontinuous postsynaptic density; Kindling (Geinisman, Y.) **480,** 326

Axotomy
Hypoglossal nucleus; Palmitate; Regeneration; Degeneration; Plasticity; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Sprouting; Regeneration; Frog sympathetic ganglia (Kelly, M.E.M.) **477,** 363

Axonal regeneration; Guidance channel; Electret (Valentini, R.F.) **480,** 300

Alzheimer's disease; Cholinergic neuron; Cytoskeleton; Septohippocampal system (Koliatsos, V.E.) **482,** 205

γ-Motoneuron; Quantitative; Ultrastructure; Horseradish peroxidase; Cat (Johnson, I.P.) **489,** 400

Glial fibrillary acidic protein; Astrocyte; Stimulation; Hypoglossal (Hall, L.L.) **490,** 157

Neuron loss; Lactation; Progesterone (Yu, W.-H.A.) **491,** 379

Leech; Inhibition; Fluorescent dye irradiation; Development; Synaptic localization (Lytton, W.W.) **504,** 43

Bicuculline, γ-Aminobutyric acid
Epilepsy; Anticonvulsant; Substantia nigra; Superior colliculus; Nigrotectal (Dean, P.) **477,** 391

Monoamine oxidase-A
Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

B

B3 area
Periaqueductal gray matter; Substantia nigra; Zona incerta; Hypothalamus; Central nucleus of the amygdala; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Background motion
Motion-sensitive neuron; Optic tectum; Toad; Rebound activation; Center-surround receptive field; Motion after-effect (Satou, M.) **504,** 320

Baclofen
Ventral lateral geniculate nucleus; Dorsal lateral geniculate nucleus; γ-Aminobutyric acid; Phaclofen; $GABA_A$ inhibitory postsynaptic potential; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

Rat cortical slice; Paroxysmal discharge; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Partial agonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

Seizure; Convulsion; γ-Aminobutyric acid; Muscimol; Bicuculline; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Cerebral blood flow; γ-Aminobutyric acid-B receptor; Cerebral artery; Noradrenaline release (Miranda, F.J.) **492,** 45

Phaclofen; H-reflex; Flexor reflex; Intrathecal injection (Wüllner, U.) **496,** 341

Neuropeptide Y; 5-Hydroxytryptamine; G-protein; Pertussis toxin (Colmers, W.F.) **498,** 99

Bag cell
Dense-cored vesicle; *Aplysia* (Sossin, W.S.) **494,** 205

Barbiturate
γ-Aminobutyric acid receptor; Chloride ion channel; Synaptoneurosome; Picrotoxinin; Picrotoxin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

γ-Aminobutyric acid-mimetic action; β-Aminobutyric acid receptor–ionophore complex; Frog sensory neuron; Concentration clamp; Augmentation; Voltage clamp (Yakushiji, T.) **488,** 357

Tonic vibration reflex; Cross-correlation; Single unit electromyogram (Hori, Y.) **497,** 291

Barium
Calcium; Voltage-dependent Ca^{2+} channel; Tuberoinfundibular dopaminergic neuron; Dopamine release; Dihydropyridine (Taglialatela, M.) **488,** 114

Calcium current; Voltage clamp; Cortical neuron; Nifedipine; Cadmium (Dichter, M.A.) **492,** 219

Barium
Müller cell; Glial cell; Retina; Potassium conductance; Tiger salamander (Newman, E.A.) **498,** 308

Baroreceptor
Tractus nucleus solitarii; Subfornical organ; Paraventricular nucleus; Neural connection (Shioya, M.) **483,** 192

Cardiovascular regulation; γ-Aminobutyric acid; Arginine-vasopressin; Converting enzyme inhibition; Chlorisondamine (Segura, T.) **499,** 53

Baroreceptor heart rate reflex
Central nucleus of the amygdala; Basolateral nucleus of the amygdala; Excitotoxin; Conscious rat (Lewis, S.J.) **494,** 232

Baroreceptor reflex
Glycine; Glutamate; Amino acid; Blood pressure; Nucleus tractus solitarii; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Angiotensin II; Sarcosine^1,isoleucine^8-angiotensin II; Nucleus tractus solitarii; Dorsal vagal nucleus; Sinoaortic denervation; Nodose ganglionectomy (Healy, D.P.) **484,** 1

Baroreflex
Arterial pressure; Ventilation; Pentobarbital; Nicotine; Ventral medulla (Jung, R.) **485,** 399

Rabbit; Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Blood pressure; Glutamate; Heart rate; Lidocaine; Muscimol; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

Barosensory
Visceral afferent; Connection; Chemosensory; Fink-Heimer; Horseradish peroxidase (Claps, A.) **489,** 80

Barrel
Lectin; Glia; Boundary; Plasticity; Critical period substrate; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Somatosensory cortex; Cortical circuitry; γ-Aminobutyric acid; Inhibition; Neural network (Keller, A.) **496,** 105

Barrier breakdown
Head injury; Rat; Neuronal injury;

Gliosis (Cortez, S.C.) **482,** 271

Basal cell
Neural subpopulation; Olfactory epithelium; Neuronal culture; Monoclonal antibody (Akeson, R.A.) **488,** 202

Basal forebrain
Choline acetyltransferase; Corticopetal system (Zaborszky, L.) **479,** 177

Neostriatum; Substantia nigra; Medical forebrain bundle; Immunohistochemistry; Phosphoprotein (Gustafson, E.L.) **491,** 297

Nerve growth factor; Choline acetyltransferase; Cholinergic neuron; Infusion pump; Rat (Williams, L.R.) **498,** 243

Sleep mechanism; Arousal; Reticular formation; Preoptic area; Anterior hypothalamus (Szymusiak, R.) **498,** 355

Aging; Nerve growth factor receptor; Spatial memory (Koh, S.) **498,** 397

Brain stimulation reward; Self-stimulation; Single-unit recording; Ventral tegmental area; Lateral hypothalamus (Shizgal, P.) **499,** 234

Reticular thalamic nucleus; Mesopontine tegmentum; Cerebral cortex; Axonal collateralization; Cholinergic neuron; Parvalbumin (Jourdain, A.) **505,** 55

Basal forebrain cholinergic neuron
Suprachiasmatic nucleus; Nerve growth factor receptor; Retinohypothalamic projection (Sofroniew, M.V.) **476,** 358

Basal forebrain projection neuron
Co-localization; Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Acetylcholine; Co-production; Neocortical afferent (Fisher, R.S.) **491,** 163

Basal ganglia
Striatum; Entopeduncular nucleus; Horseradish peroxidase; Rat (Fink-Jensen, A.) **476,** 194

Hypoxanthine; Xanthine; Hypoxia-ischemia; Fetal lamb cortex (Kjellmer, I.) **478,** 241

Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Superior colliculus; Cytoarchitecture; Primate; Saccade (Ma, T.P.) **480,** 305

Striatum; Globus pallidus; Retrograde double-labeling method; Tyroxine hydroxylase immunohistochemistry; Primate (Smith, Y.) **482,** 381

Dopamine; γ-Aminobutyric acid; Reaction time; Rat (Amalric, M.) **483,** 389

Brain; Australoid race; Cerebellum; Corpus striatum; Amygdaloid body; Thalamus (Klekamp, J.) **485,** 79

Glutamic acid decarboxylase immunoreactivity; Subthalamic nucleus; Substantia nigra; Tegmentum (Schmued, L.) **487,** 131

Excitotoxin; Glia; Huntington's disease; Neurodegenerative disorder; Quinolinic acid (Schwarcz, R.) **490,** 103

Gamma-aminobutyric acid; Pallidum; *Phaseolus-Vulgaris* leucoagglutinin; Immunocytochemistry; Postembedding immunocytochemistry (Smith, Y.) **493,** 160

Morphine; 2-Deoxyglucose; Local cerebral glucose utilization (Beck, T.) **497,** 205

γ-Aminobutyric acid; Single unit activity; Huntington's disease; Globus pallidus; Entopeduncular nucleus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Basal nucleus of Meynert
Alzheimer's disease; Progressive supranuclear palsy; Neostriatum; Large neuron; Cholinergic neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Basal release
Neuroma; Substance P; Calcitonin gene-related peptide; Stimulated release; Localization (White, D.M.) **503,** 198

Basal telencephalon
Visual system; Retinal projection; Olfactory tubercle; Anterograde tracing; Mammal (Cooper, H.M.) **477,** 350

Basement membrane
Kainate; Neuronal Degeneration; Laminin; Neovascularization; Glia (Shigematsu, K.) **501,** 215

Basket cell
Ischemia; Hippocampus; Glutamate decarboxylaseimmunocytochemistry; Inhibitory interneuron (Nitsch, C.) **495,** 243

Gamma aminobutyric acidergic neuron; Developing cerebellum; Migrating neuron; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Purkinje cell; Golgi cell (Aoki, E.) **502,** 245

Basolateral amygdala
A-current; 4-Aminopyridine (4-AP); Action potential accommodation (Gean, P.-W.) **480,** 160

Basolateral complex
Amygdala; Anterograde transport of *Phaseolus*; Mediodorsal thalamus (Van Vulpen, E.H.S.) **500,** 389

Basolateral nucleus of the amygdala
Central nucleus of the amygdala; Excitotoxin; Baroreceptor heart rate reflex; Conscious rat (Lewis, S.J.) **494,** 232

Subpallidal output neuron; Ventral subiculum of hippocampus; Pedunculopontine nucleus; Electrophysiological recording (Tsai, C.T.) **494,** 22

Bat
Inferior colliculus; Superior colliculus; Inhibition; Facilitation (Sun, X.) **497,** 214

Cerebral cortex; Hibernation; Arousal; Feeding; Dopamine; Serotonin (Bauman, W.A.) **500,** 156

Bat auditory neuron
Inferior colliculus; Auditory response; Corticocollicular influence (Sun, X.) **495,** 1

Bay K 8644
Serotonin; ω-Conotoxin GVIA; Nifedipine; Calcium-dependent plateau; Action potential; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Human cerebral artery; $^{45}Ca^{2+}$ uptake; Nifedipine; Verapamil (Salaices, M.) **490,** 133

Nimodipine; Tetrodotoxin; Calcium current; Calcium action potential; Electrical activity; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Bed nucleus of stria terminalis
Ventral septal area; Fever; Antipyresis (Mathieson, W.B.) **486,** 49

Alzheimer's disease; Somatostatin; Neuropeptide Y; Co-localization; Cortex (Gaspar, P.) **490,** 1

Behaving monkey
Pulvinar lateral posterior complex; Extracellular recording; Motor programming; Reaching movement; Reaching cells (Cudeiro, J.) **484,** 367

Corticostriatal cell; Motor cortex; Pyramidal tract neuron; Antidromic identification; Single-unit recording (Bauswein, E.) **493,** 198

Behavior
Epidermal growth factor; Nerve growth factor; Neurobehavioral development; Body weight; Mouse (Calamandrei, G.) **477,** 1

Testosterone; Lateralization; Frontal cortex; Locomotion (Starkstein, S.E.) **478,** 16

Pain; Rat; Morphine; Cocaine; Dopamine (Lin, Y.) **479,** 306

Somatostatin; Cysteamine; Learning; Memory; Alzheimer's disease (DeNoble, V.J.) **482,** 42

Amygdaloid kindling; Electrophysiology; IR-Met-enkephalin;

IR-Leu-enkephalin; Long-lasting change; Amygdala; Hippocampus (Talavera, E.) **485,** 141

L-Dihydroxyphenylalanine; Dopamine; 3-Methoxytyrosine; In vivo voltammetry; Dihydroxyphenylalanine-induced dyskinesia; Rat (Nakazato, T.) **490,** 332

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Diethyldithiocarbamate; Dopamine; Substantia nigra; Striatum; Parkinson's disease; Mouse (Yurek, D.M.) **497,** 250

Deoxyglucose; Local cerebral glucose (Crane, A.M.) **499,** 87

Analgesia; Nociception; Pain; Temperature (Casey, K.L.) **501,** 150

Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Neocortex; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Behavioral pharmacology
Hyperalgesia; Nociception; Paw-withdrawal test; Bradykinin; Pain (Taiwo, Y.O.) **487,** 148

Behavioral recovery
Lesion; Accessory olfactory bulb; Preference of odor; T-maze test; Rat (Ichikawa, M.) **498,** 45

Behavioral sensitization
Cocaine; Dopamine uptake site; Intracerebral dialysis; Striatum (Akimoto, K.) **490,** 339

Amphetamine; Morphine; Dopamine receptor antagonist; D-1 and D-2; Ventral tegmental area; Locomotor activity (Vezina, P.) **499,** 108

Behavioral state
Long-term potentiation; Long-term depression; Sleep; Dentate gyrus; Perforant path; Freely moving rat (Bramham, C.R.) **493,** 74

Behavioral tolerance
Morphine; Dose–response relationship; Habituation; Spinal; Bulbospinal (Milne, R.J.) **491,** 316

Behavioral 'despair'
α-Mouse; Submissive mouse; Exploration; Anxiety; Seizure threshold; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Benzidine dihydrochloride
Neurotensin; Dopamine; Tyrosine hydroxylase; Substantia nigra; Ventral tegmental area; Immunocytochemistry; Diaminobenzidine (Woulfe, J.) **479,** 402

Benzodiazepine
Benzodiazepine receptor; Benzodiazepine antagonist; Retina; Autoradiography; Electroretinogram (Robbins, J.) **479,** 313

Benzodiazepine antagonist; Retinal ganglion cell; Endogenous benzodiazepine receptor ligand; γ-Aminobutyric acid (Robbins, J.) **479,** 323

Benzodiazepine antagonist; Retinal ganglion cell; Development (postnatal) (Robbins, J.) **479,** 334

Aversion; Diazepam; Escape; Lateral hypothalamus; Reward; Self-stimulation (Carden, S.E.) **483,** 327

Anthramycin; Cholecystokinin; Antagonist; Autoradiography; Mouse; Brain (Kubota, K.) **485,** 62

Substantia nigra pars reticulata; Seizure; γ-Aminobutyric acid (GABA); Muscimol; Flurazepam; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

Locus coeruleus; α-Adrenergic receptor; Anxiety (Simson, P.E.) **490,** 236

Diazepam; Norepinephrine fiber; Hypothalamus; Binding site; Agonist; Antagonist (Harary, N.) **492,** 293

γ-Aminobutyric acid; Glycine; Chloride channel; Buspirone; 1-(2-Pyrimidinyl)piperazine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

FG 7142; Ro 15-1788; Ro 15-4513; Palatability; Saccharin; Food intake (Cooper, S.J.) **494,** 172

Dopamine; Striatum; Tyrosine hydroxylase; Anxiety; γ-Aminobutyric acid (Knorr, A.M.) **495,** 355

Experimental epilepsy; Hippocampus; Kindling; Receptor binding; Quantitative autoradiography; γ-Aminobutyric acid complex (Nobrega, J.N.) **498,** 315

Inferior colliculus; γ-Aminobutyric acid; Binaural inhibition; Bicuculline; Strychnine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Diazepam; [^{14}C]Deoxyglucose technique; Glucose utilization; Tolerance; Anxiolytic; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Benzodiazepine antagonist
Benzodiazepine; Benzodiazepine receptor; Retina; Autoradiography; Electroretinogram (Robbins, J.) **479,** 313

Benzodiazepine; Retinal ganglion cell; Endogenous benzodiazepine receptor ligand; γ-Aminobutyric acid (Robbins, J.) **479,** 323

Benzodiazepine; Retinal ganglion cell; Development (postnatal) (Robbins, J.) **479,** 334

Anteromedial cortex lesion; Diazepam; Ro 15-1788; Recovery of function; Somatosensory asymmetry; Spontaneous activity (Hernandez, T.D.) **487,** 89

Benzodiazepine receptor
Benzodiazepine; Benzodiazepine antagonist; Retina; Autoradiography; Electroretinogram (Robbins, J.) **479,** 313

Ethanol; Ro 19-4603; Imidazodiazepine; Convulsion; Intoxication; Mouse (Lister, R.G.) **482,** 141

γ-Aminobutyric acid; Chloride ion flux; In vivo binding; Receptor occupancy; Shuttlebox active avoidance; Anxiety; Depression (Drugan, R.C.) **487,** 45

GABA receptor complex; Spinal cord neuron; Chloride channel; γ-Aminobutyric acid synaptic pharmacology (Lehoullier, P.F.) **487,** 205

Ethanol; Flunitrazepam; γ-Aminobutyric acid-activated chloride channel; Genetics; HS mouse; LS/SS mouse (Harris, R.A.) **490,** 26

Ro 15-4513; Ro 15-1788; In vivo binding (Sadzot, B.) **491,** 128

FG 7142; Kindling; Anticonvulsant (Stephens, D.N.) **492,** 89

Astrocyte; Ammonia; Hepatic encephalopathy (Ducis, I.) **493,** 362

Cochlear nucleus; Neurotransmitter receptor; γ-Aminobutyric acid A-receptor; Receptor heterogeneity; Immunocytochemistry (Juiz, J.M.) **504,** 173

Ca^{2+}; Diazepam; GABA receptor; Sensory neuron; Voltage clamp (Akaike, N.) **504,** 293

Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex
Ethanol; Pentylenetetrazol; Convulsion; Ro 15-4513; FG 7142 (Mehta, A.K.) **489,** 93

Bestatin
Amastatin; Sarthran; Blood pressure; Intracerebroventricular infusion; Jugular infusion; Spontaneously hypertensive rat (Jensen, L.L.) **490,** 48

Beta activity
Odor discrimination; Exploratory sniffing; Olfactory bulb; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Bicuculline
Seizure; Convulsion; γ-Aminobutyric acid; Muscimol; Baclofen; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Phrenic activity; Respiratory rhythm; Oscillation; Spectral analysis; Inhibitory amino acid neurotransmitter; Strychnine (Schmid, K.) **485,** 193

Galanin; Substance P; Calcitonin gene-related peptide; Naloxone; Flexor-reflex; Monosynaptic reflex;

Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Blood–brain barrier; Epileptic seizure; Endogenous albumin; Rocket immunoelectrophoresis (Sokrab, T.-E.O.) **489,** 231

Inferior colliculus; γ-Aminobutyric acid; Binaural inhibition; Strychnine; Benzodiazepine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Butylbicyclophosphorothionate binding; Substantia nigra; Striato-nigral pathway; Receptor, $GABA_A$; γ-Aminobutyric acid; Diazepam (Sanna, E.) **501,** 144

Bicuculline-methiodide
Amygdala; Caudate-putamen; γ-Aminobutyric acid; Inhibitory avoidance; Memory; Muscimol (Brioni, J.D.) **487,** 105

Bifurcating axon
Retinal ganglion cell; Ipsilateral projection; Lateral geniculate; Superior colliculus; Fluorescent tracer; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Big conductance channel
Calcium-activated potassium-channel; Sodium channel; Glial cell; Malignant glioma; Human (Brismar, T.) **480,** 259

Bilirubin
Gunn rat; Jaundice; Cochlear nucleus; Hearing (Zhang, S.) **501,** 194

Binaural inhibition
Inferior colliculus; γ-Aminobutyric acid; Bicuculline; Strychnine; Benzodiazepine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Binding
Org 2766; Spinal cord; Sciatic nerve crush; Adrenocorticotropic hormone; Melanocyte stimulating hormone (Dekker, A.J.A.M.) **477,** 327

Binding experiment
Glutamic acid; Kainic acid; Frog; Spinal cord; Acromelic acid A (Maruyama, M.) **504,** 328

Binding site
Prostaglandin; Monkey; Brain; In vitro labeling; Autoradiography (Watanabe, Y.) **478,** 143

Benzodiazepine; Diazepam; Norepinephrine fiber; Hypothalamus; Agonist; Antagonist (Harary, N.) **492,** 293

Imipramine; Tricyclic antidepressant; Castration; Testosterone; Brain; Rat (Sandrini, M.) **496,** 29

FLFQPQRFamide; FMRFamide; Morphine; Spinal cord (Allard, M.) **500,** 169

Analgesia; Arylacetamide; Autoradiography; Electrophysiology; κ Opioid; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

Bioassay
Neuronal death; Rat; Trophic factor; Peripheral nervous system; In vitro (Eichler, M.E.) **482,** 340

Nerve growth factor; Sprouting; Hippocampal slice; Conditioned medium; Septal lesion (Collins, F.) **490,** 355

Biological metabolic model
Brain; Cerebral hypoxia (Dorson, W.J.) **486,** 108

Biophysical properties of neurons
Action potential duration; Spike duration; Temperature; Hibernation; Information processing; Central nervous system (Krilowicz, B.L.) **498,** 73

Biotin
Neuroanatomical tracing; Avidin (King, M.A.) **497,** 361

Biplexiform ganglion cell
Retina; Cobaltic-lysine complex; Horseradish peroxidase; Anura (Tóth, P.) **499,** 378

Bird
Nucleus isthmi ventralis; Tectum; Visual system; Isthmus (Martínez, S.) **481,** 181

Trigeminocerebellar; Jaw; Wheat germ-agglutinin conjugated horseradish peroxidase; Inferior olive; Sensorimotor (Arends, J.J.A.) **487,** 69

Glucocorticoid receptor; Corticotropin-releasing factor; Adrenocorticotropic hormone; Co-localization; Hypothalamus; Brainstem; Immunocytochemistry (Kovács, K.J.) **505,** 239

Bird song
Duetting bird; Estrogen; Vocal control (Brenowitz, E.A.) **480,** 119

Bispectral analysis
Odor discrimination; Exploratory sniffing; Olfactory bulb; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; Beta activity; FFT (Boeijinga, P.H.) **478,** 257

Bitter
Taste cell; Denatonium benzoate; Whole-cell voltage-clamp (Spielman, A.I.) **503,** 326

Bladder
Decerebrate cat; Clonidine; Yohimbine; Urethra (Galeano, C.) **491,** 45

Laterodorsal tegmental nucleus; Periaqueductal gray; Pontine micturition center; Electrical stimulation; Blood pressure; Bladder postganglionic nerve (Noto, H.) **492,** 99

Bladder postganglionic nerve
Laterodorsal tegmental nucleus; Periaqueductal gray; Bladder; Pontine micturition center; Electrical stimulation; Blood pressure (Noto, H.) **492,** 99

Blind
Carbachol; Djungarian hamster; Phase response curve; Circadian rhythm; Locomotor activity (Wee, B.E.F.) **505,** 209

Blood flow
Dynorphin A; Opiate; Blood pressure (Thornhill, J.A.) **490,** 174

Blood pressure
Glycine; Glutamate; Amino acid; Baroreceptor reflex; Nucleus tractus solitarii; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Medullary serotonin neuron; Sympathetic activity; 8-Hydroxy-dipropylamino-tetralin; Electrophysiology (McCall, R.B.) **477,** 172

AFDX-116; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

Epinephrine; Phenylethanolamine-*N*-methyltransferase; Catecholamine; C1 cell group (Sved, A.F.) **481,** 113

Carbachol; Contractility; Heart rate; Glutamate; Intermediolateral column (IML); Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

Atrial natriuretic peptide; Arterial baroreflex; Central nervous system; Renal nerve; Sinoaortic denervation; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Substance P; Met-enkephalin; Serotonin; Spinal cord; Periaqueductal gray matter; Pain (De Felipe, M.C.) **485,** 301

Amastatin; Bestatin; Sarthran; Intracerebroventricular infusion; Jugular infusion; Spontaneously hypertensive rat (Jensen, L.L.) **490,** 48

Dynorphin A; Opiate; Blood flow (Thornhill, J.A.) **490,** 174

Pons; Parabrachial nucleus; Blood volume; Fluid balance (Ward, D.G.) **491,** 80

Depressor area; Heart rate; Pressor area; Substance P; Wistar rats (Urbanski, R.W.) **491,** 383

Laterodorsal tegmental nucleus; Periaqueductal gray; Bladder; Pontine micturition center; Electrical stimulation; Bladder postganglionic nerve (Noto, H.) **492,** 99

Viscerotopy; Hypertension; Midbrain periaqueductal gray; Defense reaction; Rostral ventrolateral medulla;

Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Excitatory amino acid; *N*-Methyl-D-aspartate receptor; Cardiovascular control; Autoradiography (Somogyi, P.) **496,** 401

Substance P; Nucleus tractus solitarius; Structure–activity relationship; Substance P metabolism (Hall, M.E.) **497,** 280

Rabbit; Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Baroreflex; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Baroreflex; Glutamate; Heart rate; Lidocaine; Muscimol; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

Angiotensin II; Atrial natriuretic polypeptide; Sympathetic nervous system; Catecholamine; Adrenocorticotropic hormone (Makino, S.) **501,** 84

AFDX-116; *Cis*-Methyldioxolane; Heart rate; M_1 and M_2 muscarinic receptor; McN-A-343; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

AFDX-116; Atropine; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

N-Methyl-D-aspartate; Quisqualate; Glutamate; Nucleus tractus solitarii (Le Galloudec, E.) **503,** 322

Vasopressin; Intracerebroventricular administration; Sensitization; Conscious rat (Lebrun, C.J.) **505,** 39

Blood pressure regulation
Median preoptic nucleus; Thirst; Cardiovascular reflex pathway (Gutman, M.B.) **488,** 49

Blood vessel
Collateral sprouting; Nerve growth factor; Osmotic minipump; Rat; Sympathetic (Saffran, B.N.) **492,** 245

Xenogeneic grafting; Neural transplantation; Vascular endothelial cell; Mouse endothelial surface antigen-1; Immunological rejection (Nakano, Y.) **496,** 336

Blood volume
Pons; Parabrachial nucleus; Blood pressure; Fluid balance (Ward, D.G.) **491,** 80

Blood–brain barrier
Acetylcholinesterase; Butyrylcholinesterase; Cerebral microvessel; Rodent; Carnivore (Trancard, J.) **476,** 213

Brain endothelium; Cell culture; Amino acid transport (Hughes, C.C.W.) **480,** 126

Mitochondria; Endothelium; Optic nerve; Capillary; Ultrastructure (Schmidley, J.W.) **481,** 154

Epileptic seizure; Bicuculline; Endogenous albumin; Rocket immunoelectrophoresis (Sokrab, T.-E.O.) **489,** 231

Autonomic nervous system; Superior cervical ganglion; Trigeminal ganglion; Intercellular junction; Horseradish peroxidase (Ten Tusscher, M.P.M.) **490,** 95

Brain edema; Protein kinase C; Cerebral endothelium; 1,5(Isoquinolinylsulfonyl)-2-methylpiperazine; Tight junction (Joó, F.) **490,** 141

Horseradish peroxidase; Spinal cord; Central nervous system regeneration; Cat (Risling, M.) **494,** 13

Sodium dodecylsulphate; West Nile virus variant (Kobiler, D.) **496,** 314

1-Methyl-4-phenyl-1,2,3,6-tetra hydropyridine; 1-Methyl-4-phenyl-2,3-dihydropyridine; 1-Methyl-4-phenylpyridine; Brain endothelium; Monoamine oxidase (Scriba, G.K.E.) **501,** 175

Magnetic resonance imaging; Rat brain; Gadolinium diethylenetriamine pentaacetic acid; Neural transplant; Rat C6 glioma (Norman, A.B.) **503,** 156

Cerebral metabolism; Nuclear magnetic resonance; Positron emission tomography; Delayed radiation injury; Heavy charged particle (Lo, E.H.) **504,** 168

Fluoro-Gold; Axon tracing (Ambalavanar, R.) **505,** 171

Blood–brain barrier breakdown
Ornithine decarboxylase; Polyamine; Putrescine; α-Difluoromethylornithine; α-Aminoisobutyrate;Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

Blood–CSF barrier
Choroid plexus; Cerebrospinal fluid formation; Chloride transport; Disulfonic stilbenes, DIDS and SITS; $Cl\text{-}HCO_3$ antiport (Deng, Q.-S.) **501,** 183

Blood–nerve barrier
Nerve graft; Noradrenaline; Prostacyclin; Malondialdehyde; Electrophysiology (Shupeck, M.) **493,** 225

Capillary; Compound action potential; Perineurium; Sciatic nerve; Tibial nerve (Wadhwani, K.C.) **493,** 231

Albumin; Capillary permeability; Endoneurial capillary; Endoneurium; Perineurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Blood–spinal cord barrier
Transection; Horseradish peroxidase; Morphometry (Noble, L.J.) **487,** 299

Body weight
Epidermal growth factor; Nerve growth factor; Neurobehavioral development; Behavior; Mouse (Calamandrei, G.) **477,** 1

Estradiol; Paraventricular nucleus; Food intake; Lordosis (Butera, P.C.) **491,** 266

Medial septal lesion; Ganglioside; Recovery from brain damage; Activity; Stereotypy (Poplawsky, A.) **495,** 396

Bombesin
Satiety; Sleep; Ischymetry; Rat (De Saint Hilaire-Kafi, Z.) **478,** 152

Free fatty acid; Glucose; Corticosterone; Paraventricular nucleus; Ventromedial nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Vasoactive intestinal polypeptide; Cholecystokinin; Celiac ganglion; Guinea pig; Synapse (Hamaji, M.) **488,** 283

Neuromedin; Gastrin-releasing peptide; Inhibition; Depression; Substance P; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Botulinum A toxin
Neuromuscular junction; Nerve terminal; Calcium current; Calcium-dependent potassium current; Carbonyl cyanide *m*-chlorophenyl-hydrazone (Mallart, A.) **479,** 167

Bötzinger complex
γ-Aminobutyric acid; Ventrolateral nucleus of the solitary tract; Dorsal respiratory group; Respiration; Ventrolateral medulla (Livingston, C.A.) **494,** 143

Boundary
Barrel; Lectin; Glia; Plasticity; Critical period substrate; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Bouton
Zinc; Epilepsy; Seizure; Limbic system; Kainic acid; Neuron death; Neurotoxin; Endotoxin (Frederickson, C.J.) **480,** 317

Bradycardia
Auditory cortex; Differential Pavlovian conditioning; Extinction; Heart rate; Rabbit (Teich, A.H.) **480,** 210

Bradykinin
Hyperalgesia; Behavioral pharmacology; Nociception; Paw-withdrawal test; Pain (Taiwo, Y.O.) **487,** 148

Cardiopulmonary afferent; Visceral

nociception; Periaqueductal gray; Descending inhibition; Glutamate (Chandler, M.J.) **496,** 148

Polymodal receptor; Nociceptor; Morphine; Opioid; Naloxone; Peripheral analgesia; Inflammation (Kumazawa, T.) **497,** 231

Brain
Prairie vole; Estrogen receptor; Social environment; Female; Reproduction (Cohen-Parsons, M.) **476,** 363

Prostaglandin; Binding site; Monkey; In vitro labeling; Autoradiography (Watanabe, Y.) **478,** 143

Gonadotropin-releasing hormone; Immunohistochemistry; Development; Rat (Jennes, L.) **482,** 97

Creatine kinase; Creatine phosphate; Nuclear magnetic resonance (Holtzman, D.) **483,** 68

Ischemia; Hippocampus; C-fos; In situ hybridization (Jørgensen, M.B.) **484,** 393

Anthramycin; Cholecystokinin; Antagonist; Benzodiazepine; Autoradiography; Mouse (Kubota, K.) **485,** 62

Australoid race; Basal ganglia; Cerebellum; Corpus striatum; Amygdaloid body; Thalamus (Klekamp, J.) **485,** 79

Metabolism; Chromogranin A; Metabolic fuel; Pituitary; Adrenocorticotropic hormone; Autonomic nervous system (Gunion, M.W.) **485,** 251

Angiotensin II; Natriuresis; Saralasin (Unger, T.) **486,** 33

Methamphetamine; Neurotoxicity; Dopamine; Serotonin; Rhesus monkey (Woolverton, W.L.) **486,** 73

Biological metabolic model; Cerebral hypoxia (Dorson, W.J.) **486,** 108

Tryptophan; Amino acid; Serotonin; Human; Rat (Hernández-R., J.) **488,** 1

Adenosine triphosphate; Hibernation; Hypothermia; Lactate; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Adrenocorticotropin; β-Endorphin; Cell culture; Regulation; Hypothalamus; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Somatostatin; Adenylate cyclase; Norepinephrine; Dopamine; Vasointestinal; Polypeptide; Forskolin (Schettini, G.) **492,** 65

Age; Senescence; Aging; Oxygen consumption; Hippocampal slice; Potassium (Martin, F.R.) **492,** 392

Imipramine; Tricyclic antidepressant; Castration; Testosterone; Binding site; Rat (Sandrini, M.) **496,** 29

Angiotensin II; Drinking; Glucocorticoid; Angiotensin II receptor (Ganesan, R.) **499,** 121

Insulin receptor; Quantitative autoradiography; Arcuate nucleus; Catecholamine; 6-Hydroxydopamine (Wilcox, B.J.) **500,** 149

Mitochondria; Chronic ethanol ingestion; Calcium uptake; Respiration (Farrar, R.P.) **500,** 374

Estrogen receptor; Japanese quail; Reproduction; Preoptic area; Preoptic medial nucleus (Balthazart, J.) **501,** 205

Atrial natriuretic factor; Angiotensin II; Natriuresis (Rohmeiss, P.) **502,** 198

Adrenal steroid receptors; Lymphoid tissue; Corticosterone; Pituitary; Rat; Adrenalectomy (Lowy, M.T.) **503,** 191

Brain asymmetry
Neuroimmunology; New Zealand black mouse; Systemic lupus erythematosus; Auto-antibody (Neveu, P.J.) **498,** 159

Brain cholinergic neuron
Neostigmine; Insulin secretion; Vagus nerve; Adrenalectomy (Gotoh, M.) **493,** 97

Brain culture
Microglia; Astrocyte; Tumor necrosis factor-alpha; Cytokine; Glia (Sawada, M.) **491,** 394

Brain damage
Ischemia; Hippocampus; Striatum; Gerbil; Seizure (Armstrong, D.R.) **476,** 174

Hypothermia; Neuroprotection; Hypoxia/ischemia; MK-801; Excitotoxicity; Glutamate (Ikonomidou, C.) **487,** 184

c-Fos; Proto-oncogene; Cerebral ischemia; Spreading depression; *N*-Methyl-D-aspartate (Herrera, D.G.) **503,** 205

Brain dialysis
Striatal dopamine release; Muscarinic receptor; AF102B; Oxotremorine; Pirenzepine; AF-DX116 (Xu, M.) **495,** 232

Cholecystokinin; Release; Dopamine (Butcher, S.P.) **505,** 119

Brain edema
Superoxide dismutase; Brain injury (Ando, Y.) **477,** 286

Protein kinase C; Cerebral endothelium; Blood–brain barrier; 1,5(Isoquinolinylsulfonyl)-2-methylpiperazine; Tight junction (Joó, F.) **490,** 141

Brain endothelium
Cell culture; Amino acid transport; Blood–brain barrier (Hughes, C.C.W.) **480,** 126

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenyl-2,3-dihydropyridine; 1-Methyl-4-phenylpyridine; Blood–brain barrier; Monoamine oxidase (Scriba, G.K.E.) **501,** 175

Brain glycoprotein
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Learning (Shashoua, V.E.) **484,** 333

Brain graft
Melanoma; Tumor cell; Catecholamine; Tyrosinase; Tyrosine hydroxylase; Transplantation; Immunology (Freed, W.J.) **485,** 349

Brain hemisphere
Insulin-like growth factor-1; Quantitative autoradiography; Human brain; Large cryosection; Receptor; Image analysis (Adem, A.) **503,** 299

Brain injury
Superoxide dismutase; Brain edema (Ando, Y.) **477,** 286

Magnesium; Central nervous system trauma; Rat; Treatment (McIntosh, T.K.) **482,** 252

Reactive astrocyte proliferation; Autoradiography; Immunocytochemistry; Rat (Janeczko, K.) **485,** 236

Maturation factor; Growth factor; Large neuron; Neurofilament; Neuronal regeneration (Lim, R.) **504,** 154

Brain ischemia
Adenosine A_1-receptor; G-protein; Adenylate cyclase; Cyclohexyladenosine; Autoradiography (Daval, J.-L.) **491,** 212

Brain lesion
Cerebellum; Cerebral blood flow; Cerebral glucose utilization; Rat; Excitatory amino acid (Chida, K.) **500,** 177

Rat; Cerebral microvessel; Alkaline phosphatase; Ibotenic acid (Iadecola, C.) **501,** 188

Brain macrophage
Ramified microglia; Facial nucleus explant; Cell culture (Rieske, E.) **492,** 1

Brain metabolism
Local cerebral glucose utilization; 2-Deoxyglucose; Kindling; Postictal phase; Epilepsy (Namba, H.) **486,** 221

Acetylcholine; Aging; Arecoline; Deoxyglucose; Rat (Soncrant, T.T.) **487,** 255

Receptor, σ; 2-Deoxyglucose; Glucose utilization; Antipsychotic; Pentazocine

(Della Puppa, A.) **505,** 283

Brain microcirculation
Confocal laser microscopy; Pial arteriole; Rat; In vivo (Villringer, A.) **504,** 159

Brain mitochondria
Chronic hypoglycemia; Diabetes; Insulin; Respiratory control ratio; State 3 respiration; State 4 respiration (Pellegrino, D.A.) **479,** 241

Brain norepinephrine depletion
Stress; Hyperglycemia; Adrenal demedullation (Bialik, R.J.) **502,** 88

Brain phosphate metabolism
Aging; Hypoxia; In vivo [^{31}P]nuclear magnetic resonance (Stolk, J.A.) **482,** 1

Brain protein synthesis
Suprachiasmatic nucleus; Circadian rhythm; Paraventricular nucleus; Neutral amino acid; Autoradiography, [^{14}C]leucine (Scammell, T.E.) **494,** 155

Brain region
Cortisol; Glucocorticoid; Plasma; Adrenocorticotropic hormone; β-Endorphin (Bagdy, G.) **489,** 216

Brain slice
Suprachiasmatic nucleus; Arginine-vasopressin; Circadian rhythm (Liou, S.Y.) **477,** 336

Adrenoceptor; Autonomic; Clonidine; Nucleus tractus solitarii; Synaptic excitability (Feldman, P.D.) **480,** 190

Rat; Intracellular; Kynurenic acid; Neostriatum (Walsh, J.P.) **480,** 290

Rat; LTP; Visual cortex; Tetanus; Plasticity (Berry, R.L.) **481,** 221

Auditory pathway; Electrophysiology; V_1-receptor; Immunocytochemistry; Sex difference; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Glutamate; Kainate; Cochlear nucleus; *N*-Methyl-D-aspartate; Kynurenic acid; DL-2-Amino-5-phosphonovalerate (Wickesberg, R.E.) **486,** 39

Inferior colliculus; Epilepsy; *N*-Methyl-D-aspartate; Audiogenic seizure; Rat (Pierson, M.G.) **486,** 381

Rostral ventrolateral medulla; Neuroactive peptide; Arterial pressure (Sun, M.-K.) **492,** 261

Epilepsy; Human; Dentate gyrus; γ-Aminobutyric acid; Frequency potentiation; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Phosphocreatine; Adenosine-triphosphate (ATP); *N*-Methyl-D-aspartate (NMDA); Excitatory transmission; Magnetic resonance spectroscopy (Jacquin, T.) **497,** 296

Excitation; G-protein; Inward current; Locus ceruleus; Vasoactive intestinal peptide; Voltage clamp (Wang, Y.-Y.) **500,** 107

Facial motoneuron; Electrical property; Repetitive firing; Subthreshold response; Afterhyperpolarization; Potassium current; Sodium current (Nishimura, Y.) **502,** 127

Muscarinic receptor; Adrenergic receptor, α_1; Phosphatidyl inositol; Depolarization (Diamant, S.) **503,** 55

Hippocampus; Cerebral ischemia; Phenytoin; Vitamin E (Amagasa, M.) **504,** 87

Long-term potentiation; Vasopressin; Lateral septum; Brattleboro rat (Van den Hooff, P.) **505,** 181

Brain stimulation
Motor tract; Motoneuron; Excitability; Evoked potential (Caramia, M.D.) **479,** 98

Medial prefrontal cortex; Pure reward; Reward-escape (Miserendino, M.J.D.) **483,** 226

Brain stimulation reward
Anterior hypothalamic area; Stria medullaris; Medial forebrain bundle (Blander, A.) **483,** 12

Medial prefrontal cortex; Nucleus reticularis gigantocellularis; Hedonic processes (Miserendino, M.J.D.) **483,** 233

Self-stimulation; Single-unit recording; Ventral tegmental area; Lateral hypothalamus; Basal forebrain (Shizgal, P.) **499,** 234

Brain temperature
Prostaglandin E_2; Intraventricular infusion; Slow wave sleep; Paradoxical sleep; Wakefulness; Circadian sleep–wake cycle; Rebound (Matsumura, H.) **481,** 242

Prolactin; Vasoactive intestinal peptide; Peptide histidine isoleucine/peptide histidine methionine; Rapid eye movement sleep; Non-rapid eye movement sleep (Obal, F.) **490,** 292

Brain vasculature
Gerbil; Stroke-prone gerbil; Temporary ligation; Prediction of stroke; Cerebral ischemia (Kitagawa, K.) **479,** 263

Brainstem
Reward; Midbrain; Dopamine; Pimozide; Morphine (Rompré, P.-P.) **477,** 144

Monosynaptic reflex; Excitatory amino acid antagonist; Neurotransmitter (Chandler, S.H.) **477,** 252

Ammon's horn; Hippocampus; Dentate gyrus; Raphe nuclei; Cat; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Electrolytic lesion; Medulla; Phrenic nerve; Respiratory control (Speck, D.F.) **482,** 387

Lamprey; In vitro preparation; Locomotion; Swimming; Reticulospinal neuron; Spinal input; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Respiratory neuron; Gravitational representation; Spike train analysis (Lindsey, B.G.) **483,** 373

Reticulospinal neuron; Phasic modulation; Locomotion; Spinal cord; Lamprey (Kasicki, S.) **484,** 203

Gastric; Ventral vagus; Dorsal vagus; Splanchnic nerve; Nucleus tractus solitarii (Barber, W.D.) **487,** 1

Angiotensin II; Respiratory nuclei; Immunocytochemistry; Cat; Colchicine (Aguirre, J.A.) **489,** 311

Vasopressin; Oxytocin; Respiratory neuron; Nucleus tractus solitarii; Sensory physiology; Respiration (Henry, J.L.) **491,** 150

Experimental autoimmune encephalomyelitis; Rat; Spinal cord; High performance liquid chromatography; Neurotransmitter; Degeneration (Krenger, W.) **491,** 374

Guinea pig; Immunocytochemistry; Sex difference; Vasopressin (Dubois-Dauphin, M.) **496,** 45

Mapping; Moveable electrode; Pons; Reward; Self-stimulation (Rompré, P.-P.) **496,** 295

Nucleus tractus solitarius; Substance P; Neuropeptide; Serotonin; Colocalization of neurotransmitter; Slice (Jacquin, T.) **502,** 214

Rapid eye movement sleep; Muscarinic receptor (Velazquez-Moctezuma, J.) **503,** 128

Glucocorticoid receptor; Corticotropin-releasing factor; Adrenocorticotropic hormone; Co-localization; Hypothalamus; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Brainstem activating system
Monocular paralysis; Lateral geniculate nucleus X/Y ratio; 6-Hydroxydopamine; Noradrenergic system; Acetylcholine system; Oculomotor information (Guido, W.) **501,** 397

Brainstem noradrenaline
Neonatal neurotoxin; Inhibitory avoidance learning; *N*-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine; 6-Hydroxydopa; Brainstem serotonin (Cornwell-Jones, C.A.) **493,** 258

Brainstem reticular formation
Carbachol; Acetylcholine; Rapid eye movement sleep; Conductance; Inward rectification (Greene, R.W.) **476,** 154

Brainstem serotonin
Neonatal neurotoxin; Inhibitory avoidance learning;

N-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine; 6-Hydroxydopa; Brainstem noradrenaline (Cornwell-Jones, C.A.) **493,** 258

Brattleboro rat
Vasopressin; Receptor; Phosphoinositide hydrolysis; Septum (Shewey, L.M.) **478,** 95

Vasopressin; Natural killer cell; Stress; Morphine; Psychoneuroimmunology (Yirmiya, R.) **479,** 16

Neuropeptide Y; Arginine vasopressin; Salt-loading; Rat (Hooi, S.C.) **486,** 214

Paraventricular nucleus; Noradrenaline; Vasopressin; α-Adrenoceptor (Harland, D.) **496,** 14

Prolactin; Suckling-induced release; Vasopressin-neurophysin precursor (Nagy, G.) **504,** 165

Long-term potentiation; Vasopressin; Lateral septum; Brain slice (Van den Hooff, P.) **505,** 181

1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA)
Neurotransmitter; Guinea pig; Cochlea; Excitatory amino acid; Antagonist (Puel, J.L.) **487,** 9

Bromodeoxyuridine
Human adult astrocyte; Tissue culture; Immunofluorescence; Deoxyribonucleic acid synthesis (Grenier, Y.) **480,** 87

Brown adipose tissue
Thyrotropin-releasing hormone; Thermoregulation; Rat (Amir, S.) **478,** 361

Insulin; Ventromedial nucleus of the hypothalamus; Thermogenesis; Rat (Amir, S.) **480,** 340

Obesity; Efferent sympathetic nerve activity; Glucose; 2-Deoxy-D-glucose; Ventromedial hypothalamus (Holt, S.J.) **481,** 106

Tumour necrosis factor-α; Lymphotoxin; Sympathetic efferent activity; Rat; Central nervous system (Holt, S.J.) **497,** 183

Suprachiasmatic nucleus; Ventromedial hypothalamic nucleus; Glutamate; Thermogenesis; Rat (Amir, S.) **498,** 140

Insulin; Glucose; Efferent sympathetic nerve activity; Zucker obese rats (Holt, S.J.) **500,** 384

Retinohypothalamic tract; Suprachiasmatic nucleus; Electrical stimulation; Glutamate antagonist; Thermogenesis; Rat (Amir, S.) **503,** 163

Brush cell
Horseradish peroxidase; Microvillar cell; Neuron; Olfaction; Olfactory epithelium; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Buccal ganglia
Co-localization; *Aplysia*; Identified neuron; Synaptic transmission; Cholecystokinin/gastrin peptide; Cholinergic transmission (Ono, J.K.) **493,** 212

Buccal ganglion
Pharynx; Peristalsis; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

Bulbospinal
Morphine; Behavioral tolerance; Dose–response relationship; Habituation; Spinal (Milne, R.J.) **491,** 316

Bulla gouldiana
Circadian rhythm; H-8; Protein kinase; Phosphoprotein; Mollusc (Roberts, M.H.) **504,** 211

α-Bungarotoxin
Ontogeny; Neocortex; Cortical development; Receptor autoradiography; Acetylcholine system (Fuchs, J.L.) **501,** 223

Burst discharge
Thalamic reticular neuron; Intracellular recording; Excitatory postsynaptic potential; Spindle rhythm; Rat (Sumitomo, I.) **482,** 34

Buspirone
γ-Aminobutyric acid; Glycine; Chloride channel; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

Butylbicyclophosphorothionate binding
Substantia nigra; Striato-nigral pathway; Receptor, $GABA_A$; γ-Aminobutyric acid; Diazepam; Bicuculline (Sanna, E.) **501,** 144

***t*-Butylbicyclophosphorothionate (TBPS)**
γ-Aminobutyric acid (GABA); Picrotoxinin; Voltage–clamp; Patch–clamp; Spinal cord neuron (Zorumski, C.F.) **484,** 102

Butyrate
Choline acetyltransferase; Regulation; Retinoic acid; Neuroblastoma (Casper, D.) **478,** 74

Choline acetyltransferase; Regulation; Mechanism; Retinoic acid; Neuroblastoma (Casper, D.) **478,** 85

Butyrylcholinesterase
Acetylcholinesterase; Cerebral microvessel; Rodent; Carnivore; Blood–brain barrier (Trancard, J.) **476,** 213

C

C channel
Calcium-dependent potassium channel; Neuron; Patch clamp; *Helix* (Chagneux, H.) **488,** 336

Adenosine receptor; Caffeine; 5′-*N*-Ethylcarboxamide adenosine; Mice (Nakajima, T.) **501,** 307

C-*fos*
Ischemia; Brain; Hippocampus; In situ hybridization (Jørgensen, M.B.) **484,** 393

Dorsal horn; Immunohistochemistry; Pain; Thalamus (Bullitt, E.) **493,** 391

Cyclic AMP; Glia; Ependyma (Dragunow, M.) **501,** 382

C-*fos* proto-oncogene
Dopamine; D_1-receptor; Priming (Robertson, H.A.) **503,** 346

C1 cell group
Epinephrine; Phenylethanolamine-*N*-methyltransferase; Catecholamine; Blood pressure (Sved, A.F.) **481,** 113

C57BL/6 mouse
Morphine; Amygdala; Caudate nucleus; Hippocampus; Lesion; Locomotor activity (Libri, V.) **479,** 1

C57BL/6J mouse
Specific anosmia; Isovaleric acid; Olfactory glomerular layer; AKR/J mouse (Sicard, G.) **481,** 325

C57BL/*6J* mouse
Diabetes; Neuronal degeneration; Hypothalamus; C57BL/*KsJ* mouse; Morphometry (Garris, D.R.) **501,** 162

C57BL/*KsJ* mouse
Diabetes; Neuronal degeneration; Hypothalamus; C57BL/*6J* mouse; Morphometry (Garris, D.R.) **501,** 162

C6 glioma cell
Signal transduction; Guanosine triphosphate-binding protein; β-Adrenergic receptor; Receptor–effector coupling; Photoaffinity labeling; Cyclic nucleotide (Rasenick, M.M.) **488,** 105

Astrocyte; Arachidonic acid; Cyclooxygenase; Lipoxygenase; Prostaglandin; Leukotriene (Ishizaki, Y.) **494,** 138

Ca channel
Ca current; Presynaptic nerve terminal; Transmitter release; Vertebrate nerve terminal; Nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

Ca current
Ca channel; Presynaptic nerve terminal; Transmitter release;

Vertebrate nerve terminal; Nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

CA1
Low calcium; Epilepsy; Dentate gyrus; Spatial buffering; Potassium (Albrecht, D.) **480,** 393

Long-term potentiation; Theta rhythm; Hippocampus; Synaptic plasticity; *N*-Methyl-D-aspartate receptor (Larson, J.) **489,** 49

Long-term potentiation; Neuronal plasticity; Adrenalectomy; Stress; Learning; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

CA1 area
Long-term potentiation; Scopolamine; Hippocampal slice (Hirotsu, I.) **482,** 194

CA1 hippocampal region
Hippocampus; Ischemia; Excitatory amino acid; Calcium; Chloride; Sodium; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

CA1 pyramidal cell
Imipramine; β-Adrenergic receptor; Serotonergic receptor; Hippocampal slice in vitro; Antidepressant; Intracellular recording (Beck, S.G.) **504,** 72

CA1 pyramidal neuron
Rat hippocampus; Concentration-clamp technique; Voltage-dependent sodium current; Tetrodotoxin; Lidocaine (Kaneda, M.) **484,** 348

CA1 region
Ischemia; Ouabain; Na^+/K^+-ATPase; Frontal cortex (Pylova, S.I.) **490,** 170

Cerebral ischemia; Hippocampal formation; Calbinding-D_{28K}; Parvalbumin; Immunohistochemistry; Rat (Mudrick, L.A.) **493,** 179

CA3
Hippocampus; Pyramidal neuron; Golgi stain; Dendrite; Thorny excrescence (Fitch, J.M.) **479,** 105

Hippocampus; Sex difference; Dendrite; Differential environment (Juraska, J.M.) **479,** 115

Associative long-term potentiation/depression; Hippocampus; Long-term potentiation; Mossy fiber; *N*-Methyl-D-aspartate; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

CA3 hippocampal region
Hippocampus; Ischemia; Excitatory amino acid; Calcium; Chloride; Sodium; CA1 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

CA3 pyramidal cell
Hippocampal slice; Interictal bursting; Epilepsy; Phorbol ester; Afterhyperpolarization; Electrographic seizure (Chamberlin, N.L.) **492,** 337

Ca^{2+}
Benzodiazepine receptor; Diazepam; GABA receptor; Sensory neuron; Voltage clamp (Akaike, N.) **504,** 293

Ca^{2+} current
Carotid body; Type-I cell; K^+ current; Voltage-clamp; Patch-clamp; Hypoxia (Hescheler, J.) **486,** 79

Ca^{2+} uptake
Human cerebral artery; Bay K 8644; Nifedipine; Verapamil (Salaices, M.) **490,** 133

Ca^{2+} withdrawal
Excitatory amino acid; Cyclic adenosine monophosphate potentiated release; *Anemonia sulcata* toxin; Fatty acid free bovine serum albumin (Minc-Golomb, D.) **490,** 205

Ca^{2+}-activated K^+ channel
Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Phosphorylation; Patch clamp; Ion channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Cable theory
Computer simulation; Dendrite; Electrotonic; Synapse; Excitatory postsynaptic potential (Holmes, W.R.) **478,** 127

Electrotonic; Dendrite; Excitatory postsynaptic potential; Cortical pyramidal neuron; Computer simulation (Holmes, W.R.) **505,** 12

Cadmium
Calcium current; Voltage clamp; Cortical neuron; Nifedipine; Barium (Dichter, M.A.) **492,** 219

Caffeine
Adenosine; Naloxone; Feeding; N^6-R-phenylisopropyladenosine receptor (Levine, A.S.) **477,** 280

Steady magnetic field; Mollusc isolated neuron; Calcium/potassium kinetics; CAN current; Calcium-dependent K^+-conductance (Azanza, M.J.) **489,** 195

Adenosine; Hippocampus; Pertussis toxin; Guanosine triphosphate-binding protein (Stratton, K.R.) **494,** 359

Adenosine receptor; 5′-*N*-Ethylcarboxamide adenosine; C-fos; Mice (Nakajima, T.) **501,** 307

Calbindin
Cholinergic neuron; Nucleus basalis of Meynert; Alzheimer-type dementia (Ichimiya, Y.) **499,** 402

Calbindin-D_{28K}
Immunocytochemistry; Neuronal marker; Neuronal subpopulation; Primary culture (Pfeiffer, B.) **476,** 120

Calcium-binding protein; Hippocampal formation; Rat; Development; Thyroid state; Undernutrition (Rami, A.) **485,** 20

Roller-tube technique; Immunocytochemical method; Hippocampus; Organotypic culture; Rat (Bousez-Dumesnil, N.) **486,** 165

Cerebral ischemia; Hippocampal formation; CA1 region; Parvalbumin; Immunohistochemistry; Rat (Mudrick, L.A.) **493,** 179

Parvalbumin; Calcitonin gene-related peptide; Sensory neuron; Dorsal root ganglia (Carr, P.A.) **497,** 163

Vicia villosa lectin; Parvalbumin; Alzheimer-type dementia (Kobayashi, K.) **498,** 170

Calcitonin gene-related peptide
Sympathetic ganglion; Fast excitatory response; Slow excitatory response (Dun, N.J.) **476,** 256

Intestine; Mesenteric nerve; Non-cholinergic non-adrenergic relaxation (Takaki, M.) **478,** 199

Vagus nerve; Nodose ganglion; Substance P; Nerve growth factor; Tissue culture (MacLean, D.B.) **478,** 349

Galanin; Substance P; Naloxone; Bicuculline; Flexor-reflex; Monosynaptic reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Sympathetic preganglionic neuron; Superior cervical ganglion; Rat (Yamamoto, K.) **487,** 158

Neuropeptide; Flexor reflex; Nerve section; Vasoactive intestinal polypeptide; Substance P; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Motoneuron; Spinal cord; Immunohistochemistry; Central nervous system lesion; Cat (Arvidsson, U.) **489,** 387

Skin; Immunoelectron microscopy; Primary afferent fiber; Merkel cell; Immunohistochemistry; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Human neuromuscular junction; Immunocytochemistry; Trophic factor; Neuropeptide (Mora, M.) **492,** 404

Substance P; Dorsal column; Primary afferent fiber; Rat (Tamatani, M.) **495,** 122

Substantia innominata; Globus pallidus; Extended amygdala (Chang, H.T.) **495,** 167

Receptor autoradiography; Immunohistochemistry; Calcitonin gene-related peptide receptor; Neuromuscular junction; Striated

muscle (Popper, P.) **496,** 180

Parvalbumin; Calbinding D28k; Sensory neuron; Dorsal root ganglia (Carr, P.A.) **497,** 163

Antiserum; Antinociception; Spinal cord; Intrathecal; Noxious stimulus; Hyperalgesia (Kawamura, M.) **497,** 199

Coexistence; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Neuroma; Substance P; Stimulated release; Basal release; Localization (White, D.M.) **503,** 198

Dynorphin A; Primate; Spinal cord; Immunohistochemistry; Immunogold; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Retrograde tracer; Immunohistochemistry; Vestibular efferent system; Rat (Tanaka, M.) **504,** 31

Development; Cerebellum; Climbing fiber; Inferior olive; Immunohistochemistry (Morara, S.) **504,** 315

Calcitonin gene-related peptide (CGRP)
Receptor; Muscle; Neuromuscular junction (Jennings, C.G.B.) **504,** 199

Calcitonin gene-related peptide receptor
Receptor autoradiography; Immunohistochemistry; Calcitonin gene-related peptide; Neuromuscular junction; Striated muscle (Popper, P.) **496,** 180

(Asu^{1,7})eel-Calcitonin
Inositol phospholipid; Cortex; Hippocampus; Cyclic adenosine monophosphate; Norepinephrine; Serotonin (Clementi, G.) **478,** 138

Calcium
Accommodation; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Insect; Locust; Neurosecretion; Corpus cardiacum; Adipokinetic hormone; Octopamine; Sodium (Pannabecker, T.) **477,** 38

Dendritic outgrowth; Diazepam; γ-Aminobutyric acid; Glutamate; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Transmitter release; Facilitation; 4-Aminopyridine; Presynaptic mechanism (Muller, D.) **479,** 290

Proton-induced X-ray emission analysis; Ischemia; Zinc; Nickel; Rat hippocampus (Tsuda, T.) **484,** 228

Astrocyte; Diazepam; Epilepsy; Anticonvulsant; Calmodulin kinase; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

Tetrapentylammonium; 4-Aminopyridine; Cerebellar slice; Spontaneous glutamate release (Barnes, S.) **486,** 89

Release; Noradrenaline; Neuropeptide Y; Exocytosis; Sympathetic neuron (Saxena, V.K.) **486,** 310

Oxygen consumption; Energy metabolism; Ouabain; Exocytosis; Na^+,K^+-pump; Neurohypophysis (Shibuki, K.) **487,** 96

Hippocampus; Ischemia; Excitatory amino acid; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

Barium; Voltage-dependent Ca^{2+} channel; Tuberoinfundibular dopaminergic neuron; Dopamine release; Dihydropyridine (Taglialatela, M.) **488,** 114

Scorpion toxin; Sodium channel; Tetrodotoxin; EGTA; Dopamine; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Spectrin; Calpain; MK-801; Excitotoxicity; Neuropathology (Seubert, P.) **492,** 366

Retina; Calmodulin; Calmodulin kinase II; Light adaptation; Dark adaptation (Bronstein, J.) **495,** 83

Hippocampus; Mossy fiber expansion; Glutamate; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Presynaptic (Gannon, R.L.) **495,** 151

Pain; Spinal cord injury; Human thalamus; Action potential burst; Nervous system plasticity; Slow wave sleep (Lenz, F.A.) **496,** 357

N-Methyl-D-aspartate receptor; Afterhyperpolarization; Locomotion; Spinal cord (Hill, R.H.) **499,** 388

Cyclic adenosine monophosphate; α_2-Adrenoceptor; Clonidine; Yohimbine; Isoproterenol; Synaptosome; Hypoxia (Okada, M.) **501,** 23

Neuronal survival; Potassium; Depolarization; Voltage-gated calcium channel; Dihydropyridine (Collins, F.) **502,** 99

Lead; Neuron; NG108-15; Nuclear magnetic resonance spectroscopy, ^{19}F (Schanne, F.A.X.) **503,** 308

Oocyte; Ethanol (Wafford, K.A.) **505,** 215

Calcium accumulation
Cerebral ischemia; Repeated ischemia; Transient ischemic attack; Selective vulnerability; Gerbil (Kato, H.) **479,** 366

Calcium action potential
Forskolin; Adenylate cyclase; Adenosine 3',5'-cyclic monophosphate; Lamprey (Womble, M.D.) **485,** 89

BAY K 8644; Nimodipine; Tetrodotoxin; Calcium current; Electrical activity; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Calcium binding protein
Auditory system; Two-dimensional gel; Glial fibrillary acidic protein; Rabbit (Winsky, L.) **493,** 136

Neuropeptide; Tyrosine hydroxylase; Colocalization; Olfactory bulb; Immunohistochemistry (Seroogy, K.) **496,** 389

Cerebral cortex; Monkey; Double bouquet cell (DeFelipe, J.) **503,** 49

Calcium blocker
Rat; Amygdala; Isolated neuron; Calcium current (Kaneda, M.) **497,** 187

Calcium channel
Sodium channel; Potassium channel; Imipramine; Chlorpromazine; Haloperidol; Neuroblastoma (Ogata, N.) **476,** 140

Circadian rhythm; Phototransduction (Zatz, M.) **477,** 14

Calcium channel antagonist; (+)-[^{3}H]PN 200-110; Ethanol; Alcoholism; Alzheimer's disease (Marks, S.S.) **478,** 196

ω-Conotoxin; Autoradiography; Cerebellar mutant mouse (Maeda, N.) **489,** 21

Acetylcholine; Noradrenaline; Guanosine triphosphate-binding protein; Superior cervical ganglion; Sympathetic neuron (Song, S.-Y.) **494,** 383

Calcium channel antagonist
Calcium channel; (+)-[^{3}H]PN 200-110; Ethanol; Alcoholism; Alzheimer's disease (Marks, S.S.) **478,** 196

Calcium channel blocker
Electron microscopy; Acetylcholinesterase inhibitor; Myopathy; Diltiazem; Muscular dystrophy (Meshul, C.K.) **497,** 142

Calcium current
Nerve terminal; Antibiotic; Mouse (Bourret, C.) **478,** 403

Neuromuscular junction; Nerve terminal; Calcium-dependent potassium current; Botulinum A toxin; Carbonyl cyanide *m*-chlorophenylhydrazone (Mallart, A.) **479,** 167

Aging; Voltage-clamp; Hippocampus; Dentate granule neuron (Reynolds, J.N.) **479,** 384

BAY K 8644; Nimodipine;

Tetrodotoxin; Calcium action potential; Electrical activity; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Voltage clamp; Cortical neuron; Nifedipine; Barium; Cadmium (Dichter, M.A.) **492,** 219

Cultured hippocampal neuron; Whole-cell patch-clamp; Voltage-dependence of activation; Kinetics of inactivation; Calcium-channel blocker (Ozawa, S.) **495,** 329

Rat; Amygdala; Isolated neuron; Calcium blocker (Kaneda, M.) **497,** 187

Calcium dependence
Pigeon; Cold receptor; Discharge pattern; Cyclic activity; Transducer process (Schäfer, K.) **501,** 66

Calcium regulation
Choroid plexus; Cerebrospinal fluid; Hypocalcemia; Hypercalcemia; Calcium transfer (Murphy, V.A.) **484,** 65

Calcium transfer
Choroid plexus; Cerebrospinal fluid; Hypocalcemia; Hypercalcemia; Calcium regulation (Murphy, V.A.) **484,** 65

Calcium uptake
Brain; Mitochondria; Chronic ethanol ingestion; Respiration (Farrar, R.P.) **500,** 374

Calcium, extracellular
Hypoxia; Ischemia; Spreading depression; Leão's depression; Potassium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

Calcium-activated potassium channel
Single channel; Leech (Pellegrini, M.) **483,** 294

Muscle spindle; Mechanoreceptor; Electrical tuning (Kruse, M.N.) **496,** 303

Calcium-activated potassium-channel
Big conductance channel; Sodium channel; Glial cell; Malignant glioma; Human (Brismar, T.) **480,** 259

Calcium-binding protein
Kindling; Hippocampus; Epilepsy; Seizure; Immunocytochemistry; Parvalbumin; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Calbindin-D_{28K}; Hippocampal formation; Rat; Development; Thyroid state; Undernutrition (Rami, A.) **485,** 20

Calcium-channel blocker
Cultured hippocampal neuron; Whole-cell patch-clamp; Calcium current; Voltage-dependence of activation; Kinetics of inactivation (Ozawa, S.) **495,** 329

Calcium-chelating agent
Calmodulin; Subcellular distribution; Radioimmunoassay; Spinal cord; Frog (Adachi, S.) **487,** 196

Calcium-current
Somatostatin; Somatotroph; Pituitary cell; Growth hormone (Nussinovitch, I.) **504,** 136

Calcium-dependency
Exogenous; Endogenous; Serotonin; Release; *Hymenolepis diminuta* (Gordon, B.) **486,** 376

Calcium-dependent K^+-conductance
Caffeine; Steady magnetic field; Mollusc isolated neuron; Calcium/potassium kinetics; CAN current (Azanza, M.J.) **489,** 195

Calcium-dependent plateau
Serotonin; ω-Conotoxin GVIA; Bay K 8644; Nifedipine; Action potential; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Calcium-dependent potassium channel
C channel; Neuron; Patch clamp; *Helix* (Chagneux, H.) **488,** 336

Calcium-dependent potassium conductance
Accommodation; Calcium; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Calcium-dependent potassium current
Neuromuscular junction; Nerve terminal; Calcium current; Botulinum A toxin; Carbonyl cyanide *m*-chlorophenylhydrazone (Mallart, A.) **479,** 167

Calcium-pump
Ca^{2+}-Mg^{2+} ATPase; Choroid plexus; Calcium-transport; Cerebrospinal fluid; Immunohistochemistry (Borke, J.L.) **489,** 355

Calcium-transport
Ca^{2+}-Mg^{2+} ATPase; Choroid plexus; Cerebrospinal fluid; Calcium-pump; Immunohistochemistry (Borke, J.L.) **489,** 355

Calcium/calmodulin-dependent kinase
Protein phosphorylation; Protein kinase C; Long-term potentiation; Vesicle-associated phosphoprotein; Presynaptic terminal (Nelson, R.B.) **497,** 30

Calcium/potassium kinetics
Caffeine; Steady magnetic field; Mollusc isolated neuron; CAN current; Calcium-dependent K^+-conductance (Azanza, M.J.) **489,** 195

Calmodulin
Calcium-chelating agent; Subcellular distribution; Radioimmunoassay; Spinal cord; Frog (Adachi, S.) **487,** 196

Retina; Calcium; Calmodulin kinase II; Light adaptation; Dark adaptation (Bronstein, J.) **495,** 83

Calmodulin kinase
Astrocyte; Calcium; Diazepam; Epilepsy; Anticonvulsant; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

Calmodulin kinase II
Retina; Calmodulin; Calcium; Light adaptation; Dark adaptation (Bronstein, J.) **495,** 83

Calpain
Spectrin; MK-801; Excitotoxicity; Neuropathology; Calcium (Seubert, P.) **492,** 366

Long-term potentiation; Leupeptin; Hippocampus (Oliver, M.W.) **505,** 233

Calyx synapse
Ca current; Ca channel; Presynaptic nerve terminal; Transmitter release; Vertebrate nerve terminal; Nerve terminal; Chick ciliary ganglion (Stanley, E.F.) **505,** 341

CAN current
Caffeine; Steady magnetic field; Mollusc isolated neuron; Calcium/potassium kinetics; Calcium-dependent K^+-conductance (Azanza, M.J.) **489,** 195

Cancer
Neurotumor; Neuroblastoma; Opioid receptor; Endogenous opioid system; Mitosis; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Opioid receptor; Zeta; Enkephalin; Growth; Neuroblastoma (Zagon, I.S.) **482,** 297

Anorexia; Ammonia; Amino acid; Neurotransmitter (Chance, W.T.) **486,** 316

Opioid receptor; Growth; Neuroblastoma; Enkephalin; Cell proliferation (Zagon, I.S.) **490,** 14

Canine cerebral ischemia model
Excitatory amino acid (EAA) antagonist; Glutamate antagonist; *N*-Methyl-D-aspartate antagonist; Complete global cerebral ischemia; Dizocilipine maleate (MK-801) (Michenfelder, J.D.) **481,** 228

Capillary
Mitochondria; Endothelium; Blood–brain barrier; Optic nerve; Ultrastructure (Schmidley, J.W.) **481,** 154

Blood–nerve barrier; Compound action potential; Perineurium; Sciatic nerve; Tibial nerve (Wadhwani, K.C.) **493,** 231

Capillary permeability
Albumin; Blood–nerve barrier; Endoneurial capillary; Endoneurium; Perineurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Capsaicin
Pain; Mechanical hyperalgesia; Dorsal horn neuron (Simone, D.A.) **486,** 185

Sensory nerve; Neuroma; Spontaneous activity; Rat (Hartung, M.) **499,** 363

Capsaicin analog
Dorsal root ganglion; Resiniferatoxin; Desensitization (Szallasi, A.) **503,** 68

Carbachol
Acetylcholine; Rapid eye movement sleep; Brainstem reticular formation; Conductance; Inward rectification (Greene, R.W.) **476,** 154

Blood pressure; Contractility; Heart rate; Glutamate; Intermediolateral column (IML); Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

Perforant path; Dentate gyrus; Acetylcholine; Atropine; Pirenzepine (Kahle, J.S.) **482,** 159

Rat hippocampus; Fimbria/fornix lesion; Muscarinic receptor subtype; Nicotinic receptor; Phosphoinositide hydrolysis (Smith, C.J.) **485,** 317

Vasopressin; Angiotensin II; Osmotic stimulus; Cholinoceptor; Hexamethonium; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

AFDX-116; Atropine; Blood pressure; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Djungarian hamster; Phase response curve; Circadian rhythm; Locomotor activity; Blind (Wee, B.E.F.) **505,** 209

Carbamazepine
Epilepsy; Cocaine; Lidocaine; Local anesthetic (Weiss, S.R.B.) **497,** 72

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin (Calogero, A.E.) **505,** 7

Carbodiimide
N-Acetylaspartylglutamate; Extrapyramidal system; Immunohistochemistry; Striatum; Pallidum; Substantia nigra (Moffett, J.R.) **494,** 255

Carbohydrate
Serotonin; Hypothalamus; Feeding behavior; Macronutrient; Protein; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

Carbonic anhydrase
Rat; Peripheral nervous system; Muscle spindle; Golgi tenson organ; Histochemistry (Szabolcs, M.J.) **492,** 129

Primary afferent neuron; Tooth pulp (Sugimoto, T.) **505,** 354

Carbonyl cyanide *m*-chlorophenylhydrazone
Neuromuscular junction; Nerve terminal; Calcium current; Calcium-dependent potassium current; Botulinum A toxin (Mallart, A.) **479,** 167

3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid
N-Methyl-D-aspartate receptor; MK-801; Autoradiography; Deoxy sugar; Cerebral glucose utilisation (Kurumaji, A.) **496,** 268

3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid
Norepinephrine-induced long-lasting potentiation; Long-term potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate
N-Methyl-D-aspartate receptor; 2-Amino-7-phosphonoheptanoic acid; MK-801; Phencyclidine; Anticonvulsant (Nevins, M.E.) **503,** 1

Cardiac innervation
Neural cell adhesion molecule; Heart; Myocardium; Development; Vascular smooth muscle (Wharton, J.) **483,** 170

Cardiopulmonary afferent
Bradykinin; Visceral nociception; Periaqueductal gray; Descending inhibition; Glutamate (Chandler, M.J.) **496,** 148

Cardiopulmonary inhibition
Hypothalamic locomotor region; Muscular contraction; Ventral root stimulation; Cat; Reticular formation; Phrenic activity (Richard, C.A.) **482,** 49

Cardiovascular
Substance P; Tachykinin peptide; Nucleus tractus solitarii; Neurokinin B (Nagashima, A.) **487,** 392

Neurokinin B; Substance P; Spontaneously hypertensive rat; Tachykinin peptide (Nagashima, A.) **499,** 198

Cardiovascular control
Excitatory amino acid; *N*-Methyl-D-aspartate receptor; Blood pressure; Autoradiography (Somogyi, P.) **496,** 401

Cardiovascular reflex pathway
Median preoptic nucleus; Thirst; Blood pressure regulation (Gutman, M.B.) **488,** 49

Cardiovascular regulation
Glycine; Glutamate; Amino acid; Blood pressure; Baroreceptor reflex; Nucleus tractus solitarii; Neurotransmitter (Talman, W.T.) **477,** 7

γ-Aminobutyric acid; Arginine-vasopressin; Baroreceptor; Converting enzyme inhibition; Chlorisondamine (Segura, T.) **499,** 53

Tyrosine hydroxylase; Phenylethanolamine-*N*-methyltransferase; Cholinergic neuron; Endothelial cell; Adrenergic neuron (Milner, T.A.) **500,** 67

Carnivore
Acetylcholinesterase; Butyrylcholinesterase; Cerebral microvessel; Rodent; Blood–brain barrier (Trancard, J.) **476,** 213

Carotid body
Glomus cell; Stimulant; Depressant (Eyzaguirre, C.) **477,** 265

Tachykinin; Substance P; Neurokinin A; Hypoxia; Chemoreceptor (Prabhakar, N.R.) **481,** 205

Chemoreceptor; Cyanide; Uncoupler; Dopamine release; Metabolic hypothesis (Obeso, A.) **481,** 250

Hypoxia; Hypercapnia; Extracellular calcium; Extracellular potassium; Chemosensory response; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Type-I cell; Ca^{2+} current; K^+ current; Voltage-clamp; Patch-clamp; Hypoxia (Hescheler, J.) **486,** 79

Choline acetyltransferase; Immunocytochemistry (Wang, Z.-Z.) **498,** 131

Carotid body glomus cell
Sodium influx; Veratridine; Superior cervical ganglion neuronal cell; Primary culture; Tetrodotoxin-sensitive voltage-dependent sodium channel; Newborn rabbit (Sato, M.) **504,** 132

Carrageenin
Sensitization; 5-Hydroxytryptamine; Ventrobasal thalamus complex; Rat (Guilbaud, G.) **502,** 187

Castration
Cremaster muscle; Indolamine; Motoneuron; Peptide; Rat; Spinal cord; Testes (Newton, B.W.) **485,** 149

β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod (Vaughan, M.K.) **489,** 318

Sexual arousal; Sexual behavior; Mesolimbic dopamine system; Nucleus

accumbens (Mitchell, J.B.) **491,** 116

Imipramine; Tricyclic antidepressant; Testosterone; Binding site; Brain; Rat (Sandrini, M.) **496,** 29

Cat
Tyrosine hydroxylase; Thalamus; Immunohistochemistry (Kitahama, K.) **478,** 156

Ammon's horn; Hippocampus; Dentate gyrus; Brainstem; Raphe nuclei; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Waking center; Posterior hypothalamus; Muscimol; Microinjection (Lin, J.-S.) **479,** 225

Auditory cortex; Tone sequence; Single neuron (McKenna, T.M.) **481,** 142

Serotonin; Enkephalin; Substance P; Pudendal motoneuron; Onuf's nucleus; Spinal cord; Immunocytochemistry (Tashiro, T.) **481,** 392

Hypothalamic locomotor region; Muscular contraction; Ventral root stimulation; Cardiopulmonary inhibition; Reticular formation; Phrenic activity (Richard, C.A.) **482,** 49

Defense reaction; Arterial pressure; Skeletal muscle vasodilation; Emotion; Midbrain periaqueductal gray; Excitatory amino acid (Carrive, P.) **483,** 251

Somatosensory cortex; Mapping; Progressive change; Development (McKinley, P.A.) **484,** 378

Caudate nucleus; Substantia nigra; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Horseradish peroxidase (HRP); Ibotenic acid; Electron microscopy (Tokuno, H.) **485,** 189

Trigeminal; Subnucleus oralis; Somatosensory; Nucleus raphe magnus; Descending modulation (Chiang, C.Y.) **485,** 371

Spinal cord; Motoneuron pool; Central activation; Electromyography (Kandou, T.W.A.) **486,** 340

Phrenic motoneuron; Intracellular recording; Superior laryngeal nerve; Inhibitory postsynaptic potential (Bellingham, M.C.) **486,** 391

Dorsal column; Cochlear neuron; Polysensory interaction; Dorsal column nucleus (Saadé, N.E.) **486,** 399

Cuneate nucleus; Cochlear nucleus; Polysensory interaction (Saadé, N.E.) **486,** 403

Hypogastric nerve; Pelvic pain; Thalamus; Nucleus ventralis posterolateralis (Asato, F.) **488,** 135

Angiotensin II; Brainstem; Respiratory nuclei; Immunocytochemistry; Colchicine (Aguirre, J.A.) **489,** 311

Calcitonin gene-related peptide; Motoneuron; Spinal cord; Immunohistochemistry; Central nervous system lesion (Arvidsson, U.) **489,** 387

γ-Motoneuron; Axotomy; Quantitative; Ultrastructure; Horseradish peroxidase (Johnson, I.P.) **489,** 400

Superior colliculus; Direction selectivity; Apparent motion; Visual–auditory interaction (Rauschecker, J.P.) **490,** 56

Extrathalamic ascending system; Cortico-subcortical connection; Visceral; Autonomic; Limbic (Clascá, F.) **490,** 361

Locus ceruleus; Pontine tegmentum; Kölliker-Fuse; Norepinephrine; Spinal cord; Horseradish peroxidase (Reddy, V.K.) **491,** 144

Phrenic nerve; Superior laryngeal nerve; Nucleus tractus solitarii; Pulmonary afferent; Inspiratory neuron (Donnelly, D.F.) **491,** 243

4-Aminopyridine; Antidromic discharge; Dorsal root; Spinal cord; Autocorrelation; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

4-Aminopyridine; Unitary discharge; Antidromic discharge; Dorsal root; Ventral root (Dubuc, R.) **491,** 349

Cross-reinnervation; Phrenic nerve; Motor readjustment; Voluntary resporatory control; Forelimb (Fujito, Y.) **492,** 36

Corticospinal tract; Dorsal funiculus; Caudal termination; Wheatgerm-agglutinated horseradish peroxidase (Satomi, H.) **492,** 255

Blood–brain barrier; Horseradish peroxidase; Spinal cord; Central nervous system regeneration (Risling, M.) **494,** 13

Trigeminal nerve; Mesencephalic trigeminal nucleus; Enkephalin; Substance P; Serotonin; Immunocytochemistry; Horseradish peroxidase (Tashiro, T.) **494,** 162

Extrastriate cortex; Lateral suprasylvian area; Area 20; Pupil; Wheatgerm agglutinin-horseradish peroxidase (Bando, T.) **494,** 369

Substance P; Serotonin; Enkephalin; Immunohistochemistry; Onuf's nucleus; Spinal cord (Tashiro, T.) **497,** 177

Rubrospinal tract; Superimposed antidromic spike; Postspike axonal excitability (Canedo, A.) **502,** 28

Tooth pulp; Primary afferent neuron; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Retrograde transport; Horseradish peroxidase; Cell body size (Yoshino, K.) **503,** 152

Median eminence; Histamine; Posterior hypothalamus; Retrograde transport; Double labeling (Yoshimoto, Y.) **504,** 149

Second somatosensory cortex; Motor cortex; Cortico-cortical connection; Cortical microstimulation; Intracortical microstimulation (Mori, A.) **504,** 206

Skin reflex pathway; Premotor neuron; Interneuron; Cervical spinal cord; Laminae V–VII; Lateral funiculus (Hongo, T.) **505,** 163

Respiration; Recruitment; Firing property; Phrenic motoneuron; Aspiration reflex (Jodkowski, J.S.) **505,** 187

REM sleep; Electroconvulsive shock; Systemic penicillin epilepsy; Atropine; Pontine lesion (Shouse, M.N.) **505,** 271

Cat hypoglossal afferent nerve
Central projection; Horseradish peroxidase transport (Nazruddin) **490,** 219

Cat muscle spindle
Primary afferent; Dynamic γ; Static γ; Maintained fusimotor stimulation; Re-afferent γ-effect; Interspike interval function (Awiszus, F.) **489,** 41

Cat neocortex
Ictal seizure; Aminopyridine; Depolarizing plateau potential; Intracellular recording (Szente, M.B.) **495,** 261

Cat spinal cord
Premotor interneuron; Skin reflex pathway; Laminae V–VI; Excitatory interneuron; Inhibitory interneuron; Spike triggered averaging (Hongo, T.) **505,** 167

Cat spinal α-motoneuron
Chronic deafferentation; Monosynaptic reflex; Plasticity (Hellgren, J.) **488,** 149

Catalase
6-Hydroxydopamine; Free radical; Superoxide dismutase; Glutathione; Glutathione peroxidase; Parkinson's disease (Perumal, A.S.) **504,** 139

Catalytic subunit of cAMP
Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Phosphorylation; Patch clamp; Ion channel; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor (Sikdar, S.K.) **496,** 113

Cataplexy
Receptor, α_1-; Receptor subtype; Rapid eye movement sleep; Narcolepsy (Mignot, E.) **490,** 186

Catecholamine
Cerebral blood flow; Norepinephrine; Locus coeruleus; 6-Hydroxydopamine; α-Methylparatyrosine (Onesti, S.T.) **477,** 378

Ontogenesis; Adrenal medulla; Chromogranin A; Chromogranin B (Schober, M.) **478,** 41

Drinking behavior; Angiotensin II (Cunningham, J.T.) **480,** 65

Epinephrine; Phenylethanolamine-*N*-methyltransferase; Blood pressure; C1 cell group (Sved, A.F.) **481,** 113

Adrenal medulla; Parkinsonism; Transplant; Rotation; Amphetamine; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Adrenal medulla; Catecholamine secretion; Inositol phosphate; Somatostatin; Chromaffin cell (Moeller, I.) **484,** 192

Melanoma; Tumor cell; Tyrosinase; Tyrosine hydroxylase; Transplantation; Brain graft; Immunology (Freed, W.J.) **485,** 349

Human neuroblastoma; Transplantation; Parkinson's disease (Mena, M.A.) **486,** 286

Cerebrospinal fluid; Xylazine; α_2-Agonist; Noradrenaline (Mefford, I.N.) **492,** 377

β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Autonomic; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Neuropeptide Y; Cerebral cortex; Interaction; Double-staining immunocytochemistry (Tsuchiyama, M.) **494,** 168

Exercise; Cerebrospinal fluid; β-Endorphin; Cortisol; Conscious dog (Radosevich, P.M.) **498,** 89

Brain; Insulin receptor; Quantitative autoradiography; Arcuate nucleus; 6-Hydroxydopamine (Wilcox, B.J.) **500,** 149

Angiotensin II; Atrial natriuretic polypeptide; Sympathetic nervous system; Blood pressure; Adrenocorticotropic hormone (Makino, S.) **501,** 84

Adrenaline; Noradrenaline; Substantia innominata; Extended amygdala (Chang, H.T.) **503,** 350

Mazindol, [^{3}H]; Autoradiography; Desmethylimipramine (Donnan, G.A.) **504,** 64

Catecholamine biochemistry
Lesch-Nyhan disease; Transgenic mice; Hypoxanthine-guanine phosphoribosyl transferase salvage pathway; Tyrosine hydroxylase immunocytochemistry (Dunnett, S.B.) **501,** 401

Catecholamine fluorescence
Ventrolateral medulla; Noradrenergic; Adrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Tyrosine hydroxylase (McLachlan, E.M.) **481,** 274

Catecholamine histofluorescence
Developing brain; Magnesium perfusion technique; Formaldehyde–glutaraldehyde perfusion technique; Polyethylene glycol (Woerly, S.) **495,** 377

Catecholamine pathway
Rabbit; Spinal cord; 6-Hydroxydopamine; Blood pressure; Baroreflex; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Catecholamine receptor
Cerebral cortex; Cerebellum; Noradrenaline; Nerve regeneration; Desmethylimipramine; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Catecholamine secretion
Adrenal medulla; Inositol phosphate; Somatostatin; Chromaffin cell; Catecholamine (Moeller, I.) **484,** 192

Cation
Hippocampus; Primary culture; Excitatory amino acid; γ-Aminobutyric acid release (Harris, K.M.) **482,** 23

Cation channel
Triton X-100; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine maleate, [^{3}H]-; *N*-Methyl-D-aspartate receptor; L-Glutamic acid; Glycine (Yoneda, Y.) **499,** 305

Caudal termination
Corticospinal tract; Dorsal funiculus; Wheatgerm-agglutinated horseradish peroxidase; Cat (Satomi, H.) **492,** 255

Caudate
Dopamine; Accumbens; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Met^5-Enkephalin-Arg-Gly-Leu; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Electron microscopy; Nucleus accumbens; Perforated postsynaptic density; Neuroleptic drug; Tardive dyskinesia (Meshul, C.K.) **489,** 338

Amphetamine; Ascorbic acid; Uric acid; Voltammetry in vivo; Nucleus accumbens (Mueller, K.) **494,** 30

Caudate nucleus
Morphine; Amygdala; Hippocampus; Lesion; Locomotor activity; C57BL/6 mouse (Libri, V.) **479,** 1

Dopamine; Push–pull perfusion; Substantia nigra; 6-Hydroxydopamine (Chang, G.D.) **481,** 265

Substantia nigra; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Horseradish peroxidase (HRP); Ibotenic acid; Electron microscopy; Cat (Tokuno, H.) **485,** 189

Neurotensin receptor; Autoradiography; Acetylcholinesterase; Neurochemical compartment; Human (Faull, R.L.M.) **488,** 381

Progesterone; Dopamine; L-Dihydroxyphenylalanine; Push–pull perfusion; Female rat (Dluzen, D.E.) **494,** 122

Acetylcholine receptor; Substance P; Somatostatin; Autoradiography (Ariano, M.A.) **497,** 51

Globus pallidus; Striatum; Putamen; Nucleus basalis; Unit activity; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Substantia nigra; Striatum; Dopaminergic neuron; Primate; Putamen; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Cholecystokinin; Nucleus accumbens; Potassium; Dopamine; In vivo electrochemistry (Gerhardt, G.A.) **499,** 157

Dopamine; Compartment; Release; Reserpine; α-Methyl-*p*-tyrosine (Leviel, V.) **499,** 205

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Synaptic degeneration; Gliosis; Monoamine oxidase inhibition (Hess, A.) **499,** 393

Thy 1; Monoclonal antibody; Suicide transport; Saporin; Vagus nerve; Neurotoxicity (Wiley, R.G.) **505,** 44

Caudate nucleus/striatum
Tryptamine binding site/receptor; Nigral lesion; Rat (Van Nguyen, T.) **476,** 85

Caudate putamen
Amygdala; Naloxone; Propranolol; Inhibitory avoidance; Discrimination learning; Memory; Cortex (Introini-Collison, I.B.) **476,** 94

Dopamine receptor subtype; Cholecystokinin; Subchronic drug treatment; Haloperidol; Clozapine; Supersensitivity; Antipsychotic drug (Hu, X.-T.) **486,** 325

Caudate-putamen
Bombesin; Free fatty acid; Glucose; Corticosterone; Paraventricular nucleus; Ventromedial nucleus; Lateral hypothalamus (Gunion, M.W.) **478,** 47

Ventral striatum; 6-Hydroxydopamine; Neurotensin; Immunoreactivity; Globu pallidus; Ventral pallidum (Zahm, D.S.) **483,** 301

Cholecystokinin; Intracerebroventricular; D-Amphetamine; Dopamine release; 3-Methoxytyramine (Altar, C.A.) **483,** 321

Amygdala; Bicuculline-methiodide; γ-Aminobutyric acid; Inhibitory avoidance; Memory; Muscimol (Brioni, J.D.) **487,** 105

Receptor, D_1-; Adenylate cyclase; Receptor, D_2-; Supersensitivity; Autoradiography; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Caudodorsal cell
Peptide release by exocytosis; Neurohemal and non-synaptic release; Quantitative immunoelectron microscopy; Tannic acid; *Lymnaea stagnalis* (Schmidt, E.D.) **489,** 325

Cautate-putamen
Pertussis toxin; G-protein; Electrophysiology; Adenylate cyclase; Rat (Boyajian, C.L.) **495,** 66

CCK-8
Anoxia; Sleep; EEG; Spectral analysis; Rat (De Saint Hilaire-Kafi, Z.) **488,** 304

CD8
Major histocompatibility complex antigen; Interleukin-2-receptor; Growth regulation (Nennesmo, I.) **504,** 306

Celiac ganglion
Bombesin; Vasoactive intestinal polypeptide; Cholecystokinin; Guinea pig; Synapse (Hamaji, M.) **488,** 283

A5 cell group; Adrenal gland; Central gray matter; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Neuropeptide Y; Rat liver; Immunohistochemistry; Electron microscopy (Inoue, N.) **493,** 87

Cell
Septal; Theta-on; Theta-off; Hippocampal; Electroencephalogram (Ford, R.D.) **493,** 269

Cell adhesion molecule
Granule cell migration; Intracerebral transplantation; Cerebellum (Poltorak, M.) **488,** 265

Cell body
Angiotensin II; Immunocytochemistry; Rat; Thalamus; Neuropeptide (Covenas, R.) **481,** 185

Cell body size
Tooth pulp; Primary afferent neuron; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Retrograde transport; Horseradish peroxidase; Cat (Yoshino, K.) **503,** 152

Cell culture
Brain endothelium; Amino acid transport; Blood–brain barrier (Hughes, C.C.W.) **480,** 126

Alzheimer's disease; Inhibitory factor; Neurotrophic factor; Cerebral cortical neuron (Uchida, Y.) **481,** 190

Aspartate; Glutamate; *N*-Methyl-D-aspartate receptor; Neurotoxicity; Excitatory amino acid; Cortex (Monyer, H.) **483,** 347

Dopamine; Flow cytometry; Transplant; Substantia nigra (Lopez Lozano, J.J.) **486,** 351

Astrocyte; Cell morphology; Cyclic adenosine monophosphate; Protein kinase C; Protein kinase inhibitor; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Adrenocorticotropin; β-Endorphin; Brain; Regulation; Hypothalamus; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Ramified microglia; Brain macrophage; Facial nucleus explant (Rieske, E.) **492,** 1

Nuclear magnetic resonance spectroscopy, ^{31}P-; Glioma cell line; Phosphorylated compound; Microcarrier (Vion-Dury, J.) **493,** 175

Dorsal root ganglion neuron; Freeze-fracture; Node of Ranvier; Non-myelinated axon; Schwann cell (Bigbee, J.W.) **494,** 182

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Dementia; Excitatory amino acid; Cortex (Weiss, J.H.) **497,** 64

Horizontal cell; Gap junction (Hidaka, S.) **498,** 53

Superior cervical ganglion; Muscarinic receptor; Neuropeptide; Autoradiography; Immunocytochemistry (James, S.) **498,** 205

Estradiol; Cerebral cortex; Freeze-fracture; Plasma membrane; Neuronal membrane; Development (Garcia-Segura, L.M.) **498,** 339

Dopaminergic neuron; Striatum; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Ethanol; Acetaldehyde (Zuddas, A.) **501,** 11

Astrocyte; Ischemia; Lactacidosis; Membrane potential; Proton (Walz, W.) **504,** 82

Cell death
Phenytoin; Ischemia; Cerebral protection; Selective neuronal vulnerability (Taft, W.C.) **483,** 143

Developing spinal cord; Organotypic culture; Testosterone; Neuromotrophic factor (Hauser, K.F.) **485,** 157

Perineurium; Peripheral nerve; Ischemic neuropathy; Morphometry; Lipid droplet (Benstead, T.J.) **489,** 177

Cell division
Neurogenesis; Tyrosine hydroxylase; Deoxyribonucleic acid synthesis (DiCicco-Bloom, E.) **491,** 403

Cell matrix
Retina; Amacrine cell; Neuropeptide Y; Anura (Hiscock, J.) **494,** 55

Cell membrane expansion
Tissue culture; Mouse; Dorsal root ganglion; Osmolarity; Aging; Adaptation; Action potential (Horie, H.) **477,** 233

Cell morphology
Astrocyte; Cell culture; Cyclic adenosine monophosphate; Protein kinase C; Protein kinase inhibitor; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Cell number
Gliosis; Astrocyte; S-100; Thymidine; Proliferation; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Cell proliferation
Naltrexone; Rat brain (Schmahl, W.) **486,** 297

Opioid receptor; Growth; Cancer; Neuroblastoma; Enkephalin (Zagon, I.S.) **490,** 14

Goldfish retina; Optic nerve crush; Photoreceptor; Rod precursor (Henken, D.B.) **501,** 247

Cell swelling
Cytotoxic edema; Cytoplasmic pH; Lactic acid; Na^+/H^+ exchange; Glioma cell; Astrocyte (Jakubovicz, D.E.) **485,** 215

Cell-free translation
β-Amyloid precursor protein; Alzheimer's disease; Polysome runoff; Messenger ribonucleic acid; Immunoblot; Processing (Anderson, J.) **478,** 391

Cellular localization
Opioid receptor; Mesolimbic dopamine; Nucleus accumbens; Lesion; Receptor autoradiography (Unterwald, E.M.) **505,** 111

Cellular migration
Neural graft; Autonomic ganglion; Astrocyte; Neovascularization; Immunocytochemistry (Rosenstein, J.M.) **476,** 110

Center-surround receptive field
Motion-sensitive neuron; Optic tectum; Toad; Rebound activation; Background motion; Motion after-effect (Satou, M.) **504,** 320

Central activation
Cat; Spinal cord; Motoneuron pool; Electromyography (Kandou, T.W.A.) **486,** 340

Central auditory system
2-Deoxyglucose; Central nervous system metabolism; Stimulus intensity (Ryan, A.F.) **483,** 283

Central chemoreceptor
Ventrolateral medulla; Extracellular fluid pH; Control of breathing (Arita, H.) **485,** 285

Central degeneration
Ricinus communis agglutinin (RCA 120); Inappropriate area (Rivero-Melian, C.) **496,** 131

Central electrical stimulation
Accommodation; Ciliary muscle; Coincidence refractometry; Contrast ventriculoradiography; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Central gray matter
A5 cell group; Adrenal gland; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Central lateral nucleus
Anterior pretectal nucleus; Dorsal accessory olivary nucleus; Anterior interpositus nucleus; Motor cortex; Electron microscopy; Retrograde double-labeling (Kitao, Y.) **484,** 304

Central nervous system
Optic nerve; Injury; Degeneration; Laser; Action potential (Assia, E.) **476,** 205

M_2 receptor; AF-DX 116; Regional distribution (Wang, J.-X.) **477,** 322

Rat brain; L-2-Oxothiazolidine-4-carboxylate; Glutathione (Mesina, J.E.) **478,** 181

Human diazepam binding inhibitor-like immunoreactivity(51–70); Distribution; Peripheral tissue (Ball, J.A.) **479,** 300

Atrial natriuretic peptide; Arterial baroreflex; Renal nerve; Blood pressure; Sinoaortic denervation; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Hyperprolactinemia; Vasoactive intestinal peptide; Estradiol-17β; Prolactin; Pituitary gland; Autoradiography (Montagne, M.-N.) **485,** 258

Extracellular matrix; Neuronectin; Fibroblast growth factor; Phorbol ester (Rettig, W.J.) **487,** 171

Corticotropin-releasing factor; Dynorphin-related peptide; Sympathetic nervous system; Arterial pressure; Heart rate (Overton, J.M.) **488,** 233

Endotoxin; Infection; Kynurenine pathway; Neurotoxin; Convulsant; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

Neuroplasticity; Sprouting; Somatostatin; Rat amygdala; Ultrastructure; Immunohistochemistry; Autonomic (Gotow, T.) **492,** 325

Subcellular; Inhibitory; Synapse; Immunochemistry (Meinecke, D.L.) **493,** 303

Tumour necrosis factor-α; Lymphotoxin; Sympathetic efferent activity; Brown adipose tissue; Rat (Holt, S.J.) **497,** 183

Action potential duration; Spike duration; Temperature; Hibernation; Information processing; Biophysical properties of neurons (Krilowicz, B.L.) **498,** 73

Central nervous system lesion
Calcitonin gene-related peptide; Motoneuron; Spinal cord; Immunohistochemistry; Cat (Arvidsson, U.) **489,** 387

Central nervous system metabolism
Central auditory system; 2-Deoxyglucose; Stimulus intensity (Ryan, A.F.) **483,** 283

Central nervous system neoplasia
Astrocyte; Astrocytoma; Glioblastoma multiforme; Immunocytochemistry; Ubiquitin (Galloway, P.G.) **500,** 343

Central nervous system regeneration
Blood–brain barrier; Horseradish peroxidase; Spinal cord; Cat (Risling, M.) **494,** 13

Central nervous system trauma
Magnesium; Rat; Brain injury; Treatment (McIntosh, T.K.) **482,** 252

Central nervous system viral infection
Adrenal gland; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Central nucleus of the amygdala
B3 area; Periaqueductal gray matter; Substantia nigra; Zona incerta; Hypothalamus; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Basolateral nucleus of the amygdala; Excitotoxin; Baroreceptor heart rate reflex; Conscious rat (Lewis, S.J.) **494,** 232

Central pain
Cordotomy; Dysesthesia; Hyperexcitability CNS; Supersensitivity CNS (Levitt, M.) **481,** 47

Central pattern generator
Dopamine; Agonistic behavior; Lobster; Monoclonal antibody (Barthe, J.Y.) **497,** 368

Central projection
Horseradish peroxidase-transport; Masseter nerve; Trigeminal ganglion; Mesencephalic trigeminal nucleus (Arvidsson, J.) **480,** 111

Cat hypoglossal afferent nerve; Horseradish peroxidase transport (Nazruddin) **490,** 219

Trigeminal mesencephalic nucleus; Periodontal afferent; Intra-axonal staining; Horseradish peroxidase (Shigenaga, Y.) **505,** 91

Centralis lateralis nucleus
Medial prefrontal cortex; Dorsal raphe nucleus; Ascending pathway; Rat (Condés-Lara, M.) **499,** 141

Nociception; Medial prefrontal cortex; Dorsal raphe nucleus; Ascending pain modulation pathway; Rat (Condés-Lara, M.) **499,** 145

Centrifugal innervation
Lamprey; Retina (Vesselkin, N.P.) **493,** 51

Cerebellar ataxia
Mutant mouse; Wriggle Mouse Sagami; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Cerebellar cortex
Nucleolus; Purkinje cell; Hedgehog; Active period; Hibernation (Giacometti, S.) **488,** 365

Cerebellar degeneration
Immunotoxin; Purkinje cell; Saporin; OX7; Thy-1 (Davis, T.L.) **504,** 216

Cerebellar development
N-Methyl-D-aspartate; Neurotrophic action of excitatory amino acids; Cerebellar granule cell; Astrocyte; 2-Amino-5-phosphonovaleric acid; Transmembrane Ca^{2+} entry (Moran, J.) **486,** 15

Cerebellar explant culture
Purified oligodendrocyte; Myelination; Myelin-like membrane; Myelin spherule; Transplantation; Cytosine arabinoside (Seil, F.J.) **503,** 111

Cerebellar granule cell
N-Methyl-D-aspartate; Neurotrophic action of excitatory amino acids; Astrocyte; 2-Amino-5-phosphonovaleric acid; Transmembrane Ca^{2+} entry; Cerebellar development (Moran, J.) **486,** 15

Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate receptor; Neuron; Neuronal energy (Lysko, P.G.) **499,** 258

Excitatory amino acid; Magnesium;

N-Methyl-D-aspartate receptor; Glutamate (Cox, J.A.) **499,** 267

Cerebellar mutant mouse
ω-Conotoxin; Calcium channel; Autoradiography (Maeda, N.) **489,** 21

Cerebellar Purkinje cell
Treadmill locomotion; Estrogen; Progesterone; Sex steroid; Sensorimotor evoked discharge (Smith, S.S.) **476,** 307

Cerebellar slice
Tetrapentylammonium; 4-Aminopyridine; Spontaneous glutamate release; Calcium (Barnes, S.) **486,** 89

Cerebellum
Mouse; *pcd* mutant; Habituation-hole poking (Lalonde, R.) **479,** 201

Excitatory amino acid receptor; Glycine; *N*-Methyl-D-aspartate; Cyclic guanosine monophosphate; Phencyclidine (Danysz, W.) **479,** 270

N-Acetylaspartylglutamate; Uptake; Release; Aspartate; Glutamate (Sekiguchi, M.) **482,** 78

N-Acetylaspartylglutamate; Climbing fiber response; MRNA; *Xenopus laevis* oocyte; Excitatory amino acid; Uptake (Sekiguchi, M.) **482,** 87

Trigeminal; Inferior olive; Climbing fiber response; Crura I and II; Lobulus simplex (Akaike, T.) **482,** 402

Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Degeneration; Spinal cord; Medulla; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Brain; Australoid race; Basal ganglia; Corpus striatum; Amygdaloid body; Thalamus (Klekamp, J.) **485,** 79

Topographical map; Climbing fiber response; Vibrissa (Thomson, M.A.) **488,** 241

Cell adhesion molecule; Granule cell migration; Intracerebral transplantation (Poltorak, M.) **488,** 265

Inositol 1,4,5-trisphosphate; Purkinje cell; Granule cell; Glutamate; Dominantly inherited olivopontocerebellar atrophy; Ataxia (Kish, S.J.) **489,** 373

Gunn rat; Synaptogenesis; Purkinje cell; Postnatal development (Takagishi, Y.) **492,** 116

Corticonuclear projection; Corticovestibular projection; Uvula; Rat (Tabuchi, T.) **492,** 176

Purkinje cell; Serotonin; Excitatory amino acid; In vitro; Intracellular recording (Hicks, T.P.) **492,** 371

Cerebral cortex; Noradrenaline; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Cerebral blood flow; Cerebral glucose utilization; Rat; Brain lesion; Excitatory amino acid (Chida, K.) **500,** 177

Corticotropin-releasing factor; Immunocytochemistry; Hypothalamus; Hippocampus; Senile plaque; Alzheimer's disease (Kelley, M.) **501,** 392

Medulloblastoma; N-ras oncogene; Differentiation; Polymerase chain reaction; Neuroectodermal tumor (Fults, D.) **503,** 281

Calcitonin gene-related peptide; Development; Climbing fiber; Inferior olive; Immunohistochemistry (Morara, S.) **504,** 315

Cyclic guanosine monophosphate; Immunohistochemistry; Rat (De Vente, J.) **504,** 332

Equilibrium; Maturation; Learning; Rat (Auvray, N.) **505,** 291

Cerebral artery
Noradrenaline release; α_2-Adrenoceptor agonist; α_2-Adrenoceptor antagonists; Protein kinase C; Phorbol ester; Ionophore A23187 (Balfagon, G.) **477,** 196

Cerebral blood flow; γ-Aminobutyric acid-B receptor; Noradrenaline release; Baclofen (Miranda, F.J.) **492,** 45

Immunohistochemistry; 5-Hydroxytryptamine; Sympathetic nerve; Neurotoxic denervation; Surgical sympathectomy; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Monoamine oxidase; Cerebral circulation; Sympathetic nerve terminal; Nerve growth factor; Immunosympathectomy; Ultrastructure (Shigematsu, K.) **497,** 21

Cerebral asymmetry
Somatosensory system; Cerebral dominance; Handedness; Positron emission tomography; Cerebral glucose utilization; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Rotation; Conditioned circling; Striatum; Medical prefrontal cortex; Dopamine (Glick, S.D.) **504,** 231

Cerebral blood flow
Catecholamine; Norepinephrine; Locus coeruleus; 6-Hydroxydopamine; α-Methylparatyrosine (Onesti, S.T.) **477,** 378

Adenosine; Hypoxia; Mass spectrometry; Rabbit; Theophylline (Pinard, E.) **481,** 124

Dextromethorphan; Cerebral ischemia; Electroencephalography; Rat (Tortella, F.C.) **482,** 179

γ-Aminobutyric acid-B receptor; Cerebral artery; Noradrenaline release; Baclofen (Miranda, F.J.) **492,** 45

Arteriovenous malformation; Autoradiography; Rat; Hyperemia (Morgan, M.K.) **496,** 241

Cerebral metabolism; Cerebral ischemia; *N*-Methyl-D-aspartate antagonist (Perkins, W.J.) **498,** 34

Cerebellum; Cerebral glucose utilization; Rat; Brain lesion; Excitatory amino acid (Chida, K.) **500,** 177

Cerebral circulation
5-Hydroxytryptamine; Cynomolgus monkey; Microsphere; Adenosine; Dog (Faraci, F.M.) **478,** 121

Monoamine oxidase; Sympathetic nerve terminal; Cerebral artery; Nerve growth factor; Immunosympathectomy; Ultrastructure (Shigematsu, K.) **497,** 21

Cerebral cortex
Adenosine uptake; Release; Purine; Dipyridamole; Soluflazine (Phillis, J.W.) **481,** 309

Parvalbumin; Lectin; *N*-Acetylgalactosamine; γ-Aminobutyric acid (Kosaka, T.) **483,** 158

Commissural connection; Interhemispheric connection; Horseradish peroxidase (Nakamura, H.) **485,** 171

Serotonin; 5-Hydroxytryptamine; Immunocytochemistry; Lizard; Reptile (Guirado, S.) **488,** 213

Insulin-induced hypoglycemia; Somatostatin; Hippocampus; Rat (Rodriguez-Sanchez, M.N.) **494,** 36

Catecholamine; Neuropeptide Y; Interaction; Double-staining immunocytochemistry (Tsuchiyama, M.) **494,** 168

Cerebellum; Noradrenaline; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Quantification; Neuron; Cortical thickness; Environment (Beaulieu, C.) **495,** 382

γ-Aminobutyric acid; Focal epilepsy; Withdrawal syndrome; In vitro study (Silva-Barrat, C.) **498,** 289

Estradiol; Freeze-fracture; Plasma membrane; Neuronal membrane; Development; Cell culture (Garcia-Segura, L.M.) **498,** 339

Mianserin; Protryptiline; Adrenoceptor, α_1; Prazosin binding; Phosphoinositide hydrolysis (Sallés, J.)

498, 366

Hibernation; Arousal; Feeding; Dopamine; Serotonin; Bat (Bauman, W.A.) **500,** 156

Acetylcholine; Nicotinic acetylcholine receptor; Immunocytochemistry; Human brain; Rat brain (Schröder, H.) **502,** 287

Monkey; Double bouquet cell; Calcium binding protein (DeFelipe, J.) **503,** 49

γ-Aminobutyric acid; Glycine; Cerebrospinal fluid; Release (Phillis, J.W.) **504,** 121

Basal forebrain; Reticular thalamic nucleus; Mesopontine tegmentum; Axonal collateralization; Cholinergic neuron; Parvalbumin (Jourdain, A.) **505,** 55

Cerebral cortical neuron
Alzheimer's disease; Inhibitory factor; Neurotrophic factor; Cell culture (Uchida, Y.) **481,** 190

Cerebral cortical transplant
Newborn host; Thalamic stimulation; Peripheral stimulation; Electrophysiology; Sensory input (Neafsey, E.J.) **493,** 33

Cerebral distribution
γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex; γ-Aminobutyric acid-A receptor complex; Receptor antibody; Immunohistochemistry; γ-Aminobutyric acidergic neuron (Taguchi, J.-I.) **483,** 395

Cerebral dominance
Somatosensory system; Cerebral asymmetry; Handedness; Positron emission tomography; Cerebral glucose utilization; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Cerebral endothelium
Brain edema; Protein kinase C; Blood–brain barrier; 1,5(Isoquinolinylsulfonyl)-2-methylpiperazine; Tight junction (Joó, F.) **490,** 141

Cerebral glucose metabolism
Iminodipropionitrile; Head movement; Circling; Substantia nigra; Superior colliculus; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Cerebral glucose utilisation
N-Methyl-D-aspartate receptor; MK-801; 3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid; Autoradiography; Deoxy sugar (Kurumaji, A.) **496,** 268

Cerebral glucose utilization
Somatosensory system; Cerebral asymmetry; Cerebral dominance; Handedness; Positron emission tomography; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Cerebellum; Cerebral blood flow; Rat; Brain lesion; Excitatory amino acid (Chida, K.) **500,** 177

Cerebral hypoxia
Brain; Biological metabolic model (Dorson, W.J.) **486,** 108

Cerebral ischemia
Gerbil; Stroke-prone gerbil; Temporary ligation; Prediction of stroke; Brain vasculature (Kitagawa, K.) **479,** 263

Repeated ischemia; Transient ischemic attack; Selective vulnerability; Calcium accumulation; Gerbil (Kato, H.) **479,** 366

Autoradiography; Hippocampus; Phorbol ester; Protein kinase C; Selective vulnerability; Synaptic plasticity (Onodera, H.) **481,** 1

Dextromethorphan; Cerebral blood flow; Electroencephalography; Rat (Tortella, F.C.) **482,** 179

Phenothiazine; Spinal cord ischemia; Protein kinase; Stroke; Rabbit (Zivin, J.A.) **482,** 189

Adenylate cyclase; Delayed neuronal death; Forskolin; Hippocampus; Inositol trisphosphate (Onodera, H.) **487,** 343

Repeated ischemia; Transient ischemic attack; Rat; Hippocampus (Nakano, S.) **490,** 178

Hippocampal formation; CA1 region; Calbinding-D_{28K}; Parvalbumin; Immunohistochemistry; Rat (Mudrick, L.A.) **493,** 179

Repeated ischemia; Naftidrofuryl; Serotonin S_2 antagonist; Gerbil (Fujikura, H.) **494,** 387

Cerebrovascular disease; Dextrorphan; Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate (Steinberg, G.K.) **497,** 382

Cerebral blood flow; Cerebral metabolism; *N*-Methyl-D-aspartate antagonist (Perkins, W.J.) **498,** 34

Thalamic reticular nucleus; Intracranial pressure; Excitotoxicity (Ross, D.T.) **501,** 129

c-Fos; Proto-oncogene; Brain damage; Spreading depression; *N*-Methyl-D-aspartate (Herrera, D.G.) **503,** 205

Hippocampus; Brain slice; Phenytoin; Vitamin E (Amagasa, M.) **504,** 87

Neuronal death; Excitotoxicity; Hippocampus; Dentate gyrus; Paired-pulse inhibition; Inhibitory interneuron (Chang, H.S.) **505,** 220

Cerebral lateralization
Neocortical ablation; Neuroimmunology; Lymphoproliferation; Concanavalin A; Lipopolysaccharide; Prolactin; Female rat (LaHoste, G.J.) **483,** 123

Cerebral metabolism
Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

2-Deoxyglucose; Locus coeruleus; Norepinephrine; Stress; Rat (Justice, A.) **490,** 73

Deoxyglucose; Phenobarbital; Drug withdrawal (Marietta, C.A.) **496,** 173

Cerebral blood flow; Cerebral ischemia; *N*-Methyl-D-aspartate antagonist (Perkins, W.J.) **498,** 34

Blood–brain barrier; Nuclear magnetic resonance; Positron emission tomography; Delayed radiation injury; Heavy charged particle (Lo, E.H.) **504,** 168

Cerebral microcirculation
Vascular smooth muscle; Neurotransmitter; Amino acid; γ-Aminobutyric acid; Glycine; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Cerebral microvessel
Acetylcholinesterase; Butyrylcholinesterase; Rodent; Carnivore; Blood–brain barrier (Trancard, J.) **476,** 213

Rat; Alkaline phosphatase; Brain lesion; Ibotenic acid (Iadecola, C.) **501,** 188

Cerebral protection
Phenytoin; Ischemia; Cell death; Selective neuronal vulnerability (Taft, W.C.) **483,** 143

Cerebral serotonergic neuron
Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Cerebral vasospasm
Arg-vasopressin; Microvessel; Rat hippocampal slice (Cach, R.) **483,** 221

Cerebral ventricle
Vasopressin; Angiotensin II; Osmotic stimulus; Cholinoceptor; Carbachol; Hexamethonium; Atropine; Rat (Yamaguchi, K.) **496,** 345

Cerebrospinal fluid
Choroid plexus; Hypocalcemia; Hypercalcemia; Calcium regulation; Calcium transfer (Murphy, V.A.) **484,** 65

Ca^{2+}-Mg^{2+} ATPase; Choroid plexus; Calcium-transport; Calcium-pump; Immunohistochemistry (Borke, J.L.) **489,** 355

Xylazine; α_2-Agonist; Catecholamine;

Noradrenaline (Mefford, I.N.) **492,** 377

Dorsal motor nucleus of the vagus; Guinea pig; Immunocytochemistry; Oxytocin; Species difference (Dubois-Dauphin, M.) **496,** 66

Exercise; β-Endorphin; Cortisol; Catecholamine; Conscious dog (Radosevich, P.M.) **498,** 89

γ-Aminobutyric acid; Glycine; Release; Cerebral cortex (Phillis, J.W.) **504,** 121

Cerebrospinal fluid alteration therapy
Pituitary gland; Supraependymal neuron; Neuroendocrine regulation (Michael, D.B.) **478,** 227

Cerebrospinal fluid formation
Choroid plexus; Chloride transport; Disulfonic stilbenes, DIDS and SITS; Cl-HCO_3 antiport; Blood–CSF barrier (Deng, Q.-S.) **501,** 183

Cerebrospinal fluid sodium
Drinking; Osmoregulation; Vasopressin; Minipig (Thornton, S.N.) **488,** 297

Cerebrovascular disease
Cerebral ischemia; Dextrorphan; Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate (Steinberg, G.K.) **497,** 382

Cerulein
Cholecystokinin; Acetylcholine; Intracerebral dialysis; Striatum; Vagotomy (Shimoyama, M.) **492,** 381

Ceruletide
Cholecystokinin; Dopamine; Vagotomy; Dialysis (Hamamura, T.) **483,** 78

Cervical spinal cord
Skin reflex pathway; Premotor neuron; Interneuron; Laminae V–VII; Lateral funiculus; Cat (Hongo, T.) **505,** 163

Cervical sympathetic trunk
Sympathectomy; Unmyelinated fiber; Guanethidine (Zochodne, D.W.) **498,** 221

Cervico-ocular reflex
Vestibulo-ocular reflex; Eye movement; Infant (Reisman, J.E.) **484,** 119

Cetacea
γ-Aminobutyric acid; Neuron; Propoise; Visual cortex; Immunocytochemistry (Garey, L.J.) **485,** 278

Channel conductance
Locust muscle; Outside-out patch; Glutamate receptor; Chloride channel; L-Glutamate; Ibotenate; Channel open time (Dudel, J.) **481,** 215

Channel open time
Locust muscle; Outside-out patch; Glutamate receptor; Chloride channel; L-Glutamate; Ibotenate; Channel conductance (Dudel, J.) **481,** 215

Characteristics
Paroxetine binding; Human brain (Bäckström, I.) **486,** 261

Characterization
Neuromedin N; Radioimmunoassay; Neuromedin N-like immunoreactivity; Regional distribution; Rat brain; Neurotensin (De Nadai, F.) **500,** 193

Chemical kindling
Cyclic adenosine monophosphate (cAMP); Amygdala; Electrical kindling; Transfer of chemical to electrial kindling (Yokoyama, N.) **492,** 158

Chemical sense
Chemosensory receptor; Peripheral mechanism; Taste; Transduction (Kalinoski, D.L.) **488,** 163

Chemiluminiscent assay
Acetylcholinesterase; Striatal stimulation; Push–pull cannula (Taylor, S.J.) **505,** 153

Chemoreceptor
Tachykinin; Substance P; Neurokinin A; Hypoxia; Carotid body (Prabhakar, N.R.) **481,** 205

Carotid body; Cyanide; Uncoupler; Dopamine release; Metabolic hypothesis (Obeso, A.) **481,** 250

Adenosine triphosphate; Antagonism; Lobster; Nucleotide; Ectonucleotidase; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Chemosensitive
Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Chemosensory
Visceral afferent; Connection; Barosensory; Fink-Heimer; Horseradish peroxidase (Claps, A.) **489,** 80

Chemosensory receptor
Chemical sense; Peripheral mechanism; Taste; Transduction (Kalinoski, D.L.) **488,** 163

Chemosensory response
Carotid body; Hypoxia; Hypercapnia; Extracellular calcium; Extracellular potassium; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Chick
Enkephalin; Release; Retina; Amacrine cell (Boelen, M.K.) **488,** 43

Chick cerebellum
Kainate receptor; Kainyl-bovine serum albumin; Ligand binding; Autoradiography (Eshhar, N.) **476,** 57

Chick ciliary ganglion
Ca current; Ca channel; Presynaptic nerve terminal; Transmitter release; Vertebrate nerve terminal; Nerve terminal; Calyx synapse (Stanley, E.F.) **505,** 341

Chick cortex
γ-Aminobutyric acid receptor; Chloride current; Neuronal development; γ-Aminobutyric acid/benzodiazepine receptor (Hablitz, J.J.) **501,** 332

Chicken
Asymmetry; Sex difference; Thalamofugal pathway; True blue; Visual Wulst (Adret, P.) **478,** 59

Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Degeneration; Spinal cord; Medulla; Cerebellum; Fink–Heimer silver impregnation method (Tanaka, D.) **484,** 240

γ-Aminobutyric acid; L-Glutamate decarboxylase; γ-Aminobutyric acid-transaminase; Immunoreactivity; Vestibular endorgan; Vestibular ganglion (Usami, S.-I.) **503,** 213

Chloral hydrate
Ether; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Chlorethylclonidine
α_1 Receptor; Dog; Prazosin; Rat; Subtype; WB-4101 (Mignot, E.) **486,** 56

Chloride
Hippocampus; Ischemia; Excitatory amino acid; Calcium; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

Aplysia; Desensitization; Receptor; Acetylcholine (Evans, M.L.) **495,** 309

Chloride channel
Locust muscle; Outside-out patch; Glutamate receptor; L-Glutamate; Ibotenate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

GABA receptor complex; Spinal cord neuron; Benzodiazepine receptor; γ-Aminobutyric acid synaptic pharmacology (Lehoullier, P.F.) **487,** 205

γ-Aminobutyric acid; Glycine; Buspirone; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

α-Chloralose; Frog; Sensory neuron; Noise analysis (Ishizuka, S.) **498,** 181

Lindane; Picrotoxin; γ-Aminobutyric acid; Glutamate; Acetylcholine; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Chloride current
Pregnenolone sulfate; Picrotoxin; Pentobarbital; γ-Aminobutyric acid;

Steroid; Patch-clamp (Mienville, J.-M.) **489,** 190

Ibotenate; Muscimol; *N*-Methyl-D-aspartate; Voltage clamp (Zorumski, C.F.) **494,** 193

γ-Aminobutyric acid receptor; Chick cortex; Neuronal development; γ-Aminobutyric acid/benzodiazepine receptor (Hablitz, J.J.) **501,** 332

Chloride ion channel
γ-Aminobutyric acid receptor; Synaptoneurosome; Barbiturate; Picrotoxinin; Picrotoxin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

Chloride ion flux
Benzodiazepine receptor; γ-Aminobutyric acid; In vivo binding; Receptor occupancy; Shuttlebox active avoidance; Anxiety; Depression (Drugan, R.C.) **487,** 45

Chloride ionophore
Pregnenolone sulfate; γ-Aminobutyric acid A-receptor; Steroid; Steroid metabolite (Gee, K.W.) **482,** 169

Chloride transport
Inhibition; γ-Aminobutyric $acid_A$-receptor; γ-Aminobutyric acid-induced ion movement; Hippocampal slice (Müller, W.) **484,** 184

Choroid plexus; Cerebrospinal fluid formation; Disulfonic stilbenes, DIDS and SITS; Cl-HCO_3 antiport; Blood–CSF barrier (Deng, Q.-S.) **501,** 183

Chlorisondamine
Corticotropin-releasing factor; Novelty; Ganglionic blocker; Hexamethonium; Locomotion; Grooming (Britton, D.R.) **478,** 205

Corticotropin-releasing factor; Adrenocorticotropic hormone; Opiate receptor; Morphine (Nikolarakis, K.E.) **498,** 385

Cardiovascular regulation; γ-Aminobutyric acid; Arginine-vasopressin; Baroreceptor; Converting enzyme inhibition (Segura, T.) **499,** 53

Chlorpromazine
Sodium channel; Potassium channel; Calcium channel; Imipramine; Haloperidol; Neuroblastoma (Ogata, N.) **476,** 140

Sodium channel; Hippocampal pyramidal neuron; Concentration-clamp (Wakamori, M.) **494,** 374

7-Chlorokynurenate
N-Methyl-D-aspartate receptor; 6-Cyano-7-nitroquinoxaline-2,3-dione; Kainate receptor; γ-Aminobutyric acid release; Cortex (Harris, K.M.) **489,** 185

7-Chlorokynurenic acid
N-Methyl-D-aspartate receptor; Phencyclidine receptor; Glycine receptor antagonist; [^{3}H]MK-801 (Sircar, R.) **504,** 325

***p*-Chloroamphetamine**
$Serotonin_{1D}$ receptor; Paroxetine-labeled serotonin uptake site; Autoradiography (Herrick-Davis, K.) **483,** 155

***p*-Chlorophenylalanine**
Hippocampus; Ventrobasal complex; Single unit activity; Serotonin; 5-Methoxy-*N,N*-dimethyltryptamine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

Tyrosine hydroxylation; Retina; Tyrosine; Phenylalanine; Rat (Fernstrom, M.H.) **499,** 291

α-Chloralose
Chloride channel; Frog; Sensory neuron; Noise analysis (Ishizuka, S.) **498,** 181

Cholecystokinin
Neurotensin; Haloperidol; Dopamine; Rat (Radke, J.M.) **480,** 178

Ceruletide; Dopamine; Vagotomy; Dialysis (Hamamura, T.) **483,** 78

Intracerebroventricular; Caudate-putamen; D-Amphetamine; Dopamine release; 3-Methoxytyramine (Altar, C.A.) **483,** 321

Anthramycin; Antagonist; Benzodiazepine; Autoradiography; Mouse; Brain (Kubota, K.) **485,** 62

Dopamine receptor subtype; Subchronic drug treatment; Haloperidol; Clozapine; Supersensitivity; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

Bombesin; Vasoactive intestinal polypeptide; Celiac ganglion; Guinea pig; Synapse (Hamaji, M.) **488,** 283

In situ hybridization; Dopamine; Colocalization; Human substantia nigra (Palacios, J.M.) **488,** 369

Thalamus; Ventrolateral nucleus; Vasoactive intestinal polypeptide; Immunohistochemistry; Wheat germ agglutinin–horseradish peroxidase; Rat (Ogawa, R.) **490,** 152

Cerulein; Acetylcholine; Intracerebral dialysis; Striatum; Vagotomy (Shimoyama, M.) **492,** 381

Oxytocin; Grooming behavior; Coexistence (Kaltwasser, M.T.) **496,** 380

Caudate nucleus; Nucleus accumbens; Potassium; Dopamine; In vivo electrochemistry (Gerhardt, G.A.) **499,** 157

Opiate; Serotonin; Tryptophan hydroxylase; Vagotomy; 5-Hydroxyindole acetic acid (Johannessen, J.N.) **499,** 357

Neuropeptide; Somatostatin; Neuropeptide Y; Vasoactive intestinal peptide; Amygdala; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Release; Dopamine; Brain dialysis (Butcher, S.P.) **505,** 119

Cholecystokinin receptor
Vagus nerve; Nucleus tractus solitarii; Area postrema; Satiety; Human brainstem (Hyde, T.M.) **495,** 198

Cholecystokinin-octapeptide (CCK-8)
Proglumide; Periaqueductal gray; Morphine analgesia (Li, Y.) **480,** 105

Cholecystokinin/gastrin peptide
Co-localization; *Aplysia*; Identified neuron; Synaptic transmission; Buccal ganglia; Cholinergic transmission (Ono, J.K.) **493,** 212

Cholera toxin
G protein; *Aplysia*; Pertussis toxin; Adenylate cyclase; Synaptosome (Vogel, S.S.) **478,** 281

Cholera toxin B-chain–horseradish peroxidase
Principal optic nuclei; Accessory optic; Tectum; Avian (Wild, J.M.) **479,** 130

Cholesterol
Muscle; Neuromuscular junction; Aging; Denervation; Phospholipid (Williams, K.D.) **493,** 14

Choline
Acetylcholine; Phospholipid; Phosphatidylcholine; Precursor; Striatum (Ulus, I.H.) **484,** 217

Aluminum; Neurotoxicity; Norepinephrine; Rat hippocampus (Zubenko, G.S.) **498,** 381

Transplant; Development; Neostriatum; Serotonin; Dopamine; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Choline acetyltransferase
Regulation; Retinoic acid; Butyrate; Neuroblastoma (Casper, D.) **478,** 74

Regulation; Mechanism; Retinoic acid; Butyrate; Neuroblastoma (Casper, D.) **478,** 85

Basal forebrain; Corticopetal system (Zaborszky, L.) **479,** 177

GM_1 ganglioside; Nerve growth factor; Nucleus basalis magnocellularis; High affinity choline uptake (Di Patre, P.L.) **480,** 219

Alzheimer's disease; Parkinson's disease; Muscarinic receptor; M_1-receptor; M_2-receptor; Dementia (Rinne, J.O.) **483,** 402

Testosterone; Neuronal organization; Hypogastric ganglion; Tyrosine hydroxylase (Melvin, J.E.) **485,** 1

Spinal cord; Superior cervical ganglion; Lumbar sympathetic ganglion; Neurospecificity; Tissue culture (Chalazonitis, A.) **485,** 115

Acetylcholinesterase; Penis; Parasympathetic; Acetylcholine; Cholinergic innervation (Dail, W.G.) **487,** 165

Nerve growth factor; Nucleus basalis of Meynert; Acetylcholinesterase (Haroutunian, V.) **487,** 200

Co-localization; Glutamic acid decarboxylase; γ-Aminobutyric acid; Acetylcholine; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Immunohistochemistry; Cholinergic structure; Rat brainstem (Tago, H.) **495,** 271

Monosialoganglioside (GM1); Microcapsule; Cortical lesion; Cholinergic neuron (Maysinger, D.) **496,** 165

Immunocytochemistry; Carotid body (Wang, Z.-Z.) **498,** 131

Nerve growth factor; Cholinergic neuron; Basal forebrain; Infusion pump; Rat (Williams, L.R.) **498,** 243

Synaptosomal plasma membrane; Monoclonal antibody; Inhibition (Eder-Colli, L.) **500,** 90

PC12 cell; Neuronotrophic factor; Retinoic acid; Tyrosine hydroxylase; Neuronal differentiation (Matsuoka, I.) **502,** 53

Cholinergic; Fimbria-fornix transection; Medial septum; Nerve growth factor; Neuronal death; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Choline acetyltransferase immunocytochemistry
Superior colliculus; Cholinergic input; Electron microscopy (Henderson, Z.) **476,** 149

Choline transport
Acetylcholine synthesis; Septum; Hippocampus; Septo-hippocampal neuron; Hemicholinium-3; Single unit recording (Jobert, A.) **476,** 220

Choline uptake
Acetylcholine synthesis; Acetylcholine release; Neuroblastoma; Human; Phosphocholine (Richardson, U.I.) **476,** 323

Tetrahydroaminoacridine; 4-Aminopyridine; Striatal synaptosome; Hippocampal synaptosome (Buyukuysal, R.L.) **482,** 371

Cholinergic
Muscarinic; Nicotine; Receptor; Lesion; Nucleus basalis magnocellularis (Atack, J.R.) **483,** 367

Phosphoinositide; Medial septum; Hippocampus; Noradrenergic (Connor, D.J.) **488,** 387

Striatum; Fasciculin; Toxin; Snake venom; Circling behavior (Bolioli, B.) **504,** 1

Choline acetyltransferase; Fimbria-fornix transection; Medial septum; Nerve growth factor; Neuronal death; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Cholinergic basal forebrain
Nerve growth factor; Monoclonal antibody; Autoradiography; Immunohistochemistry (Schweitzer, J.B.) **490,** 390

Cholinergic basal forebrain lesion
Somatostatin; Neuropeptide Y; Neocortex; Rat (Gaykema, R.P.A.) **489,** 392

Cholinergic enzyme
Axonal transport; Ischemia; Spinal cord (Malatová, Z.) **481,** 31

Cholinergic hypothesis
Alzheimer's disease; Thalamic reticular nuclei; Thalamic mediodorsal nuclei; Neuritic plaque (Masliah, E.) **493,** 240

Cholinergic innervation
Choline acetyltransferase; Acetylcholinesterase; Penis; Parasympathetic; Acetylcholine (Dail, W.G.) **487,** 165

Cholinergic input
Superior colliculus; Choline acetyltransferase immunocytochemistry; Electron microscopy (Henderson, Z.) **476,** 149

Cholinergic nerve terminal
Hemicholinium-3; Quantitative autoradiography; Tritium tissue quenching; Interpeduncular nucleus (Bekenstein, J.W.) **481,** 97

Cholinergic nerve terminals
Hemicholinium-3; Autoradiography; High-affinity choline uptake; Human brain (Pascual, J.) **505,** 306

Cholinergic neuron
Alzheimer's disease; Axotomy; Cytoskeleton; Septohippocampal system (Koliatsos, V.E.) **482,** 205

Monosialoganglioside (GM1); Choline acetyltransferase (ChAT); Microcapsule; Cortical lesion (Maysinger, D.) **496,** 165

Transplantation; AF64A; Hippocampus; Radial maze; Spatial memory; Acetylcholinesterase (Ikegami, S.) **496,** 321

Nerve growth factor; Choline acetyltransferase; Basal forebrain; Infusion pump; Rat (Williams, L.R.) **498,** 243

Calbindin; Nucleus basalis of Meynert; Alzheimer-type dementia (Ichimiya, Y.) **499,** 402

Tyrosine hydroxylase; Phenylethanolamine-*N*-methyltransferase; Endothelial cell; Adrenergic neuron; Cardiovascular regulation (Milner, T.A.) **500,** 67

Alzheimer's disease; Progressive supranuclear palsy; Neostriatum; Basal nucleus of Meynert; Large neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Basal forebrain; Reticular thalamic nucleus; Mesopontine tegmentum; Cerebral cortex; Axonal collateralization; Parvalbumin (Jourdain, A.) **505,** 55

Cholinergic neurotoxin
AF64A; Monoamine oxidase (Jossan, S.S.) **476,** 291

Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Serotonin; Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

AF64; Ethylcholine aziridinium; Circadian rhythm; Hypothalamus; Nicotinic cholinergic receptor (Morley, B.J.) **504,** 238

Ethylcholine aziridinium (AF64A); Hemicholinium; High affinity choline transport; Hippocampus; Memory; Working memory (Chrobak, J.J.) **504,** 269

Cholinergic structure
Choline acetyltransferase; Immunohistochemistry; Rat brainstem (Tago, H.) **495,** 271

Cholinergic transmission
Co-localization; *Aplysia*; Identified neuron; Synaptic transmission; Buccal ganglia; Cholecystokinin/gastrin peptide (Ono, J.K.) **493,** 212

Cholinesterase
Plaque; Tangle; Cholinesterase inhibitor; Alzheimer's disease (Geula, C.) **498,** 185

Cholinesterase inhibitor
Cholinesterase; Plaque; Tangle; Alzheimer's disease (Geula, C.) **498,** 185

Cholinoceptor
Vasopressin; Angiotensin II; Osmotic stimulus; Carbachol; Hexamethonium; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Chorda tympani
Nerve regeneration; Reinnervation; Lingual nerve; Tongue; Taste; Salivary gland (Robinson, P.P.) **483,** 259

Choroid plexus
Cerebrospinal fluid; Hypocalcemia; Hypercalcemia; Calcium regulation; Calcium transfer (Murphy, V.A.) **484,** 65

Prolactin receptor; Ring dove; *Streptopelia risoria*; Hypothalamus;

Quantitative autoradiography; Telencephalon; Sex difference (Fechner, J.H.) **487,** 245

Melatonin; Pinealectomy; Glucose utilization; Hypothalamus; Nucleus tractus solitarii (Vitte, P.-A.) **489,** 273

Ca^{2+}-Mg^{2+} ATPase; Calcium-transport; Cerebrospinal fluid; Calcium-pump; Immunohistochemistry (Borke, J.L.) **489,** 355

Cerebrospinal fluid formation; Chloride transport; Disulfonic stilbenes, DIDS and SITS; Cl-HCO_3 antiport; Blood–CSF barrier (Deng, Q.-S.) **501,** 183

Chromaffin cell
Adrenal medulla; Catecholamine secretion; Inositol phosphate; Somatostatin; Catecholamine (Moeller, I.) **484,** 192

Adrenal medullary strip; Dopamine; β-Endorphin; MPF (Ensor, D.M.) **490,** 196

Neural implants; Nociception; Spinal cord; Opioid peptide; Adrenal medulla; Analgesia; Neural graft (Sagen, J.) **502,** 1

Chromogranin A
Ontogenesis; Adrenal medulla; Chromogranin B; Catecholamine (Schober, M.) **478,** 41

Metabolism; Brain; Metabolic fuel; Pituitary; Adrenocorticotropic hormone; Autonomic nervous system (Gunion, M.W.) **485,** 251

Chromogranin B
Ontogenesis; Adrenal medulla; Chromogranin A; Catecholamine (Schober, M.) **478,** 41

Chronic cannula
Kainate; Limbic seizure; Temporal lobe epilepsy (Berger, M.L.) **489,** 261

Chronic deafferentation
Cat spinal α-motoneuron; Monosynaptic reflex; Plasticity (Hellgren, J.) **488,** 149

Chronic drug treatment
Dopamine receptor subtype; Haloperidol; Clozapine; Neostriatum; Antipsychotic drug; Cyclic adenosine monophosphate; Supersensitivity (Ashby, C.R.) **493,** 194

D_2 dopamine receptor; Inositol phosphate; Rat striatum; Muscarinic receptor; Antipsychotic drug; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Chronic ethanol ingestion
Brain; Mitochondria; Calcium uptake; Respiration (Farrar, R.P.) **500,** 374

Guanine nucleotide binding protein; Forskolin binding; Adenylate cyclase; Mouse (Valverius, P.) **503,** 38

Chronic haloperidol
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Globus pallidus; Supersensitivity; Microiontophoresis; Glycine (Frey, J.M.) **491,** 57

Chronic hypoglycemia
Brain mitochondria; Diabetes; Insulin; Respiratory control ratio; State 3 respiration; State 4 respiration (Pellegrino, D.A.) **479,** 241

Chronic intake
Ethanol; Neuron; Morphology (Durand, D.) **477,** 373

Chronic neuroleptic treatment
Dopamine receptor; Receptor proliferation; Denervation; Metoclopramide; Autoradiography; Spiroperidol, [^{3}H]-; Rat (LaHoste, G.J.) **502,** 223

Chronic pain
Spinal cord; Dorsal horn neuron; Naloxone (Lombard, M.-C.) **477,** 48

Experimental pain; Adjuvant arthritis; Analgesic; Sleep (Landis, C.A.) **488,** 195

CI-628
Antiestrogen; LY10074; Keoxifene; Luteinizing hormone; Norepinephrine turnover; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

Ciliary ganglion
Somatostatin; Transmitter release; Parasympathetic ganglion; Presynaptic inhibition (Katayama, Y.) **487,** 62

Trigeminal ganglion; Pterygopalatine ganglion; Superior cervical ganglion; Nodose ganglion; Sensory innervation; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Sympathetic innervation; Superior cervical ganglion; Trigeminal ganglion; Pterygopalatine ganglion; Anterior eye segment; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Edinger-Westphal nucleus; Nucleus Perlia; Oculomotor nerve (Burde, R.M.) **498,** 371

Ciliary muscle
Accommodation; Central electrical stimulation; Coincidence refractometry; Contrast ventriculoradiography; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Circadian rhythm
Phototransduction; Calcium channel (Zatz, M.) **477,** 14

Suprachiasmatic nucleus; Arginine-vasopressin; Brain slice (Liou, S.Y.) **477,** 336

Suprachiasmatic nucleus; Retina; Visual system; Hypothalamus (Murakami, D.M.) **482,** 283

Lateral geniculate nucleus; Suprachiasmatic nucleus; Neuropeptide Y; Hypothalamus (Moore, R.Y.) **486,** 190

Potassium; Lithium; Toxicity; Hamster; Affective disorder (Klemfuss, H.) **492,** 300

Suprachiasmatic nucleus; Paraventricular nucleus; Brain protein synthesis; Neutral amino acid; Autoradiography, [^{14}C]leucine (Scammell, T.E.) **494,** 155

Rat; Pineal; *N*-Acetyltransferase; Entrainment; Light–dark cycle (Illnerová, H.) **494,** 365

Melatonin; Pineal gland; Melatonin metabolite; Light–dark cycle (Kennaway, D.J.) **495,** 349

Cycloheximide; Protein synthesis; Phase response curve; Hamster (Wollnik, F.) **496,** 82

Pacemaker; Neural transplant; Suprachiasmatic nucleus; Hypothalamus; Parvocellular neuron; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Melatonin; Entrainment (Zatz, M.) **501,** 37

Entrainment (Zatz, M.) **501,** 46

Serotonin; Hypothalamus; Feeding behavior; Macronutrient; Carbohydrate; Protein; Paraventricular nucleus; Satiety (Leibowitz, S.F.) **503,** 132

Avoidance behavior; 5,7-Dihydroxytryptamine; Open field; Serotonin; Social behavior; Scopolamine (Vanderwolf, C.H.) **504,** 192

H-8; Protein kinase; Phosphoprotein; *Bulla gouldiana*; Mollusc (Roberts, M.H.) **504,** 211

AF64; Ethylcholine aziridinium; Cholinergic neurotoxin; Hypothalamus; Nicotinic cholinergic receptor (Morley, B.J.) **504,** 238

Carbachol; Djungarian hamster; Phase response curve; Locomotor activity; Blind (Wee, B.E.F.) **505,** 209

2-Deoxyglucose, [^{14}C]-; Glucose utilization; Day/night rhythm; Nocturnal (Room, P.) **505,** 321

Circadian rhythm entrainment
Intergeniculate leaflet; Suprachiasmatic nucleus; Photic response; Neurophysiology; Antidromic activation (Zhang, D.X.) **504,** 161

Circadian sleep–wake cycle
Prostaglandin E_2; Intraventricular infusion; Slow wave sleep; Paradoxical sleep; Wakefulness; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Circadian system
Lateral geniculate nucleus; Intergeniculate leaflet; Visual system;

Entrainment; Suprachiasmatic nucleus; Electrical stimulation (Rusak, B.) **493,** 283

Suprachiasmatic nuclei; Photic responsiveness; Entrainment; Neurophysiology (Meijer, J.H.) **501,** 315

Circadian variation
Pineal gland; α_1-Adrenoceptor (Pangerl, A.) **490,** 166

Circling
Iminodipropionitrile; Head movement; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Hemispheric asymmetry; Dopamine; Left–right discrimination (Willar, C.D.) **500,** 405

Circling behavior
Striatum; Fasciculin; Cholinergic; Toxin; Snake venom (Bolioli, B.) **504,** 1

Cis-2,3-Piperidine-dicarboxylic acid
Lateral superior olivary; Neurotransmitter; Excitant amino acid; *N*-Methyl-D-aspartate; Quisqualate; D,L-2-Amino-5-phosphonovaleric acid (Caspary, D.M.) **503,** 83

Cis-methyldioxolane
AFDX-116; Atropine; Blood pressure; Carbachol; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Cismethrin
Pyrethroid; Deltamethrin; Fenvalerate; Dentate gyrus; Hippocampus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

Cl-HCO_3 antiport
Choroid plexus; Cerebrospinal fluid formation; Chloride transport; Disulfonic stilbenes, DIDS and SITS; Blood–CSF barrier (Deng, Q.-S.) **501,** 183

Class II MHC antigen
Neural transplantation; Ia antigen; Xenograft; Vascular endothelial cell; Immunological rejection (Kohsaka, S.) **484,** 340

Class III alcohol dehydrogenase
Alcoholism; ω-Hydroxyfatty acid (Giri, P.R.) **481,** 131

Classical conditioning
Ependymin; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Clathrin
Axonal transport; Cytoskeleton; Transport kinetics; Slow component; Actin (Paggi, P.) **504,** 223

Climbing fiber
Calcitonin gene-related peptide; Development; Cerebellum; Inferior olive; Immunohistochemistry (Morara, S.) **504,** 315

Climbing fiber response
N-Acetylaspartylglutamate; mRNA; *Xenopus laevis* oocyte; Excitatory amino acid; Uptake; Cerebellum (Sekiguchi, M.) **482,** 87

Cerebellum; Trigeminal; Inferior olive; Crura I and II; Lobulus simplex (Akaike, T.) **482,** 402

Topographical map; Cerebellum; Vibrissa (Thomson, M.A.) **488,** 241

Clinical evaluation
Peripheral nerve lesion; Regeneration; Microneurography; Microstimulation (Ochs, G.) **496,** 228

Clonal cell line
D_1 receptor; D_2 receptor; Neuroblastoma; Retinoblastoma; SCH 23390; Methylspiperone (Monsma, F.J.) **492,** 314

Clonidine
μ-Opioid receptor; Analgesia; Hypertensive rat (Mastrianni, J.A.) **479,** 283

Adrenoceptor; Autonomic; Brain slice; Nucleus tractus solitarii; Synaptic excitability (Feldman, P.D.) **480,** 190

Noradrenaline; Hypothalamus; Paraventricular nucleus of hypothalamus; Energy expenditure; Metabolism; Phenylephrine (Siviy, S.M.) **487,** 79

Cultured cerebellar neuron; Glutamate; Noradrenaline; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol (Mori-Okamoto, J.) **490,** 64

Decerebrate cat; Yohimbine; Bladder; Urethra (Galeano, C.) **491,** 45

Kainic acid; Epilepsy; Noradrenaline; Dopamine (Baran, H.) **495,** 253

Neuropeptide Y; Corticotropin-releasing factor; Adrenocorticotropic hormone; Noradrenaline; Adrenaline; 6-Hydroxydopamine; Hypothalamus (Haas, D.A.) **498,** 333

Rabbit; Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Baroreflex; Nasopharyngeal reflex; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Calcium; Cyclic adenosine monophosphate; α_2-Adrenoceptor; Yohimbine; Isoproterenol; Synaptosome; Hypoxia (Okada, M.) **501,** 23

Clorgyline
Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Deprenyl (Kornhuber, J.) **499,** 81

Clozapine
Dopamine receptor subtype; Cholecystokinin; Subchronic drug treatment; Haloperidol; Supersensitivity; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

Antipsychotic; Neuroleptic; Haloperidol; Dopamine receptor; Serotonin receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Dopamine receptor subtype; Haloperidol; Neostriatum; Antipsychotic drug; Cyclic adenosine monophosphate; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

D_2 dopamine receptor; Chronic drug treatment; Inositol phosphate; Rat striatum; Muscarinic receptor; Antipsychotic drug; Haloperidol (Rubinstein, J.E.) **496,** 385

Co-activation
Stereotypy; Intrastriatal infusion; Dopamine receptor; Sniffing; Oral activity; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Co-concentration
Exercise; Locomotion; Rat; Reciprocal inhibition; Step cycle (Hutton, R.S.) **492,** 230

Co-localization
Kindling; Hippocampus; Epilepsy; Seizure; Immunocytochemistry; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid (Kamphuis, W.) **479,** 23

Corticotropin-releasing factor; Enkephalin; Immuno-β-galactosidase staining; Peroxidase–antiperoxidase method; Hypothalamus; Rat (Sakanaka, M.) **487,** 357

Alzheimer's disease; Somatostatin; Neuropeptide Y; Cortex; Bed nucleus of stria terminalis (Gaspar, P.) **490,** 1

Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Acetylcholine; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Aplysia; Identified neuron; Synaptic transmission; Buccal ganglia; Cholecystokinin/gastrin peptide; Cholinergic transmission (Ono, J.K.) **493,** 212

Glucocorticoid receptor; Corticotropin-releasing factor; Adrenocorticotropic hormone; Hypothalamus; Brainstem; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Co-production
Co-localization; Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Acetylcholine; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Co-transmitter
Neuropeptide; Tachykinin; Serotonin; Ion transport; Neuroblastoma × glioma hybrid cell (Reiser, G.) **479,** 40

Cobaltic-lysine complex
Biplexiform ganglion cell; Retina; Horseradish peroxidase; Anura (Tóth, P.) **499,** 378

Cocaine
Pain; Rat; Behavior; Morphine; Dopamine (Lin, Y.) **479,** 306

Behavioral sensitization; Dopamine uptake site; Intracerebral dialysis; Striatum (Akimoto, K.) **490,** 339

Carbamazepine; Epilepsy; Lidocaine; Local anesthetic (Weiss, S.R.B.) **497,** 72

Opioid peptide, endogenous; Conditioned place preference; Locomotor activity; Reinforcement (Houdi, A.A.) **497,** 195

Corticotropin-releasing hormone; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Cocaine self-administration
Dopamine release; Dopamine uptake; Microdialysis; Addiction (Hurd, Y.L.) **498,** 199

Coccygeus muscle
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Cochlea
1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA); Neurotransmitter; Guinea pig; Excitatory amino acid; Antagonist (Puel, J.L.) **487,** 9

Neurotransmission; Glutamate; Glutamate dehydrogenase; Compound action potential; Guinea pig (Rebillard, G.) **494,** 379

Cochlear neuron
Dorsal column; Polysensory interaction; Dorsal column nucleus; Cat (Saadé, N.E.) **486,** 399

Cochlear nucleus
Glutamate; Kainate; *N*-Methyl-D-aspartate; Kynurenic acid; DL-2-Amino-5-phosphonovalerate; Brain slice (Wickesberg, R.E.) **486,** 39

Startle reflex; Reticulospinal path; Refractory period; Temporal summation; Facial nerve (Yeomans, J.S.) **486,** 147

Cuneate nucleus; Polysensory interaction; Cat (Saadé, N.E.) **486,** 403

Gunn rat; Bilirubin; Jaundice; Hearing (Zhang, S.) **501,** 194

Neurotransmitter receptor; γ-Aminobutyric acid A-receptor; Benzodiazepine receptor; Receptor heterogeneity; Immunocytochemistry (Juiz, J.M.) **504,** 173

Cocontraction
Motor unit; Aging; Electromyography; Firing rate; Myoelectric signal (Kamen, G.) **482,** 136

Coexistence
Progesterone receptor; Estradiol receptor; Hypothalamus; Monoclonal antibody; Immunohistochemistry; Guinea pig (Warembourg, M.) **480,** 1

Entopeduncular nucleus; Substance P; Glutamic acid decarboxylase; Immunohistochemistry; Rat (Murakami, S.) **485,** 403

Enkephalin; Somatostatin; Amacrine cell; Immunocytochemistry (Hamano, K.) **489,** 254

Oxytocin; Cholecystokinin; Grooming behavior (Kaltwasser, M.T.) **496,** 380

Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Cognition
Angiotensin II; Acetylcholine release; Entorhinal cortex; Angiotensin converting enzyme inhibitor SQ 29852 (Barnes, J.M.) **491,** 136

Coincidence refractometry
Accommodation; Central electrical stimulation; Ciliary muscle; Contrast ventriculoradiography; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Coitus
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Colchicine
Hippocampus; Opiate receptor; Kainic acid; Seizure; Mossy fiber path (Perry, D.C.) **477,** 100

Hippocampus; Ganglioside GM1 (Walsh, T.J.) **478,** 24

Dentate gyrus; Microtubule; Neurotoxicity; Cytoskeleton (Goldschmidt, R.B.) **486,** 133

Angiotensin II; Brainstem; Respiratory nuclei; Immunocytochemistry; Cat (Aguirre, J.A.) **489,** 311

Cold pressor pain
Primate; Tonic pain; Pain tolerance; Diffuse noxious inhibitory control; Counterirritation (Marchand, S.) **487,** 388

Cold receptor
Pigeon; Discharge pattern; Cyclic activity; Transducer process; Calcium dependence (Schäfer, K.) **501,** 66

Collateral axons
Diagonal band; Laterodorsal tegmental nucleus; Olfactory bulb; Mediodorsal nucleus (Cornwall, J.) **491,** 194

Collateral reinnervation
Nerve growth factor; Transmedian innervation; Inferior alveolar nerve; Jaw opening reflex (Owen, D.J.) **476,** 248

Collateral sprouting
Blood vessel; Nerve growth factor; Osmotic minipump; Rat; Sympathetic (Saffran, B.N.) **492,** 245

Colliculus
γ-Aminobutyric acid; Seizure; Ethanol; Long sleep mouse; Short sleep mouse; Receptor (Peris, J.) **503,** 288

Colocalization
In situ hybridization; Cholecystokinin; Dopamine; Human substantia nigra (Palacios, J.M.) **488,** 369

Substance P; Dynorphin; Leumorphin; Hamster; Mating behavior; Opiate (Neal, C.R.) **496,** 1

Neuropeptide; Tyrosine hydroxylase; Calcium binding protein; Olfactory bulb; Immunohistochemistry (Seroogy, K.) **496,** 389

Colocalization of neurotransmitter
Nucleus tractus solitarius; Substance P; Neuropeptide; Serotonin; Brainstem; Slice (Jacquin, T.) **502,** 214

Colocalize
Somatostatin; Glycine; Interplexiform; Retina; Neuropeptide; Neurotransmitter (Smiley, J.F.) **495,** 31

Colorectal distension
Visceral pain; Superficial dorsal horn; Nociception; Spinal neuron (Ness, T.J.) **486,** 301

Column of Terni
Intermediolateral nucleus; Autonomic nervous system; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Columnar structure
Entorhinal cortex; Hippocampus; Monoclonal antibody (Ikeda, J.) **505,** 176

Combined HRP and immuno-β-galactosidase method
Enkephalin; Lateral septum; Rat brain; Immunohistochemistry; Afferent connection; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Commissural connection
Interhemispheric connection; Cerebral cortex; Horseradish peroxidase (Nakamura, H.) **485,** 171

Commissural facilitation
Hippocampus; Dentate field potential; Commissural inhibition; Paired-pulse depression; Diazepam; Long-term potentiation (Kanda, M.) **484,** 325

Commissural inhibition
Dentate-hilar neuron; Intracellular recording; *Phaseolus vulgaris* leucoagglutinin; In vivo; Rat (Isokawa-Akesson, M.) **480,** 92

Hippocampus; Dentate field potential; Commissural facilitation; Paired-pulse depression; Diazepam; Long-term potentiation (Kanda, M.) **484,** 325

Commissure
Vestibular nucleus; Fastigial nucleus (Newlands, S.D.) **487,** 152

Comparative anatomy
Visual system; Hypothalamus; Suprachiasmatic nucleus; Retinal projection; Primate (Magnin, M.) **488,** 390

Compartment
Dopamine; Caudate nucleus; Release; Reserpine; α-Methyl-*p*-tyrosine (Leviel, V.) **499,** 205

Compartmentalization
Motor control; Intramuscular electromyography; Semitendinosus; Paw shake; Jumping; Treadmill locomotion (Hutchison, D.L.) **479,** 56

Compensatory mechanism
Hippocampus; Intradentate colchicine; Granule cell; Muscarinic cholinergic receptor; Inositolphosphate (Tandon, P.) **477,** 308

Complete global cerebral ischemia
Excitatory amino acid (EAA) antagonist; Glutamate antagonist; *N*-Methyl-D-aspartate antagonist; Canine cerebral ischemia model; Dizocilipine maleate (MK-801) (Michenfelder, J.D.) **481,** 228

Compound 48/80
Mast cell; Neurogenic plasma extravasation; Dura; Trigeminal ganglion (Markowitz, S.) **477,** 157

Compound action potential
Blood–nerve barrier; Capillary; Perineurium; Sciatic nerve; Tibial nerve (Wadhwani, K.C.) **493,** 231

Neurotransmission; Glutamate; Glutamate dehydrogenase; Cochlea; Guinea pig (Rebillard, G.) **494,** 379

Peripheral nerve sprouting; Peripheral nerve injury; Unmyelinated fiber; Spinal nerve; Ventral root afferent (Oh, U.T.) **501,** 90

Computer simulation
Cable theory; Dendrite; Electrotonic; Synapse; Excitatory postsynaptic potential (Holmes, W.R.) **478,** 127

Alzheimer's disease; Neuronal loss; Neuronal atrophy (Duyckaerts, C.) **504,** 94

Cable theory; Electrotonic; Dendrite; Excitatory postsynaptic potential; Cortical pyramidal neuron (Holmes, W.R.) **505,** 12

Concanavalin A
Cerebral lateralization; Neocortical ablation; Neuroimmunology; Lymphoproliferation; Lipopolysaccharide; Prolactin; Female rat (LaHoste, G.J.) **483,** 123

Concentration clamp
Barbiturate; γ-Aminobutyric acid-mimetic action; β-Aminobutyric acid receptor–ionophore complex; Frog sensory neuron; Augmentation; Voltage clamp (Yakushiji, T.) **488,** 357

Chlorpromazine; Sodium channel; Hippocampal pyramidal neuron (Wakamori, M.) **494,** 374

Concentration clamp technique
Rat hippocampus; CA1 pyramidal neuron; Voltage-dependent sodium current; Tetrodotoxin; Lidocaine (Kaneda, M.) **484,** 348

Concussion
Secondary ischemia; Delayed neuronal necrosis; Selective vulnerability; Axonal injury; Hippocampal hyperactivity (Jenkins, L.W.) **477,** 211

Conditioned circling
Rotation; Striatum; Medical prefrontal cortex; Dopamine; Cerebral asymmetry (Glick, S.D.) **504,** 231

Conditioned medium
Nerve growth factor; Sprouting; Hippocampal slice; Bioassay; Septal lesion (Collins, F.) **490,** 355

Conditioned place preference
Cocaine; Opioid peptide, endogenous; Locomotor activity; Reinforcement (Houdi, A.A.) **497,** 195

Conditioned taste aversion
Fetal brain transplant; Grafting; Horseradish peroxidase; Gustatory neocortex (Escobar, M.) **478,** 368

Conditioning effect
Nerve regeneration; Pulsed electromagnetic field; Crush lesion (Sisken, B.F.) **485,** 309

Conditioning lesion
Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Conductance
Carbachol; Acetylcholine; Rapid eye movement sleep; Brainstem reticular formation; Inward rectification (Greene, R.W.) **476,** 154

Confocal laser microscopy
Brain microcirculation; Pial arteriole; Rat; In vivo (Villringer, A.) **504,** 159

Conformational variation
Glutamate; *N*-Methyl-D-aspartate; L-α-(carboxycyclopropyl)glycine; Excitatory amino acid; Rat spinal cord; Electrophysiology (Shinozaki, H.) **480,** 355

Connection
Visceral afferent; Chemosensory; Barosensory; Fink-Heimer; Horseradish peroxidase (Claps, A.) **489,** 80

Connectivity
Neural grafting; Neostriatum; Substantia nigra; Huntington's disease; Rat; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

ω-Conotoxin
Calcium channel; Autoradiography; Cerebellar mutant mouse (Maeda, N.) **489,** 21

ω-Conotoxin GVIA
Serotonin; Bay K 8644; Nifedipine; Calcium-dependent plateau; Action potential; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Histamine release; Nilvadipine; Hypothalamus; Rat (Takemura, M.) **496,** 351

Conscious dog
Exercise; Cerebrospinal fluid; β-Endorphin; Cortisol; Catecholamine (Radosevich, P.M.) **498,** 89

Conscious normotensive rat
α-Methyldopa-induced hypotension; Nucleus tractus solitarii; Opiate receptor; Naltrexone; Antisera against opioid peptide (Van Giersbergen, P.L.M.) **498,** 154

Conscious rat
Central nucleus of the amygdala; Basolateral nucleus of the amygdala; Excitotoxin; Baroreceptor heart rate reflex (Lewis, S.J.) **494,** 232

Vasopressin; Blood pressure; Intracerebroventricular administration; Sensitization (Lebrun, C.J.) **505,** 39

Contractility
Blood pressure; Carbachol; Heart rate; Glutamate; Intermediolateral column (IML); Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Contraction
Muscle; Electromyogram; Reflex; Muscle spindle; Stiffness (Jahnke, M.T.) **493,** 103

Contrast ventriculoradiography
Accommodation; Central electrical stimulation; Ciliary muscle; Coincidence refractometry; Edinger–Westphal nucleus; *Macaca fascicularis* (Crawford, K.) **503,** 265

Control of breathing
Central chemoreceptor; Ventrolateral medulla; Extracellular fluid pH (Arita, H.) **485,** 285

Contusive injury
Horseradish peroxidase; Reaction product; Spinal cord (Noble, L.J.) **482,** 57

Converting enzyme inhibition
Cardiovascular regulation; γ-Aminobutyric acid; Arginine-vasopressin; Baroreceptor; Chlorisondamine (Segura, T.) **499,** 53

Convulsant
Endotoxin; Infection; Central nervous system; Kynurenine pathway; Neurotoxin; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

Convulsant peptide
Corticotropin-releasing factor (Nomizu, M.) **505,** 326

Convulsion
Seizure; γ-Aminobutyric acid; Muscimol; Bicuculline; Baclofen; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Benzodiazepine receptor; Ethanol; Ro 19-4603; Imidazodiazepine; Intoxication; Mouse (Lister, R.G.) **482,** 141

Ethanol; Pentylenetetrazol; Ro 15-4513; FG 7142; Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex (Mehta, A.K.) **489,** 93

Cooling
Posterior parietal cortex; Prefrontal cortex; Monkey; Visuomotor delay task; Prefrontal units (Quintana, J.) **503,** 100

Copper-dependency
Amidation; Peptidylglycine; Dorsal root ganglia; Spinal cord; Ascorbate-dependency (Graham, L.) **491,** 371

Copulatory behavior
Progesterone; Promegestone; Androgen receptor; Neural receptor (Connolly, P.B.) **503,** 312

Cord transection
Lamprey spinal cord; Regneration (Cohen, A.H.) **496,** 368

Cordotomy
Central pain; Dysesthesia; Hyperexcitability CNS; Supersensitivity CNS (Levitt, M.) **481,** 47

Corpus callosum
Acallosal brain; Probst's bundle; Corticocortical projection; Association fiber; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Factor analysis; Age; Sex difference; Early experience (Denenberg, V.H.) **497,** 271

Corpus cardiacum
Insect; Locust; Neurosecretion; Adipokinetic hormone; Octopamine; Calcium; Sodium (Pannabecker, T.) **477,** 38

Corpus striatum
Progesterone; Female rat; In vitro dopamine release; Tetrodotoxin; Interneuron (Dluzen, D.E.) **476,** 332

Immobilized progesterone; Female rat; In vitro dopamine release; Tetrodotoxin; Interneuron; Albumin (Dluzen, D.E.) **476,** 338

Brain; Australoid race; Basal ganglia; Cerebellum; Amygdaloid body; Thalamus (Klekamp, J.) **485,** 79

6-Hydroxydopamine; 5,7-Dihydroxytryptamine; Mazindol, [^{3}H]-binding; Hypothalamus (Angel, I.) **503,** 339

Correlation
Monkey; Vision; Cortex; Striate; Orientation (Krüger, J.) **477,** 57

Cortex
Amygdala; Naloxone; Propranolol; Inhibitory avoidance; Discrimination learning; Memory; Caudate putamen (Introini-Collison, I.B.) **476,** 94

Monkey; Vision; Striate; Orientation; Correlation (Krüger, J.) **477,** 57

(Asu^{1,7})eel-Calcitonin; Inositol phospholipid; Hippocampus; Cyclic adenosine monophosphate; Norepinephrine; Serotonin (Clementi, G.) **478,** 138

Adenosine; Glutamate; *N*-Methyl-D-aspartate; Purine; Excitatory amino acid (Hoehn, K.) **478,** 149

Glutamate; Glutaraldehyde; Monoclonal antibody; Specificity; Hybridization; Immunocytochemistry; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Aspartate; Glutamate; *N*-Methyl-D-aspartate receptor; Neurotoxicity; Excitatory amino acid; Cell culture (Monyer, H.) **483,** 347

N-Methyl-D-aspartate receptor; 6-Cyano-7-nitroquinoxaline-2,3-dione; 7-Chlorokynurenate; Kainate receptor; γ-Aminobutyric acid release (Harris, K.M.) **489,** 185

Alzheimer's disease; Somatostatin; Neuropeptide Y; Co-localization; Bed nucleus of stria terminalis (Gaspar, P.) **490,** 1

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Dementia; Excitatory amino acid; Cell culture (Weiss, J.H.) **497,** 64

Lateralization; Dopamine; Activity; Substantia nigra (McMahon, F.J.) **503,** 185

Cortical area 7b
Second somatosensory cortex; Nociceptive specific neuron; Trigeminal somatosensory system; Noxious mechanical stimulation; Stimulus habituated monkey (Dong, W.K.) **484,** 314

Cortical blood flow
Innominato-cortical pathway; Electrical stimulation; Physostigmine; Tissue gas change; Unanesthetized rat (Lacombe, P.) **491,** 1

Cortical circuitry
Somatosensory cortex; Barrel; γ-Aminobutyric acid; Inhibition; Neural network (Keller, A.) **496,** 105

Cortical development
α-Bungarotoxin; Ontogeny; Neocortex; Receptor autoradiography; Acetylcholine system (Fuchs, J.L.) **501,** 223

Cortical field potential
Prefrontal cortex; Electrical stimulation; Visual discrimination task; Suppression; Monkey (Sasaki, K.) **495,** 100

Cortical lesion
Monosialoganglioside (GM1); Choline acetyltransferase (ChAT); Microcapsule; Cholinergic neuron (Maysinger, D.) **496,** 165

Learning; Motor cortex; Association fiber; Sensory cortex; Motor learning; Sensory input (Sakamoto, T.) **503,** 258

Cortical microstimulation
Second somatosensory cortex; Motor cortex; Cortico-cortical connection; Intracortical microstimulation; Cat (Mori, A.) **504,** 206

Cortical module
Middle temporal visual area; Cytochrome oxidase bands and blobs (Krubitzer, L.A.) **478,** 161

Cortical neuron
Calcium current; Voltage clamp; Nifedipine; Barium; Cadmium (Dichter, M.A.) **492,** 219

Cortical plate

Subplate; Alzheimer's disease; Down's syndrome; Differentiation (Al-Ghoul, W.M.) **481,** 361

Cortical pyramidal neuron
Cable theory; Electrotonic; Dendrite; Excitatory postsynaptic potential; Computer simulation (Holmes, W.R.) **505,** 12

Cortical slice
Rat visual cortex; γ-Aminobutyric acid-like immunocytochemistry; Intracellular recording; Inhibitory synaptic potential (Chun, M.H.) **494,** 401

Cortical thickness
Quantification; Neuron; Cerebral cortex; Environment (Beaulieu, C.) **495,** 382

Cortico-cortical connection
Second somatosensory cortex; Motor cortex; Cortical microstimulation; Intracortical microstimulation; Cat (Mori, A.) **504,** 206

Cortico-subcortical connection
Extrathalamic ascending system; Visceral; Autonomic; Limbic; Cat (Clascá, F.) **490,** 361

Corticocollicular influence
Inferior colliculus; Auditory response; Bat auditory neuron (Sun, X.) **495,** 1

Corticocortical connection
Quantitative neuroanatomy; Vision; Neurodegenerative disorder; Human brain (Hof, P.R.) **493,** 368

Corticocortical projection
Corpus callosum; Acallosal brain; Probst's bundle; Association fiber; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Corticonuclear projection
Corticovestibular projection; Uvula; Cerebellum; Rat (Tabuchi, T.) **492,** 176

Corticopetal system
Choline acetyltransferase; Basal forebrain (Záborszky, L.) **479,** 177

Corticospinal tract
Dorsal funiculus; Caudal termination; Wheatgerm-agglutinated horseradish peroxidase; Cat (Satomi, H.) **492,** 255

Reptile; Horseradish peroxidase; Efferent pathway; Amygdalospinal tract (Follett, K.A.) **496,** 89

Corticosteroid receptor
Corticosterone; Hippocampus; Aging; Adrenalectomy; Up-regulation (Eldridge, J.C.) **478,** 248

Corticosterone
Corticosteroid receptor; Hippocampus; Aging; Adrenalectomy; Up-regulation (Eldridge, J.C.) **478,** 248

Bombesin; Free fatty acid; Glucose; Paraventricular nucleus; Ventromedial nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Spinal cord; Hippocampus; Glucocorticoid receptor; Mineralocorticoid receptor; Dexamethasone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

CA1; Long-term potentiation; Neuronal plasticity; Adrenalectomy; Stress; Learning; Hippocampus (Diamond, D.M.) **492,** 356

Glial fibrillary acidic protein; Astrocyte; Glucocorticoid; Adrenalectomy (O'Callaghan, J.P.) **494,** 159

Paraventricular nucleus; Adrenal gland; Hypothalamus; Pituitary; Norepinephrine; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

Adrenalectomy; Noradrenaline; Dopamine; Hypothalamus; Paraventricular nucleus (Jhanwar-Uniyal, M.) **500,** 247

Adrenals; Eating behavior; Neuropeptide Y; Paraventricular nucleus; Pituitary gland (Stanley, B.G.) **501,** 32

α-Mouse; Submissive mouse; Behavioral 'despair'; Exploration; Anxiety; Seizure threshold; Monoamine; Testosterone (Hilakivi, L.A.) **502,** 158

Adrenal steroid receptors; Brain; Lymphoid tissue; Pituitary; Rat; Adrenalectomy (Lowy, M.T.) **503,** 191

Anticipation stress; Stress-induced analgesia; Tail flick latency; Endogenous opioid; Stress-sensitive organ (Sumová, A.) **503,** 273

Benzodiazepine; Diazepam; [^{14}C]Deoxyglucose technique; Glucose utilization; Tolerance; Anxiolytic; Sedative (Laurie, D.J.) **504,** 101

Corticostriatal cell
Motor cortex; Pyramidal tract neuron; Behaving monkey; Antidromic identification; Single-unit recording (Bauswein, E.) **493,** 198

Corticostriatal projection
N-(1-[2-Thienyl]cylohexyl)-[^{3}H]piperidine binding; Phencyclidine receptor; Glutamate; Frontal decortication; Striatum (Yoshida, Y.) **499,** 179

Corticostriatal terminal
D_2 dopamine receptor; Human brain; Pituitary lobe, Globus pallidus; Striatum; Guanine nucleotide effect (De Keyser, J.) **484,** 36

Corticotropin releasing factor
Novelty; Ganglionic blocker; Chlorisondamine; Hexamethonium; Locomotion; Grooming (Britton, D.R.) **478,** 205

Enkephalin; Co-localization; Immuno-β-galactosidase staining; Peroxidase–antiperoxidase method; Hypothalamus; Rat (Sakanaka, M.) **487,** 357

Dynorphin-related peptide; Central nervous system; Sympathetic nervous system; Arterial pressure; Heart rate (Overton, J.M.) **488,** 233

Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

Immunohistochemistry; In situ hybridization; Northern blot; Olfactory bulb; Olfactory system (Imaki, T.) **496,** 35

Neuropeptide Y; Adrenocorticotropic hormone; Noradrenaline; Adrenaline; 6-Hydroxydopamine; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Adrenocorticotropic hormone; Chlorisondamine; Opiate receptor; Morphine (Nikolarakis, K.E.) **498,** 385

Electroconvulsive shock; Hypothalamo-pituitary-adrenocortical axis; Hypothalamo-neurohypophysial system; In situ hybridization; Messenger RNA; Vasopressin (Herman, J.P.) **501,** 235

Immunocytochemistry; Hypothalamus; Cerebellum; Hippocampus; Senile plaque; Alzheimer's disease (Kelley, M.) **501,** 392

Opioid; κ Agonists; U50488; Cortisol; Stress; Dog (Gué, M.) **502,** 143

Neuropeptide-Y; Hypothalamus; Stress; Norepinephrine; Adrenoceptor (Tsagarakis, S.) **502,** 167

Trigeminal; Wide dynamic range; Single unit recording; Nociception; Heat; Gold (Poree, L.R.) **502,** 349

Glucocorticoid receptor; Adrenocorticotropic hormone; Co-localization; Hypothalamus; Brainstem; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Convulsant peptide (Nomizu, M.) **505,** 326

Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41})
Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Striatum; Globus pallidus; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

Corticotropin-releasing hormone
Opioid; Antinociception; Tolerance; Stress (Ayesta, F.J.) **503,** 219

Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390;

Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Corticovestibular projection
Corticonuclear projection; Uvula; Cerebellum; Rat (Tabuchi, T.) **492,** 176

Cortisol
Glucocorticoid; Brain region; Plasma; Adrenocorticotropic hormone; β-Endorphin (Bagdy, G.) **489,** 216

Exercise; Cerebrospinal fluid; β-Endorphin; Catecholamine; Conscious dog (Radosevich, P.M.) **498,** 89

Opioid; κ Agonists; U50488; Corticotropin releasing factor; Stress; Dog (Gué, M.) **502,** 143

Counterirritation
Primate; Cold pressor pain; Tonic pain; Pain tolerance; Diffuse noxious inhibitory control (Marchand, S.) **487,** 388

Coupling
Periaqueductal gray; Opioid; μ-Receptor; Guanine nucleotide binding protein; Analgesia (Fedynyshyn, J.P.) **476,** 103

Crayfish
Dense-cored vesicle; Non-synaptic release; Ultrastructure; Neuropile; Synapse (Cuadras, J.) **477,** 332

Crayfish muscle
Lindane; Picrotoxin; Chloride channel; γ-Aminobutyric acid; Glutamate; Acetylcholine; Patch clamp (Zufall, F.) **503,** 342

Creatine kinase
Brain; Creatine phosphate; Nuclear magnetic resonance (Holtzman, D.) **483,** 68

Creatine phosphate
Brain; Creatine kinase; Nuclear magnetic resonance (Holtzman, D.) **483,** 68

Cremaster muscle
Castration; Indolamine; Motoneuron; Peptide; Rat; Spinal cord; Testes (Newton, B.W.) **485,** 149

Critical period substrate
Barrel; Lectin; Glia; Boundary; Plasticity; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Cross-bridge
Axonal transport; Axon terminal; Protease; Vesicle (Martz, D.) **476,** 199

Microneurography; Muscle spindle; Stretch reflex; Load compensation (Jahnke, M.T.) **501,** 324

Cross-correlation
4-Aminopyridine; Antidromic discharge; Dorsal root; Spinal cord; Cat; Autocorrelation; Autospectrogram (Dubuc, R.) **491,** 335

Multi-unit recording; Rat; Peristimulus histogram; Dorsal cochlear nucleus; Neuronal interaction (Gochin, P.M.) **497,** 1

Tonic vibration reflex; Barbiturate; Single unit electromyogram (Hori, Y.) **497,** 291

Cross-reinnervation
Phrenic nerve; Motor readjustment; Voluntary respiratory control; Forelimb; Cat (Fujito, Y.) **492,** 36

Cruciate ligament
Joint afferent; Fusimotor neuron; Motor control; Muscle spindle; Primary spindle afferent; Spinal cord; Reflex (Sojka, P.) **483,** 177

Crura I and II
Cerebellum; Trigeminal; Inferior olive; Climbing fiber response; Lobulus simplex (Akaike, T.) **482,** 402

Crush
Peripheral nerve; Regeneration; Multiple crush; Graft; Morphometry; Neuropathology (Giannini, C.) **500,** 131

Crush lesion
Nerve regeneration; Pulsed electromagnetic field; Conditioning effect (Sisken, B.F.) **485,** 309

Cue signal
Lateral hypothalamic neuron; Smell; Taste; Potable; Licking (Nakamura, K.) **491,** 15

Culture
Hypoglycemia; Hypoxia; Neocortex explant; GABAergic neuron; Rat (Romijn, H.J.) **480,** 58

Hypoxia; D-2-Amino-7-phosphonoheptanoate; Neocortex explant; γ-Aminobutyric acidergic neuron (Romijn, H.J.) **501,** 100

Cultured cerebellar neuron
Glutamate; Noradrenaline; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

Cultured hippocampal neuron
Patch-clamp technique; Single-channel recording; Current–voltage relation; Quinolinic acid; Magnesium ion; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

Whole-cell patch-clamp; Calcium current; Voltage-dependence of activation; Kinetics of inactivation; Calcium-channel blocker (Ozawa, S.) **495,** 329

Cultured neuron
Somatostatin; Intracellular calcium concentration; Rat; Hippocampus (Miyoshi, R.) **489,** 361

Single potassium channel; Patch clamp; Pentylenetetrazole; Seizure (Sugaya, E.) **497,** 239

Cuneate nucleus
Cochlear nucleus; Polysensory interaction; Cat (Saadé, N.E.) **486,** 403

Current source density
Focal epilepsy; Direct cortical response; Principal component analysis; Source modeling; Penicillin spike; Electrophysiology (Barth, D.S.) **484,** 13

Current source density analysis
Hippocampal slice; Electrode; Array; Epileptiform; Propagation (Novak, J.L.) **497,** 223

Current–voltage relation
Cultured hippocampal neuron; Patch-clamp technique; Single-channel recording; Quinolinic acid; Magnesium ion; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

Cutaneous
Reflex; Lip; Muscle; Electromyogram; Human (McClean, M.D.) **503,** 16

Cutaneous stimulation
Somatosensory evoked potential; Muscle stretch; Voluntary movement; Human (Dimitrov, B.) **496,** 211

CY208 243
Dopamine D_1 receptor; Dopamine D_2 receptor; Locomotor activity; Nucleus accumbens; Quinpirole; SKF38393 (Dreher, J.K.) **487,** 267

Cyanide
Carotid body; Chemoreceptor; Uncoupler; Dopamine release; Metabolic hypothesis (Obeso, A.) **481,** 250

6-Cyano-7-nitroquinoxaline-2,3-dione
N-Methyl-D-aspartate receptor; 7-Chlorokynurenate; Kainate receptor; γ-Aminobutyric acid release; Cortex (Harris, K.M.) **489,** 185

Glycine binding; *N*-Methyl-D-aspartate receptor; Antagonist; *N*-(1-(2-Thienyl)-cyclohexyl)piperidine binding; 6,7-Dinitroquinoxaline-2,3-dione; Quinoxaline derivative (Kessler, M.) **489,** 377

Cyclic activity
Pigeon; Cold receptor; Discharge pattern; Transducer process; Calcium dependence (Schäfer, K.) **501,** 66

Cyclic adenosine monophosphate
Neuroendocrine cell; Egg laying; Mollusc (Moed, P.J.) **476,** 298

Forskolin; Na,K-ATPase; Ouabain binding (Swann, A.C.) **476,** 351

Glucocorticoid; Dexamethasone; α-Adrenergic receptor; β-Adrenergic receptor; Adrenocorticotropic hormone (Duman, R.S.) **477,** 166

($Asu^{1,7}$)eel-Calcitonin; Inositol phospholipid; Cortex; Hippocampus;

Norepinephrine; Serotonin (Clementi, G.) **478,** 138

Neurohypophysis; Vasopressin secretion; Forskolin; Presynaptic regulation (Treiman, M.) **488,** 260

Adenosine triphosphate; Hibernation; Hypothermia; Brain; Lactate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Forskolin; Potassium channel; Stomatogastric ganglion; Transient potassium current; Lobster (Harris-Warrick, R.M.) **489,** 59

Cultured cerebellar neuron; Glutamate; Noradrenaline; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

Astrocyte; Cell culture; Cell morphology; Protein kinase C; Protein kinase inhibitor; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Adenosine; A_2-adenosine receptor; Purinergic receptor; Retinal pigment epithelium; Adenylate cyclase (Friedman, Z.) **492,** 29

Amygdala; Chemical kindling; Electrical kindling; Transfer of chemical to electrial kindling (Yokoyama, N.) **492,** 158

Pain; Hyperalgesia; Nociception; Guanine nucleotide regulatory protein; Prostaglandin; Primary afferent (Taiwo, Y.O.) **492,** 400

Dopamine receptor subtype; Haloperidol; Clozapine; Neostriatum; Antipsychotic drug; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

Muscarinic receptor subtype; AF-DX 116; 4-Diphenylacetoxy-*N*-methyl-piperidine methiodide; Hexahydro-sila-difenidol; N1E-115 neuroblastoma (Surichamorn, W.) **493,** 320

Calcium; α_2-Adrenoceptor; Clonidine; Yohimbine; Isoproterenol; Synaptosome; Hypoxia (Okada, M.) **501,** 23

Phosphodiesterase; Antidepressant; Rolipram; Autoradiography; Limbic system (Kaulen, P.) **503,** 229

Horizontal cell; Dopamine; Prolonged darkness (Young, L.H.Y.) **504,** 57

Melatonin; Anterior pituitary; Pars tuberalis; Cyclic guanosine monophosphate (Vaněček, J.) **505,** 157

Cyclic adenosine monphosphate (cAMP)
Excitatory amino acid; *Anemonia sulcata* toxin; Ca^{2+} withdrawal; Fatty acid free bovine serum albumin (Mine-Golomb, D.) **490,** 205

Cyclic AMP
Excitatory opioid receptor; Dorsal root ganglion neuron; Action potential duration; *Pertussis* toxin-sensitive G protein; Membrane Ca^{2+} conductance; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

C-*fos*; Glia; Ependyma (Dragunow, M.) **501,** 382

Pirenzepine; Receptor; Muscarinic; Human neuroblastoma cell; Sh-SY5Y; Inositol lipid (Mei, L.) **504,** 7

Cyclic AMP-dependent protein kinase
Retina; Horizontal cell; Kainate (Liman, E.R.) **481,** 399

Cyclic GMP decrease
Mollusc; Extraocular photoreceptor; Phototransduction (Nishi, T.) **485,** 185

Cyclic guanosine monophosphate
Excitatory amino acid receptor; Glycine; *N*-Methyl-D-aspartate; Phencyclidine; Cerebellum (Danysz, W.) **479,** 270

Adenosine triphosphate; Hibernation; Hypothermia; Brain; Lactate; Cyclic adenosine monophosphate (Lust, W.D.) **489,** 12

Immunohistochemistry; Cerebellum; Rat (De Vente, J.) **504,** 332

Melatonin; Anterior pituitary; Pars tuberalis; Cyclic adenosine monophosphate (Vaněček, J.) **505,** 157

Cyclic nucleotide
Tyrosine hydroxylase; Synaptosome; Phosphorylation; Striatum (Colby, K.A.) **478,** 103

Signal transduction; Guanosine triphosphate-binding protein; β-Adrenergic receptor; Receptor–effector coupling; Photoaffinity labeling; C6 glioma cell (Rasenick, M.M.) **488,** 105

Cycloheximide
Circadian rhythm; Protein synthesis; Phase response curve; Hamster (Wollnik, F.) **496,** 82

Cyclohexyladenosine
Brain ischemia; Adenosine A_1-receptor; G-protein; Adenylate cyclase; Autoradiography (Daval, J.-L.) **491,** 212

Cyclooxygenase
β-Estradiol; Hyperalgesia; Raynaud's phenomenon; Pain; Arachidonic acid; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Pain; Hyperalgesia; Nociception; Prostaglandin; Arachidonic acid; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Astrocyte; Arachidonic acid; Lipoxygenase; C_6 glioma cell; Prostaglandin; Leukotriene (Ishizaki, Y.) **494,** 138

Cyclooxygenase inhibitor
Prostaglandin E_1; Porcine cerebral artery; Eicosanoid; Indomethacin; Aspirin (Fukuda, S.) **496,** 397

N^6-Cyclopentyladenosine
Adenosine; Receptor; Autoradiography; Striatum; 5′-*N*-Ethylcarboxamidoadenosine (Jarvis, M.F.) **484,** 111

Cynomolgus monkey
5-Hydroxytryptamine; Microsphere; Cerebral circulation; Adenosine; Dog (Faraci, F.M.) **478,** 121

Tyrosine hydroxylase; Dopamine; Noradrenaline; Neocortex (Noack, H.J.) **500,** 313

Cysteamine
Somatostatin; Behavior; Learning; Memory; Alzheimer's disease (DeNoble, V.J.) **482,** 42

Somatostatin; Acetylcholine; Physostigmine; Nucleus basalis of Meynert; Memory (Haroutunian, V.) **496,** 98

Morris water task; Passive avoidance; Locomotor activity; Somatostatin-like immunoreactivity; Rat (Fitzgerald, L.W.) **505,** 246

L-Cysteic acid
Excitatory amino acid; Accumulation; L-Glutamate transporter (Koyama, Y.) **487,** 113

Cytoarchitectonics
Acetylcholine; Acetylcholinesterase; Histochemistry; Neuroanatomy method (Shipley, M.T.) **504,** 347

Cytoarchitecture
Basal ganglia; Superior colliculus; Primate; Saccade (Ma, T.P.) **480,** 305

Marsupial; Lateral geniculate nucleus; Acetylcholinesterase; Horseradish peroxidase; Retinal terminal (Wilson, P.M.) **486,** 236

Cytochemistry
Thiamine pyrophosphatase (TPPase); Myelin sheath; Major dense line; Oligodendrocyte; Schwann cell (Castellano, B.) **492,** 203

Cytochrome *P*-450
Human brain; Xenobiotic metabolism; Mono-oxygenase; Immunocytochemical localization (Ravindranath, V.) **496,** 331

Cytochrome oxidase
Ventrobasal complex; Homotypic grafting; Fetal neuron; Acetylcholinesterase; 2-Deoxyglucose; Metabolic activity (Juliano, S.L.) **478,** 356

Kainate; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Horseradish peroxidase; Electron microscopy; Visual cortex; Rat

(Woodward, W.R.) **494,** 42

Selective degeneration; Squirrel monkey; Retinal ganglion cell; Parallel visual pathway; Visual system; Acrylamide; Neurotoxicity (Lynch III, J.L.) **499,** 325

Cytochrome oxidase bands and blobs
Middle temporal visual area; Cortical module (Krubitzer, L.A.) **478,** 161

Cytokine
Microglia; Astrocyte; Tumor necrosis factor-alpha; Glia; Brain culture (Sawada, M.) **491,** 394

Cytoplasmic pH
Cytotoxic edema; Lactic acid; Cell swelling; Na^+/H^+ exchange; Glioma cell; Astrocyte (Jakubovicz, D.E.) **485,** 215

Cytosine arabinoside
Cerebellar explant culture; Purified oligodendrocyte; Myelination; Myelin-like membrane; Myelin spherule; Transplantation (Seil, F.J.) **503,** 111

Cytoskeletal protein
Microtubule; Neurofilament; Acrylamide; Neurotoxicity (Lapadula, D.M.) **481,** 157

Cytoskeleton
Axonal transport; Tubulin; Neurofilament (Watson, D.F.) **477,** 225

Alzheimer's disease; Axotomy; Cholinergic neuron; Septohippocampal system (Koliatsos, V.E.) **482,** 205

Neurofibrillary tangle; Immunocytochemistry; Microtubule; Antibody; Neurodegenerative disease (Mulvihill, P.) **484,** 150

Dentate gyrus; Microtubule; Neurotoxicity; Colchicine (Goldschmidt, R.B.) **486,** 133

Axonal transport; Transport kinetics; Slow component; Clathrin; Actin (Paggi, P.) **504,** 223

Cytosolic free calcium
D,L-2-Amino-5-phosphonovaleric acid; Fluorometry; Indo-1; Magnesium ion; *N*-Methyl-D-aspartate (Uematsu, D.) **482,** 129

Cytotoxic edema
Cytoplasmic pH; Lactic acid; Cell swelling; Na^+/H^+ exchange; Glioma cell; Astrocyte (Jakubovicz, D.E.) **485,** 215

Cytotoxicity
3-Hydroxykynurenine; Kynurenine; Neuroblastoma; Oxidative stress; Vitamin B-6 deficiency (Eastman, C.L.) **495,** 225

D

D_1 and D_2
Behavioral sensitization; Amphetamine; Morphine; Dopamine receptor antagonist; Ventral tegmental area; Locomotor activity (Vezina, P.) **499,** 108

D_1 receptor
Reserpine; Adenylate cyclase; Supersensitivity; Striatum; [^{3}H]SCH 23390 binding (Missale, C.) **483,** 117

D_2 receptor; Neuroblastoma; Retinoblastoma; Clonal cell line; SCH 23390; Methylspiperone (Monsma, F.J.) **492,** 314

Ageing; Apomorphine; Autoreceptor; Dopamine; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Huntington's disease; Guanine nucleotide binding protein; Striatum; Amygdala; Frontal cortex (De Keyser, J.) **496,** 327

Dopamine; C-*fos* proto-oncogene; Priming (Robertson, H.A.) **503,** 346

D_2 receptor
Human brain; Pituitary lobe; Globus pallidus; Striatum; Corticostriatal terminal; Guanine nucleotide effect (De Keyser, J.) **484,** 36

D_1 receptor; Neuroblastoma; Retinoblastoma; Clonal cell line; SCH 23390; Methylspiperone (Monsma, F.J.) **492,** 314

Ageing; Apomorphine; Autoreceptor; Dopamine; D_1 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Chronic drug treatment; Inositol phosphate; Rat striatum; Muscarinic receptor; Antipsychotic drug; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Danger stimulus
Opioid analgesia; Habituation; Naloxone; Non-painful stimulus (Valeggia, C.) **481,** 304

Dark adaptation
Retina; Calmodulin; Calcium; Calmodulin kinase II; Light adaptation (Bronstein, J.) **495,** 83

DARPP-32
Transient forebrain ischemia; Striatum; Dopamine receptor; Adenylate cyclase; Autoradiography; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

Day/night rhythm
2-Deoxyglucose, [^{14}C]-; Glucose utilization; Circadian rhythm; Nocturnal (Room, P.) **505,** 321

1-Deamino[8-D-arginine] vasopressin
Neurophysin; Arginine vasopressin; Negative feedback; Sodium chloride; Radioimmunoassay (Cheng, S.W.T.) **479,** 35

Decerebrate cat
Clonidine; Yohimbine; Bladder; Urethra (Galeano, C.) **491,** 45

Deep cerebellar nucleus
Phorbol ester; Protein kinase C; γ-Aminobutyric acid release; Ouabain; Enteric neuron (Shuntoh, H.) **483,** 384

Defense reaction
Arterial pressure; Skeletal muscle vasodilation; Emotion; Midbrain periaqueductal gray; Excitatory amino acid; Cat (Carrive, P.) **483,** 251

Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Viscerotopy; Blood pressure; Hypertension; Midbrain periaqueductal gray; Rostral ventrolateral medulla; Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Defined medium
Hippocampus; Hippocampus cell culture; Oxygen (Brewer, G.J.) **494,** 65

Degeneration
Central nervous system; Optic nerve; Injury; Laser; Action potential (Assia, E.) **476,** 205

Axotomy; Hypoglossal nucleus; Palmitate; Regeneration; Plasticity; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Spinal cord; Medulla; Cerebellum; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Experimental autoimmune encephalomyelitis; Rat; Spinal cord; Brainstem; High performance liquid chromatography; Neurotransmitter (Krenger, W.) **491,** 374

Alzheimer's disease; Retinal ganglion cell; Human retina; Histopathology (Blanks, J.C.) **501,** 364

Dehydration
Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Delayed neuronal death
Adenylate cyclase; Cerebral ischemia;

Forskolin; Hippocampus; Inositol trisphosphate (Onodera, H.) **487,** 343

Delayed neuronal necrosis
Concussion; Secondary ischemia; Selective vulnerability; Axonal injury; Hippocampal hyperactivity (Jenkins, L.W.) **477,** 211

Delayed radiation injury
Blood–brain barrier; Cerebral metabolism; Nuclear magnetic resonance; Positron emission tomography; Heavy charged particle (Lo, E.H.) **504,** 168

Delta-sleep-inducing peptide
Antinociceptive effect; Descending inhibitory system; Spinal noradrenergic system; Spinal serotonergic system; Tail-pinch test; Hot plate test (Nakamura, A.) **480,** 82

Opioid receptor; Met-enkephalin release (Nakamura, A.) **481,** 165

Deltamethrin
Pyrethroid; Cismethrin; Fenvalerate; Dentate gyrus; Hippocampus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

Dementia
Alzheimer's disease; Parkinson's disease; Muscarinic receptor; M_1-receptor; M_2-receptor; Choline acetyltransferase (Rinne, J.O.) **483,** 402

Neuropeptide; Tachykinin (Clevens, R.A.) **486,** 387

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Dementia of the Alzheimer type
Neurofibrillary tangle; Nerve cell size; Nucleolar volume; Morphometry; Hippocampus (Gertz, H.-J.) **487,** 373

Demyelination
Ganglioside antibody; Myelination inhibition; Anti-axon antibody; Tissue culture (Bourdette, D.N.) **478,** 175

Oligodendrocyte; Maturation; Mouse; Lymphokine; Multiple sclerosis; Remyelination (Suzumura, A.) **480,** 51

Axon; Sodium channel; Multiple sclerosis (Shrager, P.) **483,** 149

Denatonium benzoate
Taste cell; Bitter; Whole-cell voltage-clamp (Spielman, A.I.) **503,** 326

Dendrite
Cable theory; Computer simulation; Electrotonic; Synapse; Excitatory postsynaptic potential (Holmes, W.R.) **478,** 127

Hippocampus; CA3; Pyramidal neuron; Golgi stain; Thorny excrescence (Fitch, J.M.) **479,** 105

Hippocampus; CA3; Sex difference; Differential environment (Juraska, J.M.) **479,** 115

Cable theory; Electrotonic; Excitatory postsynaptic potential; Cortical pyramidal neuron; Computer simulation (Holmes, W.R.) **505,** 12

Dendritic bundling
Gap junction; Motoneuron; Testosterone (Matsumoto, A.) **495,** 362

Dendritic outgrowth
Calcium; Diazepam; γ-Aminobutyric acid; Glutamate; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Dendritic pattern
Lumbar spinal cord; Motoneuron; Perineal muscle; Sexually dimorphic; House mouse (Wagner, C.K.) **499,** 93

Dendrotoxin
Potassium channel; Mast cell degranulating peptide; Epilepsy; Histolocalization; Rat brain (Bidard, J.-N.) **495,** 45

Mast-cell degranulating peptide; 4-Aminopyridine; Potassium channel blocker; Potassium channel opener; Seizure; Epilepsy (Gandolfo, G.) **495,** 189

Denervated muscle
Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Electrical stimulation; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Denervation
Muscarinic receptor; Supersensitivity; Hippocampus; Potassium channel (Benson, D.M.) **478,** 399

Acetylcholine receptor channel; End-plate; Schwann cell; Miniature end-plate current (Reiser, G.) **479,** 83

Long-term potentiation; Hippocampus; Acetylcholine (ACh); Monoamine; Memory (Buzsáki, G.) **484,** 94

Cholesterol; Muscle; Neuromuscular junction; Aging; Phospholipid (Williams, K.D.) **493,** 14

Dopamine receptor; Receptor proliferation; Metoclopramide; Autoradiography; Spiroperidol, [^{3}H]-; Chronic neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Dense core vesicle
Immunogold; Dual labeling; Inhibitory amino acid (Pickel, V.M.) **476,** 265

Dense-cored vesicle
Non-synaptic release; Ultrastructure; Neuropile; Crayfish; Synapse (Cuadras, J.) **477,** 332

Aplysia; Bag cell (Sossin, W.S.) **494,** 205

Dentate field potential
Hippocampus; Paired-pulse depression; Antidromic depression; Recurrent inhibition; Long-term potentiation (Maru, E.) **478,** 112

Hippocampus; Commissural inhibition; Commissural facilitation; Paired-pulse depression; Diazepam; Long-term potentiation (Kanda, M.) **484,** 325

Dentate granule neuron
Aging; Calcium current; Voltage-clamp; Hippocampus (Reynolds, J.N.) **479,** 384

Dentate gyrus
Long-term potentiation; Habituation; Paired-pulse depression; Field potential (Krug, M.) **476,** 163

Accommodation; Calcium; Calcium-dependent potassium conductance; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Pyrethroid; Cismethrin; Deltamethrin; Fenvalerate; Hippocampus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

Ammon's horn; Hippocampus; Brainstem; Raphe nuclei; Cat; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Axospinous synapse; Discontinuous postsynaptic density; Kindling (Geinisman, Y.) **480,** 326

Low calcium; Epilepsy; CA1; Spatial buffering; Potassium (Albrecht, D.) **480,** 393

Perforant path; Acetylcholine; Carbachol; Atropine; Pirenzepine (Kahle, J.S.) **482,** 159

Norepinephrine-induced long-lasting potentiation; Long-term potentiation; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

Microtubule; Neurotoxicity; Colchicine; Cytoskeleton (Goldschmidt, R.B.) **486,** 133

Hippocampus; Ischemia; Excitatory amino acid; Calcium; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Selective vulnerability (Ashton, D.) **487,** 402

Hippocampus; Granule cell; Interneuron; Norepinephrine; Local application; Neuropharmacology (Rose, G.M.) **488,** 353

Excitatory amino acid; Glutamate; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

Long-term potentiation; Long-term depression; Behavioral state; Sleep; Perforant path; Freely moving rat

(Bramham, C.R.) **493,** 74

Epilepsy; Human; Brain slice; γ-Aminobutyric acid; Frequency potentiation; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Halothane neurotoxicity; Entorhinal lesion; Reactive synaptogenesis (Uemura, E.) **496,** 317

Hippocampus; Seizure; Endoplasmic reticulum; Ultrastructural plasticity (Pico, R.M.) **497,** 387

Hippocampus; Serotonin; 5-Hydroxytryptophan; 8-Hydroxy-2-(di-*n*-propylamino)tetralin; Population response; Rat (Klancnik, J.M.) **505,** 145

Cerebral ischemia; Neuronal death; Excitotoxicity; Hippocampus; Paired-pulse inhibition; Inhibitory interneuron (Chang, H.S.) **505,** 220

Dentate inhibitory neuron
Perforant path; Parvalbumin; Feed-forward inhibition; Electron microscopic immunocytochemistry (Zipp, F.) **495,** 161

Dentate-hilar neuron
Commissural inhibition; Intracellular recording; *Phaseolus vulgaris* leucoagglutinin; In vivo; Rat (Isokawa-Akesson, M.) **480,** 92

Dentato-olivary projection
Wheatgerm agglutinin–horseradish peroxidase; γ-Aminobutyric acid; Immunogold (Angaut, P.) **479,** 361

Deoxy sugar
N-Methyl-D-aspartate receptor; MK-801; 3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid; Autoradiography; Cerebral glucose utilisation (Kurumaji, A.) **496,** 268

Deoxycorticosterone
Salt intake; (Na+K)-ATPase; Mineralocorticoid receptor (Grillo, C.) **499,** 225

Deoxyglucose
Acetylcholine; Aging; Arecoline; Brain metabolism; Rat (Soncrant, T.T.) **487,** 255

Phenobarbital; Cerebral metabolism; Drug withdrawal (Marietta, C.A.) **496,** 173

Local cerebral glucose; Behavior (Crane, A.M.) **499,** 87

Propionic acid; Olfaction; Olfactory coding; Olfactory adaptation (Slotnick, B.M.) **500,** 161

Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Autoradiography; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

2-Deoxy-D-glucose
Brown adipose tissue; Obesity; Efferent sympathetic nerve activity; Glucose; Ventromedial hypothalamus (Holt, S.J.) **481,** 106

Rat; Neuroglycopenia; Sympathetic nervous system; Hyperglycemia; Liver glucose output; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

2-Deoxyglucose
Ventrobasal complex; Homotypic grafting; Fetal neuron; Cytochrome oxidase; Acetylcholinesterase; Metabolic activity (Juliano, S.L.) **478,** 356

Central auditory system; Central nervous system metabolism; Stimulus intensity (Ryan, A.F.) **483,** 283

Local cerebral glucose utilization; Brain metabolism; Kindling; Postictal phase; Epilepsy (Namba, H.) **486,** 221

Autoradiography; Fetal plasma glucose (Kostreva, D.R.) **487,** 384

Auditory system; Long-term habituation; Acoustic startle response; Learning (Gonzalez-Lima, F.) **489,** 67

Cerebral metabolism; Locus coeruleus; Norepinephrine; Stress; Rat (Justice, A.) **490,** 73

Morphine; Basal ganglia; Local cerebral glucose utilization (Beck, T.) **497,** 205

Receptor, σ; Brain metabolism; Glucose utilization; Antipsychotic; Pentazocine (Della Puppa, A.) **505,** 283

2-Deoxyglucose, [^{14}C]-
Glucose utilization; Circadian rhythm; Day/night rhythm; Nocturnal (Room, P.) **505,** 321

[^{14}C]Deoxyglucose technique
Benzodiazepine; Diazepam; Glucose utilization; Tolerance; Anxiolytic; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Deoxyribonucleic acid synthesis
Bromodeoxyuridine; Human adult astrocyte; Tissue culture; Immunofluorescence (Grenier, Y.) **480,** 87

Neurogenesis; Cell division; Tyrosine hydroxylase (DiCicco-Bloom, E.) **491,** 403

Depolarization
Neuronal survival; Potassium; Calcium; Voltage-gated calcium channel; Dihydropyridine (Collins, F.) **502,** 99

Acetylcholine; Dorsal motor nucleus of the vagus; Intracellular recording; Rat brainstem slice; Nicotinic receptor (Ito, C.) **503,** 44

Muscarinic receptor; Adrenergic receptor, α_1; Phosphatidyl inositol; Brain slice (Diamant, S.) **503,** 55

Muscarinic agonist; Neurotransmitter release; Long-term potentiation; Phospholipase C; Inositol phosphate (Schwartz, L.) **503,** 62

Depolarization inactivation
Dopamine; Pimozide; Morphine; Muscimol; Reward (Rompré, P.-P.) **477,** 152

Depolarizing plateau potential
Ictal seizure; Aminopyridine; Cat neocortex; Intracellular recording (Szente, M.B.) **495,** 261

Deprenyl
Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Clorgyline (Kornhuber, J.) **499,** 81

Depressant
Carotid body; Glomus cell; Stimulant (Eyzaguirre, C.) **477,** 265

Depression
Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ion flux; In vivo binding; Receptor occupancy; Shuttlebox active avoidance; Anxiety (Drugan, R.C.) **487,** 45

Bombesin; Neuromedin; Gastrin-releasing peptide; Inhibition; Substance P; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Serotonin; Serotonin turnover; Suicide; Postmortem human brain; Antidepressant drug (Cheetham, S.C.) **502,** 332

Depressive illness
Psychosurgery; Human brain; γ-Aminobutyric acid; Glutamic acid; Homocysteic acid (Francis, P.T.) **494,** 315

Depressor area
Blood pressure; Heart rate; Pressor area; Substance P; Wistar rats (Urbanski, R.W.) **491,** 383

Deprivation
Olfaction; Receptor neuron; Epithelium; Naris closure; Nasal cavity (Maruniak, J.A.) **490,** 212

Descending control
Locus ceruleus; Noradrenaline; Serotonin; Prazosin; Methysergide; Spinal Cord; Monosynaptic reflex (Lai, Y.-Y.) **484,** 268

Descending inhibition
Nucleus tractus solitarius; Antinociception; Pain modulation; Tail-flick test; Pentobarbital; Glutamate; Morphine (Morgan, M.M.) **486,** 175

Cardiopulmonary afferent; Bradykinin; Visceral nociception; Periaqueductal gray; Glutamate (Chandler, M.J.) **496,** 148

Descending inhibitory system
Delta-sleep-inducing peptide;

Antinociceptive effect; Spinal noradrenergic system; Spinal serotonergic system; Tail-pinch test; Hot plate test (Nakamura, A.) **480,** 82

Descending modulation
Trigeminal; Subnucleus oralis; Somatosensory; Nucleus raphe magnus; Cat (Chiang, C.Y.) **485,** 371

Anterior pretectal nucleus; Jaw-opening reflex; Trigeminal; Tooth pulp; Rat (Chiang, C.Y.) **497,** 325

Descending pain modulation
Stimulation-produced analgesia; Periaqueductal gray; Ascending pain modulation; Tail-flick test; Hot-plate test; Antinociception (Morgan, M.M.) **502,** 61

Desensitization
Neurokinin A; Substance P; Tachykinin; Parotid (McMillian, M.K.) **480,** 330

Aplysia; Acetylcholine; Potassium conductance (Salánki, J.) **495,** 298

Aplysia; Chloride; Receptor; Acetylcholine (Evans, M.L.) **495,** 309

Dorsal root ganglion; Resiniferatoxin; Capsaicin analog (Szallasi, A.) **503,** 68

Desmethylimipramine
Cerebral cortex; Cerebellum; Noradrenaline; Nerve regeneration; Catecholamine receptor; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Catecholamine; Mazindol, [^{3}H]; Autoradiography (Donnan, G.A.) **504,** 64

Developing brain
Catecholamine histofluorescence; Magnesium perfusion technique; Formaldehyde–glutaraldehyde perfusion technique; Polyethylene glycol (Woerly, S.) **495,** 377

Developing cerebellum
Gamma aminobutyric acidergic neuron; Migrating neuron; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Purkinje cell; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Developing spinal cord
Organotypic culture; Testosterone; Neuromotrophic factor; Cell death (Hauser, K.F.) **485,** 157

Development
Nicotine; Sexual behavior; Testosterone; Eye opening; Reproductive axis; Levator anus (Segarra, A.C.) **480,** 151

Dopamine receptor; Striatum; Striosome; Ontogeny; SCH 23390 (Murrin, L.C.) **480,** 170

L-Glutamate binding; Human cerebellum; Olivopontocerebellar atrophy; Pharmacology; Localization (Tsiotos, P.) **481,** 87

Gonadotropin-releasing hormone; Immunohistochemistry; Brain; Rat (Jennes, L.) **482,** 97

Dopamine; Mesencephalon; Diencephalon; Dissociation culture; Rat (Engele, J.) **483,** 98

Neural cell adhesion molecule; Heart; Myocardium; Cardiac innervation; Vascular smooth muscle (Wharton, J.) **483,** 170

Somatosensory cortex; Mapping; Progressive change; Cat (McKinley, P.A.) **484,** 378

Hypogastric ganglion; Tyrosine hydroxylase; Androgen receptor; Testosterone (Melvin, J.E.) **485,** 11

Calbindin-D_{28K}; Calcium-binding protein; Hippocampal formation; Rat; Thyroid state; Undernutrition (Rami, A.) **485,** 20

Barrel; Lectin; Glia; Boundary; Plasticity; Critical period substrate; Somatosensory cortex (Cooper, N.G.F.) **489,** 167

Neostriatal cell culture; Inhibitory synapse; Receptor (Misgeld, U.) **492,** 149

Noradrenaline; Adrenoceptor, α_1- and α_2-; Dorsal motor nucleus of the vagus; Medulla oblongata slice; Intracellular recording (Fukuda, A.) **493,** 357

Excitotoxicity; Hippocampus; Muscarinic receptor; Neuroarchitecture; Selective cell death (Mattson, M.P.) **497,** 402

Estradiol; Cerebral cortex; Freeze-fracture; Plasma membrane; Neuronal membrane; Cell culture (Garcia-Segura, L.M.) **498,** 339

Spontaneous hypertension; Hexokinase; Metabolic activity; Arterial pressure; Histochemistry (Krukoff, T.L.) **499,** 1

Australoid race; Neuron; Purkinje cell; Growth (Riedel, A.) **499,** 333

Transplant; Neostriatum; Serotonin; Dopamine; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Leech; Inhibition; Axotomy; Fluorescent dye irradiation; Synaptic localization (Lytton, W.W.) **504,** 43

Calcitonin gene-related peptide; Cerebellum; Climbing fiber; Inferior olive; Immunohistochemistry (Morara, S.) **504,** 315

Development (postnatal)
Benzodiazepine; Benzodiazepine antagonist; Retinal ganglion cell (Robbins, J.) **479,** 334

Dexamethasone
Glucocorticoid; α-Adrenergic receptor; β-Adrenergic receptor; Cyclic adenosine monophosphate; Adrenocorticotropic hormone (Duman, R.S.) **477,** 166

Kainic acid; Adrenalectomy; Wet dog shake; Seizure (Lee, P.H.K.) **480,** 322

Spinal cord; Hippocampus; Glucocorticoid receptor; Mineralocorticoid receptor; Corticosterone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Dextromethorphan
Cerebral ischemia; Cerebral blood flow; Electroencephalography; Rat (Tortella, F.C.) **482,** 179

Dextrorphan
Quinolinic acid; MK-801; Huntington's disease; Kynurenate; Glycine; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

Cerebral ischemia; Cerebrovascular disease; Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate (Steinberg, G.K.) **497,** 382

Di-o-tolylguanidine
Sigma receptor; Movement; Posture; Age (Matsumoto, R.R.) **504,** 145

Diabetes
Brain mitochondria; Chronic hypoglycemia; Insulin; Respiratory control ratio; State 3 respiration; State 4 respiration (Pellegrino, D.A.) **479,** 241

Insulin; Insulin-like growth factor-I; Nerve regeneration; Rat; Sciatic nerve; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Sympathetic neuropathy; Pancreatic islet transplantation (Schmidt, R.E.) **497,** 393

Neuronal degeneration; Hypothalamus; C57BL/*KsJ* mouse; C57BL/*6J* mouse; Morphometry (Garris, D.R.) **501,** 162

Diacylglycerol
Thyrotropin-releasing hormone; GH_3 cell; Inositol phosphate; Phorbol ester; Action potential frequency (Gammon, C.M.) **479,** 217

Diagonal band
Medial septum; Septohippocampal; γ-Aminobutyric acid; Parvalbumin (Freund, T.F.) **478,** 375

Nerve growth factor receptor; Aging; Nucleus basalis; Septum; Immunohistochemistry (Gómez-Pinilla, F.) **479,** 255

Laterodorsal tegmental nucleus;

Olfactory bulb; Mediodorsal nucleus; Collateral axons (Cornwall, J.) **491,** 194

Dialysis
Ceruletide; Cholecystokinin; Dopamine; Vagotomy (Hamamura, T.) **483,** 78

Serotonin; Hypothalamus; Rat; Release; High-performance liquid chromatography-electrochemical detection (Auerbach, S.B.) **499,** 281

Serotonin; Spinal cord; Monosynaptic response (Samathanam, G.) **501,** 179

Amphetamine; Dopamine; Reserpine; Stereotypy; Striatum (Callaway, C.W.) **505,** 83

Diaminobenzidine
Neurotensin; Dopamine; Tyrosine hydroxylase; Substantia nigra; Ventral tegmental area; Immunocytochemistry; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Diaphragm
Dorsal tegmental field; Hypoglossal nerve; Mesencephalic cat (Kawahara, K.) **479,** 185

Dorsal tegmental field; Postural atonia; External intercostal muscle (Kawahara, K.) **491,** 180

Diazepam
Calcium; Dendritic outgrowth; γ-Aminobutyric acid; Glutamate; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Aversion; Benzodiazepine; Escape; Lateral hypothalamus; Reward; Self-stimulation (Carden, S.E.) **483,** 327

Hippocampus; Dentate field potential; Commissural inhibition; Commissural facilitation; Paired-pulse depression; Long-term potentiation (Kanda, M.) **484,** 325

Astrocyte; Calcium; Epilepsy; Anticonvulsant; Calmodulin kinase; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

Anteromedial cortex lesion; Ro 15-1788; Recovery of function; Somatosensory asymmetry; Spontaneous activity; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Benzodiazepine; Norepinephrine fiber; Hypothalamus; Binding site; Agonist; Antagonist (Harary, N.) **492,** 293

Shock titration; Pain; Analgesia; Rhesus monkey; Morphine; Meperidine; Pentazocine (Bloss, J.L.) **499,** 344

Butylbicyclophosphorothionate binding; Substantia nigra; Striato-nigral pathway; Receptor, $GABA_A$; γ-Aminobutyric acid; Bicuculline (Sanna, E.) **501,** 144

Benzodiazepine; [^{14}C]Deoxyglucose technique; Glucose utilization; Tolerance; Anxiolytic; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Benzodiazepine receptor; Ca^{2+}; GABA receptor; Sensory neuron; Voltage clamp (Akaike, N.) **504,** 293

Dibutyryl cyclic adenosine monophosphate
Cultured cerebellar neuron; Glutamate; Noradrenaline; Cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

Diencephalon
Dopamine; Mesencephalon; Dissociation culture; Development; Rat (Engele, J.) **483,** 98

Diet-induced obesity
Food intake; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

[11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzodiazepin-6-on] (AF-DX 116)
Muscarinic autoreceptor; Heterogeneity; Rat hippocampus; Rat cerebral cortex; Rat striatum (Lapchak, P.A.) **496,** 285

Diethyldithiocarbamate
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Substantia nigra; Striatum; Parkinson's disease; Behavior; Mouse (Yurek, D.M.) **497,** 250

(–)-(1R,5R,9R)-5,9-Diethyl-2-(3-furyl-methyl)-2′-hydroxy-6,7-benzomorphan
Dynorphin A(1–13); Apomorphine; Rearing; Locomotor activity; Mouse (Ukai, M.) **499,** 299

Different threshold
Stapedius muscle; Vocalization; Electrical stapedius muscle response; Field potential (Grassi, S.) **490,** 345

Differential environment
Hippocampus; CA3; Sex difference; Dendrite (Juraska, J.M.) **479,** 115

Differential Pavlovian conditioning
Auditory cortex; Bradycardia; Extinction; Heart rate; Rabbit (Teich, A.H.) **480,** 210

Differentiation
Glycolipid; Sialosyl cholesterol; Astroglia; Growth inhibition (Ito, J.-I.) **481,** 335

Subplate; Cortical plate; Alzheimer's disease; Down's syndrome (Al-Ghoul, W.M.) **481,** 361

Medulloblastoma; N-ras oncogene; Polymerase chain reaction; Cerebellum; Neuroectodermal tumor (Fults, D.) **503,** 281

Diffuse noxious inhibitory control
Primate; Cold pressor pain; Tonic pain; Pain tolerance; Counterirritation (Marchand, S.) **487,** 388

α-Difluoromethylornithine
Ornithine decarboxylase; Polyamine; Putrescine; Blood–brain barrier breakdown; α-Aminoisobutyrate; Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

Dihydromorphine
Opiate binding; Periaqueductal gray; Medulla; Analgesia (Ramberg, D.A.) **483,** 61

Dihydropyridine
Barium; Calcium; Voltage-dependent Ca^{2+} channel; Tuberoinfundibular dopaminergic neuron; Dopamine release (Taglialatela, M.) **488,** 114

Neuronal survival; Potassium; Depolarization; Calcium; Voltage-gated calcium channel (Collins, F.) **502,** 99

Dihydrotestosterone
Androgen; Testosterone; Primate; Hypothalamus; Amygdala; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

Dihydroxyphenylacetic acid
Dopamine; Homovanillic acid; Striatum; In vivo dialysis; Haloperidol; Motor activity; Motivation (Salamone, J.D.) **487,** 215

3,4-Dihydroxyphenylacetic acid
Microdialysis; dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Nucleus accumbens; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

Dihydroxyphenylalanine-induced dyskinesia
L-Dihydroxyphenylalanine; Dopamine; 3-Methoxytyrosine; In vivo voltammetry; Behavior; Rat (Nakazato, T.) **490,** 332

L-Dihydroxyphenylalanine
Dopamine; 3-Methoxytyrosine; In vivo voltammetry; Behavior; Dihydroxyphenylalanine-induced dyskinesia; Rat (Nakazato, T.) **490,** 332

Progesterone; Dopamine; Caudate nucleus; Push–pull perfusion; Female rat (Dluzen, D.E.) **494,** 122

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

L-3,4-Dihydroxyphenylalanine
Dopamine; Immunocytochemistry;

Dorsal vagal complex; A2/C2 cell group; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

2,4-Dihydroxyphenylacetyl-asparagine (2,4-DHPA-ASN)
Joro spider toxin (JSTX); Glutamate uptake by synaptosomes; Sodium-dependent glutamate binding; Role of polyamines (Pan-Hou, H.) **476,** 354

3,3-Diethylthiadicarboxyamine-iodide
Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; Membrane potential; Phenylephrine; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

3,4-Dihydroxyphenylacetic acid
Neurotensin; Dopamine; Homovanillic acid; Apomorphine; Microdialysis; Striatum; Rat (Tanganelli, S.) **502,** 319

5,7-Dihydroxytryptamine
Raphe nucleus; Neurokinin; Hyperactivity; 5-Hydroxytryptamine neuron (Paris, J.M.) **476,** 183

Serotonin; Norepinephrine; Monoamine oxidase; Parkinson's disease; Aging; Neurotoxin (Finnegan, K.T.) **496,** 251

6-Hydroxydopamine; Mazindol, [^{3}H]-binding; Corpus striatum; Hypothalamus (Angel, I.) **503,** 339

Behavior; Electrocorticogram; High-performance liquid chromatography; Hippocampus; Neocortex; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Avoidance behavior; Circadian rhythm; Open field; Serotonin; Social behavior; Scopolamine (Vanderwolf, C.H.) **504,** 192

6,7-Dinitroquinoxaline-2,3-dione
Glycine binding; *N*-Methyl-D-aspartate receptor; Antagonist; *N*-(1-(2-Thienyl)-cyclohexyl)piperidine binding; 6-Cyano-7-nitroquinoxaline-2,3-dione; Quinoxaline derivative (Kessler, M.) **489,** 377

Diisopropyl phosphorofluoridate
Axonal transport; Anterograde transport; Neurotoxicant; Organophosphorus compound-induced delayed neurotoxicity (Carrington, C.D.) **476,** 179

Diltiazem
Electron microscopy; Acetylcholinesterase inhibitor; Myopathy; Calcium channel blocker; Muscular dystrophy (Meshul, C.K.) **497,** 142

Dioctanoylglycerol
Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Carbachol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

4-Diphenylacetoxy-*N*-methyl-piperidine methiodide
Muscarinic receptor subtype; AF-DX 116; Hexahydro-sila-difenidol; Cyclic adenosine monophosphate; N1E-115 neuroblastoma (Surichamorn, W.) **493,** 320

1-(2,5-Dimethoxy-4-iodophenyl)-2-aminopropane
Prefrontal cortex; Serotonin$_2$ antagonist (Ashby, C.R.) **498,** 393

Diprenorphine
Opioid peptide; Endogenous; Enkephalin; Dynorphin; Neurotransmitter release; Hippocampus (Neumaier, J.F.) **493,** 292

Dipyridamole
Adenosine uptake; Release; Purine; Soluflazine; Cerebral cortex (Phillis, J.W.) **481,** 309

Direct cortical response
Focal epilepsy; Current source–density; Principal component analysis; Source modeling; Penicillin spike; Electrophysiology (Barth, D.S.) **484,** 13

Direction adaptation
Vestibulo-ocular reflex; Vestibulo-cerebellum; Optokinetic stimulation; Optokinetic velocity; Nodulus-uvula; Lesion (Mason, C.R.) **490,** 373

Direction selectivity
Cat; Superior colliculus; Apparent motion; Visual–auditory interaction (Rauschecker, J.P.) **490,** 56

Discharge pattern
Pigeon; Cold receptor; Cyclic activity; Transducer process; Calcium dependence (Schäfer, K.) **501,** 66

Discontinuous postsynaptic density
Dentate gyrus; Axospinous synapse; Kindling (Geinisman, Y.) **480,** 326

Discrimination learning
Amygdala; Naloxone; Propranolol; Inhibitory avoidance; Memory; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Discriminative learning
Feeding response; Appetitive learning; Stimulus generalization; Generalization of extinction; *Lymnaea* (Kemenes, G.) **489,** 163

Disinhibition
Iminodipropionitrile; Head movement; Circling; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Nigrotectal pathway; Reticular formation (Cadet, J.L.) **484,** 57

Dopamine; Nucleus accumbens; Ventral pallidum; γ-Aminobutyric acid; Enkephalin (Yang, C.R.) **489,** 237

Muscimol; Epilepsy; γ-Aminobutyric acid; Hippocampus (Chesnut, T.J.) **502,** 365

Dissociated brain cell
Intracellular calcium; Fura-2; *N*-Methyl-D-aspartate; Ethanol (Dildy, J.E.) **499,** 383

Dissociation culture
Dopamine; Mesencephalon; Diencephalon; Development; Rat (Engele, J.) **483,** 98

Distribution
Human diazepam binding inhibitor-like immunoreactivity(51–70); Central nervous system; Peripheral tissue (Ball, J.A.) **479,** 300

FMRF-NH_2-like peptide; Rat brain; Spinal cord; Pituitary (Majane, E.A.) **494,** 1

Disulfonic stilbenes, DIDS and SITS
Choroid plexus; Cerebrospinal fluid formation; Chloride transport; Cl-HCO_3 antiport; Blood–CSF barrier (Deng, Q.-S.) **501,** 183

Ditolylguanidine
Haloperidol-sensitive; σ-Receptor; Hippocampus; Neurotransmitter release; Schizophrenia (Neumaier, J.F.) **500,** 215

Diuresis
Intracerebroventricular infusion; Hyperosmotic solution; Hypo-osmotic solution; Saline; Mannitol; Sucrose; Natriuresis (Osborne, P.G.) **499,** 101

Diurnal rhythm
Monoamine; Median eminence; Pituitary gland (Koulu, M.) **503,** 246

Diurnal variation
Vasoactive intestinal peptide; Suprachiasmatic nucleus (Takahashi, Y.) **497,** 374

Divalent cation
Reflex, spinal; Monosynaptic reflex; Dorsal root potential (Czéh, G.) **486,** 274

Seizure; γ-Aminobutyric acid; *N*-Methyl-D-aspartate (Czéh, G.) **495,** 89

Dizocilipine maleate (MK-801)
Excitatory amino acid (EAA) antagonist; Glutamate antagonist; *N*-Methyl-D-aspartate antagonist; Complete global cerebral ischemia; Canine cerebral ischemia model (Michenfelder, J.D.) **481,** 228

Djungarian hamster
Carbachol; Phase response curve; Circadian rhythm; Locomotor activity; Blind (Wee, B.E.F.) **505,** 209

Dog

5-Hydroxytryptamine; Cynomolgus monkey; Microsphere; Cerebral circulation; Adenosine (Faraci, F.M.) **478,** 121

α_1 Receptor; Chlorethylclonidine; Prazosin; Rat; Subtype; WB-4101 (Mignot, E.) **486,** 56

α_2-Receptor; [^{3}H]Yohimbine binding; Narcolepsy; Locus ceruleus; Noradrenaline; Autoinhibition (Fruhstorfer, B.) **500,** 209

Opioid; κ Agonists; U50488; Corticotropin releasing factor; Cortisol; Stress (Gué, M.) **502,** 143

Domestic chick
Naloxone binding, [^{3}H]-; Opiates; Quantitative autoradiography; Avian brain (Csillag, A.) **479,** 391

Dominantly inherited olivopontocerebellar atrophy
Inositol 1,4,5-trisphosphate; Cerebellum; Purkinje cell; Granule cell; Glutamate; Ataxia (Kish, S.J.) **489,** 373

Dopamine
γ-Aminobutyric acid; In vitro; Release; Slice; Striatum; Uptake (Bernath, S.) **476,** 373

Accumbens; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Reward; Brainstem; Midbrain; Pimozide; Morphine (Rompré, P.-P.) **477,** 144

Depolarization inactivation; Pimozide; Morphine; Muscimol; Reward (Rompré, P.-P.) **477,** 152

Amygdala; Nucleus accumbens; Locomotor activity; Neuromodulation (Yim, C.Y.) **477,** 202

Neuropeptide Y; Striatum; Immunocytochemistry; Electron microscopy; Rat (Vuillet, J.) **477,** 241

Nicotine; Microdialysis; Nucleus accumbens; Addiction (Mifsud, J.-C.) **478,** 365

Pain; Rat; Behavior; Morphine; Cocaine (Lin, Y.) **479,** 306

Serotonin; Noradrenaline; Metabolism (Kalsbeek, A.) **479,** 339

Neurotensin; Tyrosine hydroxylase; Substantia nigra; Ventral tegmental area; Immunocytochemistry; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Cholecystokinin; Neurotensin; Haloperidol; Rat (Radke, J.M.) **480,** 178

Striatum; Dopamine receptor; Weaver mouse; Mutation; Substantia nigra (Pullara, J.M.) **480,** 225

Nomifensine; Mazindol; Re-uptake; Striatum; Voltammetry (Glynn, G.E.) **481,** 235

Caudate nucleus; Push–pull perfusion; Substantia nigra; 6-Hydroxydopamine (Chang, G.D.) **481,** 265

Vasopressin; Osmotic stimulus; Noradrenaline; Haloperidol; Phenoxybenzamine; Rat (Yamaguchi, K.) **481,** 388

Retina; Light-adaptation; *Xenopus laevis* (Boatright, J.H.) **482,** 164

Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

D-Amphetamine infusion; Single-unit recording; Synthesis; Autoreceptor (Lee, T.H.) **483,** 17

Mesencephalon; Diencephalon; Dissociation culture; Development; Rat (Engele, J.) **483,** 98

Incertohypothalamic A13 neuron; Iontophoresis; Tyrosine hydroxylase immunocytochemistry; Autoreceptor (Sanghera, M.K.) **483,** 361

Basal ganglia; γ-Aminobutyric acid; Reaction time; Rat (Amalric, M.) **483,** 389

Ceruletide; Cholecystokinin; Vagotomy; Dialysis (Hamamura, T.) **483,** 78

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Striatum; Substantia nigra; Tyrosine hydroxylase immunoreactivity; GM_1 ganglioside (Hadjiconstantinou, M.) **484,** 297

Galanin; K^+ channel; PC12 (De Weille, J.R.) **485,** 199

Methamphetamine; Neurotoxicity; Serotonin; Rhesus monkey; Brain (Woolverton, W.L.) **486,** 73

Flow cytometry; Transplant; Substantia nigra; Cell culture (Lopez Lozano, J.J.) **486,** 351

Mesolimbic dopamine system; Mesocortical dopamine system; Ventral tegmental area; Substance P; Neurotensin; Enkephalin (Cador, M.) **486,** 357

Substantia nigra; Opioid receptor; μ-Opioid; δ-Opioid; Stereotyped behavior (Morelli, M.) **487,** 120

Homovanillic acid; Dihydroxyphenylacetic acid; Striatum; In vivo dialysis; Haloperidol; Motor activity; Motivation (Salamone, J.D.) **487,** 215

In vivo voltammetry; Uptake rate; Overflow rate; Striatum (May, L.J.) **487,** 311

Luteinizing hormone-releasing hormone; Eicosanoid; Leukotriene; Median eminence; Norepinephrine (Saadi, M.) **488,** 97

μ-Opioid; Neurotensin; Receptor; Nucleus accumbens; Mesencephalon (Dilts, R.P.) **488,** 311

In situ hybridization; Cholecystokinin; Colocalization; Human substantia nigra (Palacios, J.M.) **488,** 369

Nucleus accumbens; Ventral pallidum; Disinhibition; γ-Aminobutyric acid; Enkephalin (Yang, C.R.) **489,** 237

Scorpion toxin; Sodium channel; Tetrodotoxin; Calcium; EGTA; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Obesity; Norepinephrine; Serotonin; Goldthioglucose; Mouse (Silva, E.) **490,** 192

Adrenal medullary strip; Chromaffin cell; β-Endorphin; MPF (Ensor, D.M.) **490,** 196

Receptor, D_2; Quinpirole; Open field behavior; Movement organization (Eilam, D.) **490,** 255

Neurotoxicity; Methamphetamine; Serotonin; Drug abuse (Ricaurte, G.A.) **490,** 301

L-Dihydroxyphenylalanine; 3-Methoxytyrosine; In vivo voltammetry; Behavior; Dihydroxyphenylalanine-induced dyskinesia; Rat (Nakazato, T.) **490,** 332

Medial prefrontal cortex; Lateral hypothalamus; Ventral tegmental area; Stress; Learned helplessness; Self-stimulation (McGregor, I.S.) **490,** 397

Tyrosine hydroxylase; Immunochemistry; Medical basal hypothalamus; Tissue culture (Bennett, B.A.) **491,** 109

Somatostatin; Adenylate cyclase; Brain; Norepinephrine; Vasointestinal; Polypeptide; Forskolin (Schettini, G.) **492,** 65

γ-Aminobutyric acid; Glutamic acid decarboxylase; Transplant; Striatum; Substantia nigra (Segovia, J.) **493,** 185

Receptor, D_1-; Adenylate cyclase; Receptor, D_2-; Supersensitivity; Caudate-putamen; Autoradiography; SCH 23390 (Marshall, J.F.) **493,** 247

Progesterone; Caudate nucleus; L-Dihydroxyphenylalanine; Push–pull perfusion; Female rat (Dluzen, D.E.) **494,** 122

Ageing; Apomorphine; Autoreceptor; D_1 receptor; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Graphite stearate electrode; Semidifferential voltammetry; Serotonin (Broderick, P.A.) **495,** 115

Kainic acid; Epilepsy; Noradrenaline; Clonidine (Baran, H.) **495,** 253

Benzodiazepine; Striatum; Tyrosine hydroxylase; Anxiety; γ-Aminobutyric acid (Knorr, A.M.) **495,** 355

Paraventricular nucleus; Adrenal gland; Hypothalamus; Pituitary; Corticosterone; Norepinephrine; Serotonin (Leibowitz, S.F.) **496,** 219

Drug discrimination; Pentazocine; SCH 23390; Sulpiride; Dopamine D_1 receptor (Ukai, M.) **496,** 377

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Diethyldithiocarbamate; Substantia nigra; Striatum; Parkinson's disease; Behavior; Mouse (Yurek, D.M.) **497,** 250

L-3,4-Dihydroxyphenylalanine; Immunocytochemistry; Dorsal vagal complex; A2/C2 cell group; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

Agonistic behavior; Central pattern generator; Lobster; Monoclonal antibody (Barthe, J.Y.) **497,** 368

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Magnetic field; Pigmentation; Retina; Rodent (Olcese, J.) **498,** 145

Sensitization; Amphetamine; Glucocorticoid receptor; Stress; Noradrenaline (Rivet, J.-M.) **498,** 149

Cholecystokinin; Caudate nucleus; Nucleus accumbens; Potassium; In vivo electrochemistry (Gerhardt, G.A.) **499,** 157

Compartment; Caudate nucleus; Release; Reserpine; α-Methyl-*p*-tyrosine (Leviel, V.) **499,** 205

Cerebral cortex; Hibernation; Arousal; Feeding; Serotonin; Bat (Bauman, W.A.) **500,** 156

In vivo voltammetry; Mouse; 3-Methoxytyramine (Crespi, F.) **500,** 241

Adrenalectomy; Corticosterone; Noradrenaline; Hypothalamus; Paraventricular nucleus (Jhanwar-Uniyal, M.) **500,** 247

Tyrosine hydroxylase; Noradrenaline; Neocortex; Cynomolgus monkey (Noack, H.J.) **500,** 313

Sexual behavior; Penile reflex; Seminal emission; Medial preoptic area; Paraventricular nucleus; Male; Rat (Pehek, E.A.) **500,** 325

Circling; Hemispheric asymmetry; Left–right discrimination (Willar, C.D.) **500,** 405

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Ethanol; Acetaldehyde; Neurotoxicity; Substantia nigra (Zuddas, A.) **501,** 1

Receptor, D_1-; Receptor, D_2-; Nucleus accumbens; Dopamine uptake (Allin, R.) **501,** 389

Medial zona incerta; Ventromedial nucleus of hypothalamus; In vitro brain slice; Extracellular action potential; Autoregulation (Eaton, M.J.) **502,** 117

Neurotensin; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Apomorphine; Microdialysis; Striatum; Rat (Tanganelli, S.) **502,** 319

Lateralization; Activity; Cortex; Substantia nigra (McMahon, F.J.) **503,** 185

α-Melanocyte-stimulating hormone; Rat; Serotonin; Hypothalamus; Superfusion (Tiligada, E.) **503,** 225

Nicotine; Synaptic vesicle; Transport; [^{3}H]-Accumulation; Reserpine (Kramer, H.K.) **503,** 296

D_1-receptor; C-*fos* proto-oncogene; Priming (Robertson, H.A.) **503,** 346

Transplant; Development; Neostriatum; Serotonin; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Cyclic adenosine monophosphate; Horizontal cell; Prolonged darkness (Young, L.H.Y.) **504,** 57

Rotation; Conditioned circling; Striatum; Medical prefrontal cortex; Cerebral asymmetry (Glick, S.D.) **504,** 231

Amphetamine; Dialysis; Reserpine; Stereotypy; Striatum (Callaway, C.W.) **505,** 83

Cholecystokinin; Release; Brain dialysis (Butcher, S.P.) **505,** 119

Aging; Striatum; Muscarinic; Motor behavior; Estrogen; Prolactin (Joseph, J.A.) **505,** 195

Dopamine agonist
Prefrontal cortex; Dopamine receptor; Stress; Rat (MacLennan, A.J.) **477,** 300

Dopamine autoreceptor
Kainic acid; Dopamine release; Rat striatum; Slice (Bonanno, G.) **480,** 242

Dopamine D_1 receptor
CY208 243; Dopamine D_2 receptor; Locomotor activity; Nucleus accumbens; Quinpirole; SKF38393 (Dreher, J.K.) **487,** 267

Drug discrimination; Pentazocine; SCH 23390; Sulpiride; Dopamine (Ukai, M.) **496,** 377

Dopamine D_2
Ex vivo; Serotonin-2; α_1-Adrenoceptor; Autoradiography (Schotte, A.) **500,** 295

Dopamine D_2 receptor
CY208 243; Dopamine D_1 receptor; Locomotor activity; Nucleus accumbens; Quinpirole; SKF38393 (Dreher, J.K.) **487,** 267

[^{3}H]Dopamine release; [^{3}H]Noradrenaline release; Adrenocorticotropic hormone-(1–24); Septal slice in vitro (Florijn, W.J.) **494,** 247

Feeding; N-0437; Satiety; Microstructural analysis; Locomotion; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

Dopamine deficiency
6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Dopamine neuron
Ventromedial mesencephalic tegmentum; Unit activity; Noxious tail pinch (Mantz, J.) **476,** 377

Dopamine receptor
Estradiol; 2-Hydroxyestradiol; Progesterone; Striatum (Fernández-Ruiz, J.J.) **476,** 388

Prefrontal cortex; Stress; Rat; Dopamine agonist (MacLennan, A.J.) **477,** 300

Striatum; Striosome; Development; Ontogeny; SCH 23390 (Murrin, L.C.) **480,** 170

Amphetamine; Ascorbate; In vivo voltammetry; Neostriatum; Neuroleptic drug (Oh, C.) **480,** 184

Striatum; Dopamine; Weaver mouse; Mutation; Substantia nigra (Pullara, J.M.) **480,** 225

Antipsychotic; Neuroleptic; Haloperidol; Clozapine; Serotonin receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Transient forebrain ischemia; Striatum; Adenylate cyclase; DARPP-32; Autoradiography; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

Receptor proliferation; Denervation; Metoclopramide; Autoradiography; Spiroperidol, [^{3}H]-; Chronic

neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Stereotypy; Intrastriatal infusion; Co-activation; Sniffing; Oral activity; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Dopamine receptor antagonist
Behavioral sensitization; Amphetamine; Morphine; D-1 and D-2; Ventral tegmental area; Locomotor activity (Vezina, P.) **499,** 108

Dopamine receptor subtype
Cholecystokinin; Subchronic drug treatment; Haloperidol; Clozapine; Supersensitivity; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

Haloperidol; Clozapine; Neostriatum; Antipsychotic drug; Cyclic adenosine monophosphate; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

Dopamine receptor, D_1
Dopamine receptor, D_2; Parkinson's disease; Status lacunaris; Striatum; Substantia nigra (Cortés, R.) **483,** 30

Dopamine receptor, D_2
Dopamine receptor, D_1; Parkinson's disease; Status lacunaris; Striatum; Substantia nigra (Cortés, R.) **483,** 30

Neurotensin; Neuroleptics; LY 171555; Sulpiride; Striatum; Nucleus accumbens (Merchant, K.M.) **500,** 21

Dopamine release
Kainic acid; Dopamine autoreceptor; Rat striatum; Slice (Bonanno, G.) **480,** 242

Carotid body; Chemoreceptor; Cyanide; Uncoupler; Metabolic hypothesis (Obeso, A.) **481,** 250

Microdialysis; 1-Methyl-1,4-phenylpyridinium ion; Adenosine; Puridine; Striatum (Ballarin, M.) **483,** 184

Cholecystokinin; Intracerebroventricular; Caudate-putamen; D-Amphetamine; 3-Methoxytyramine (Altar, C.A.) **483,** 321

Haloperidol; Microdialysis; Striatum (Zhang, W.) **484,** 389

Barium; Calcium; Voltage-dependent Ca^{2+} channel; Tuberoinfundibular dopaminergic neuron; Dihydropyridine (Taglialatela, M.) **488,** 114

Cocaine self-administration; Dopamine uptake; Microdialysis; Addiction (Hurd, Y.L.) **498,** 199

Dopamine system
Serotonin system; Platelet [^{3}H]-imipramine binding; Electroretinogram b-wave amplitude (Castrogiovanni, P.) **504,** 129

Dopamine uptake
Cocaine self-administration; Dopamine release; Microdialysis; Addiction (Hurd, Y.L.) **498,** 199

Dopamine; Receptor, D_1-; Receptor, D_2-; Nucleus accumbens (Allin, R.) **501,** 389

Dopamine uptake site
Cocaine; Behavioral sensitization; Intracerebral dialysis; Striatum (Akimoto, K.) **490,** 339

Dopamine β-hydroxylase
Immunocytochemistry (Jengeleski, C.A.) **481,** 378

Dopamine
Microdialysis; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Nucleus accumbens; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

Dopaminergic dendrite
Substantia nigra pars reticulata; Weaver mutant mouse; Homozygote; Heterozygote; Seizure (Triarhou, L.C.) **501,** 373

Dopaminergic neuron
Fluorescent tracer; Propidium iodide; Lateral cerebral ventricle; Rat (Chen, S.) **483,** 379

Nucleus raphe dorsalis; Prefrontal cortex; Immunocytochemistry; Horseradish peroxidase; Fluoro-gold (Yoshida, M.) **496,** 373

Substantia nigra; Striatum; Primate; Putamen; Caudate nucleus; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Striatum; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Ethanol; Acetaldehyde (Zuddas, A.) **501,** 11

[^{3}H]Dopamine release
[^{3}H]Noradrenaline release; Adrenocorticotropic hormone-(1–24); Septal slice in vitro; Dopamine D_2 receptor (Florijn, W.J.) **494,** 247

Dorsal accessory olivary nucleus
Anterior pretectal nucleus; Central lateral nucleus; Anterior interpositus nucleus; Motor cortex; Electron microscopy; Retrograde double-labeling (Kitao, Y.) **484,** 304

Dorsal cochlear nucleus
Multi-unit recording; Cross-correlation; Rat; Peristimulus histogram; Neuronal interaction (Gochin, P.M.) **497,** 1

Dorsal column
Pretectum; Ventrolateral thalamus; Intracellular recording (Mackel, R.) **476,** 135

Cochlear neuron; Polysensory interaction; Dorsal column nucleus; Cat (Saadé, N.E.) **486,** 399

Calcitonin gene-related peptide; Substance P; Primary afferent fiber; Rat (Tamatani, M.) **495,** 122

Dorsal column nucleus
Dorsal column; Cochlear neuron; Polysensory interaction; Cat (Saadé, N.E.) **486,** 399

Glutamic acid decarboxylase; Intrinsic neuron; Local circuit neuron; Reptile; Somatosensation (Pritz, M.B.) **503,** 175

Dorsal funiculus
Corticospinal tract; Caudal termination; Wheatgerm-agglutinated horseradish peroxidase; Cat (Satomi, H.) **492,** 255

Dorsal hippocampus
[Arg^8]Vasopressin; Anti-vasopressin serum; Appetitive discrimination; Retrieval (Alescio-Lautier, B.) **500,** 287

Dorsal horn
Serotonin; Stimulation-produced analgesia; Raphe-spinal axon; Nucleus raphe magnus; Substantia gelatinosa (Cho, H.J.) **477,** 344

C-fos; Immunohistochemistry; Pain; Thalamus (Bullitt, E.) **493,** 391

Bombesin; Neuromedin; Gastrin-releasing peptide; Inhibition; Depression; Substance P; Primary afferent transmission; Nociception (De Koninck, Y.) **498,** 105

Dorsal horn neuron
Chronic pain; Spinal cord; Naloxone (Lombard, M.-C.) **477,** 48

Capsaicin; Pain; Mechanical hyperalgesia (Simone, D.A.) **486,** 185

Spinal cord; Ventral horn neuron; Organotypic explant culture; Roller tube; Rat; Acetylcholinesterase (Delfs, J.) **488,** 31

Acetylcholine; Substance P (Urban, L.) **500,** 12

Dorsal lateral geniculate nucleus
Ventral lateral geniculate nucleus; γ-Aminobutyric acid; Baclofen; Phaclofen; $GABA_A$ inhibitory postsynaptic potential; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

Kainate; Retrograde axonal transport; Horseradish peroxidase; Cytochrome oxidase; Electron microscopy; Visual cortex; Rat (Woodward, W.R.) **494,** 42

Acetylcholine; Sleep–wake cycle; State dependency; Microiontophoresis; Rat (Marks, G.A.) **494,** 294

Dorsal motor nucleus of the vagus
Development; Noradrenaline; Adrenoceptor, α_1- and α_2-; Medulla oblongata slice; Intracellular recording (Fukuda, A.) **493,** 357

Cerebrospinal fluid; Guinea pig; Immunocytochemistry; Oxytocin;

Species difference (Dubois-Dauphin, M.) **496,** 66

Acetylcholine; Intracellular recording; Rat brainstem slice; Depolarization; Nicotinic receptor (Ito, C.) **503,** 44

Dorsal motor nucleus of the vagus nerve
Area postrema; Nucleus tractus solitarii; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Dorsal raphe nucleus
Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Lateral geniculate nucleus; Relay neuron; Serotonin; Ascending reticular system; Electroencephalography (Kayama, Y.) **489,** 1

Serotonin; Microdialysis; Habenula; Striatum; Release (Kalén, P.) **492,** 187

Hypothalamic nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Morphine; Nucleus raphe magnus; Spinal cord; Medullary dorsal horn; Serotonin; Voltammetry (Rivot, J.P.) **495,** 140

Centralis lateralis nucleus; Medial prefrontal cortex; Ascending pathway; Rat (Condés-Lara, M.) **499,** 141

Nociception; Medial prefrontal cortex; Centralis lateralis nucleus; Ascending pain modulation pathway; Rat (Condés-Lara, M.) **499,** 145

Dorsal respiratory group
γ-Aminobutyric acid; Ventrolateral nucleus of the solitary tract; Bötzinger complex; Respiration; Ventrolateral medulla (Livingston, C.A.) **494,** 143

Dorsal rhizotomy
Opioid receptor; Neutral endopeptidase; Rat spinal cord; Quantitative autoradiography (Zajac, J.-M.) **477,** 400

Dorsal root
4-Aminopyridine; Antidromic discharge; Spinal cord; Cat; Autocorrelation; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

4-Aminopyridine; Unitary discharge; Antidromic discharge; Ventral root; Cat (Dubuc, R.) **491,** 349

Dorsal root ganglia
Amidation; Peptidylglycine; Spinal cord; Copper-dependency; Ascorbate-dependency (Graham, L.) **491,** 371

Parvalbumin; Calbinding D28k; Calcitonin gene-related peptide; Sensory neuron (Carr, P.A.) **497,** 163

Dorsal root ganglion
Cell membrane expansion; Tissue culture; Mouse; Osmolarity; Aging; Adaptation; Action potential (Horie, H.) **477,** 233

Skin; Calcitonin gene-related peptide; Immunoelectron microscopy; Primary afferent fiber; Merkel cell; Immunohistochemistry; Substance P (Ishida-Yamamoto, A.) **491,** 93

Ganglioside; Glycolipid; Surface antigen; Immunohistochemistry; Tumor marker (Kusunoki, S.) **494,** 391

Resiniferatoxin; Capsaicin analog; Desensitization (Szallasi, A.) **503,** 68

Dorsal root ganglion neuron
Excitatory opioid receptor; Action potential duration; Cyclic AMP; *Pertussis* toxin-sensitive G protein; Membrane Ca^{2+} conductance; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

Cell culture; Freeze-fracture; Node of Ranvier; Non-myelinated axon; Schwann cell (Bigbee, J.W.) **494,** 182

Dorsal root ganglion neuronal loss
Primary sensory neuron; Peripheral nerve transection (Ygge, J.) **478,** 193

Dorsal root potential
Reflex, spinal; Monosynaptic reflex; Divalent cation (Czéh, G.) **486,** 274

Taurine; Frog spinal cord; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; β-Alanine; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

Dorsal tegmental field
Diaphragm; Hypoglossal nerve; Mesencephalic cat (Kawahara, K.) **479,** 185

Postural atonia; Diaphragm; External intercostal muscle (Kawahara, K.) **491,** 180

Freely moving cat; Locomotion; Posture; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Dorsal vagal complex
Gastric corpus; Manometry; Thyrotropin-releasing hormone; L-Glutamic acid; Vagus; Microinjection; Rat (Raybould, H.E.) **495,** 319

L-3,4-Dihydroxyphenylalanine; Dopamine; Immunocytochemistry; A2/C2 cell group; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

Dorsal vagal nucleus
Angiotensin II; Sarcosine^1,isoleucine^8-angiotensin II; Nucleus tractus solitarii; Sinoaortic denervation; Nodose ganglionectomy; Baroreceptor reflex (Healy, D.P.) **484,** 1

Dorsal vagus
Gastric; Ventral vagus; Splanchnic nerve; Brainstem; Nucleus tractus solitarii (Barber, W.D.) **487,** 1

Dose–response relationship
Morphine; Behavioral tolerance; Habituation; Spinal; Bulbospinal (Milne, R.J.) **491,** 316

Double bouquet cell
Cerebral cortex; Monkey; Calcium binding protein (DeFelipe, J.) **503,** 49

Double labeling
Parabrachial nucleus; Thalamus; Zona incerta; Hypothalamus; Anterograde tracing; Retrograde tracing; Triple-labeling; Nociception (Ma, W.) **480,** 37

Median eminence; Histamine; Posterior hypothalamus; Retrograde transport; Cat (Yoshimoto, Y.) **504,** 149

Double-labeling immunocytochemistry
Monkey; Auditory cortex; Thalamocortical synapse; γ-Aminobutyric acid; Peptide (Cipolloni, P.B.) **492,** 347

Double-labeling method
Retinal ganglion cell; Bifurcating axon; Ipsilateral projection; Lateral geniculate; Superior colliculus; Fluorescent tracer; Rat (Yamadori, T.) **488,** 143

Double staining
Immunohistochemistry; Neurotransmitter; Lateral geniculate body; Subdivision (Takatsuji, K.) **480,** 198

Double-staining immunocytochemistry
Catecholamine; Neuropeptide Y; Cerebral cortex; Interaction (Tsuchiyama, M.) **494,** 168

Down's syndrome
Trisomy 16; Action potential; Patch clamp (Ault, B.) **485,** 165

Superoxide dismutase; Whole cell; Patch recording; Action potential (Ault, B.) **497,** 191

Subplate; Cortical plate; Alzheimer's disease; Differentiation (Al-Ghoul, W.M.) **481,** 361

Post-mortem brain; D-Aspartate binding; *N*-(1-[2-Thienyl]cyclohexyl)-piperidine binding (Simpson, M.D.C.) **484,** 273

Drinking
Jaw movement; Masticatory muscle;

Angiotensin II; Electromyography; Guinea pig (Gerstner, G.E.) **478,** 233

Jaw movement; Masticatory muscle; Electromyography; Guinea pig; Apomorphine-induced rhythmic jaw movement (Gerstner, G.E.) **479,** 6

Neurotensin; Water intake; Neuropeptide; Polydipsia; Structure–activity study (Hawkins, M.F.) **487,** 188

Osmoregulation; Vasopressin; Cerebrospinal fluid sodium; Minipig (Thornton, S.N.) **488,** 297

Arcuate nucleus; Ingestive behavior; Mouse; Monosodium glutamate; Neuropeptide Y; Thirst (Morley, J.E.) **494,** 129

Angiotensin II; Glucocorticoid; Brain; Angiotensin II receptor (Ganesan, R.) **499,** 121

Angiotensin II; Hemodynamics; Tracer microsphere technique; Organ blood flow (Rettig, R.) **505,** 251

Drinking behavior
Angiotensin II; Catecholamine (Cunningham, J.T.) **480,** 65

Sugar; Hypertonic sodium-chloride; Water intake; Intracarotid; Intracerebroventricular (Park, R.) **493,** 123

Drug abuse
Neurotoxicity; Methamphetamine; Dopamine; Serotonin (Ricaurte, G.A.) **490,** 301

Drug discrimination
Pentazocine; SCH 23390; Sulpiride; Dopamine; Dopamine D_1 receptor (Ukai, M.) **496,** 377

Drug effect
Geniculate body; Sensory threshold; Physiology; γ-Aminobutyric acid; Neural inhibition; Vision; Attention; Tree shrew (Norton, T.T.) **488,** 348

Drug withdrawal
Deoxyglucose; Phenobarbital; Cerebral metabolism (Marietta, C.A.) **496,** 173

DSP-4
Acetylcholine; Norepinephrine; Inhibitory avoidance; Spatial learning; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Dual labeling
Dense core vesicle; Immunogold; Inhibitory amino acid (Pickel, V.M.) **476,** 265

Duetting bird
Bird song; Estrogen; Vocal control (Brenowitz, E.A.) **480,** 119

Dura
Mast cell; Neurogenic plasma extravasation; Trigeminal ganglion; Compound 48/80 (Markowitz, S.) **477,** 157

Dwarf rat
Somatostatin; Growth hormone-releasing factor; Hypothalamus; Immunocytochemistry (Sakuma, S.) **493,** 402

Dye coupling
Enteric glia; Myenteric plexus; Guinea pig; Lucifer yellow; Horseradish peroxidase; S-100 immunoreactivity (Hanini, M.) **497,** 245

Dynamic sensitivity
Kitten; Spindle; Threshold (Jami, L.) **478,** 34

Dynamic γ
Cat muscle spindle; Primary afferent; Static γ; Maintained fusimotor stimulation; Re-afferent γ-effect; Interspike interval function (Awiszus, F.) **489,** 41

Dynorphin
Corticotropin-releasing factor; Met-enkephalin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

Opioid peptide; Endogenous; Enkephalin; Neurotransmitter release; Hippocampus; Diprenorphine (Neumaier, J.F.) **493,** 292

Antinociception; Intraspinal; Morphine; Hibernation; Opioid; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Hippocampus; Mossy fiber expansion; Glutamate; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

Messenger ribonucleic acid; Hippocampus; Kindling (Xie, C.-W.) **495,** 156

Substance P; Leumorphin; Colocalization; Hamster; Mating behavior; Opiate (Neal, C.R.) **496,** 1

Prevertebral ganglion; Guinea pig; Immunocytochemistry; Electron microscopy (Elfvin, L.-G.) **502,** 341

Dynorphin A
Opiate; Blood pressure; Blood flow (Thornhill, J.A.) **490,** 174

Calcitonin gene-related peptide; Primate; Spinal cord; Immunohistochemistry; Immunogold; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Dynorphin A(1–13)
Apomorphine; (–)-(1R,5R,9R)-5,9-diethyl-2-(3-furylmethyl)-2′-hydroxy-6,7-benzomorphan; Rearing; Locomotor activity; Mouse (Ukai, M.) **499,** 299

Dynorphin-related peptide
Corticotropin-releasing factor; Central nervous system; Sympathetic nervous system; Arterial pressure; Heart rate (Overton, J.M.) **488,** 233

Dysesthesia
Cordotomy; Central pain; Hyperexcitability CNS; Supersensitivity CNS (Levitt, M.) **481,** 47

Dyskinesia
Kynurenate; Globus pallidus; Subthalamic nucleus; Intracerebral injection; Excitatory amino acid (Robertson, R.G.) **476,** 317

Iminodipropionitrile; 8-Hydroxy-2-[di-*n*-propylamino-^{3}H]tetralin; Receptor, $5\text{-}HT_{1A}$; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Dystrophic neurite
Alzheimer's disease; Neuromediator system; Senile plaque; Paired helical filament; Amyloid substance (Lenders, M.-B.) **481,** 344

E

Early experience
Corpus callosum; Factor analysis; Age; Sex difference (Denenberg, V.H.) **497,** 271

Eating behavior
Adrenals; Corticosterone; Neuropeptide Y; Paraventricular nucleus; Pituitary gland (Stanley, B.G.) **501,** 32

Ectonucleotidase
Adenosine triphosphate; Chemoreceptor; Antagonism; Lobster; Nucleotide; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Edinger–Westphal nucleus
Accommodation; Central electrical stimulation; Ciliary muscle; Coincidence refractometry; Contrast ventriculoradiography; *Macaca fascicularis* (Crawford, K.) **503,** 265

EEG
CCK-8; Anoxia; Sleep; Spectral analysis; Rat (De Saint Hilaire-Kafi, Z.) **488,** 304

Efferent pathway
Reptile; Horseradish peroxidase; Corticospinal tract; Amygdalospinal tract (Follett, K.A.) **496,** 89

Efferent sympathetic nerve activity
Brown adipose tissue; Obesity; Glucose; 2-Deoxy-D-glucose;

Ventromedial hypothalamus (Holt, S.J.) **481,** 106

Insulin; Glucose; Brown adipose tissue; Zucker obese rats (Holt, S.J.) **500,** 384

Efferent vagus
Nucleus raphe obscurus; Electrical stimulation; Glutamate-induced stimulation; Gastric motility (McCann, M.J.) **486,** 181

Egg laying
Cyclic adenosine monophosphate; Neuroendocrine cell; Mollusc (Moed, P.J.) **476,** 298

EGTA
Scorpion toxin; Sodium channel; Tetrodotoxin; Calcium; Dopamine; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Eicosanoid
Luteinizing hormone-releasing hormone; Leukotriene; Median eminence; Norepinephrine; Dopamine (Saadi, M.) **488,** 97

Interleukin-1; Astrocyte; Protein kinase C; Immune response; Inflammation; Rat (Hartung, H.-P.) **489,** 113

Prostaglandin E_1; Porcine cerebral artery; Cyclooxygenase inhibitor; Indomethacin; Aspirin (Fukuda, S.) **496,** 397

Electret
Axotomy; Axonal regeneration; Guidance channel (Valentini, R.F.) **480,** 300

Electric eel
Electric organ; Electrical synapse; Morphologically mixed synapse; Horseradish peroxidase; Retrograde axonal transport (Bennett, M.V.L.) **488,** 22

Electric organ
Electric eel; Electrical synapse; Morphologically mixed synapse; Horseradish peroxidase; Retrograde axonal transport (Bennett, M.V.L.) **488,** 22

Electrical activity
Syrian hamster; Pineal; Iontophoresis; Sympathomimetics; Rhythm (Stehle, J.) **488,** 275

BAY K 8644; Nimodipine; Tetrodotoxin; Calcium current; Calcium action potential; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Electrical and electrochemical stimulation
Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Electrical coupling
Statocyst; Hair cell; Squid; Vestibular system (Williamson, R.) **486,** 67

Electrical kindling
Cyclic adenosine monophosphate (cAMP); Amygdala; Chemical kindling; Transfer of chemical to electrial kindling (Yokoyama, N.) **492,** 158

Electrical nerve stimulation
Immunohistochemistry; Cerebral artery; 5-Hydroxytryptamine; Sympathetic nerve; Neurotoxic denervation; Surgical sympathectomy; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Electrical property
Facial motoneuron; Repetitive firing; Subthreshold response; Afterhyperpolarization; Potassium current; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Electrical stapedius muscle response
Stapedius muscle; Vocalization; Different threshold; Field potential (Grassi, S.) **490,** 345

Electrical stimulation
Ibotenic acid; Pontomedullary reticular formation; Head movement; Vestibular nystagmus (Suzuki, S.S.) **484,** 78

Adenosine triphosphate; Release; Hippocampal slice (Wieraszko, A.) **485,** 244

Nucleus raphe obscurus; Glutamate-induced stimulation; Efferent vagus; Gastric motility (McCann, M.J.) **486,** 181

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Innominato-cortical pathway; Physostigmine; Cortical blood flow; Tissue gas change; Unanesthetized rat (Lacombe, P.) **491,** 1

Laterodorsal tegmental nucleus; Periaqueductal gray; Bladder; Pontine micturition center; Blood pressure; Bladder postganglionic nerve (Noto, H.) **492,** 99

Lateral geniculate nucleus; Intergeniculate leaflet; Circadian system; Visual system; Entrainment; Suprachiasmatic nucleus (Rusak, B.) **493,** 283

Prefrontal cortex; Cortical field potential; Visual discrimination task; Suppression; Monkey (Sasaki, K.) **495,** 100

Globus pallidus; Striatum; Caudate nucleus; Putamen; Nucleus basalis; Unit activity; Monkey (Tremblay, L.) **498,** 1

Kindling; L-Glutamate; L-Aspartate; Rat; Amygdala (Mori, N.) **498,** 163

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Unit activity; 1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Retinohypothalamic tract; Suprachiasmatic nucleus; Glutamate antagonist; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **503,** 163

Electrical synapse
Electric organ; Electric eel; Morphologically mixed synapse; Horseradish peroxidase; Retrograde axonal transport (Bennett, M.V.L.) **488,** 22

Electrical tuning
Muscle spindle; Calcium-activated potassium channel; Mechanoreceptor (Kruse, M.N.) **496,** 303

Electrochemical detection
Uric acid; Rat brain; Ischemia; Liquid chromatography; Allopurinol (Kanemitsu, H.) **499,** 367

Electrochemistry
Hippocampal formation; Intraocular transplantation; Aging; Immunohistochemistry; Electrophysiology (Eriksdotter-Nilsson, M.) **478,** 269

Electroconvulsive shock
Corticotropin releasing factor; Hypothalamo-pituitary-adrenocortical axis; Hypothalamo-neurohypophysial system; In situ hybridization; Messenger RNA; Vasopressin (Herman, J.P.) **501,** 235

REM sleep; Systemic penicillin epilepsy; Atropine; Pontine lesion; Cat (Shouse, M.N.) **505,** 271

Electroconvulsive therapy
Kindling; Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Epilepsy; Seizure resistance (Meyerhoff, J.L.) **505,** 130

Electrocorticogram
Behavior; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Neocortex; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Electrode
Hippocampal slice; Current source density analysis; Array; Epileptiform; Propagation (Novak, J.L.) **497,** 223

Electroencephalogram
Muramyl dipeptide; Slow-wave sleep; Rapid eye movement sleep; Fever; Hyperthermia; Hypothalamus; Rabbit (Shoham, S.) **476,** 396

Odor discrimination; Exploratory sniffing; Olfactory bulb; Prepiriform

cortex; Entorhinal cortex; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Magnetic field; Nuclear magnetic resonance (Von Klitzing, L.) **483,** 201

Serotonin-2 antagonists; ICI 169,369; ICI 170,809; Sleep study; Rat (Tortella, F.C.) **485,** 294

Motor dysfunction; Neurotoxicity; Somatostatin; Substance P analogue (Grabow, T.S.) **489,** 223

Septal; Cell; Theta-on; Theta-off; Hippocampal (Ford, R.D.) **493,** 269

γ-Aminobutyric acid; Muscimol; Intracerebral injection; Epilepsy; Substantia nigra; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Electroencephalographic spindle
Thalamus; Medialis dorsalis; Ibotenic acid; Sleep; Spectral analysis (Marini, G.) **500,** 395

Electroencephalography
Dextromethorphan; Cerebral ischemia; Cerebral blood flow; Rat (Tortella, F.C.) **482,** 179

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection (Depaulis, A.) **486,** 121

Lateral geniculate nucleus; Relay neuron; Dorsal raphe nucleus; Serotonin; Ascending reticular system (Kayama, Y.) **489,** 1

Electrographic seizure
Hippocampal slice; Interictal bursting; Epilepsy; Phorbol ester; Afterhyperpolarization; CA3 pyramidal cell (Chamberlin, N.L.) **492,** 337

Electrolytic lesion
Brainstem; Medulla; Phrenic nerve; Respiratory control (Speck, D.F.) **482,** 387

Electromyogram
Muscle; Reflex; Muscle spindle; Stiffness; Contraction (Jahnke, M.T.) **493,** 103

Reflex; Lip; Muscle; Cutaneous; Human (McClean, M.D.) **503,** 16

Electromyographic reaction time
Execution process; Standing movement; H-reflex; Anticipatory electromyographic activity (Yamashita, N.) **490,** 148

Electromyographic recording
Swallowing; Tongue extrinsic muscle; Muscular swallow synergy; Sheep (Amri, M.) **503,** 141

Electromyography
Jaw movement; Masticatory muscle; Drinking; Angiotensin II; Guinea pig (Gerstner, G.E.) **478,** 233

Drinking; Jaw movement; Masticatory muscle; Guinea pig; Apomorphine-induced rhythmic jaw movement (Gerstner, G.E.) **479,** 6

Tooth-pulp stimulation; Reflex modulation; Hypnotic anesthesia; Placebo effect; Trigeminal nerve (Sharav, Y.) **479,** 247

Motor unit; Aging; Firing rate; Cocontraction; Myoelectric signal (Kamen, G.) **482,** 136

Cat; Spinal cord; Motoneuron pool; Central activation (Kandou, T.W.A.) **486,** 340

Nerve cross-union; Muscle coordination; Motoneuron; Wheel running; Mouse (Wernig, A.) **489,** 352

Recruitment; Locomotion; Swimming; Motor control; Skeletal muscle (Hutchison, D.L.) **502,** 233

Electron micrograph
Kainic acid; Ventral lateral geniculate nucleus lesion; Geniculotectal pathway; Superior colliculus; Field response; Rat (Nagata, T.) **483,** 50

Electron microscopic immunocytochemistry
Perforant path; Parvalbumin; Dentate inhibitory neuron; Feed-forward inhibition (Zipp, F.) **495,** 161

Electron microscopy
Superior colliculus; Cholinergic input; Choline acetyltransferase immunocytochemistry (Henderson, Z.) **476,** 149

Neuropeptide Y; Dopamine; Striatum; Immunocytochemistry; Rat (Vuillet, J.) **477,** 241

Adrenaline; Immunocytochemistry; Pons (Milner, T.A.) **478,** 1

Pedunculopontine tegmental nucleus; Synaptic organization (Moriizumi, T.) **478,** 315

Growth hormone-releasing hormone; Somatostatin; Immunocytochemistry; Hypothalamic periventricular nucleus; Arcuate nucleus (Horváth, S.) **481,** 8

Anterior pretectal nucleus; Central lateral nucleus; Dorsal accessory olivary nucleus; Anterior interpositus nucleus; Motor cortex; Retrograde double-labeling (Kitao, Y.) **484,** 304

Caudate nucleus; Substantia nigra; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Horseradish peroxidase (HRP); Ibotenic acid; Cat (Tokuno, H.) **485,** 189

Caudate; Nucleus accumbens; Perforated postsynaptic density; Neuroleptic drug; Tardive dyskinesia (Meshul, C.K.) **489,** 338

Neuropeptide Y; Rat liver; Immunohistochemistry; Celiac ganglion (Inoue, N.) **493,** 87

Kainate; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Horseradish peroxidase; Cytochrome oxidase; Visual cortex; Rat (Woodward, W.R.) **494,** 42

Acetylcholinesterase inhibitor; Myopathy; Calcium channel blocker; Diltiazem; Muscular dystrophy (Meshul, C.K.) **497,** 142

L-3,4-Dihydroxyphenylalanine; Dopamine; Immunocytochemistry; Dorsal vagal complex; A2/C2 cell group; Medulla oblongata (Tison, F.) **497,** 260

Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography (Fried, G.) **499,** 315

Dynorphin; Prevertebral ganglion; Guinea pig; Immunocytochemistry (Elfvin, L.-G.) **502,** 341

Anterograde degeneration; Neural pathway; Neuroanatomical technique; Thalamocortical; Visual cortex (Dashe, J.F.) **505,** 203

Electrophoresis
Saccular macula; Hair cell; Marker protein (Drescher, D.G.) **485,** 225

Electrophysiological recording
Subpallidal output neuron; Basolateral nucleus of amygdala; Ventral subiculum of hippocampus; Pedunculopontine nucleus (Tsai, C.T.) **494,** 22

Electrophysiological responsiveness
β-Adrenergic receptor; Morphine dependence; Withdrawal; Hippocampal slice; Radioligand binding (Moises, H.C.) **485,** 67

Electrophysiology
Medullary serotonin neuron; Blood pressure; Sympathetic activity; 8-Hydroxy-dipropylamino-tetralin (McCall, R.B.) **477,** 172

Hippocampal formation; Intraocular transplantation; Aging; Immunohistochemistry; Electrochemistry (Eriksdotter-Nilsson, M.) **478,** 269

Glutamate; *N*-Methyl-D-aspartate; L-α-(carboxycyclopropyl)glycine; Excitatory amino acid; Rat spinal cord; Conformational variation (Shinozaki, H.) **480,** 355

Auditory pathway; Brain slice; V_1-receptor; Immunocytochemistry; Sex difference; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Focal epilepsy; Direct cortical response; Current source–density; Principal component analysis; Source modeling; Penicillin spike (Barth, D.S.) **484,** 13

Amygdaloid kindling; Behavior;

IR-Met-enkephalin; IR-Leu-enkephalin; Long-lasting change; Amygdala; Hippocampus (Talavera, E.) **485,** 141

Astrocyte; Human; Ion transport; Glutamine synthetase (Lomneth, R.) **486,** 95

Angiotensin II immunoreactivity; Subfornical organ; Supraoptic neuron; Saralasin (Jhamandas, J.H.) **487,** 52

Acetylcholinesterase; Neuron; In vivo microspectrophotometry (Fossier, P.) **491,** 390

Cerebral cortical transplant; Newborn host; Thalamic stimulation; Peripheral stimulation; Sensory input (Neafsey, E.J.) **493,** 33

Nerve graft; Noradrenaline; Prostacyclin; Malondialdehyde; Blood–nerve barrier (Shupeck, M.) **493,** 225

Pertussis toxin; G-protein; Adenylate cyclase; Cautate-putamen; Rat (Boyajian, C.L.) **495,** 66

Somatostatin; γ-Aminobutyric acid; Septal slice; Potassium conductance; Rat (Twery, M.J.) **497,** 315

Aging; Ethanol (Bunting, T.A.) **501,** 105

Analgesia; Arylacetamide; Autoradiography; Binding site; κ Opioid; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

Electroretinogram
Benzodiazepine; Benzodiazepine receptor; Benzodiazepine antagonist; Retina; Autoradiography (Robbins, J.) **479,** 313

DL-2-Amino-4-phosphonobutyric acid; ON-pathway; Retina; Goldfish (DeMarco, P.J.) **482,** 317

Electroretinogram b-wave amplitude
Serotonin system; Dopamine system; Platelet [^{3}H]-imipramine binding (Castrogiovanni, P.) **504,** 129

Electrotonic
Cable theory; Computer simulation; Dendrite; Synapse; Excitatory postsynaptic potential (Holmes, W.R.) **478,** 127

Cable theory; Dendrite; Excitatory postsynaptic potential; Cortical pyramidal neuron; Computer simulation (Holmes, W.R.) **505,** 12

Eledoisin
Substance P; Neurokinin A; Neurokinin B; Tachykinin receptor; Uridine incorporation; Guanine nucleotide (Lee, C.-M.) **488,** 328

Elevated excitatory threshold
Aging; Striatum; Reduced excitation; Intracellular recording (Cepeda, C.) **494,** 215

Elevation of seizure threshold
Amygdala; Kindling; *N*-Methyl-D-aspartate receptor antagonist; Substantia innominata; 2-Amino-7-phosphonoheptanoic acid; Seizure suppression (Mori, N.) **486,** 141

Embryonic substantia nigra
Autoradiography; μ-Opiate receptor; Neostriatum; 1-Methyl-4-phenyl-pyridinium ion; Nigrostriatal dopamine pathway; Neural transplantation; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Emotion
Defense reaction; Arterial pressure; Skeletal muscle vasodilation; Midbrain periaqueductal gray; Excitatory amino acid; Cat (Carrive, P.) **483,** 251

End-plate
Acetylcholine receptor channel; Denervation; Schwann cell; Miniature end-plate current (Reiser, G.) **479,** 83

Endfoot
Horseradish peroxidase; Microinjection; Fibrous astrocyte; Protoplasmic astrocyte; Reconstruction (Sasaki, H.) **501,** 339

Endocytosis
Muscle spindle; Spindle capsule; Transcytosis; Pinocytosis; Receptor-mediated uptake (Fukami, Y.) **499,** 249

Endogenous
Exogenous; Serotonin; Release; Calcium-dependency; *Hymenolepis diminuta* (Gordon, B.) **486,** 376

Opioid peptide; Enkephalin; Dynorphin; Neurotransmitter release; Hippocampus; Diprenorphine (Neumaier, J.F.) **493,** 292

Endogenous albumin
Blood–brain barrier; Epileptic seizure; Bicuculline; Rocket immunoelectrophoresis (Sokrab, T.-E.O.) **489,** 231

Endogenous benzodiazepine receptor ligand
Benzodiazepine; Benzodiazepine antagonist; Retinal ganglion cell; γ-Aminobutyric acid (Robbins, J.) **479,** 323

Endogenous opioid
Anticipation stress; Stress-induced analgesia; Tail flick latency; Stress-sensitive organ; Corticosterone (Sumová, A.) **503,** 273

Spinal reflex; Noradrenaline; High intensity stimulation (Clarke, R.W.) **505,** 1

Endogenous opioid system
Neurotumor; Neuroblastoma; Cancer; Opioid receptor; Mitosis; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Endoneurial capillary
Albumin; Blood–nerve barrier; Capillary permeability; Endoneurium; Perineurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Endoneurium
Albumin; Blood–nerve barrier; Capillary permeability; Endoneurial capillary; Perineurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Endoplasmic reticulum
Dentate gyrus; Hippocampus; Seizure; Ultrastructural plasticity (Pico, R.M.) **497,** 387

Endorphin
Naloxone; Naltrexone; Self-stimulation; Reinforcement; Extinction (Trujillo, K.A.) **492,** 15

β-Endorphin
Cortisol; Glucocorticoid; Brain region; Plasma; Adrenocorticotropic hormone (Bagdy, G.) **489,** 216

Adrenal medullary strip; Chromaffin cell; Dopamine; MPF (Ensor, D.M.) **490,** 196

Adrenocorticotropin; Brain; Cell culture; Regulation; Hypothalamus; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Guanosine triphosphate; Neuroblastoma cell; Opioid receptor, μ-; Opioid receptor, δ-; Opioid peptide (Selley, D.E.) **493,** 23

Exercise; Cerebrospinal fluid; Cortisol; Catecholamine; Conscious dog (Radosevich, P.M.) **498,** 89

Endothelial cell
Neuropeptide; Aminopeptidase; Thyrotropin releasing hormone (Rozental, J.M.) **499,** 397

Tyrosine hydroxylase; Phenylethanolamine-*N*-methyltransferase; Cholinergic neuron; Adrenergic neuron; Cardiovascular regulation (Milner, T.A.) **500,** 67

Endothelium
Mitochondria; Blood–brain barrier; Optic nerve; Capillary; Ultrastructure (Schmidley, J.W.) **481,** 154

Endotoxin
Zinc; Epilepsy; Seizure; Limbic system; Kainic acid; Neuron death; Neurotoxin; Bouton (Frederickson, C.J.) **480,** 317

Infection; Central nervous system; Kynurenine pathway; Neurotoxin; Convulsant; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

Energy expenditure
Noradrenaline; Hypothalamus; Paraventricular nucleus of hypothalamus; Metabolism; Clonidine; Phenylephrine (Siviy, S.M.) **487,** 79

Ventromedial hypothalamus; Paraventricular nucleus; Obesity

(Sakaguchi, T.) **492,** 271

Energy metabolism
Oxygen consumption; Calcium; Ouabain; Exocytosis; Na^+,K^+-pump; Neurohypophysis (Shibuki, K.) **487,** 96

ENG
Pattern generator; Intracellular recording; Fictive locomotion; Forelimb (Hishinuma, M.) **482,** 184

Enkephalin
Lateral septum; Rat brain; Immunohistochemistry; Afferent connection; Combined HRP and immuno-β-galactosidase method; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Neurotumor; Neuroblastoma; Cancer; Opioid receptor; Endogenous opioid system; Mitosis; Growth (Zagon, I.S.) **480,** 16

Serotonin; Substance P; Pudendal motoneuron; Onuf's nucleus; Spinal cord; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Opioid receptor; Zeta; Growth; Cancer; Neuroblastoma (Zagon, I.S.) **482,** 297

Dopamine; Mesolimbic dopamine system; Mesocortical dopamine system; Ventral tegmental area; Substance P; Neurotensin (Cador, M.) **486,** 357

Corticotropin-releasing factor; Co-localization; Immuno-β-galactosidase staining; Peroxidase–antiperoxidase method; Hypothalamus; Rat (Sakanaka, M.) **487,** 357

Release; Retina; Chick; Amacrine cell (Boelen, M.K.) **488,** 43

Dopamine; Nucleus accumbens; Ventral pallidum; Disinhibition; γ-Aminobutyric acid (Yang, C.R.) **489,** 237

Coexistence; Somatostatin; Amacrine cell; Immunocytochemistry (Hamano, K.) **489,** 254

Opioid receptor; Growth; Cancer; Neuroblastoma; Cell proliferation (Zagon, I.S.) **490,** 14

Serotonin; Substance P; Trigemino-thalamic tract; Medullary dorsal horn; Thalamus; Immunocytochemistry (Tashiro, T.) **491,** 360

Opioid peptide; Endogenous; Dynorphin; Neurotransmitter release; Hippocampus; Diprenorphine (Neumaier, J.F.) **493,** 292

Trigeminal nerve; Mesencephalic trigeminal nucleus; Substance P; Serotonin; Immunocytochemistry; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

Substance P; Serotonin; Immunohistochemistry; Onuf's nucleus; Spinal cord; Cat (Tashiro, T.) **497,** 177

Enkephalin convertase
Opioid; Enkephalin precursor processing; Guanidinoethyl-mercaptosuccinic acid; Prolactin; Luteinizing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Enkephalin precursor processing
Opioid; Guanidinoethyl-mercaptosuccinic acid; Enkephalin convertase; Prolactin; Luteinizing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Enkephalin release
Opioid; Opiate receptor (Xu, H.) **504,** 36

Enteric glia
Dye coupling; Myenteric plexus; Guinea pig; Lucifer yellow; Horseradish peroxidase; S-100 immunoreactivity (Hanini, M.) **497,** 245

Enteric nervous system
Pharynx; Peristalsis; Buccal ganglion; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Buccal ganglion; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

Enteric neuron
Phorbol ester; Protein kinase C; γ-Aminobutyric acid release; Ouabain; Deep cerebellar nucleus (Shuntoh, H.) **483,** 384

Entopeduncular nucleus
Basal ganglia; Striatum; Horseradish peroxidase; Rat (Fink-Jensen, A.) **476,** 194

Substance P; Glutamic acid decarboxylase; Coexistence; Immunohistochemistry; Rat (Murakami, S.) **485,** 403

γ-Aminobutyric acid; Single unit activity; Huntington's disease; Basal ganglia; Globus pallidus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Entorhinal cortex
Odor discrimination; Exploratory sniffing; Olfactory bulb; Prepiriform cortex; Electroencephalogram; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Angiotensin II; Acetylcholine release; Cognition; Angiotensin converting enzyme inhibitor SQ 29852 (Barnes, J.M.) **491,** 136

γ-Aminobutyric acid; Hippocampus; Perforant path; Intracellular injection; Lucifer yellow; Immunocytochemistry (Germroth, P.) **494,** 187

Anterograde axonal tracing; Retrograde axonal tracing (Christesen, H.B.T.) **505,** 75

Hippocampus; Columnar structure; Monoclonal antibody (Ikeda, J.) **505,** 176

Entorhinal lesion
Halothane neurotoxicity; Dentate gyrus; Reactive synaptogenesis (Uemura, E.) **496,** 317

Entrainment
Lateral geniculate nucleus; Intergeniculate leaflet; Circadian system; Visual system; Suprachiasmatic nucleus; Electrical stimulation (Rusak, B.) **493,** 283

Intergeniculate leaflet; Sinusoidal light cycle (Pickard, G.E.) **494,** 151

Rat; Pineal; *N*-Acetyltransferase; Circadian rhythm; Light–dark cycle (Illnerová, H.) **494,** 365

Melatonin; Circadian rhythm (Zatz, M.) **501,** 37

Circadian rhythm (Zatz, M.) **501,** 46

Suprachiasmatic nuclei; Circadian system; Photic responsiveness; Neurophysiology (Meijer, J.H.) **501,** 315

Enucleation
Visual system; Plasticity; Local cerebral glucose utilization; Rat (Zilles, K.) **488,** 14

Scrapie; Intraocular infection; Spongiosis; Mouse (Scott, J.R.) **504,** 301

Environment
Quantification; Neuron; Cerebral cortex; Cortical thickness (Beaulieu, C.) **495,** 382

Enzyme activation
Tryptophan hydroxylase; Sound stress; Enzyme induction (Boadle-Biber, M.C.) **482,** 306

Enzyme induction
Aromatase; Estrogen; Androgen; Preoptic area; Ring dove; Male sexual behavior (Steimer, T.) **480,** 335

Tryptophan hydroxylase; Sound stress; Enzyme activation (Boadle-Biber, M.C.) **482,** 306

Enzyme-linked immunoassay
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Ependyma
Cyclic AMP; C-*fos*; Glia (Dragunow, M.) **501,** 382

Ependymin
Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Ependymocyte
Subcommissural organ; γ-Aminobutyric acid uptake; Serotonin innervation (Didier-Bazes, M.) **489,** 137

Epidermal growth factor
Nerve growth factor; Neurobehavioral development; Body weight; Behavior; Mouse (Calamandrei, G.) **477,** 1

Hippocampal slice; Long-term potentiation; Neuromodulation (Terlau, H.) **484,** 352

Epiglottis
Chemosensitive; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Epilepsy
Accommodation; Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Hippocampus; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Anticonvulsant; Substantia nigra; Superior colliculus; Nigrotectal; Bicuculline, γ-Aminobutyric acid (Dean, P.) **477,** 391

Kindling; Hippocampus; Seizure; Immunocytochemistry; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Hippocampus; Neurological mutant; Seizure; Timm's stain (Stanfield, B.B.) **480,** 294

Zinc; Seizure; Limbic system; Kainic acid; Neuron death; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Low calcium; CA1; Dentate gyrus; Spatial buffering; Potassium (Albrecht, D.) **480,** 393

α_1-Adrenoceptor; Human brain; Phosphatidylinositol; Adrenergic; Neurotransmitter (Dubeau, F.) **481,** 200

Kindling; *N*-Methyl-D-aspartate receptor; Receptor autoradiography; Hippocampus (Okazaki, M.M.) **482,** 159

Astrocyte; Calcium; Diazepam; Anticonvulsant; Calmodulin kinase; Protein phosphorylation (Babcock-Atkinson, E.) **484,** 399

Kindling; Locus coeruleus; α_2-Adrenergic receptor; Seizure (Jimenez-Rivera, C.A.) **485,** 363

Local cerebral glucose utilization; 2-Deoxyglucose; Brain metabolism; Kindling; Postictal phase (Namba, H.) **486,** 221

Inferior colliculus; Brain slice; *N*-Methyl-D-aspartate; Audiogenic seizure; Rat (Pierson, M.G.) **486,** 381

Gerbil; γ-Aminobutyric acid; Intracerebral injection; Thalamus; Muscimol; Seizure (Lee, R.J.) **487,** 363

Kindling; Noradrenaline; 6-Hydroxydopamine; Idazoxan; Propranolol; Microdialysis (Kokaia, M.) **491,** 398

Hippocampal slice; Interictal bursting; Phorbol ester; Afterhyperpolarization; Electrographic seizure; CA3 pyramidal cell (Chamberlin, N.L.) **492,** 337

Human; Dentate gyrus; Brain slice; γ-Aminobutyric acid; Frequency potentiation; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Kindling; γ-Aminobutyric acid; *N*-Methyl-D-aspartate; Amygdala (Gean, P.-W.) **494,** 177

Potassium channel; Dendrotoxin; Mast cell degranulating peptide; Histolocalization; Rat brain (Bidard, J.-N.) **495,** 45

Mast-cell degranulating peptide; Dendrotoxin; 4-Aminopyridine; Potassium channel blocker; Potassium channel opener; Seizure (Gandolfo, G.) **495,** 189

Kainic acid; Noradrenaline; Dopamine; Clonidine (Baran, H.) **495,** 253

Carbamazepine; Cocaine; Lidocaine; Local anesthetic (Weiss, S.R.B.) **497,** 72

γ-Aminobutyric acid; Muscimol; Intracerebral injection; Electroencephalogram; Substantia nigra; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Glutamate; *N*-Methyl-D-aspartate; Synchronization; Hippocampus (Dalkara, T.) **498,** 123

Seizure; Hippocampus; Neocortex; Osmolality; Hypernatremia; Hyponatremia (Andrew, R.D.) **498,** 175

Glutamate; Aspartate; Excitatory amino acid; Kindling; Seizure (Croucher, M.J.) **501,** 58

γ-Aminobutyric acid; Valproate; Substantia nigra (Löscher, W.) **501,** 198

Muscimol; Disinhibition; γ-Aminobutyric acid; Hippocampus (Chesnut, T.J.) **502,** 365

Neuronal inhibition; Fascia dentata; Axo-axonic synapse (Soriano, E.) **503,** 170

Seizure; Substantia nigra; 1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Mongolian gerbil; Mouse (Van Ness, P.C.) **504,** 289

Kindling; Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

Epileptic depolarization
Hippocampal slice; Long-term synaptic failure; Persistent depolarization; *N*-Methyl-D-aspartate antagonist; Anoxic depolarization (Watson, G.B.) **498,** 81

Epileptic seizure
Blood–brain barrier; Bicuculline; Endogenous albumin; Rocket immunoelectrophoresis (Sokrab, T.-E.O.) **489,** 231

Epileptiform
Hippocampal slice; Current source density analysis; Electrode; Array; Propagation (Novak, J.L.) **497,** 223

Epileptiform discharge
Epilepsy; Human; Dentate gyrus; Brain slice; γ-Aminobutyric acid; Frequency potentiation; Inhibition (Masukawa, L.M.) **493,** 168

Epinephrine
Phenylethanolamine-*N*-methyltransferase; Catecholamine; Blood pressure; C1 cell group (Sved, A.F.) **481,** 113

Epithelium
Olfaction; Receptor neuron; Deprivation; Naris closure; Nasal cavity (Maruniak, J.A.) **490,** 212

Equilibrium
Cerebellum; Maturation; Learning; Rat (Auvray, N.) **505,** 291

Erythrocyte ghost fusion injection
Primary cultured neuronal cell; Phytohaemagglutinin; Polyethylene glycol (Hikawa, N.) **481,** 162

Escape
Aversion; Benzodiazepine; Diazepam; Lateral hypothalamus; Reward; Self-stimulation (Carden, S.E.) **483,** 327

Estradiol
2-Hydroxyestradiol; Progesterone; Dopamine receptor; Striatum (Fernández-Ruiz, J.J.) **476,** 388

Luteinizing hormone; Prolactin; Serotonin; Ovariectomy; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Progesterone; γ-Aminobutyric acid; Receptor, $GABA_A$; Hippocampus; Autoradiography (Schumacher, M.)

487, 178

Paraventricular nucleus; Food intake; Body weight; Lordosis (Butera, P.C.) **491,** 266

Cerebral cortex; Freeze-fracture; Plasma membrane; Neuronal membrane; Development; Cell culture (Garcia-Segura, L.M.) **498,** 339

GABA receptor; $GABA_B$ binding site; Quantitative autoradiography; Suprachiasmatic nucleus; Rat (François-Bellan, A.-M.) **503,** 144

Estradiol receptor
Progesterone receptor; Coexistence; Hypothalamus; Monoclonal antibody; Immunohistochemistry; Guinea pig (Warembourg, M.) **480,** 1

17β-Estradiol
Hyperprolactinemia; Vasoactive intestinal peptide; Prolactin; Central nervous system; Pituitary gland; Autoradiography (Montagne, M.-N.) **485,** 258

N-Methyl-D-aspartate; Quisqualate; Potentiation; Purkinje cell response (Smith, S.S.) **503,** 354

β-Estradiol
Hyperalgesia; Raynaud's phenomenon; Pain; Cyclooxygenase; Arachidonic acid; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Estrogen
Seizure; Picrotoxin; Testosterone; Sex difference (Schwartz-Giblin, S.) **476,** 240

Treadmill locomotion; Progesterone; Sex steroid; Sensorimotor evoked discharge; Cerebellar Purkinje cell (Smith, S.S.) **476,** 307

Bird song; Duetting bird; Vocal control (Brenowitz, E.A.) **480,** 119

Aromatase; Androgen; Enzyme induction; Preoptic area; Ring dove; Male sexual behavior (Steimer, T.) **480,** 335

α-Adrenergic receptor; γ-Aminobutyric acid; Hypothalamic slice; Medial preoptic area; Noradrenaline; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Histamine; H_1-receptor antagonist; H_2-receptor antagonist; Substance P; Arcuate nucleus; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

Aging; Dopamine; Striatum; Muscarinic; Motor behavior; Prolactin (Joseph, J.A.) **505,** 195

Estrogen receptor
Prairie vole; Brain; Social environment; Female; Reproduction (Cohen-Parsons, M.) **476,** 363

Lordosis; Progestin receptor; Puberty; Sex behavior (Olster, D.H.) **484,** 168

Immunocytochemistry; Lactation; Limbic system; Mouse brain; Pregnancy; Reproductive behavior (Koch, M.) **489,** 101

Steroid receptor; Hypothalamus; Immunocytochemistry (Blaustein, J.D.) **495,** 75

Brain; Japanese quail; Reproduction; Preoptic area; Preoptic medial nucleus (Balthazart, J.) **501,** 205

Estrous cycle
5-Methoxyindole-3-acetic acid; Pineal indole; Female Wistar albino rats (Öcal-İrez, T.) **493,** 1

Ethanol
Chronic intake; Neuron; Morphology (Durand, D.) **477,** 373

Calcium channel; Calcium channel antagonist; (+)-[^{3}H]PN 200-110; Alcoholism; Alzheimer's disease (Marks, S.S.) **478,** 196

Benzodiazepine receptor; Ro 19-4603; Imidazodiazepine; Convulsion; Intoxication; Mouse (Lister, R.G.) **482,** 141

Pentylenetetrazol; Convulsion; Ro 15-4513; FG 7142; Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex (Mehta, A.K.) **489,** 93

Benzodiazepine receptor; Flunitrazepam; γ-Aminobutyric acid-activated chloride channel; Genetics; HS mouse; LS/SS mouse (Harris, R.A.) **490,** 26

Intracellular calcium; Fura-2; Dissociated brain cell; *N*-Methyl-D-aspartate (Dildy, J.E.) **499,** 383

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Acetaldehyde; Neurotoxicity; Dopamine; Substantia nigra (Zuddas, A.) **501,** 1

Dopaminergic neuron; Striatum; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Acetaldehyde (Zuddas, A.) **501,** 11

Aging; Electrophysiology (Bunting, T.A.) **501,** 105

γ-Aminobutyric acid; Seizure; Colliculus; Long sleep mouse; Short sleep mouse; Receptor (Peris, J.) **503,** 288

Oocyte; Calcium (Wafford, K.A.) **505,** 215

Ether
Chloral hydrate; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Ethosuximide
Spindle wave; Recruiting response; Thalamocortical synchronization; Nucleus reticularis thalami (Pellegrini, A.) **497,** 344

***N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline**
Stereotypy; Intracerebral injection; Striatum; Nucleus accumbens; *R*-(−)-*N*-n-Propylnorapomorphine; Sniffing; Oral activity (Bordi, F.) **489,** 205

Adrenoceptor; Adenosine monophosphate, cyclic; Inositol phosphate (Pilc, A.) **493,** 8

Ethylcholine aziridinium
Cholinergic neurotoxin; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Serotonin; Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

AF64; Cholinergic neurotoxin; Circadian rhythm; Hypothalamus; Nicotinic cholinergic receptor (Morley, B.J.) **504,** 238

Cholinergic neurotoxin; Hemicholinium; High affinity choline transport; Hippocampus; Memory; Working memory (Chrobak, J.J.) **504,** 269

5′-Ethylcarboxamidoadenosine
Adenosine; Respiratory control; Nucleus tractus solitarius (Barraco, R.A.) **480,** 360

5′-*N*-Ethylcarboxamide adenosine
Adenosine; Receptor; Autoradiography; Striatum; N^6-Cyclopentyladenosine (Jarvis, M.F.) **484,** 111

Adenosine receptor; Caffeine; C-fos; Mice (Nakajima, T.) **501,** 307

Evoked potential
Paradoxical sleep deprivation; Neuronal excitability; Hippocampus (Gorter, J.A.) **476,** 16

Motor tract; Motoneuron; Excitability; Brain stimulation (Caramia, M.D.) **479,** 98

Opioid receptor; Lateralization; In vivo binding study; Turtle visual cortex (Bakalkin, G.Y.) **480,** 268

Jitter; Motor tract; Motoneuron; Motor unit; Stimulation (Zarola, F.) **495,** 217

Evoked release
Guinea-pig; Push–pull cannula; Substantia nigra; Acetylcholinesterase; Peripheral nerve stimulation (Taylor, S.J.) **482,** 356

Evoked release of amino acid neurotransmitter
Synaptosome; Glutaminase-inhibition; Amino acid pool (Bradford, H.F.) **476,** 29

Ex vivo
Dopamine D_2; Serotonin-2; α_1-Adrenoceptor; Autoradiography (Schotte, A.) **500,** 295

Excitability
Motor tract; Motoneuron; Evoked potential; Brain stimulation (Caramia, M.D.) **479,** 98

Excitant amino acid
Lateral superior olivary; Neurotransmitter; *N*-Methyl-D-aspartate; Quisqualate; D,L-2-Amino-5-phosphonovaleric acid; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

Excitation
Adrenaline; Sympathetic preganglionic neuron; Adrenergic α_1 receptor; Adrenergic α_2 receptor; Inhibition (Miyazaki, T.) **497,** 108

Brain slice; G-protein; Inward current; Locus ceruleus; Vasoactive intestinal peptide; Voltage clamp (Wang, Y.-Y.) **500,** 107

Excitatory amino acid
Kynurenate; Dyskinesia; Globus pallidus; Subthalamic nucleus; Intracerebral injection (Robertson, R.G.) **476,** 317

Retina; Rod horizontal cell; Voltage-clamp; Kainic acid (O'Dell, T.J.) **477,** 118

Adenosine; Glutamate; *N*-Methyl-D-aspartate; Cortex; Purine (Hoehn, K.) **478,** 149

Luteinizing hormone; Phencyclidine; *N*-Methyl-D-aspartate; Glutamate; Homocysteic acid; DL-2-Amino-5-phosphonopentanoic acid (Boggan, W.O.) **478,** 382

Suprachiasmatic nucleus; Retinohypothalamic tract; Hypothalamic slice; Synaptic pharmacology (Cahill, G.M.) **479,** 76

Glutamate; *N*-Methyl-D-aspartate; L-α-(carboxycyclopropyl)glycine; Rat spinal cord; Conformational variation; Electrophysiology (Shinozaki, H.) **480,** 355

N-Methyl-D-aspartic acid; Glycine; Serine; Thalamus; Somatosensory system (Salt, T.E.) **481,** 403

Hippocampus; Primary culture; γ-Aminobutyric acid release; Cation (Harris, K.M.) **482,** 23

N-Acetylaspartylglutamate; Climbing fiber response; MRNA; *Xenopus laevis* oocyte; Uptake; Cerebellum (Sekiguchi, M.) **482,** 87

N-Methyl-D-aspartic acid; Quisqualate; Phencyclidine; Autoradiography; Visual plasticity; Frog; Tectum (McDonald, J.W.) **482,** 155

Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Arterial pressure; Heart rate; Forebrain (Gelsema, A.J.) **482,** 67

Defense reaction; Arterial pressure; Skeletal muscle vasodilation; Emotion; Midbrain periaqueductal gray; Cat (Carrive, P.) **483,** 251

Aspartate; Glutamate; *N*-Methyl-D-aspartate receptor; Neurotoxicity; Cortex; Cell culture (Monyer, H.) **483,** 347

Kindling; Seizure susceptibility; Amygdala; Ibotenate; Polyphosphoinositide hydrolysis (Akiyama, K.) **485,** 95

Defense reaction; Periaqueductal gray; Kainic acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Hippocampus; Zinc binding protein; L-Glutamate; Zinc release (Baba, A.) **486,** 372

1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA); Neurotransmitter; Guinea pig; Cochlea; Antagonist (Puel, J.L.) **487,** 9

Accumulation; L-Cysteic acid; L-Glutamate transporter (Koyama, Y.) **487,** 113

Hippocampus; Ischemia; Calcium; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

L-Quisqualate; L-2-Amino-4-phosphonobutanoate; Sensitization; Uptake; Second messenger; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

Human brain; *N*-Methyl-D-aspartate; MK-801; Regional distribution; Receptor (Kornhuber, J.) **489,** 397

Dentate gyrus; Glutamate; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

Hippocampal kindling; Ibotenate; Polyphosphoinositide hydrolysis (Yamada, N.) **490,** 126

Cyclic adenosine monophosphate potentiated release; *Anemonia sulcata* toxin; Ca^{2+} withdrawal; Fatty acid free bovine serum albumin (Minc-Golomb, D.) **490,** 205

Purkinje cell; Serotonin; Cerebellum; In vitro; Intracellular recording (Hicks, T.P.) **492,** 371

Viscerotopy; Blood pressure; Hypertension; Midbrain periaqueductal gray; Defense reaction; Rostral ventrolateral medulla; Subretrofacial nucleus (Carrive, P.) **493,** 385

Kindling; Phosphoinositide hydrolysis; Hippocampus; *N*-Methyl-D-aspartate; Kainic acid; Phorbol ester (Morrisett, R.A.) **496,** 25

N-Methyl-D-aspartate receptor; Cardiovascular control; Blood pressure; Autoradiography (Somogyi, P.) **496,** 401

Glycine; Kynurenic acid; *N*-Methyl-D-aspartate; Schild plot (Pullan, L.M.) **497,** 59

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Dementia; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Cerebral ischemia; Cerebrovascular disease; Dextrorphan; Glutamate; *N*-Methyl-D-aspartate (Steinberg, G.K.) **497,** 382

Glutamate; Glutamine; Neurotoxicity (Yamada, K.A.) **498,** 351

Glutamate; *N*-Methyl-D-aspartate receptor; Neuron; Cerebellar granule cell; Neuronal energy (Lysko, P.G.) **499,** 258

Magnesium; *N*-Methyl-D-aspartate receptor; Glutamate; Cerebellar granule cell (Cox, J.A.) **499,** 267

Cerebellum; Cerebral blood flow; Cerebral glucose utilization; Rat; Brain lesion (Chida, K.) **500,** 177

N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Respiration; Vagus nerve; Apneusis; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

Glutamate; Aspartate; Kindling; Epilepsy; Seizure (Croucher, M.J.) **501,** 58

Morphine; Locus coeruleus; Opiate withdrawal; Nucleus paragigantocellularis (Rasmussen, K.) **505,** 346

Excitatory amino acid antagonist
Monosynaptic reflex; Neurotransmitter; Brainstem (Chandler, S.H.) **477,** 252

Glutamate antagonist; *N*-Methyl-D-aspartate antagonist; Complete global cerebral ischemia; Canine cerebral ischemia model; Dizocilipine maleate (MK-801) (Michenfelder, J.D.) **481,** 228

Frog spinal cord; Ventral root potential; *N*-Methyl-D-aspartate (Zhang, D.X.) **493,** 129

Excitatory amino acid receptor
Glycine; *N*-Methyl-D-aspartate; Cyclic guanosine monophosphate; Phencyclidine; Cerebellum (Danysz, W.) **479,** 270

Glutamate; Glutamine (Sands, S.B.) **495,** 193

Excitatory interneuron
Premotor interneuron; Skin reflex pathway; Laminae V–VI; Inhibitory interneuron; Cat spinal cord; Spike triggered averaging (Hongo, T.) **505,** 167

Excitatory opioid receptor
Dorsal root ganglion neuron; Action potential duration; Cyclic AMP; *Pertussis* toxin-sensitive G protein; Membrane Ca^{2+} conductance; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

Excitatory postsynaptic potential
Cable theory; Computer simulation; Dendrite; Electrotonic; Synapse (Holmes, W.R.) **478,** 127

Thalamic reticular neuron; Intracellular recording; Burst discharge; Spindle rhythm; Rat (Sumitomo, I.) **482,** 34

Thyrotropin-releasing hormone (TRH); Motoneurone; Voltage clamp; Spinal cord; Glutamate; Frog (Lacey, G.) **488,** 80

γ-Aminobutyric acid; Somatostatin; Hippocampal slice; Inhibitory postsynaptic potential; Pressure application (Scharfman, H.E.) **493,** 205

Hippocampal slice; Short-term potentiation; Long-term potentiation; *N*-Methyl-D-aspartate (Anwyl, R.) **503,** 148

Cable theory; Electrotonic; Dendrite; Cortical pyramidal neuron; Computer simulation (Holmes, W.R.) **505,** 12

Excitatory transmission
Phosphocreatine; Adenosine-triphosphate (ATP); *N*-Methyl-D-aspartate (NMDA); Magnetic resonance spectroscopy; Brain slice (Jacquin, T.) **497,** 296

Excitotoxicity
Hypothermia; Neuroprotection; Hypoxia/ischemia; MK-801; Brain damage; Glutamate (Ikonomidou, C.) **487,** 184

Spectrin; Calpain; MK-801; Neuropathology; Calcium (Seubert, P.) **492,** 366

Development; Hippocampus; Muscarinic receptor; Neuroarchitecture; Selective cell death (Mattson, M.P.) **497,** 402

Thalamic reticular nucleus; Intracranial pressure; Cerebral ischemia (Ross, D.T.) **501,** 129

Cerebral ischemia; Neuronal death; Hippocampus; Dentate gyrus; Paired-pulse inhibition; Inhibitory interneuron (Chang, H.S.) **505,** 220

Excitotoxin
Basal ganglia; Glia; Huntington's disease; Neurodegenerative disorder; Quinolinic acid (Schwarcz, R.) **490,** 103

Central nucleus of the amygdala; Basolateral nucleus of the amygdala; Baroreceptor heart rate reflex; Conscious rat (Lewis, S.J.) **494,** 232

Neuronotoxic activity; Astroglia; Neuronal death; Ionic effect (Leprince, P.) **502,** 21

Glutamate agonist; Ibotenate; Hippocampus; Phencyclidine agonist; Ketamine; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Kainic acid; Acromelic acid; Spinal cord; Spastic paraplegia (Shinozaki, H.) **503,** 330

Execution process
Standing movement; H-reflex; Anticipatory electromyographic activity; Electromyographic reaction time (Yamashita, N.) **490,** 148

Exercise
Co-concentration; Locomotion; Rat; Reciprocal inhibition; Step cycle (Hutton, R.S.) **492,** 230

Cerebrospinal fluid; β-Endorphin; Cortisol; Catecholamine; Conscious dog (Radosevich, P.M.) **498,** 89

Exocytosis
Release; Noradrenaline; Neuropeptide Y; Calcium; Sympathetic neuron (Saxena, V.K.) **486,** 310

Oxygen consumption; Energy metabolism; Calcium; Ouabain; Na^+,K^+-pump; Neurohypophysis (Shibuki, K.) **487,** 96

Exogenous
Endogenous; Serotonin; Release; Calcium-dependency; *Hymenolepis diminuta* (Gordon, B.) **486,** 376

Experimental autoimmune encephalomyelitis
Rat; Spinal cord; Brainstem; High performance liquid chromatography; Neurotransmitter; Degeneration (Krenger, W.) **491,** 374

Experimental diabetes mellitus
Glucagon-like peptide-1; Gut–brain peptide; Neurotransmitter (Kreymann, B.) **502,** 325

Experimental epilepsy
Hippocampus; Kindling; Receptor binding; Quantitative autoradiography; γ-Aminobutyric acid complex; Benzodiazepine (Nobrega, J.N.) **498,** 315

Experimental pain
Chronic pain; Adjuvant arthritis; Analgesic; Sleep (Landis, C.A.) **488,** 195

Exploration
α-Mouse; Submissive mouse; Behavioral 'despair'; Anxiety; Seizure threshold; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Exploratory sniffing
Odor discrimination; Olfactory bulb; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Extended amygdala
Calcitonin gene-related peptide; Substantia innominata; Globus pallidus (Chang, H.T.) **495,** 167

Adrenaline; Noradrenaline; Catecholamine; Substantia innominata (Chang, H.T.) **503,** 350

Extensor
Intramuscular electromyography; Flexor; Motor pool; Treadmill locomotion; Incline (Pierotti, D.J.) **481,** 57

External intercostal muscle
Dorsal tegmental field; Postural atonia; Diaphragm (Kawahara, K.) **491,** 180

Extinction
Auditory cortex; Bradycardia; Differential Pavlovian conditioning; Heart rate; Rabbit (Teich, A.H.) **480,** 210

Naloxone; Naltrexone; Self-stimulation; Reinforcement; Endorphin (Trujillo, K.A.) **492,** 15

Extracellular action potential
Medial zona incerta; Ventromedial nucleus of hypothalamus; In vitro brain slice; Autoregulation; Dopamine (Eaton, M.J.) **502,** 117

Extracellular calcium
Carotid body; Hypoxia; Hypercapnia; Extracellular potassium; Chemosensory response; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Extracellular fluid
Quinolinic acid; L-Tryptophan; Striatum; Microdialysis; Neurotoxicity; Mass spectroscopy (During, M.J.) **476,** 384

Extracellular fluid change protein change
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Extracellular fluid pH
Central chemoreceptor; Ventrolateral medulla; Control of breathing (Arita, H.) **485,** 285

Extracellular matrix
Central nervous system; Neuronectin;

Fibroblast growth factor; Phorbol ester (Rettig, W.J.) **487,** 171

Peripheral nerve regeneration; Angiogenesis; Matrigel; Schwann cell; Trophic factor (Humphrey, M.F.) **497,** 132

Extracellular Na^+
Growth hormone releasing factor; Somatostatin; Anterior pituitary cell; *bis*-Oxonol; Fura 2 (Kato, M.) **476,** 145

Extracellular pH
Synaptic transmission; Spontaneous field discharge; Ion-sensitive microelectrode; Hippocampal slice (Jarolimek, W.) **505,** 225

Extracellular potassium
Carotid body; Hypoxia; Hypercapnia; Extracellular calcium; Chemosensory response; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Extracellular proteins
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Extracellular recording
Pulvinar lateral posterior complex; Behaving monkey; Motor programming; Reaching movement; Reaching cells (Cudeiro, J.) **484,** 367

L-Quisqualate; L-2-Amino-4-phosphonobutanoate; Sensitization; Excitatory amino acid; Uptake; Second messenger; Hippocampal slice (Whittemore, E.R.) **489,** 146

Extracellular single unit recording
Thalamus; Nociceptive neuron; Pain; Tail; Rat (Yen, C.-T.) **498,** 118

Extraocular photoreceptor
Mollusc; Phototransduction; Cyclic GMP decrease (Nishi, T.) **485,** 185

Extrapyramidal system
N-Acetylaspartylglutamate; Immunohistochemistry; Carbodiimide; Striatum; Pallidum; Substantia nigra (Moffett, J.R.) **494,** 255

Extraretinal factor
Ponto-geniculo-occipital activity; Lateral geniculate nucleus; Maturation; Kitten (Davenne, D.) **485,** 267

Extrastriate cortex
Lateral suprasylvian area; Area 20; Pupil; Wheatgerm agglutinin-horseradish peroxidase; Cat (Bando, T.) **494,** 369

Extrathalamic ascending system
Cortico-subcortical connection; Visceral; Autonomic; Limbic; Cat (Clascá, F.) **490,** 361

Eye movement
Vestibulo-ocular reflex; Cervico-ocular reflex; Infant (Reisman, J.E.) **484,** 119

Monkey; Prelunate gyrus; Area DP; Attention (Li, C.-Y.) **496,** 307

Abducens internuclear neuron; Abducens motoneuron; Lateral rectus; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Frontal eye field; Reticular formation; Superior colliculus; Pontine nucleus; Thalamus (Miyashita, E.) **502,** 75

Vestibulo-ocular reflex; Human ocular torsion; Velocity storage (Seidman, S.H.) **504,** 264

Eye opening
Nicotine; Sexual behavior; Testosterone; Reproductive axis; Levator anus; Development (Segarra, A.C.) **480,** 151

F

F_1-phosphorylation
cis-Fatty acid; Spatial memory; Protein kinase C; Long-term potentiation; GAP 43 (Wong, K.L.) **505,** 302

Facial motoneuron
Electrical property; Repetitive firing; Subthreshold response; Afterhyperpolarization; Potassium current; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Facial nerve
Startle reflex; Cochlear nucleus; Reticulospinal path; Refractory period; Temporal summation (Yeomans, J.S.) **486,** 147

Facial nucleus explant
Ramified microglia; Brain macrophage; Cell culture (Rieske, E.) **492,** 1

Facilitation
Calcium; Transmitter release; 4-Aminopyridine; Presynaptic mechanism (Muller, D.) **479,** 290

Bat; Inferior colliculus; Superior colliculus; Inhibition (Sun, X.) **497,** 214

Factor analysis
Corpus callosum; Age; Sex difference; Early experience (Denenberg, V.H.) **497,** 271

Fascia dentata
Neuronal inhibition; Axo-axonic synapse; Epilepsy (Soriano, E.) **503,** 170

Fasciculin
Striatum; Cholinergic; Toxin; Snake venom; Circling behavior (Bolioli, B.) **504,** 1

Fast excitatory response
Calcitonin gene-related peptide; Sympathetic ganglion; Slow excitatory response (Dun, N.J.) **476,** 256

Fastigial nucleus
Vestibular nucleus; Commissure (Newlands, S.D.) **487,** 152

Fatty acid free bovine serum albumin
Excitatory amino acid; Cyclic adenosine monophosphate potentiated release; *Anemonia sulcata* toxin; Ca^{2+} withdrawal (Minc-Golomb, D.) **490,** 205

***cis*-Fatty acid**
F_1-phosphorylation; Spatial memory; Protein kinase C; Long-term potentiation; GAP 43 (Wong, K.L.) **505,** 302

Feed-forward inhibition
Perforant path; Parvalbumin; Dentate inhibitory neuron; Electron microscopic immunocytochemistry (Zipp, F.) **495,** 161

Feeding
Adenosine; Caffeine; Naloxone; N^6-R-phenylisopropyladenosine receptor (Levine, A.S.) **477,** 280

Serotonin; 5-Hydroxyindoleacetic acid; Lateral hypothalamus; Microdialysis (Schwartz, D.H.) **479,** 349

Antihistamine, H_1; Histamine H_1-receptor; Ventromedial nucleus; Paraventricular nucleus; Microinfusion; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

N-0437; Dopamine D_2 receptor; Satiety; Microstructural analysis; Locomotion; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

Cerebral cortex; Hibernation; Arousal; Dopamine; Serotonin; Bat (Bauman, W.A.) **500,** 156

Feeding behavior
Monkey; Amygdala; Unit activity; Microelectrophoresis; Acetylcholine; Atropine (Lénárd, L.) **500,** 359

Serotonin; Hypothalamus; Macronutrient; Carbohydrate; Protein; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

Feeding microstructure
Swallowing; Swallow volume; Ingestion rate; Ingestive behavior; Licking; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Feeding response
Appetitive learning; Discriminative learning; Stimulus generalization; Generalization of extinction; *Lymnaea* (Kemenes, G.) **489,** 163

Female
Prairie vole; Estrogen receptor; Brain; Social environment; Reproduction

(Cohen-Parsons, M.) **476,** 363

Female rat
Progesterone; Corpus striatum; In vitro dopamine release; Tetrodotoxin; Interneuron (Dluzen, D.E.) **476,** 332

Immobilized progesterone; Corpus striatum; In vitro dopamine release; Tetrodotoxin; Interneuron; Albumin (Dluzen, D.E.) **476,** 338

Cerebral lateralization; Neocortical ablation; Neuroimmunology; Lymphoproliferation; Concanavalin A; Lipopolysaccharide; Prolactin (LaHoste, G.J.) **483,** 123

Progesterone; Dopamine; Caudate nucleus; L-Dihydroxyphenylalanine; Push–pull perfusion (Dluzen, D.E.) **494,** 122

Female Wistar albino rats
5-Methoxyindole-3-acetic acid; Estrous cycle; Pineal indole (Ocal-Irez, T.) **493,** 1

Fenfluramine
Stereoisomer; Neurotoxicity; Serotonin (Kleven, M.S.) **505,** 351

D-Fenfluramine
Serotonin; Perifornical lateral hypothalamus; Microdialysis (Schwartz, D.) **482,** 261

Serotonin; In vivo microdialysis (Laferrere, B.) **504,** 258

Fenvalerate
Pyrethroid; Cismethrin; Deltamethrin; Dentate gyrus; Hippocampus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

Fetal brain transplant
Conditioned taste aversion; Grafting; Horseradish peroxidase; Gustatory neocortex (Escobar, M.) **478,** 368

Fetal lamb cortex
Hypoxanthine; Xanthine; Basal ganglia; Hypoxia-ischemia (Kjellmer, I.) **478,** 241

Fetal neuron
Ventrobasal complex; Homotypic grafting; Cytochrome oxidase; Acetylcholinesterase; 2-Deoxyglucose; Metabolic activity (Juliano, S.L.) **478,** 356

Fetal plasma glucose
2-Deoxyglucose; Autoradiography (Kostreva, D.R.) **487,** 384

Fever
Muramyl dipeptide; Slow-wave sleep; Rapid eye movement sleep; Hyperthermia; Hypothalamus; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Interleukin-1; Adrenocorticotropic hormone; Prostaglandin E_2; Rat; Indomethacin (Murakami, N.) **478,** 171

Ventral septal area; Bed nucleus stria terminalis; Antipyresis (Mathieson, W.B.) **486,** 49

FFT
Odor discrimination; Exploratory sniffing; Olfactory bulb; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; Beta activity; Bispectral analysis (Boeijinga, P.H.) **478,** 257

FG 7142
Ethanol; Pentylenetetrazol; Convulsion; Ro 15-4513; Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex (Mehta, A.K.) **489,** 93

Kindling; Benzodiazepine receptor; Anticonvulsant (Stephens, D.N.) **492,** 89

Benzodiazepine; Ro 15-1788; Ro 15-4513; Palatability; Saccharin; Food intake (Cooper, S.J.) **494,** 172

Fibroblast growth factor
Extracellular matrix; Central nervous system; Neuronectin; Phorbol ester (Rettig, W.J.) **487,** 171

Fibrous astrocyte
Horseradish peroxidase; Microinjection; Protoplasmic astrocyte; Endfoot; Reconstruction (Sasaki, H.) **501,** 339

Fictive locomotion
Pattern generator; ENG; Intracellular recording; Forelimb (Hishinuma, M.) **482,** 184

Field CA1
Medial prefrontal cortex; Prelimbic area; Hippocampus; Prosubiculum; Rat; Fluoro-gold (Jay, T.M.) **505,** 337

Field potential
Long-term potentiation; Habituation; Paired-pulse depression; Dentate gyrus (Krug, M.) **476,** 163

Suprachiasmatic nucleus; Retinohypothalamic tract; Hypothalamic slice; Unit response (Cahill, G.M.) **479,** 65

Stapedius muscle; Vocalization; Electrical stapedius muscle response; Different threshold (Grassi, S.) **490,** 345

Field response
Kainic acid; Ventral lateral geniculate nucleus lesion; Geniculotectal pathway; Superior colliculus; Electron micrograph; Rat (Nagata, T.) **483,** 50

Fimbria-fornix transection
Choline acetyltransferase; Cholinergic; Medial septum; Nerve growth factor; Neuronal death; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Fimbria/fornix lesion
Rat hippocampus; Muscarinic receptor subtype; Nicotinic receptor; Phosphoinositide hydrolysis; Carbachol (Smith, C.J.) **485,** 317

Fink-Heimer
Visceral afferent; Connection; Chemosensory; Barosensory; Horseradish peroxidase (Claps, A.) **489,** 80

Fink–Heimer silver impregnation method
Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Degeneration; Spinal cord; Medulla; Cerebellum; Chicken (Tanaka, D.) **484,** 240

Firing property
Respiration; Recruitment; Cat; Phrenic motoneuron; Aspiration reflex (Jodkowski, J.S.) **505,** 187

Firing rate
Motor unit; Aging; Electromyography; Cocontraction; Myoelectric signal (Kamen, G.) **482,** 136

Flexion reflex
Visual analog scale; Subjective pain sensation (Chan, C.W.Y.) **479,** 145

Scratch reflex; *N*-Methyl-D-aspartate; Amino acid antagonist D(−)-2-Amino-5-phosphonovalerate (Stein, P.S.G.) **479,** 379

Opioid; Postural asymmetry; Left/right flexion ratio (Bakalkin, G.Y.) **480,** 277

Flexor
Intramuscular electromyography; Extensor; Motor pool; Treadmill locomotion; Incline (Pierotti, D.J.) **481,** 57

Flexor reflex
Galanin; Substance P; Calcitonin gene-related peptide; Naloxone; Bicuculline; Monosynaptic reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Neuropeptide; Nerve section; Vasoactive intestinal polypeptide; Substance P; Calcitonin gene-related peptide; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Phaclofen; Baclofen; H-reflex; Intrathecal injection (Wüllner, U.) **496,** 341

Medial hypothalamus; Rat; Stimulation produced analgesia; Medial thalamus (Duysens, J.) **499,** 131

FLFQPQRFamide
FMRFamide; Morphine; Spinal cord; Binding site (Allard, M.) **500,** 169

Flow cytometry
Dopamine; Transplant; Substantia nigra; Cell culture (Lopez Lozano, J.J.) **486,** 351

1/*f* Fluctuation
Hippocampus; Ventrobasal complex; Spontaneous discharge; Sleep–wakefulness (Kodama, T.) **487,** 26

Hippocampus; Ventrobasal complex;

Single unit activity; Serotonin; *p*-Chlorophenylalanine; 5-Methoxy-*N*,*N*-dimethyltryptamine (Kodama, T.) **487,** 35

Fluid balance
Pons; Parabrachial nucleus; Blood volume; Blood pressure (Ward, D.G.) **491,** 80

Flunitrazepam
Ethanol; Benzodiazepine receptor; γ-Aminobutyric acid-activated chloride channel; Genetics; HS mouse; LS/SS mouse (Harris, R.A.) **490,** 26

Fluorescent dye irradiation
Leech; Inhibition; Axotomy; Development; Synaptic localization (Lytton, W.W.) **504,** 43

Fluorescent latex microsphere
Somatosensory relay neuron; Spinothalamic tract; Trigeminothalamic tract; Pain; Nociception; Immature rat (Huang, L.-Y.M.) **495,** 108

Fluorescent tracer
Propidium iodide; Dopaminergic neuron; Lateral cerebral ventricle; Rat (Chen, S.) **483,** 379

Retinal ganglion cell; Bifurcating axon; Ipsilateral projection; Lateral geniculate; Superior colliculus; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Fluoro-gold
Dopaminergic neuron; Nucleus raphe dorsalis; Prefrontal cortex; Immunocytochemistry; Horseradish peroxidase (Yoshida, M.) **496,** 373

Nucleus accumbens; Septal nucleus; Retrograde transport; Spinal cord; Nociception (Burstein, R.) **497,** 149

Intergeniculate leaflet; Ventral lateral geniculate nucleus; Immunocytochemistry; True blue (Bennett-Clarke, C.) **500,** 1

Gonadotropin-releasing hormone; Immunocytochemistry; Transplant; Median eminence; Reproduction (Silverman, R.C.) **501,** 260

Medial prefrontal cortex; Prelimbic area; Hippocampus; Field CA1; Prosubiculum; Rat (Jay, T.M.) **505,** 337

Blood–brain barrier; Axon tracing (Ambalavanar, R.) **505,** 171

Fluorodeoxyglucose
Somatosensory system; Cerebral asymmetry; Cerebral dominance; Handedness; Positron emission tomography; Cerebral glucose utilization; Human (Yoshii, F.) **483,** 355

Fluorometry
Cytosolic free calcium; D,L-2-Amino-5-phosphonovaleric acid; Indo-1; Magnesium ion; *N*-Methyl-D-aspartate (Uematsu, D.) **482,** 129

α-Fluoromethylhistidine
Antihistamine, H_1; Histamine H_1-receptor; Feeding; Ventromedial nucleus; Paraventricular nucleus; Microinfusion (Ookuma, K.) **490,** 268

***cis*-Flupenthixol**
Dopamine; Accumbens; Caudate; Medial frontal cortex; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Flurazepam
Benzodiazepines; Substantia nigra pars reticulata; Seizure; γ-Aminobutyric acid (GABA); Muscimol; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

FMRFamide
FLFQPQRFamide; Morphine; Spinal cord; Binding site (Allard, M.) **500,** 169

FMRF-NH_2-like peptide
Rat brain; Spinal cord; Pituitary; Distribution (Majane, E.A.) **494,** 1

Focal epilepsy
Direct cortical response; Current source–density; Principal component analysis; Source modeling; Penicillin spike; Electrophysiology (Barth, D.S.) **484,** 13

γ-Aminobutyric acid; Withdrawal syndrome; In vitro study; Cerebral cortex (Silva-Barrat, C.) **498,** 289

Food
Neuronal response; Water; Salt; Sodium appetite; Zona incerta; Sheep (Kendrick, K.M.) **492,** 211

Food intake
Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

Estradiol; Paraventricular nucleus; Body weight; Lordosis (Butera, P.C.) **491,** 266

Benzodiazepine; FG 7142; Ro 15-1788; Ro 15-4513; Palatability; Saccharin (Cooper, S.J.) **494,** 172

Forebrain
Arterial pressure; Heart rate; Excitatory aminoacid (Gelsema, A.J.) **482,** 67

Neuropeptide; Neuropeptide Y; Memory; Mouse; Recall; Retention; Localization (Flood, J.F.) **503,** 73

Forebrain neuron
Olfactory nerve; Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter expression; Neurotransmitter plasticity; Subependymal cell; Transmitter phenotype (Guthrie, K.M.) **497,** 117

Forelimb
Pattern generator; ENG; Intracellular recording; Fictive locomotion (Hishinuma, M.) **482,** 184

Cross-reinnervation; Phrenic nerve; Motor readjustment; Voluntary resporatory control; Cat (Fujito, Y.) **492,** 36

Formaldehyde–glutaraldehyde perfusion technique
Catecholamine histofluorescence; Developing brain; Magnesium perfusion technique; Polyethylene glycol (Woerly, S.) **495,** 377

Forskolin
Cyclic adenosine monophosphate; Na,K-ATPase; Ouabain binding (Swann, A.C.) **476,** 351

Adenylate cyclase; Adenosine 3′,5′-cyclic monophosphate; Lamprey; Calcium action potential (Womble, M.D.) **485,** 89

Adenylate cyclase; Cerebral ischemia; Delayed neuronal death; Hippocampus; Inositol trisphosphate (Onodera, H.) **487,** 343

Neurohypophysis; Vasopressin secretion; Cyclic adenosine monophosphate; Presynaptic regulation (Treiman, M.) **488,** 260

Cyclic adenosine monophosphate; Potassium channel; Stomatogastric ganglion; Transient potassium current; Lobster (Harris-Warrick, R.M.) **489,** 59

Somatostatin; Adenylate cyclase; Brain; Norepinephrine; Dopamine; Vasointestinal; Polypeptide (Schettini, G.) **492,** 65

Receptor; Retina; Phorbol ester; Autoradiography (Zarbin, M.A.) **497,** 334

Noradrenaline; In vitro cerebellum; Adenosine 3′,5′-monophosphate; 3-Isobutyl-1-methylxanthine; γ-Aminobutyric acid (Sessler, F.M.) **499,** 27

Forskolin binding
Chronic ethanol ingestion; Guanine nucleotide binding protein; Adenylate cyclase; Mouse (Valverius, P.) **503,** 38

c-Fos
Proto-oncogene; Cerebral ischemia; Brain damage; Spreading depression; *N*-Methyl-D-aspartate (Herrera, D.G.) **503,** 205

Fovea
Photoreceptor; Gap junction; Terminal; Inner segment (Cohen, A.I.) **490,** 200

Free fatty acid
Bombesin; Glucose; Corticosterone; Paraventricular nucleus; Ventromedial nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Free radical
α-Tocopherol; 6-Hydroxydopamine; Rotation; Striatum; Parkinson's disease; Antioxidant (Cadet, J.L.) **476,** 10

Alzheimer's disease; Paired helical filament; Superoxide dismutase; Senile plaques; Neurodegenerative disorder (Zemlan, F.P.) **476,** 160

6-Hydroxydopamine; Superoxide dismutase; Catalase; Glutathione; Glutathione peroxidase; Parkinson's disease (Perumal, A.S.) **504,** 139

Freely moving cat
Locomotion; Posture; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Freely moving rat
Lateral hypothalamus; Unit recording; Taste; Licking; Learning (Yamamoto, T.) **481,** 286

Pain; Ventromedial medulla; Single-unit recording (Oliveras, J.-L.) **486,** 1

Amphetamine; Neostriatum; Single-unit activity (Haracz, J.L.) **489,** 365

Long-term potentiation; Long-term depression; Behavioral state; Sleep; Dentate gyrus; Perforant path (Bramham, C.R.) **493,** 74

Freeze-fracture
Dorsal root ganglion neuron; Cell culture; Node of Ranvier; Non-myelinated axon; Schwann cell (Bigbee, J.W.) **494,** 182

Estradiol; Cerebral cortex; Plasma membrane; Neuronal membrane; Development; Cell culture (Garcia-Segura, L.M.) **498,** 339

Frequency following
Optic tract; 4-Aminopyridine; Tetraethylammonium; Potassium channel; Action potential repolarization; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Frequency potentiation
Epilepsy; Human; Dentate gyrus; Brain slice; γ-Aminobutyric acid; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Frog
Excitatory amino acid; *N*-Methyl-D-aspartic acid; Quisqualate; Phencyclidine; Autoradiography; Visual plasticity; Tectum (McDonald, J.W.) **482,** 155

Gustatory response; Surface potential (Sugawara, M.) **486,** 269

Calmodulin; Calcium-chelating agent; Subcellular distribution; Radioimmunoassay; Spinal cord (Adachi, S.) **487,** 196

Thyrotropin-releasing hormone (TRH); Motoneurone; Voltage clamp; Excitatory postsynaptic potential; Spinal cord; Glutamate (Lacey, G.) **488,** 80

Olfactory epithelium; Nerve terminal; Peptidergic innervation; Substance P (Zielinski, B.S.) **492,** 361

α-Chloralose; Chloride channel; Sensory neuron; Noise analysis (Ishizuka, S.) **498,** 181

Glutamic acid; Kainic acid; Spinal cord; Binding experiment; Acromelic acid A (Maruyama, M.) **504,** 328

Frog lateral line
Neurotransmitter release; Hair cell; Glutamate; Aspartate; High performance liquid chromatography (Bledsoe, S.C.) **493,** 113

Frog neuromuscular junction
Synaptic strength; Seasonality; Identified junction; Quantal content; Miniature endplate potential frequency (Pawson, P.A.) **495,** 182

Frog sensory neuron
Barbiturate; γ-Aminobutyric acid-mimetic action; β-Aminobutyric acid receptor–ionophore complex; Concentration clamp; Augmentation; Voltage clamp (Yakushiji, T.) **488,** 357

Frog spinal cord
Taurine; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; β-Alanine; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

Ventral root potential; *N*-Methyl-D-aspartate; Excitatory amino acid antagonist (Zhang, D.X.) **493,** 129

Frog sympathetic ganglia
Sprouting; Regeneration; Axotomy (Kelly, M.E.M.) **477,** 363

Frontal cortex
Testosterone; Lateralization; Behavior; Locomotion (Starkstein, S.E.) **478,** 16

Antipsychotic; Neuroleptic; Haloperidol; Clozapine; Dopamine receptor; Serotonin receptor; Striatum; Nucleus accumbens (Wilmot, C.A.) **487,** 288

Ischemia; Ouabain; Na^+/K^+-ATPase; CA1 region (Pylova, S.I.) **490,** 170

D_1 dopamine receptor; Huntington's disease; Guanine nucleotide binding protein; Striatum; Amygdala (De Keyser, J.) **496,** 327

Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propyl-amino-^{3}H]tetralin; Receptor, 5-HT_{1A}; Autoradiography; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Frontal decortication
N-(1-[2-Thienyl]cylohexyl)-[^{3}H]piperidine binding; Phencyclidine receptor; Glutamate; Corticostriatal projection; Striatum (Yoshida, Y.) **499,** 179

Frontal eye field
Eye movement; Reticular formation; Superior colliculus; Pontine nucleus; Thalamus (Miyashita, E.) **502,** 75

Functional architecture
Lateral geniculate nucleus; Geniculo-striate pathway; Mapping transformation; Axon tracing (Bowling, D.B.) **502,** 180

Fura-2
Growth hormone releasing factor; Somatostatin; Anterior pituitary cell; Extracellular Na^+; *bis*-Oxonol (Kato, M.) **476,** 145

Intracellular calcium; Dissociated brain cell; *N*-Methyl-D-aspartate; Ethanol (Dildy, J.E.) **499,** 383

Fura-2 acetoxymethylester
Primary astrocyte; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

Kölliker-Fuse
Locus ceruleus; Pontine tegmentum; Norepinephrine; Spinal cord; Horseradish peroxidase; Cat (Reddy, V.K.) d**491,** 144

Fusimotor neuron
Cruciate ligament; Joint afferent; Motor control; Muscle spindle; Primary spindle afferent; Spinal cord; Reflex (Sojka, P.) **483,** 177

G

G-protein
Aplysia; Pertussis toxin; Cholera toxin; Adenylate cyclase; Synaptosome (Vogel, S.S.) **478,** 281

Brain ischemia; Adenosine A_1-receptor; Adenylate cyclase; Cyclohexyladenosine; Autoradiography (Daval, J.-L.) **491,** 212

Pertussis toxin; Electrophysiology; Adenylate cyclase; Cautate-putamen; Rat (Boyajian, C.L.) **495,** 66

Sodium channel; *Xenopus* oocyte (Cohen-Armon, M.) **496,** 107

Neuropeptide Y; Baclofen; 5-Hydroxytryptamine; Pertussis toxin (Colmers, W.F.) **498,** 99

Brain slice; Excitation; Inward current; Locus ceruleus; Vasoactive intestinal peptide; Voltage clamp (Wang, Y.-Y.) **500,** 107

GABA
Pallidum; Basal ganglia; *Phaseolus-Vulgaris* leucoagglutinin; Immunocytochemistry; Postembedding immunocytochemistry (Smith, Y.) **493,** 160

GABA receptor
Estradiol; $GABA_B$ binding site; Quantitative autoradiography; Suprachiasmatic nucleus; Rat (François-Bellan, A.-M.) **503,** 144

Benzodiazepine receptor; Ca^{2+}; Diazepam; Sensory neuron; Voltage clamp (Akaike, N.) **504,** 293

GABA receptor complex
Spinal cord neuron; Chloride channel; Benzodiazepine receptor; γ-Aminobutyric acid synaptic pharmacology (Lehoullier, P.F.) **487,** 205

$GABA_A$ inhibitory postsynaptic potential
Ventral lateral geniculate nucleus; Dorsal lateral geniculate nucleus; γ-Aminobutyric acid; Baclofen; Phaclofen; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

$GABA_A$ receptor
Pregnancy; Steroid; Post-partum blues (Majewska, M.D.) **482,** 397

$GABA_B$ binding site
Estradiol; GABA receptor; Quantitative autoradiography; Suprachiasmatic nucleus; Rat (François-Bellan, A.-M.) **503,** 144

$GABA_B$ inhibitory postsynaptic potential
Ventral lateral geniculate nucleus; Dorsal lateral geniculate nucleus; γ-Aminobutyric acid; Baclofen; Phaclofen; $GABA_A$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

$GABA_B$-receptor agonist
Rat cortical slice; Paroxysmal discharge; Baclofen; $GABA_B$-receptor antagonist; Partial agonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

$GABA_B$-receptor antagonist
Rat cortical slice; Paroxysmal discharge; Baclofen; $GABA_B$-receptor agonist; Partial agonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

GABAergic neuron
Hypoglycemia; Hypoxia; Neocortex explant; Culture; Rat (Romijn, H.J.) **480,** 58

Developing cerebellum; Migrating neuron; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Purkinje cell; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Gadolinium diethylenetriamine pentaacetic acid
Magnetic resonance imaging; Rat brain; Blood–brain barrier; Neural transplant; Rat C6 glioma (Norman, A.B.) **503,** 156

Gain
Vestibulo-ocular reflex; High-acceleration stimulus; High-frequency performance; Latency (Maas, E.F.) **499,** 153

β-D-Galactosidase
β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Galactosylsphingosine
Twitcher mouse; Globoid cell leukodystrophy; Psychosine; Myelination (Tanaka, K.) **482,** 347

Galanin
K^+ channel; PC12; Dopamine (De Weille, J.R.) **485,** 199

Substance P; Calcitonin gene-related peptide; Naloxone; Bicuculline; Flexor-reflex; Monosynaptic reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Immunocytochemistry; Human; Hypothalamus; Hippocampus; Alzheimer's disease; Sprouting (Gentleman, S.M.) **505,** 311

Ganglion cell
γ-Aminobutyric acid; Superior colliculus; Retina (Caruso, D.M.) **476,** 129

Ganglionic blocker
Corticotropin-releasing factor; Novelty; Chlorisondamine; Hexamethonium; Locomotion; Grooming (Britton, D.R.) **478,** 205

Ganglioside
Glycolipid; Nerve regeneration; Glycoprotein; Growth cone; Peripheral nerve (Yates, A.J.) **479,** 277

Dorsal root ganglion; Glycolipid; Surface antigen; Immunohistochemistry; Tumor marker (Kusunoki, S.) **494,** 391

Medial septal lesion; Recovery from brain damage; Body weight; Activity; Stereotypy (Poplawsky, A.) **495,** 396

Ganglioside antibody
Demyelination; Myelination inhibition; Anti-axon antibody; Tissue culture (Bourdette, D.N.) **478,** 175

Ganglioside GM1
Hippocampus; Colchicine (Walsh, T.J.) **478,** 24

GAP 43
cis-Fatty acid; F_1-phosphorylation; Spatial memory; Protein kinase C; Long-term potentiation (Wong, K.L.) **505,** 302

Gap junction
Photoreceptor; Terminal; Inner segment; Fovea (Cohen, A.I.) **490,** 200

Motoneuron; Dendritic bundling; Testosterone (Matsumoto, A.) **495,** 362

Horizontal cell; Cell culture (Hidaka, S.) **498,** 53

Gas chromatography/mass spectrometry
Insulin; Lateral hypothalamus; Ventromedial hypothalamus; Striatum; Monoamine (Holmes, L.J.) **496,** 204

Gastric
Ventral vagus; Dorsal vagus; Splanchnic nerve; Brainstem; Nucleus tractus solitarii (Barber, W.D.) **487,** 1

Gastric corpus
Manometry; Thyrotropin-releasing hormone; L-Glutamic acid; Vagus; Microinjection; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Gastric motility
Nucleus raphe obscurus; Electrical stimulation; Glutamate-induced stimulation; Efferent vagus (McCann, M.J.) **486,** 181

Gastrin-releasing peptide
Bombesin; Neuromedin; Inhibition; Depression; Substance P; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Gastropod
Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Mollusc (Cappell, M.S.) **502,** 266

Gating
Prefrontal; Middle-latency auditory evoked potential; Inhibition; Attention; Pa (Knight, R.T.) **504,** 338

Gender difference
Sympathetic; Target-specific neuron; Neuropeptide; Adult rat (Wright, L.L.) **494,** 267

Gene expression
Tachykinin; Vasoactive intestinal peptide; Sensory neuron; Nerve injury; Actin (Nielsch, U.) **481,** 25

Lead; Opioid; Pro-opiomelanocortin (Rosen, H.) **493,** 380

Generalization of extinction
Feeding response; Appetitive learning; Discriminative learning; Stimulus generalization; *Lymnaea* (Kemenes, G.) **489,** 163

Generator potential
Molluscan photoreceptor; Action spectrum; Potassium current (Gotow, T.) **479,** 120

Genetic difference
Swim-induced analgesia; Stimulation-produced analgesia; Periaqueductal gray matter; Naloxone (Marek, P.) **489,** 182

Genetic variation
Hippocampus; Mossy fiber; Long-term potentiation; Mouse (Heimrich, B.) **490,** 404

Genetics
Ethanol; Benzodiazepine receptor; Flunitrazepam; γ-Aminobutyric acid-activated chloride channel; HS mouse; LS/SS mouse (Harris, R.A.) **490,** 26

Geniculate body
Neural transmission; γ-Aminobutyric acid; Neural inhibition; Receiver operating characteristic curve; Attention; Tree shrew (Holdefer, R.N.) **488,** 341

Sensory threshold; Physiology; γ-Aminobutyric acid; Neural inhibition; Vision; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Geniculo-striate pathway
Lateral geniculate nucleus; Functional architecture; Mapping transformation; Axon tracing (Bowling, D.B.) **502,** 180

Geniculotectal pathway
Kainic acid; Ventral lateral geniculate nucleus lesion; Superior colliculus; Field response; Electron micrograph; Rat (Nagata, T.) **483,** 50

Genomic organization
Myelin basic protein gene; Transcription; Mouse, *mld* (Roch, J.-M.) **477,** 292

Gerbil
Ischemia; Hippocampus; Striatum; Seizure; Brain damage (Armstrong, D.R.) **476,** 174

Stroke-prone gerbil; Temporary ligation; Prediction of stroke; Cerebral ischemia; Brain vasculature (Kitagawa, K.) **479,** 263

Cerebral ischemia; Repeated ischemia; Transient ischemic attack; Selective vulnerability; Calcium accumulation (Kato, H.) **479,** 366

Epilepsy; γ-Aminobutyric acid; Intracerebral injection; Thalamus; Muscimol; Seizure (Lee, R.J.) **487,** 363

Cerebral ischemia; Repeated ischemia; Naftidrofuryl; Serotonin S_2 antagonist (Fujikura, H.) **494,** 387

Ischemia; Opiate receptor; Hippocampus (Miller, L.P.) **495,** 367

GH_3 cell
Thyrotropin-releasing hormone; Diacylglycerol; Inositol phosphate; Phorbol ester; Action potential frequency (Gammon, C.M.) **479,** 217

Giant axonal neuropathy
Axonal transport; 2,5-Hexanedione; Neurofilament; Acceleration of transport (Monaco, S.) **491,** 328

Glia
Retinal transplant; Rejection; Superior colliculus (Rao, K.) **488,** 332

Barrel; Lectin; Boundary; Plasticity; Critical period substrate; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Basal ganglia; Excitotoxin; Huntington's disease; Neurodegenerative disorder; Quinolinic acid (Schwarcz, R.) **490,** 103

Microglia; Astrocyte; Tumor necrosis factor-alpha; Cytokine; Brain culture (Sawada, M.) **491,** 394

Phosphoinositide second messenger system; Astrocyte (Choi, W.C.) **499,** 193

Kainate; Neuronal Degeneration; Laminin; Basement membrane; Neovascularization (Shigematsu, K.) **501,** 215

Cyclic AMP; C-*fos*; Ependyma (Dragunow, M.) **501,** 382

Glial cell
Potassium channel; Inward rectification; Malignant glioma; Potassium homeostasis; Human (Brismar, T.) **480,** 249

Calcium-activated potassium-channel; Big conductance channel; Sodium channel; Malignant glioma; Human (Brismar, T.) **480,** 259

Glial cell
Müller cell; Retina; Barium; Potassium conductance; Tiger salamander (Newman, E.A.) **498,** 308

Glial fibrillary acidic protein
Immunohistochemistry; Adult salamander; Radial glial cell; Vascular endfoot; Mammalian astrocyte (Naujoks-Manteuffel, C.) **487,** 397

Astrocyte; Axotomy; Stimulation; Hypoglossal (Hall, L.L.) **490,** 157

Transplantation; Graft; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Auditory system; Two-dimensional gel; Calcium binding protein; Rabbit (Winsky, L.) **493,** 136

Hypothyroidism; Gliosis; Astrocyte; S-100; Immunohistochemistry; Autoradiography (Miyake, T.) **493,** 376

Astrocyte; Glucocorticoid; Corticosterone; Adrenalectomy (O'Callaghan, J.P.) **494,** 159

Astrocyte; Immunohistochemistry (Shehab, S.S.A.) **504,** 343

Glial swelling
Ketamine; Glutamate; Astrocyte; *N*-Methyl-D-aspartate receptor (Chan, P.H.) **487,** 380

Glioblastoma multiforme
Astrocyte; Astrocytoma; Central nervous system neoplasia; Immunocytochemistry; Ubiquitin (Galloway, P.G.) **500,** 343

Glioma
Plasminogen receptor; Proteinase (Hall, S.W.) **495,** 373

Thallium-201; Membrane potential; Astrocyte; Scintigraphy; Human (Brismar, T.) **500,** 30

Glioma cell
Cytotoxic edema; Cytoplasmic pH; Lactic acid; Cell swelling; Na^+/H^+ exchange; Astrocyte (Jakubovicz, D.E.) **485,** 215

Glioma cell line
Nuclear magnetic resonance spectroscopy, ^{31}P-; Phosphorylated compound; Cell culture; Microcarrier (Vion-Dury, J.) **493,** 175

Gliosis
Head injury; Rat; Neuronal injury; Barrier breakdown (Cortez, S.C.) **482,** 271

Astrocyte; S-100; Thymidine; Proliferation; Cell number; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Hypothyroidism; Astrocyte; Glial fibrillary acidic protein; S-100; Immunohistochemistry; Autoradiography (Miyake, T.) **493,** 376

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate nucleus; Synaptic degeneration; Monoamine oxidase inhibition (Hess, A.) **499,** 393

Globoid cell leukodystrophy
Twitcher mouse; Galactosylsphingosine; Psychosine; Myelination (Tanaka, K.) **482,** 347

Twitcher mouse; Unmyelinated fiber; Schwann cell (Tanaka, K.) **503,** 160

Globus pallidus
Kynurenate; Dyskinesia; Subthalamic nucleus; Intracerebral injection; Excitatory amino acid (Robertson, R.G.) **476,** 317

Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Basal ganglia; Striatum; Retrograde double-labeling method; Tyroxine hydroxylase immunohistochemistry; Primate (Smith, Y.) **482,** 381

Ventral striatum; Caudate-putamen; 6-Hydroxydopamine; Neurotensin; Immunoreativity; Ventral pallidum (Zahm, D.S.) **483,** 301

D_2 dopamine receptor; Human brain; Pituitary lobe; Striatum; Corticostriatal terminal; Guanine nucleotide effect (De Keyser, J.) **484,** 36

Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Chronic haloperidol; Supersensitivity; Microiontophoresis; Glycine (Frey, J.M.) **491,** 57

Calcitonin gene-related peptide; Substantia innominata; Extended amygdala (Chang, H.T.) **495,** 167

Striatum; Caudate nucleus; Putamen; Nucleus basalis; Unit activity; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Parkinson's disease; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

γ-Aminobutyric acid; Single unit activity; Huntington's disease; Basal ganglia; Entopeduncular nucleus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Glomus cell
Carotid body; Stimulant; Depressant (Eyzaguirre, C.) **477,** 265

Glubenclamide
Hypoxia; Hippocampus; Tolbutamide; D-Glucose; Hyperpolarization; Hypoxic survival (Grigg, J.J.) **489,** 302

Glucagon
Sympathetic activity; Nucleus tractus solitarii (Krzeski, R.) **504,** 297

Glucagon-like peptide-1
Gut–brain peptide; Neurotransmitter; Experimental diabetes mellitus (Kreymann, B.) **502,** 325

Glucocorticoid
Dexamethasone; α-Adrenergic receptor; β-Adrenergic receptor; Cyclic adenosine monophosphate; Adrenocorticotropic hormone (Duman, R.S.) **477,** 166

Cortisol; Brain region; Plasma; Adrenocorticotropic hormone; β-Endorphin (Bagdy, G.) **489,** 216

Adrenocorticosteroid receptor; Mineralocorticoid; Steroid binding; Receptor stability; Type I receptor; Type II receptor (Luttge, W.G.) **493,** 190

Glial fibrillary acidic protein; Astrocyte; Corticosterone; Adrenalectomy (O'Callaghan, J.P.) **494,** 159

Angiotensin II; Drinking; Brain; Angiotensin II receptor (Ganesan, R.) **499,** 121

Glucocorticoid receptor
Spinal cord; Hippocampus; Mineralocorticoid receptor; Dexamethasone; Corticosterone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

Sensitization; Amphetamine; Stress; Dopamine; Noradrenaline (Rivet, J.-M.) **498,** 149

Corticotropin-releasing factor; Adrenocorticotropic hormone; Co-localization; Hypothalamus; Brainstem; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Glucose
Bombesin; Free fatty acid; Corticosterone; Paraventricular nucleus; Ventromedial nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Brown adipose tissue; Obesity; Efferent sympathetic nerve activity; 2-Deoxy-D-glucose; Ventromedial hypothalamus (Holt, S.J.) **481,** 106

Insulin; Pancreas; Portal vein; Vagus nerve (Yamazaki, M.) **484,** 357

Hypoglycemia; Glutamate; Aspartate; Transmitter release; Hippocampus (Burke, S.P.) **500,** 333

Insulin; Brown adipose tissue; Efferent sympathetic nerve activity; Zucker obese rats (Holt, S.J.) **500,** 384

Glucose homeostasis
[^{3}H]Mazindol binding; Paraventricular nucleus; Adrenoceptor; Insulin secretion (Angel, I.) **490,** 367

Glucose transporter
Pyruvate dehydrogenase; Immunocytochemistry; Rat brain (Bagley, P.R.) **499,** 214

Glucose utilization
κ-Agonist; U-50,488H; Limbic brain structure; Pituitary; Spinal cord (Ableitner, A.) **478,** 326

Melatonin; Pinealectomy; Choroid plexus; Hypothalamus; Nucleus tractus solitarii (Vitte, P.-A.) **489,** 273

Benzodiazepine; Diazepam; [^{14}C]Deoxyglucose technique; Tolerance; Anxiolytic; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Receptor, σ; 2-Deoxyglucose; Brain metabolism; Antipsychotic; Pentazocine (Della Puppa, A.) **505,** 283

2-Deoxyglucose, [^{14}C]-; Circadian rhythm; Day/night rhythm; Nocturnal (Room, P.) **505,** 321

D-Glucose
Hypoxia; Hippocampus; Glubenclamide; Tolbutamide; Hyperpolarization; Hypoxic survival (Grigg, J.J.) **489,** 302

β-Glucosidase
β-Glucuronidase; Hexosaminidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

β-Glucuronidase
Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Glutamate
Periaqueductal gray; Opiate receptor; Analgesia; Medulla (Jensen, T.S.) **476,** 1

Glycine; Amino acid; Blood pressure; Baroreceptor reflex; Nucleus tractus solitarii; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Adenosine; *N*-Methyl-D-aspartate; Cortex; Purine; Excitatory amino acid (Hoehn, K.) **478,** 149

Calcium; Dendritic outgrowth; Diazepam; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Luteinizing hormone; Phencyclidine; *N*-Methyl-D-aspartate; Excitatory amino acid; Homocysteic acid; DL-2-Amino-5-phosphonopentanoic acid (Boggan, W.O.) **478,** 382

Amino acid transmitter; Argiotoxin; Hippocampus; Neurotoxin (Ashe, J.H.) **480,** 234

Substantia nigra; Perfusion; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Aspartate; Taurine; Rat (Farrant, M.) **480,** 344

N-Methyl-D-aspartate; L-α-(carboxycyclopropyl)glycine; Excitatory amino acid; Rat spinal cord; Conformational variation; Electrophysiology (Shinozaki, H.) **480,** 355

Glutaraldehyde; Monoclonal antibody; Specificity; Hybridization; Immunocytochemistry; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Blood pressure; Carbachol; Contractility; Heart rate; Intermediolateral column (IML); Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

N-Acetylaspartylglutamate; Uptake; Release; Aspartate; Cerebellum

(Sekiguchi, M.) **482,** 78

Cerebral microcirculation; Vascular smooth muscle; Neurotransmitter; Amino acid; γ-Aminobutyric acid; Glycine; Aspartate (Takayasu, M.) **482,** 393

Aspartate; *N*-Methyl-D-aspartate receptor; Neurotoxicity; Excitatory amino acid; Cortex; Cell culture (Monyer, H.) **483,** 347

Kainate; Cochlear nucleus; *N*-Methyl-D-aspartate; Kynurenic acid; DL-2-Amino-5-phosphonovalerate; Brain slice (Wickesberg, R.E.) **486,** 39

Nucleus tractus solitarius; Antinociception; Pain modulation; Tail-flick test; Pentobarbital; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Hypothermia; Neuroprotection; Hypoxia/ischemia; MK-801; Excitotoxicity; Brain damage (Ikonomidou, C.) **487,** 184

Ketamine; Astrocyte; Glial swelling; *N*-Methyl-D-aspartate receptor (Chan, P.H.) **487,** 380

Thyrotropin-releasing hormone (TRH); Motoneurone; Voltage clamp; Excitatory postsynaptic potential; Spinal cord; Frog (Lacey, G.) **488,** 80

Inositol 1,4,5-trisphosphate; Cerebellum; Purkinje cell; Granule cell; Dominantly inherited olivopontocerebellar atrophy; Ataxia (Kish, S.J.) **489,** 373

Cultured cerebellar neuron; Noradrenaline; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

Dentate gyrus; Excitatory amino acid; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

Subthalamic nucleus; γ-Aminobutyric acid; Glycine; Immunohistochemistry (Albin, R.L.) **491,** 185

Neurotransmitter release; Frog lateral line; Hair cell; Aspartate; High performance liquid chromatography (Bledsoe, S.C.) **493,** 113

Hippocampus; Perforant pathway stimulation; Learning; Memory; Pyramidal cell (Rogers, B.C.) **493,** 41

Nucleus accumbens; Hippocampus; Kynurenic acid; Radial-arm maze; Movement initiation; Memory (Schacter, G.B.) **494,** 339

Neurotransmission; Glutamate dehydrogenase; Cochlea; Compound action potential; Guinea pig (Rebillard, G.) **494,** 379

Hippocampus; Mossy fiber expansion; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

Excitatory amino acid receptor; Glutamine (Sands, S.B.) **495,** 193

Cardiopulmonary afferent; Bradykinin; Visceral nociception; Periaqueductal gray; Descending inhibition (Chandler, M.J.) **496,** 148

Striatum; Synaptoneurosome; Synaptosome; Membrane sac; Kainate; Aspartate (Heinonen, E.) **496,** 187

Neural crest; Neurofilament; Neuronal differentiation; Sensory neuron; Substance P; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

N-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Dementia; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Cerebral ischemia; Cerebrovascular disease; Dextrorphan; Excitatory amino acid; *N*-Methyl-D-aspartate (Steinberg, G.K.) **497,** 382

N-Methyl-D-aspartate; Synchronization; Hippocampus; Epilepsy (Dalkara, T.) **498,** 123

Suprachiasmatic nucleus; Ventromedial hypothalamic nucleus; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **498,** 140

Excitatory amino acid; Glutamine; Neurotoxicity (Yamada, K.A.) **498,** 351

N-(1-[2-Thienyl]cylohexyl)-[^{3}H]piperidine binding; Phencyclidine receptor; Corticostriatal projection; Frontal decortication; Striatum (Yoshida, Y.) **499,** 179

Excitatory amino acid; *N*-Methyl-D-aspartate receptor; Neuron; Cerebellar granule cell; Neuronal energy (Lysko, P.G.) **499,** 258

Excitatory amino acid; Magnesium; *N*-Methyl-D-aspartate receptor; Cerebellar granule cell (Cox, J.A.) **499,** 267

Baroreflex; Blood pressure; Heart rate; Lidocaine; Muscimol; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

Hypoglycemia; Aspartate; Transmitter release; Hippocampus; Glucose (Burke, S.P.) **500,** 333

Aspartate; Excitatory amino acid; Kindling; Epilepsy; Seizure (Croucher, M.J.) **501,** 58

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Immunohistochemistry; Optic terminal; Retinotectal system; Retinal ganglion cell (Kageyama, G.H.) **503,** 118

N-Methyl-D-aspartate; Quisqualate; Blood pressure; Nucleus tractus solitarii (Le Galloudec, E.) **503,** 322

Lindane; Picrotoxin; Chloride channel; γ-Aminobutyric acid; Acetylcholine; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Kindling; Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Aspartate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

L-Glutamate
Locust muscle; Outside-out patch; Glutamate receptor; Chloride channel; Ibotenate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

Hippocampus; Zinc binding protein; Excitatory amino acid; Zinc release (Baba, A.) **486,** 372

Retina; Horizontal cell; Kainate (Perlman, I.) **487,** 16

Kindling; L-Aspartate; Electrical stimulation; Rat; Amygdala (Mori, N.) **498,** 163

Glutamate agonist
Excitotoxin; Ibotenate; Hippocampus; Phencyclidine agonist; Ketamine; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Glutamate antagonist
Excitatory amino acid (EAA) antagonist; *N*-Methyl-D-aspartate antagonist; Complete global cerebral ischemia; Canine cerebral ischemia model; Dizocilipine maleate (MK-801) (Michenfelder, J.D.) **481,** 228

Retinohypothalamic tract; Suprachiasmatic nucleus; Electrical stimulation; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **503,** 163

L-Glutamate binding
Human cerebellum; Olivopontocerebellar atrophy; Development; Pharmacology; Localization (Tsiotos, P.) **481,** 87

L-Glutamate decarboxylase
γ-Aminobutyric acid; γ-Aminobutyric acid-transaminase; Immunoreactivity; Vestibular endorgan; Vestibular ganglion; Chicken (Usami, S.-I.) **503,** 213

Glutamate decarboxylaseimmunocytochemistry
Ischemia; Hippocampus; Basket cell; Inhibitory interneuron (Nitsch, C.) **495,** 243

Glutamate dehydrogenase
Neurotransmission; Glutamate; Cochlea; Compound action potential; Guinea pig (Rebillard, G.) **494,** 379

Glutamate receptor
Joro spider toxin; Hippocampus; Slice; Long-term potentiation; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Locust muscle; Outside-out patch; Chloride channel; L-Glutamate; Ibotenate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

MK-801; Neonate rat brain; Ontogeny (Morin, A.M.) **487,** 376

Amino acid transmitter receptor; Nerve development; *Xenopus* (Sands, S.B.) **502,** 375

Glutamate uptake by synaptosomes
Joro spider toxin (JSTX); 2,4-Dihydroxyphenylacetylasparagine (2,4-DHPA-ASN); Sodium-dependent glutamate binding; Role of polyamines (Pan-Hou, H.) **476,** 354

Glutamate-induced stimulation
Nucleus raphe obscurus; Electrical stimulation; Efferent vagus; Gastric motility (McCann, M.J.) **486,** 181

L-Glutamate receptor
N-Methyl-D-aspartate receptor; L-β-Methylaminoalanine; Synaptic junction (Richter, K.E.) **492,** 385

L-Glutamate transporter
Excitatory amino acid; Accumulation; L-Cysteic acid (Koyama, Y.) **487,** 113

L-Glutamic acid
γ-Aminobutyric acid; Neurotransmitter; Amino acid; Uptake; Human central nervous system; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

Gastric corpus; Manometry; Thyrotropin-releasing hormone; Vagus; Microinjection; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Triton X-100; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine maleate, [^{3}H]-; *N*-Methyl-D-aspartate receptor; Glycine; Cation channel (Yoneda, Y.) **499,** 305

Glutamic acid
Depressive illness; Psychosurgery; Human brain; γ-Aminobutyric acid; Homocysteic acid (Francis, P.T.) **494,** 315

Kainic acid; Frog; Spinal cord; Binding experiment; Acromelic acid A (Maruyama, M.) **504,** 328

Glutamic acid decarboxylase
Entopeduncular nucleus; Substance P; Coexistence; Immunohistochemistry; Rat (Murakami, S.) **485,** 403

Co-localization; Choline acetyltransferase; γ-Aminobutyric acid; Acetylcholine; Co-production; Basal forebrain projection neuron; Neocortical afferent (Fisher, R.S.) **491,** 163

Rat; Mouse; Striatum; γ-Aminobutyric acid; Messenger RNA; In situ hybridization; Somatostatin (Chesselet, M.-F.) **492,** 237

γ-Aminobutyric acid; Dopamine; Transplant; Striatum; Substantia nigra (Segovia, J.) **493,** 185

Dorsal column nucleus; Intrinsic neuron; Local circuit neuron; Reptile; Somatosensation (Pritz, M.B.) **503,** 175

Glutamic acid decarboxylase immunoreactivity
Subthalamic nucleus; Substantia nigra; Tegmentum; Basal ganglia (Schmued, L.) **487,** 131

Glutaminase-inhibition
Synaptosome; Amino acid pool; Evoked release of amino acid neurotransmitter (Bradford, H.F.) **476,** 29

Glutamine
Excitatory amino acid receptor; Glutamate (Sands, S.B.) **495,** 193

Excitatory amino acid; Glutamate; Neurotoxicity (Yamada, K.A.) **498,** 351

Glutamine synthetase
Astrocyte; Human; Electrophysiology; Ion transport (Lomneth, R.) **486,** 95

Glutaraldehyde
Glutamate; Monoclonal antibody; Specificity; Hybridization; Immunocytochemistry; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Glutathione
Rat brain; Central nervous system; L-2-Oxothiazolidine-4-carboxylate (Mesina, J.E.) **478,** 181

Ascorbate; Astrocyte; Neuron (Raps, S.P.) **493,** 398

6-Hydroxydopamine; Free radical; Superoxide dismutase; Catalase; Glutathione peroxidase; Parkinson's disease (Perumal, A.S.) **504,** 139

Glutathione peroxidase
6-Hydroxydopamine; Free radical; Superoxide dismutase; Catalase; Glutathione; Parkinson's disease (Perumal, A.S.) **504,** 139

Glycine
N-Methyl-D-aspartate; Spermine; 2-Amino-5-phosphonovalerate; Long-term potentiation (Thibault, O.) **476,** 170

Glutamate; Amino acid; Blood pressure; Baroreceptor reflex; Nucleus tractus solitarii; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Excitatory amino acid receptor; *N*-Methyl-D-aspartate; Cyclic guanosine monophosphate; Phencyclidine; Cerebellum (Danysz, W.) **479,** 270

Quinolinic acid; MK-801; Huntington's disease; Kynurenate; Dextrorphan; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

N-Methyl-D-aspartic acid; Excitatory amino acid; Serine; Thalamus; Somatosensory system (Salt, T.E.) **481,** 403

Autoradiography; Hippocampus; *N*-Methyl-D-aspartate receptor; Phencyclidine receptor (Jansen, K.L.R.) **482,** 174

Aging; Strychnine binding, [^{3}H]; Seizure; Rat; Amino acid (Hunter, C.) **482,** 247

Cerebral microcirculation; Vascular smooth muscle; Neurotransmitter; Amino acid; γ-Aminobutyric acid; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Subthalamic nucleus; Glutamate; γ-Aminobutyric acid; Immunohistochemistry (Albin, R.L.) **491,** 185

γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Globus pallidus; Chronic haloperidol; Supersensitivity; Microiontophoresis (Frey, J.M.) **491,** 57

γ-Aminobutyric acid; Chloride channel; Buspirone; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

Somatostatin; Colocalize; Interplexiform; Retina; Neuropeptide; Neurotransmitter (Smiley, J.F.) **495,** 31

Kynurenic acid; *N*-Methyl-D-aspartate; Excitatory amino acid; Schild plot (Pullan, L.M.) **497,** 59

Triton X-100; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]-cyclohepten-5,10-imine maleate, [^{3}H]-; *N*-Methyl-D-aspartate receptor; L-Glutamic acid; Cation channel (Yoneda, Y.) **499,** 305

Inferior colliculus; γ-Aminobutyric acid; Binaural inhibition; Bicuculline; Strychnine; Benzodiazepine; Nipecotic acid (Faingold, C.L.) **500,** 302

N-Methyl-D-aspartate receptor; Zinc; Alzheimer's disease (Steele, J.E.) **500,** 369

γ-Aminobutyric acid; Cerebrospinal fluid; Release; Cerebral cortex (Phillis, J.W.) **504,** 121

Glycine binding
N-Methyl-D-aspartate receptor; Antagonist; *N*-(1-(2-Thienyl)-cyclohexyl)piperidine binding; 6-Cyano-7-nitroquinoxaline-2,3-dione; 6,7-Dinitroquinoxaline-2,3-dione;

Quinoxaline derivative (Kessler, M.) **489,** 377

Glycine receptor antagonist
N-Methyl-D-aspartate receptor; Phencyclidine receptor; 7-Chlorokynurenic acid; [^{3}H]MK-801 (Sircar, R.) **504,** 325

L-α-(carboxycyclopropyl)Glycine
Glutamate; *N*-Methyl-D-aspartate; Excitatory amino acid; Rat spinal cord; Conformational variation; Electrophysiology (Shinozaki, H.) **480,** 355

Glycolipid
Ganglioside; Nerve regeneration; Glycoprotein; Growth cone; Peripheral nerve (Yates, A.J.) **479,** 277

Sialosyl cholesterol; Astroglia; Growth inhibition; Differentiation (Ito, J.-I.) **481,** 335

Dorsal root ganglion; Ganglioside; Surface antigen; Immunohistochemistry; Tumor marker (Kusunoki, S.) **494,** 391

Glycoprotein
Ganglioside; Glycolipid; Nerve regeneration; Growth cone; Peripheral nerve (Yates, A.J.) **479,** 277

Glycosaminoglycan
Axonal transport; Regenerating nerve; Goldfish optic nerve; Heparan sulfate; Proteoglycan (Coughlin, C.) **493,** 326

Glycosylation
Tunicamycin; High-affinity amino acid transport (Deas, J.) **483,** 84

GM_1 ganglioside
Nerve growth factor; Choline acetyltransferase; Nucleus basalis magnocellularis; High affinity choline uptake (Di Patre, P.L.) **480,** 219

Dopamine; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Striatum; Substantia nigra; Tyrosine hydroxylase immunoreactivity (Hadjiconstantinou, M.) **484,** 297

Gold
Corticotropin-releasing factor; Trigeminal; Wide dynamic range; Single unit recording; Nociception; Heat (Poree, L.R.) **502,** 349

Goldfish
Electroretinogram; DL-2-Amino-4-phosphonobutyric acid; ON-pathway; Retina (DeMarco, P.J.) **482,** 317

Goldfish optic nerve
Axonal transport; Regenerating nerve; Glycosaminoglycan; Heparan sulfate; Proteoglycan (Coughlin, C.) **493,** 326

Goldfish retina
Cell proliferation; Optic nerve crush; Photoreceptor; Rod precursor (Henken, D.B.) **501,** 247

Goldfish training
Ependymin; Classical conditioning; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Goldthioglucose
Obesity; Norepinephrine; Serotonin; Dopamine; Mouse (Silva, E.) **490,** 192

Golgi
Striatum; 6-Hydroxydopamine; Spine; Rat; Structural change (Ingham, C.A.) **503,** 334

Golgi cell
Gamma aminobutyric acidergic neuron; Developing cerebellum; Migrating neuron; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Purkinje cell; Basket cell (Aoki, E.) **502,** 245

Golgi stain
Hippocampus; CA3; Pyramidal neuron; Dendrite; Thorny excrescence (Fitch, J.M.) **479,** 105

Golgi tenson organ
Rat; Peripheral nervous system; Muscle spindle; Histochemistry; Carbonic anhydrase (Szabolcs, M.J.) **492,** 129

Gonadal regression
Photoperiod; Melatonin; Hypothalamus; Mongolian gerbil; *Meriones unguiculatus* (Devries, M.J.) **494,** 241

Gonadotropin
Olfactory; Vomeronasal; Photoperiod; Testicular; Reproductive; Hamster (Pieper, D.R.) **485,** 382

Gonadotropin-releasing hormone
Immunohistochemistry; Development; Brain; Rat (Jennes, L.) **482,** 97

Immunocytochemistry; Fluorogold; Transplant; Median eminence; Reproduction (Silverman, R.C.) **501,** 260

Graft
Raphe; Hippocampus; Spatial memory; Acetylcholine (Richter-Levin, G.) **478,** 184

Regeneration; Astrocyte; Spinal cord; Neuronal rescue; Neuronal maintenance (Bernstein, J.J.) **488,** 180

Transplantation; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Peripheral nerve; Regeneration; Crush; Multiple crush; Morphometry; Neuropathology (Giannini, C.) **500,** 131

Hippocampus; Septum; Acetylcholine (Segal, M.) **500,** 139

Graft/host relationship
Retinal transplantation (Laedtke, T.W.) **500,** 61

Grafting
Conditioned taste aversion; Fetal brain transplant; Horseradish peroxidase; Gustatory neocortex (Escobar, M.) **478,** 368

Granule cell
Hippocampus; Intradentate colchicine; Muscarinic cholinergic receptor; Inositolphosphate; Compensatory mechanism (Tandon, P.) **477,** 308

Hippocampus; Dentate gyrus; Interneuron; Norepinephrine; Local application; Neuropharmacology (Rose, G.M.) **488,** 353

Inositol 1,4,5-trisphosphate; Cerebellum; Purkinje cell; Glutamate; Dominantly inherited olivopontocerebellar atrophy; Ataxia (Kish, S.J.) **489,** 373

Acetylcholinesterase; Sprouting; Hilar interneuron (McKeon, R.J.) **503,** 317

Granule cell migration
Cell adhesion molecule; Intracerebral transplantation; Cerebellum (Poltorak, M.) **488,** 265

Graphite stearate electrode
Semidifferential voltammetry; Dopamine; Serotonin (Broderick, P.A.) **495,** 115

Gravitational representation
Brainstem; Respiratory neuron; Spike train analysis (Lindsey, B.G.) **483,** 373

Grooming
Corticotropin-releasing factor; Novelty; Ganglionic blocker; Chlorisondamine; Hexamethonium; Locomotion (Britton, D.R.) **478,** 205

Feeding; N-0437; Dopamine D_2 receptor; Satiety; Microstructural analysis; Locomotion; Stereotyped behavior (Rusk, I.N.) **494,** 350

Grooming behavior
Oxytocin; Cholecystokinin; Coexistence (Kaltwasser, M.T.) **496,** 380

Ground squirrel
Superior colliculus; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase; Retinal projection (Petry, H.M.) **489,** 199

Group I and group II afferent fibre
Neuromuscular spindle; Secondary spindle sensory ending; Sympathetic nervous system; Lumbar sympathetic chain; Antidromic collision (Petit, J.) **503,** 181

Growth
Neurotumor; Neuroblastoma; Cancer; Opioid receptor; Endogenous opioid system; Mitosis; Enkephalin (Zagon, I.S.) **480,** 16

Opioid receptor; Zeta; Enkephalin;

Cancer; Neuroblastoma (Zagon, I.S.) **482,** 297

Opioid receptor; Cancer; Neuroblastoma; Enkephalin; Cell proliferation (Zagon, I.S.) **490,** 14

Australoid race; Neuron; Purkinje cell; Development (Riedel, A.) **499,** 333

Growth cone
Ganglioside; Glycolipid; Nerve regeneration; Glycoprotein; Peripheral nerve (Yates, A.J.) **479,** 277

Growth factor
Rat; Somatomedin; Insulin-like growth factor I; Nerve regeneration; Sciatic nerve; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Maturation factor; Brain injury; Large neuron; Neurofilament; Neuronal regeneration (Lim, R.) **504,** 154

Growth hormone
Somatostatin; Calcium-current; Somatotroph; Pituitary cell (Nussinovitch, I.) **504,** 136

Growth hormone-releasing factor
Somatostatin; Anterior pituitary cell; Extracellular Na^+; *bis*-Oxonol; Fura 2 (Kato, M.) **476,** 145

Dwarf rat; Somatostatin; Hypothalamus; Immunocytochemistry (Sakuma, S.) **493,** 402

Growth hormone-releasing hormone
Somatostatin; Immunocytochemistry; Electron microscopy; Hypothalamic periventricular nucleus; Arcuate nucleus (Horváth, S.) **481,** 8

Growth inhibition
Glycolipid; Sialosyl cholesterol; Astroglia; Differentiation (Ito, J.-I.) **481,** 335

Growth regulation
Major histocompatibility complex antigen; CD8; Interleukin-2-receptor (Nennesmo, I.) **504,** 306

Growth-associated protein
Regeneration; Trigeminal system; Infraorbital nerve (Erzurumlu, R.S.) **498,** 135

GTP-binding proteins
Acetylcholine; Neuronal depolarization; Receptor subtypes; Postreceptor mechanisms (Simantov, R.) **505,** 160

Guanethidine
Sympathectomy; Cervical sympathetic trunk; Unmyelinated fiber (Zochodne, D.W.) **498,** 221

Rat; 2-Deoxy-D-glucose; Neuroglycopenia; Sympathetic nervous system; Hyperglycemia; Liver glucose output; Hypothalamus (Pascoe, W.S.) **505,** 23

Guanidinoethylmercaptosuccinic acid
Opioid; Enkephalin precursor processing; Enkephalin convertase; Prolactin; Luteinizing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Guanine nucleotide
Substance P; Neurokinin A; Neurokinin B; Eledoisin; Tachykinin receptor; Uridine incorporation (Lee, C.-M.) **488,** 328

Guanine nucleotide binding protein
Periaqueductal gray; Opioid; μ-Receptor; Coupling; Analgesia (Fedynyshyn, J.P.) **476,** 103

D_1 dopamine receptor; Huntington's disease; Striatum; Amygdala; Frontal cortex (De Keyser, J.) **496,** 327

Chronic ethanol ingestion; Forskolin binding; Adenylate cyclase; Mouse (Valverius, P.) **503,** 38

Guanine nucleotide effect
D_2 dopamine receptor; Human brain; Pituitary lobe; Globus pallidus; Striatum; Corticostriatal terminal (De Keyser, J.) **484,** 36

Guanine nucleotide regulatory protein
Pain; Hyperalgesia; Nociception; Cyclic adenosine monophosphate; Prostaglandin; Primary afferent (Taiwo, Y.O.) **492,** 400

Guanosine 3′,5′-monophosphate
Vasopressin; Oxytocin; Adenosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Guanosine triphosphate
β-Endorphin; Neuroblastoma cell; Opioid receptor, μ-; Opioid receptor, δ-; Opioid peptide (Selley, D.E.) **493,** 23

Guanosine triphosphate-binding protein
Signal transduction; β-Adrenergic receptor; Receptor–effector coupling; Photoaffinity labeling; Cyclic nucleotide; C6 glioma cell (Rasenick, M.M.) **488,** 105

Adenosine; Hippocampus; Pertussis toxin; Caffeine (Stratton, K.R.) **494,** 359

Acetylcholine; Noradrenaline; Calcium channel; Superior cervical ganglion; Sympathetic neuron (Song, S.-Y.) **494,** 383

Guidance channel
Axotomy; Axonal regeneration; Electret (Valentini, R.F.) **480,** 300

Guinea pig
Jaw movement; Masticatory muscle; Drinking; Angiotensin II; Electromyography (Gerstner, G.E.) **478,** 233

Drinking; Jaw movement; Masticatory muscle; Electromyography; Apomorphine-induced rhythmic jaw movement (Gerstner, G.E.) **479,** 6

Progesterone receptor; Estradiol receptor; Coexistence; Hypothalamus; Monoclonal antibody; Immunohistochemistry (Warembourg, M.) **480,** 1

Immunohistochemistry; Rat; Pig; Tuberomammillary nucleus; Spinal cord (Panula, P.) **484,** 234

1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA); Neurotransmitter; Cochlea; Excitatory amino acid; Antagonist (Puel, J.L.) **487,** 9

Bombesin; Vasoactive intestinal polypeptide; Cholecystokinin; Celiac ganglion; Synapse (Hamaji, M.) **488,** 283

Neurotransmission; Glutamate; Glutamate dehydrogenase; Cochlea; Compound action potential (Rebillard, G.) **494,** 379

Brainstem; Immunocytochemistry; Sex difference; Vasopressin (Dubois-Dauphin, M.) **496,** 45

Cerebrospinal fluid; Dorsal motor nucleus of the vagus; Immunocytochemistry; Oxytocin; Species difference (Dubois-Dauphin, M.) **496,** 66

Enteric glia; Dye coupling; Myenteric plexus; Lucifer yellow; Horseradish peroxidase; S-100 immunoreactivity (Hanini, M.) **497,** 245

Dynorphin; Prevertebral ganglion; Immunocytochemistry; Electron microscopy (Elfvin, L.-G.) **502,** 341

Progestin receptor; Sex difference (Thornton, J.E.) **503,** 253

Guinea-pig
Push–pull cannula; Substantia nigra; Acetylcholinesterase; Peripheral nerve stimulation; Evoked release (Taylor, S.J.) **482,** 356

Gunn rat
Cerebellum; Synaptogenesis; Purkinje cell; Postnatal development (Takagishi, Y.) **492,** 116

Bilirubin; Jaundice; Cochlear nucleus; Hearing (Zhang, S.) **501,** 194

Gustatory neocortex
Conditioned taste aversion; Fetal brain transplant; Grafting; Horseradish peroxidase (Escobar, M.) **478,** 368

Gustatory response
Frog; Surface potential (Sugawara, M.) **486,** 269

Gut–brain peptide
Glucagon-like peptide-1;

Neurotransmitter; Experimental diabetes mellitus (Kreymann, B.) **502,** 325

H

H-8
Circadian rhythm; Protein kinase; Phosphoprotein; *Bulla gouldiana*; Mollusc (Roberts, M.H.) **504,** 211

H-reflex
Execution process; Standing movement; Anticipatory electromyographic activity; Electromyographic reaction time (Yamashita, N.) **490,** 148

Phaclofen; Baclofen; Flexor reflex; Intrathecal injection (Wüllner, U.) **496,** 341

H_1-receptor antagonist
Histamine; H_2-receptor antagonist; Substance P; Estrogen; Arcuate nucleus; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

H_2-receptor antagonist
Histamine; H_1-receptor antagonist; Substance P; Estrogen; Arcuate nucleus; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

Habenula
Serotonin; Microdialysis; Dorsal raphe nucleus; Striatum; Release (Kalén, P.) **492,** 187

Habituation
Long-term potentiation; Paired-pulse depression; Field potential; Dentate gyrus (Krug, M.) **476,** 163

Opioid analgesia; Naloxone; Danger stimulus; Non-painful stimulus (Valeggia, C.) **481,** 304

Morphine; Behavioral tolerance; Dose–response relationship; Spinal; Bulbospinal (Milne, R.J.) **491,** 316

Habituation-hole poking
Cerebellum; Mouse; *pcd* mutant (Lalonde, R.) **479,** 201

Hair cell
Saccular macula; Electrophoresis; Marker protein (Drescher, D.G.) **485,** 225

Electrical coupling; Statocyst; Squid; Vestibular system (Williamson, R.) **486,** 67

Neurotransmitter release; Frog lateral line; Glutamate; Aspartate; High performance liquid chromatography (Bledsoe, S.C.) **493,** 113

Hallucinogen
Psychotomimetic; Quantitative autoradiography; Serotonin-2 receptor; Lysergic acid diethylamide; Phenylisopropylamine (McKenna, D.J.) **476,** 45

Haloperidol
Sodium channel; Potassium channel; Calcium channel; Imipramine; Chlorpromazine; Neuroblastoma (Ogata, N.) **476,** 140

Antipsychotic; Neuroleptic; Clozapine; Dopamine receptor; Serotonin receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Cholecystokinin; Neurotensin; Dopamine; Rat (Radke, J.M.) **480,** 178

Vasopressin; Osmotic stimulus; Dopamine; Noradrenaline; Phenoxybenzamine; Rat (Yamaguchi, K.) **481,** 388

Dopamine release; Microdialysis; Striatum (Zhang, W.) **484,** 389

Dopamine receptor subtype; Cholecystokinin; Subchronic drug treatment; Clozapine; Supersensitivity; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

Dopamine; Homovanillic acid; Dihydroxyphenylacetic acid; Striatum; In vivo dialysis; Motor activity; Motivation (Salamone, J.D.) **487,** 215

Dopamine receptor subtype; Clozapine; Neostriatum; Antipsychotic drug; Cyclic adenosine monophosphate; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

D_3 dopamine receptor; Chronic drug treatment; Inositol phosphate; Rat striatum; Muscarinic receptor; Antipsychotic drug; Clozapine (Rubinstein, J.E.) **496,** 385

Haloperidol-sensitive
σ-Receptor; Ditolylguanidine; Hippocampus; Neurotransmitter release; Schizophrenia (Neumaier, J.F.) **500,** 215

Halothane
Glutamate agonist; Excitotoxin; Ibotenate; Hippocampus; Phencyclidine agonist; Ketamine; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Halothane neurotoxicity
Dentate gyrus; Entorhinal lesion; Reactive synaptogenesis (Uemura, E.) **496,** 317

Hamster
Melatonin binding sites; Photoperiodism; Median eminence; Anterior pituitary (Vaněček, J.) **477,** 387

Herpes simplex virus; Retina; Superior colliculus; Suprachiasmatic nucleus; Transneuronal labeling (Norgren, R.B.) **479,** 374

Peripheral nerve graft; Optic nerve crush; Axon-like process; Retinal ganglion cell (Cho, E.Y.P.) **484,** 371

Olfactory; Vomeronasal; Photoperiod; Testicular; Reproductive; Gonadotropin (Pieper, D.R.) **485,** 382

Potassium; Lithium; Toxicity; Circadian rhythm; Affective disorder (Klemfuss, H.) **492,** 300

Substance P; Dynorphin; Leumorphin; Colocalization; Mating behavior; Opiate (Neal, C.R.) **496,** 1

Cycloheximide; Circadian rhythm; Protein synthesis; Phase response curve (Wollnik, F.) **496,** 82

Photoperiod; Amygdala; Opiate; Naloxone; Luteinizing hormone; Sexual behavior (Tubbiola, M.L.) **503,** 91

Handedness
Somatosensory system; Cerebral asymmetry; Cerebral dominance; Positron emission tomography; Cerebral glucose utilization; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Head injury
Rat; Neuronal injury; Gliosis; Barrier breakdown (Cortez, S.C.) **482,** 271

Head movement
Iminodipropionitrile; Circling; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Ibotenic acid; Pontomedullary reticular formation; Vestibular nystagmus; Electrical stimulation (Suzuki, S.S.) **484,** 78

Hearing
Gunn rat; Bilirubin; Jaundice; Cochlear nucleus (Zhang, S.) **501,** 194

Heart
Neural cell adhesion molecule; Myocardium; Cardiac innervation; Development; Vascular smooth muscle (Wharton, J.) **483,** 170

Heart rate
AFDX-116; Blood pressure; *cis*-Methyldioxolane; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

Auditory cortex; Bradycardia; Differential Pavlovian conditioning; Extinction; Rabbit (Teich, A.H.) **480,** 210

Blood pressure; Carbachol; Contractility; Glutamate; Intermediolateral column (IML); Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

Arterial pressure; Excitatory

aminoacid; Forebrain (Gelsema, A.J.) **482,** 67

Corticotropin-releasing factor; Dynorphin-related peptide; Central nervous system; Sympathetic nervous system; Arterial pressure (Overton, J.M.) **488,** 233

Blood pressure; Depressor area; Pressor area; Substance P; Wistar rats (Urbanski, R.W.) **491,** 383

Strychnine; Tonic inhibition; Spinal cord; Arterial pressure (Hong, Y.) **499,** 169

Baroreflex; Blood pressure; Glutamate; Lidocaine; Muscimol; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

AFDX-116; Blood pressure; *Cis*-Methyldioxolane; M_1 and M_2 muscarinic receptor; McN-A-343; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Heat
Corticotropin-releasing factor; Trigeminal; Wide dynamic range; Single unit recording; Nociception; Gold (Poree, L.R.) **502,** 349

Heavy charged particle
Blood–brain barrier; Cerebral metabolism; Nuclear magnetic resonance; Positron emission tomography; Delayed radiation injury (Lo, E.H.) **504,** 168

Hedgehog
Nucleolus; Purkinje cell; Cerebellar cortex; Active period; Hibernation (Giacometti, S.) **488,** 365

Hedonic processes
Medial prefrontal cortex; Nucleus reticularis gigantocellularis; Brain stimulation reward (Miserendino, M.J.D.) **483,** 233

Helix
Serotonin cell; Monosynaptic connection (Vehovszky, A.) **484,** 404

Calcium-dependent potassium channel; C channel; Neuron; Patch clamp (Chagneux, H.) **488,** 336

Hemicholinium
Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; High affinity choline transport; Serotonin; Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

Cholinergic neurotoxin; Ethylcholine aziridinium (AF64A); High affinity choline transport; Hippocampus; Memory; Working memory (Chrobak, J.J.) **504,** 269

Hemicholinium-3
Acetylcholine synthesis; Septum; Hippocampus; Septo-hippocampal neuron; Choline transport; Single unit recording (Jobert, A.) **476,** 220

Quantitative autoradiography; Tritium tissue quenching; Cholinergic nerve terminal; Interpeduncular nucleus (Bekenstein, J.W.) **481,** 97

Autoradiography; High-affinity choline uptake; Cholinergic nerve terminals; Human brain (Pascual, J.) **505,** 306

Hemispheric asymmetry
Circling; Dopamine; Left–right discrimination (Willar, C.D.) **500,** 405

Hemodynamics
Angiotensin II; Drinking; Tracer microsphere technique; Organ blood flow (Rettig, R.) **505,** 251

Heparan sulfate
Axonal transport; Regenerating nerve; Goldfish optic nerve; Glycosaminoglycan; Proteoglycan (Coughlin, C.) **493,** 326

Heparan sulfate proteoglycan
Amyloid precursor; Neuronal adhesion; Heparin (Octave, J.-N.) **486,** 369

Heparin
Amyloid precursor; Neuronal adhesion; Heparan sulfate proteoglycan (Octave, J.-N.) **486,** 369

Hepatic encephalopathy
Astrocyte; Ammonia; Benzodiazepine receptor (Ducis, I.) **493,** 362

Hepoxilin
Arachidonic acid; Intracellular recording; Hippocampal CA1 neuron; Afterhyperpolarization; Inhibitory postsynaptic potential (Carlen, P.L.) **497,** 171

Herpes simplex virus
Retina; Superior colliculus; Suprachiasmatic nucleus; Transneuronal labeling; Hamster (Norgren, R.B.) **479,** 374

Heterogeneity
Muscarinic autoreceptor; [11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzo-diazepin-6-on] (AF-DX 116); Rat hippocampus; Rat cerebral cortex; Rat striatum (Lapchak, P.A.) **496,** 285

Heterozygote
Substantia nigra pars reticulata; Dopaminergic dendrite; Weaver mutant mouse; Homozygote; Seizure (Triarhou, L.C.) **501,** 373

2,5-Hexanedione
Axonal transport; Neurofilament; Giant axonal neuropathy; Acceleration of transport (Monaco, S.) **491,** 328

Hexahydro-sila-difenidol
Muscarinic receptor subtype; AF-DX 116; 4-Diphenylacetoxy-*N*-methyl-piperidine methiodide; Cyclic adenosine monophosphate; N1E-115 neuroblastoma (Surichamorn, W.) **493,** 320

Hexamethonium
Corticotropin-releasing factor; Novelty; Ganglionic blocker; Chlorisondamine; Locomotion; Grooming (Britton, D.R.) **478,** 205

Vasopressin; Angiotensin II; Osmotic stimulus; Cholinoceptor; Carbachol; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Corticotropin-releasing hormone; Cocaine; Atropine; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Hexanedione
Neurotoxicity; Axonopathy; Protein phosphorylation; Nerve injury; Sciatic nerve (Horan, K.L.) **491,** 366

Hexokinase
Spontaneous hypertension; Development; Metabolic activity; Arterial pressure; Histochemistry (Krukoff, T.L.) **499,** 1

Hexosaminidase
β-Glucuronidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Hibernation
Nucleolus; Purkinje cell; Cerebellar cortex; Hedgehog; Active period (Giacometti, S.) **488,** 365

Adenosine triphosphate; Hypothermia; Brain; Lactate; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Antinociception; Intraspinal; Dynorphin; Morphine; Opioid; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Action potential duration; Spike duration; Temperature; Information processing; Biophysical properties of neurons; Central nervous system (Krilowicz, B.L.) **498,** 73

Cerebral cortex; Arousal; Feeding; Dopamine; Serotonin; Bat (Bauman, W.A.) **500,** 156

High-acceleration stimulus
Vestibulo-ocular reflex; High-frequency performance; Latency; Gain (Maas, E.F.) **499,** 153

High-affinity amino acid transport
Glycosylation; Tunicamycin (Deas, J.) **483,** 84

High-affinity choline transport
Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; Serotonin;

Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

Cholinergic neurotoxin; Ethylcholine aziridinium (AF64A); Hemicholinium; Hippocampus; Memory; Working memory (Chrobak, J.J.) **504,** 269

High-affinity choline uptake
GM_1 ganglioside; Nerve growth factor; Choline acetyltransferase; Nucleus basalis magnocellularis (Di Patre, P.L.) **480,** 219

Hemicholinium-3; Autoradiography; Cholinergic nerve terminals; Human brain (Pascual, J.) **505,** 306

High-intensity stimulation
Spinal reflex; Endogenous opioid; Noradrenaline (Clarke, R.W.) **505,** 1

High-frequency oscillation
Pons; Respiratory neuron; Lung inflation; Lung afferent (Shaw, C.-F.) **485,** 179

High-frequency performance
Vestibulo-ocular reflex; High-acceleration stimulus; Latency; Gain (Maas, E.F.) **499,** 153

High-performance liquid chromatography
Experimental autoimmune encephalomyelitis; Rat; Spinal cord; Brainstem; Neurotransmitter; Degeneration (Krenger, W.) **491,** 374

Neurotransmitter release; Frog lateral line; Hair cell; Glutamate; Aspartate (Bledsoe, S.C.) **493,** 113

Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; Electron microscopy (Fried, G.) **499,** 315

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; Hippocampus; Neocortex; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

High-performance liquid chromatography-electrochemical detection
Serotonin; Dialysis; Hypothalamus; Rat; Release (Auerbach, S.B.) **499,** 281

Hilar interneuron
Acetylcholinesterase; Sprouting; Granule cell (McKeon, R.J.) **503,** 317

Hippocampal
Septal; Cell; Theta-on; Theta-off; Electroencephalogram (Ford, R.D.) **493,** 269

Physiology; Pharmacology; θ-Off cell (Bland, B.H.) **505,** 333

Hippocampal CA1 neuron
Arachidonic acid; Hepoxilin; Intracellular recording; Afterhyperpolarization; Inhibitory postsynaptic potential (Carlen, P.L.) **497,** 171

Hippocampal formation
Intraocular transplantation; Aging; Immunohistochemistry; Electrophysiology; Electrochemistry (Eriksdotter-Nilsson, M.) **478,** 269

Norepinephrine-induced long-lasting potentiation; Long-term potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Plasticy (Burgard, E.C.) **482,** 351

Calbindin-D_{28K}; Calcium-binding protein; Rat; Development; Thyroid state; Undernutrition (Rami, A.) **485,** 20

Cerebral ischemia; CA1 region; Calbinding-D_{28K}; Parvalbumin; Immunohistochemistry; Rat (Mudrick, L.A.) **493,** 179

Zinc; Mossy fiber; Histofluorescence (Savage, D.D.) **496,** 257

Hippocampal hyperactivity
Concussion; Secondary ischemia; Delayed neuronal necrosis; Selective vulnerability; Axonal injury (Jenkins, L.W.) **477,** 211

Hippocampal kindling
Excitatory amino acid; Ibotenate; Polyphosphoinositide hydrolysis (Yamada, N.) **490,** 126

Hippocampal pyramidal neuron
Chlorpromazine; Sodium channel; Concentration-clamp (Wakamori, M.) **494,** 374

Hippocampal slice
Long-term potentiation; Scopolamine; CA1 area (Hirotsu, I.) **482,** 194

Inhibition; γ-Aminobutyric $acid_A$-receptor; Chloride transport; γ-Aminobutyric acid-induced ion movement (Müller, W.) **484,** 184

Long-term potentiation; Epidermal growth factor; Neuromodulation (Terlau, H.) **484,** 352

β-Adrenergic receptor; Morphine dependence; Withdrawal; Electrophysiological responsiveness; Radioligand binding (Moises, H.C.) **485,** 67

Adenosine triphosphate; Release; Electrical stimulation (Wieraszko, A.) **485,** 244

L-Quisqualate; L-2-Amino-4-phosphonobutanoate; Sensitization; Excitatory amino acid; Uptake; Second messenger; Extracellular recording (Whittemore, E.R.) **489,** 146

Nerve growth factor; Sprouting; Bioassay; Conditioned medium; Septal lesion (Collins, F.) **490,** 355

Adenosine triphosphate; Long-term potentiation (Wieraszko, A.) **491,** 356

Interictal bursting; Epilepsy; Phorbol ester; Afterhyperpolarization; Electrographic seizure; CA3 pyramidal cell (Chamberlin, N.L.) **492,** 337

Age; Senescence; Aging; Oxygen consumption; Brain; Potassium (Martin, F.R.) **492,** 392

γ-Aminobutyric acid; Somatostatin; Inhibitory postsynaptic potential; Excitatory postsynaptic potential; Pressure application (Scharfman, H.E.) **493,** 205

Current source density analysis; Electrode; Array; Epileptiform; Propagation (Novak, J.L.) **497,** 223

Epileptic depolarization; Long-term synaptic failure; Persistent depolarization; *N*-Methyl-D-aspartate antagonist; Anoxic depolarization (Watson, G.B.) **498,** 81

5-Hydroxytryptamine; (±)-8-Hydroxy-2-(di-*n*-propylamino) tetralin-HBr; 1-[3-(trifluoromethyl)phenyl]-piperazine (Segal, M.) **502,** 67

Short-term potentiation; Long-term potentiation; Excitatory postsynaptic potential; *N*-Methyl-D-aspartate (Anwyl, R.) **503,** 148

Extracellular pH; Synaptic transmission; Spontaneous field discharge; Ion-sensitive microelectrode (Jarolimek, W.) **505,** 225

Hippocampal slice in vitro
Imipramine; β-Adrenergic receptor; Serotonergic receptor; CA1 pyramidal cell; Antidepressant; Intracellular recording (Beck, S.G.) **504,** 72

Hippocampal synaptosome
Tetrahydroaminoacridine; 4-Aminopyridine; Choline uptake; Striatal synaptosome (Buyukuysal, R.L.) **482,** 371

Hippocampus
Paradoxical sleep deprivation; Neuronal excitability; Evoked potential (Gorter, J.A.) **476,** 16

Ischemia; Striatum; Gerbil; Seizure; Brain damage (Armstrong, D.R.) **476,** 174

Acetylcholine synthesis; Septum; Septo-hippocampal neuron; Hemicholinium-3; Choline transport; Single unit recording (Jobert, A.) **476,** 220

Accommodation; Calcium; Calcium-dependent potassium

conductance; Dentate gyrus; Epilepsy; Long-term potentiation; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Opiate receptor; Colchicine; Kainic acid; Seizure; Mossy fiber path (Perry, D.C.) **477,** 100

Intradentate colchicine; Granule cell; Muscarinic cholinergic receptor; Inositolphosphate; Compensatory mechanism (Tandon, P.) **477,** 308

Pyrethroid; Cismethrin; Deltamethrin; Fenvalerate; Dentate gyrus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

N-Methyl-D-aspartate; Synaptic plasticity (Muller, D.) **477,** 396

Ganglioside GM1; Colchicine (Walsh, T.J.) **478,** 24

Dentate field potential; Paired-pulse depression; Antidromic depression; Recurrent inhibition; Long-term potentiation (Maru, E.) **478,** 112

(Asu^{1,7})eel-Calcitonin; Inositol phospholipid; Cortex; Cyclic adenosine monophosphate; Norepinephrine; Serotonin (Clementi, G.) **478,** 138

Raphe; Graft; Spatial memory; Acetylcholine (Richter-Levin, G.) **478,** 184

Stress; Muscarinic cholinergic receptor; Quinuclidinyl benzilate binding; Autoradiography in vitro (Mizukawa, K.) **478,** 187

Human; Infant; Ontogeny; Neuropeptide Y; Immunohistochemistry (Lotstra, F.) **478,** 211

Corticosteroid receptor; Corticosterone; Aging; Adrenalectomy; Up-regulation (Eldridge, J.C.) **478,** 248

Calcium; Dendritic outgrowth; Diazepam; γ-Aminobutyric acid; Glutamate; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **478,** 337

Kainic acid; Autoradiography, ^{45}Ca; Thalamic reticular nucleus; Neuronal cell death (Tanaka, S.) **478,** 385

Muscarinic receptor; Supersensitivity; Denervation; Potassium channel (Benson, D.M.) **478,** 399

Morphine; Amygdala; Caudate nucleus; Lesion; Locomotor activity; C57BL/6 mouse (Libri, V.) **479,** 1

Kindling; Epilepsy; Seizure; Immunocytochemistry; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

CA3; Pyramidal neuron; Golgi stain; Dendrite; Thorny excrescence (Fitch, J.M.) **479,** 105

CA3; Sex difference; Dendrite; Differential environment (Juraska, J.M.) **479,** 115

Ammon's horn; Dentate gyrus; Brainstem; Raphe nuclei; Cat; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Aging; Calcium current; Voltage-clamp; Dentate granule neuron (Reynolds, J.N.) **479,** 384

Amino acid transmitter; Argiotoxin; Glutamate; Neurotoxin (Ashe, J.H.) **480,** 234

Epilepsy; Neurological mutant; Seizure; Timm's stain (Stanfield, B.B.) **480,** 294

Autoradiography; Cerebral ischemia; Phorbol ester; Protein kinase C; Selective vulnerability; Synaptic plasticity (Onodera, H.) **481,** 1

Glutamate receptor; Joro spider toxin; Slice; Long-term potentiation; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Glutamate; Glutaraldehyde; Monoclonal antibody; Specificity; Hybridization; Immunocytochemistry; Cortex; Rat brain (Chagnaud, J.-L.) **481,** 175

Spinal cord; Glucocorticoid receptor; Mineralocorticoid receptor; Dexamethasone; Corticosterone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

Kindling; *N*-Methyl-D-aspartate receptor; Receptor autoradiography; Epilepsy (Okazaki, M.M.) **482,** 159

Autoradiography; Glycine; *N*-Methyl-D-aspartate receptor; Phencyclidine receptor (Jansen, K.L.R.) **482,** 174

Primary culture; Excitatory amino acid; γ-Aminobutyric acid release; Cation (Harris, K.M.) **482,** 23

Kainic acid; κ-Opioid receptor; U-50,488H; Ischemia; Seizure (Lason, W.) **482,** 333

Long-term potentiation; Acetylcholine (ACh); Monoamine; Memory; Denervation (Buzsáki, G.) **484,** 94

Insulin-like growth factor; Autoradiography; Acetylcholine release (Araujo, D.M.) **484,** 130

Dentate field potential; Commissural inhibition; Commissural facilitation; Paired-pulse depression; Diazepam; Long-term potentiation (Kanda, M.) **484,** 325

Ischemia; Brain; C-fos; In situ hybridization (Jørgensen, M.B.) **484,** 393

Amygdaloid kindling; Behavior; Electrophysiology; IR-Met-enkephalin; IR-Leu-enkephalin; Long-lasting change; Amygdala (Talavera, E.) **485,** 141

Long-term potentiation; θ Rhythm (Pacelli, G.J.) **486,** 26

Calbindin-D 28K; Roller-tube technique; Immunocytochemical method; Organotypic culture; Rat (Bousez-Dumesnil, N.) **486,** 165

Kindling; Low-frequency stimulation; Post-seizure excitation; Post-seizure inhibition (Minabe, Y.) **486,** 201

Zinc binding protein; Excitatory amino acid; L-Glutamate; Zinc release (Baba, A.) **486,** 372

Ventrobasal complex; Spontaneous discharge; Sleep–wakefulness; 1/*f* Fluctuation (Kodama, T.) **487,** 26

Estradiol; Progesterone; γ-Aminobutyric acid; Receptor, $GABA_A$; Autoradiography (Schumacher, M.) **487,** 178

Ventrobasal complex; Single unit activity; Serotonin; *p*-Chlorophenylalanine; 5-Methoxy-*N,N*-dimethyltryptamine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

Adenylate cyclase; Cerebral ischemia; Delayed neuronal death; Forskolin; Inositol trisphosphate (Onodera, H.) **487,** 343

Ischemia; Histology; Neurophysiology (Ashton, D.) **487,** 368

Neurofibrillary tangle; Nerve cell size; Nucleolar volume; Morphometry; Dementia of the Alzheimer type (Gertz, H.-J.) **487,** 373

Ischemia; Excitatory amino acid; Calcium; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

Dentate gyrus; Granule cell; Interneuron; Norepinephrine; Local application; Neuropharmacology (Rose, G.M.) **488,** 353

Noise; Muscarinic cholinergic receptor; Naltrexone (Lai, H.) **488,** 361

Phosphoinositide; Medial septum; Cholinergic; Noradrenergic (Connor, D.J.) **488,** 387

1,1,2-Trichloroethylene; Myelin; Stratum lacunosum–moleculare (Isaacson, L.G.) **488,** 403

Long-term potentiation; Theta rhythm; CA1; Synaptic plasticity; *N*-Methyl-D-aspartate receptor (Larson, J.) **489,** 49

Hypoxia; Glubenclamide; Tolbutamide; D-Glucose; Hyperpolarization; Hypoxic survival (Grigg, J.J.) **489,** 302

Somatostatin; Intracellular calcium concentration; Cultured neuron; Rat

(Miyoshi, R.) **489,** 361

Long-term potentiation; Kindling; Inositol 1-phosphate; Rat (Stelzer, A.) **490,** 41

Dentate gyrus; Excitatory amino acid; Glutamate; γ-Aminobutyric acid; Neurodegeneration; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

Cerebral ischemia; Repeated ischemia; Transient ischemic attack; Rat (Nakano, S.) **490,** 178

Adenosine; Hypoxia; Theophylline; 8-Phenyltheophylline (Fowler, J.C.) **490,** 378

Mossy fiber; Long-term potentiation; Mouse; Genetic variation (Heimrich, B.) **490,** 404

CA1; Long-term potentiation; Neuronal plasticity; Adrenalectomy; Stress; Learning; Corticosterone (Diamond, D.M.) **492,** 356

Perforant pathway stimulation; Glutamate; Learning; Memory; Pyramidal cell (Rogers, B.C.) **493,** 41

Opioid peptide; Endogenous; Enkephalin; Dynorphin; Neurotransmitter release; Diprenorphine (Neumaier, J.F.) **493,** 292

Insulin-induced hypoglycemia; Somatostatin; Cerebral cortex; Rat (Rodriguez-Sanchez, M.N.) **494,** 36

Hippocampus cell culture; Defined medium; Oxygen (Brewer, G.J.) **494,** 65

γ-Aminobutyric acid; Perforant path; Entorhinal cortex; Intracellular injection; Lucifer yellow; Immunocytochemistry (Germroth, P.) **494,** 187

Nucleus accumbens; Kynurenic acid; Glutamate; Radial-arm maze; Movement initiation; Memory (Schacter, G.B.) **494,** 339

Adenosine; Pertussis toxin; Guanosine triphosphate-binding protein; Caffeine (Stratton, K.R.) **494,** 359

Associative long-term potentiation/depression; CA3; Long-term potentiation; Mossy fiber; *N*-Methyl-D-aspartate; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

Mossy fiber expansion; Glutamate; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

Dynorphin; Messenger ribonucleic acid; Kindling (Xie, C.-W.) **495,** 156

Phorbol ester; Protein kinase C; Long-term potentiation (Colley, P.A.) **495,** 205

Ischemia; Glutamate decarboxylaseimmunocytochemistry; Basket cell; Inhibitory interneuron (Nitsch, C.) **495,** 243

Ischemia; Opiate receptor; Gerbil (Miller, L.P.) **495,** 367

Plasticity; Temporal lobe epilepsy; Neuronal loss (De Lanerolle, N.C.) **495,** 387

Kindling; Phosphoinositide hydrolysis; Excitatory amino acid; *N*-Methyl-D-aspartate; Kainic acid; Phorbol ester (Morrisett, R.A.) **496,** 25

Transplantation; AF64A; Cholinergic neuron; Radial maze; Spatial memory; Acetylcholinesterase (Ikegami, S.) **496,** 321

Hypoxia; Ischemia; Spreading depression; Leão's depression; Potassium, extracellular; Calcium, extracellular (Balestrino, M.) **497,** 102

Dentate gyrus; Seizure; Endoplasmic reticulum; Ultrastructural plasticity (Pico, R.M.) **497,** 387

Development; Excitotoxicity; Muscarinic receptor; Neuroarchitecture; Selective cell death (Mattson, M.P.) **497,** 402

Glutamate; *N*-Methyl-D-aspartate; Synchronization; Epilepsy (Dalkara, T.) **498,** 123

Seizure; Epilepsy; Neocortex; Osmolality; Hypernatremia; Hyponatremia (Andrew, R.D.) **498,** 175

Interleukin-2; Autoradiography; Acetylcholine release (Araujo, D.M.) **498,** 257

Experimental epilepsy; Kindling; Receptor binding; Quantitative autoradiography; γ-Aminobutyric acid complex; Benzodiazepine (Nobrega, J.N.) **498,** 315

Neural grafting; Serotonin release; Intracerebral microdialysis; Rat (Daszuta, A.) **498,** 323

Noradrenaline; Pyramidal neuron; Locus ceruleus; Noradrenergic neurotransmission; Autoreceptor; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

Lidocaine; Medial septum; Single unit activity (Mizumori, S.J.Y.) **500,** 99

Septum; Graft; Acetylcholine (Segal, M.) **500,** 139

Haloperidol-sensitive; σ-Receptor; Ditolylguanidine; Neurotransmitter release; Schizophrenia (Neumaier, J.F.) **500,** 215

Hypoglycemia; Glutamate; Aspartate; Transmitter release; Glucose (Burke, S.P.) **500,** 333

Corticotropin-releasing factor; Immunocytochemistry; Hypothalamus; Cerebellum; Senile plaque; Alzheimer's disease (Kelley, M.) **501,** 392

Xenotransplantation; Septum; Neuronal activity; θ-Rhythm; Integration (Kitchigina, V.F.) **502,** 39

Glutamate agonist; Excitotoxin; Ibotenate; Phencyclidine agonist; Ketamine; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Muscimol; Disinhibition; Epilepsy; γ-Aminobutyric acid (Chesnut, T.J.) **502,** 365

Brain slice; Cerebral ischemia; Phenytoin; Vitamin E (Amagasa, M.) **504,** 87

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Neocortex; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Cholinergic neurotoxin; Ethylcholine aziridinium (AF64A); Hemicholinium; High affinity choline transport; Memory; Working memory (Chrobak, J.J.) **504,** 269

Dentate gyrus; Serotonin; 5-Hydroxytryptophan; 8-Hydroxy-2-(di-*n*-propylamino)tetralin; Population response; Rat (Klancnik, J.M.) **505,** 145

Entorhinal cortex; Columnar structure; Monoclonal antibody (Ikeda, J.) **505,** 176

Cerebral ischemia; Neuronal death; Excitotoxicity; Dentate gyrus; Paired-pulse inhibition; Inhibitory interneuron (Chang, H.S.) **505,** 220

Long-term potentiation; Leupeptin; Calpain (Oliver, M.W.) **505,** 233

Galanin; Immunocytochemistry; Human; Hypothalamus; Alzheimer's disease; Sprouting (Gentleman, S.M.) **505,** 311

Medial prefrontal cortex; Prelimbic area; Field CA1; Prosubiculum; Rat; Fluoro-gold (Jay, T.M.) **505,** 337

Hippocampus cell culture
Hippocampus; Defined medium; Oxygen (Brewer, G.J.) **494,** 65

Histamine
Substance P; Inflammation; Skin; Prostaglandin; Rat (Khalil, Z.) **500,** 256

H_1-receptor antagonist; H_2-receptor antagonist; Substance P; Estrogen; Arcuate nucleus; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

Median eminence; Posterior hypothalamus; Retrograde transport; Double labeling; Cat (Yoshimoto, Y.)

504, 149

Histamine H_1-receptor
Antihistamine, H_1; Feeding; Ventromedial nucleus; Paraventricular nucleus; Microinfusion; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

Histamine release
ω-Conotoxin GVIA; Nilvadipine; Hypothalamus; Rat (Takemura, M.) **496,** 351

Histochemistry
Rat; Peripheral nervous system; Muscle spindle; Golgi tenson organ; Carbonic anhydrase (Szabolcs, M.J.) **492,** 129

Spontaneous hypertension; Development; Hexokinase; Metabolic activity; Arterial pressure (Krukoff, T.L.) **499,** 1

Acetylcholine; Acetylcholinesterase; Cytoarchitectonics; Neuroanatomy method (Shipley, M.T.) **504,** 347

Histofluorescence
Zinc; Hippocampal formation; Mossy fiber (Savage, D.D.) **496,** 257

Histolocalization
Potassium channel; Dendrotoxin; Mast cell degranulating peptide; Epilepsy; Rat brain (Bidard, J.-N.) **495,** 45

Histology
Hippocampus; Ischemia; Neurophysiology (Ashton, D.) **487,** 368

Histopathology
Alzheimer's disease; Retinal ganglion cell; Human retina; Degeneration (Blanks, J.C.) **501,** 364

Homocysteic acid
Luteinizing hormone; Phencyclidine; *N*-Methyl-D-aspartate; Excitatory amino acid; Glutamate; DL-2-Amino-5-phosphonopentanoic acid (Boggan, W.O.) **478,** 382

Seizure; NMDA antagonist; NMDA receptor (Turski, W.A.) **479,** 371

Depressive illness; Psychosurgery; Human brain; γ-Aminobutyric acid; Glutamic acid (Francis, P.T.) **494,** 315

Homotypic grafting
Ventrobasal complex; Fetal neuron; Cytochrome oxidase; Acetylcholinesterase; 2-Deoxyglucose; Metabolic activity (Juliano, S.L.) **478,** 356

Homovanillic acid
Dopamine; Dihydroxyphenylacetic acid; Striatum; In vivo dialysis; Haloperidol; Motor activity; Motivation (Salamone, J.D.) **487,** 215

Microdialysis; Dopamine; 3,4-Dihydroxyphenylacetic acid; 5-Hydroxyindoleacetic acid; Nucleus accumbens; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

Neurotensin; Dopamine; 3,4-Dihydroxyphenylacetic acid; Apomorphine; Microdialysis; Striatum; Rat (Tanganelli, S.) **502,** 319

Homozygote
Substantia nigra pars reticulata; Dopaminergic dendrite; Weaver mutant mouse; Heterozygote; Seizure (Triarhou, L.C.) **501,** 373

Horizontal cell
Retina; Kainate; Cyclic AMP-dependent protein kinase (Liman, E.R.) **481,** 399

Retina; L-Glutamate; Kainate (Perlman, I.) **487,** 16

Cell culture; Gap junction (Hidaka, S.) **498,** 53

Cyclic adenosine monophosphate; Dopamine; Prolonged darkness (Young, L.H.Y.) **504,** 57

Horseradish peroxidase
Basal ganglia; Striatum; Entopeduncular nucleus; Rat (Fink-Jensen, A.) **476,** 194

Neural grafting; Neostriatum; Substantia nigra; Connectivity; Huntington's disease; Rat (McAllister II, J.P.) **476,** 345

Trigeminal ganglion; Topography (Oyagi, S.) **476,** 382

Conditioned taste aversion; Fetal brain transplant; Grafting; Gustatory neocortex (Escobar, M.) **478,** 368

Contusive injury; Reaction product; Spinal cord (Noble, L.J.) **482,** 57

Commissural connection; Interhemispheric connection; Cerebral cortex (Nakamura, H.) **485,** 171

Caudate nucleus; Substantia nigra; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Ibotenic acid; Electron microscopy; Cat (Tokuno, H.) **485,** 189

Marsupial; Lateral geniculate nucleus; Acetylcholinesterase; Cytoarchitecture; Retinal terminal (Wilson, P.M.) **486,** 236

Blood–spinal cord barrier; Transection; Morphometry (Noble, L.J.) **487,** 299

Electric organ; Electric eel; Electrical synapse; Morphologically mixed synapse; Retrograde axonal transport (Bennett, M.V.L.) **488,** 22

Superior colliculus; Ground squirrel; Wheat germ-agglutinated horseradish peroxidase; Retinal projection (Petry, H.M.) **489,** 199

γ-Motoneuron; Axotomy; Quantitative; Ultrastructure; Cat (Johnson, I.P.) **489,** 400

Visceral afferent; Connection; Chemosensory; Barosensory; Fink-Heimer (Claps, A.) **489,** 80

Autonomic nervous system; Superior cervical ganglion; Trigeminal ganglion; Intercellular junction; Blood–brain barrier (Ten Tusscher, M.P.M.) **490,** 95

Locus ceruleus; Pontine tegmentum; Kölliker-Fuse; Norepinephrine; Spinal cord; Cat (Reddy, V.K.) **491,** 144

Blood–brain barrier; Spinal cord; Central nervous system regeneration; Cat (Risling, M.) **494,** 13

Trigeminal nerve; Mesencephalic trigeminal nucleus; Enkephalin; Substance P; Serotonin; Immunocytochemistry; Cat (Tashiro, T.) **494,** 162

Kainate; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Cytochrome oxidase; Electron microscopy; Visual cortex; Rat (Woodward, W.R.) **494,** 42

Dopaminergic neuron; Nucleus raphe dorsalis; Prefrontal cortex; Immunocytochemistry; Fluoro-gold (Yoshida, M.) **496,** 373

Reptile; Corticospinal tract; Efferent pathway; Amygdalospinal tract (Follett, K.A.) **496,** 89

Enteric glia; Dye coupling; Myenteric plexus; Guinea pig; Lucifer yellow; S-100 immunoreactivity (Hanini, M.) **497,** 245

Biplexiform ganglion cell; Retina; Cobaltic-lysine complex; Anura (Tóth, P.) **499,** 378

Microinjection; Fibrous astrocyte; Protoplasmic astrocyte; Endfoot; Reconstruction (Sasaki, H.) **501,** 339

Brush cell; Microvillar cell; Neuron; Olfaction; Olfactory epithelium; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Tooth pulp; Primary afferent neuron; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Retrograde transport; Cell body size; Cat (Yoshino, K.) **503,** 152

Transplant; Development; Neostriatum; Serotonin; Dopamine; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca (Zhou, F.C.) **504,** 15

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure (Bogan, N.) **505,** 257

Trigeminal mesencephalic nucleus; Periodontal afferent; Central projection; Intra-axonal staining (Shigenaga, Y.) **505,** 91

Horseradish peroxidase retrograde transport

Abdominal muscle; Nucleus retroambiguus; Ventral respiratory group; Medial reticular formation (Miller, A.D.) **493,** 348

Horseradish peroxidase staining
Trigeminal principal nucleus; Oral nucleus; Structure–function relationship; Periodontal afferent; Pulpal afferent (Tsuru, K.) **485,** 29

Horseradish peroxidase tracing
Superior colliculus; Lateral posterior nucleus; Adenosine deaminase; Immunohistochemistry (Miguel-Hidalgo, J.-J.) **476,** 189

Horseradish peroxidase transport
Masseter nerve; Trigeminal ganglion; Mesencephalic trigeminal nucleus; Central projection (Arvidsson, J.) **480,** 111

Cat hypoglossal afferent nerve; Central projection (Nazruddin) **490,** 219

Horseradish peroxidase–wheat germ agglutinin gel
Tooth pulp afferent; Trigeminal ganglion; Trigeminal nuclei; Somatotopy (Shigenaga, Y.) **477,** 66

Hot flush
Luteinizing hormone-releasing hormone; Skin temperature; Morphine dependence; Animal model; Luteinizing hormone (Katovich, M.J.) **494,** 85

Hot plate
Morphine; Atropine; Phentolamine; Methysergide; Analgesia; Tail-flick; Rat (Chiang, C.-Y.) **478,** 293

Hot plate test
Delta-sleep-inducing peptide; Antinociceptive effect; Descending inhibitory system; Spinal noradrenergic system; Spinal serotonergic system; Tail-pinch test (Nakamura, A.) **480,** 82

Stimulation-produced analgesia; Periaqueductal gray; Descending pain modulation; Ascending pain modulation; Tail-flick test; Antinociception (Morgan, M.M.) **502,** 61

House mouse
Lumbar spinal cord; Motoneuron; Perineal muscle; Sexually dimorphic; Dendritic pattern (Wagner, C.K.) **499,** 93

HS mouse
Ethanol; Benzodiazepine receptor; Flunitrazepam; γ-Aminobutyric acid-activated chloride channel; Genetics; LS/SS mouse (Harris, R.A.) **490,** 26

5-HT receptor
Thyrotropin-releasing hormone; 5-Hydroxytryptamine; Transmitter coexistence; Peptide; Receptor up-regulation; TRH receptor (Sharif, N.A.) **480,** 365

Human
Acetylcholine synthesis; Acetylcholine release; Neuroblastoma; Phosphocholine; Choline uptake (Richardson, U.I.) **476,** 323

Infant; Hippocampus; Ontogeny; Neuropeptide Y; Immunohistochemistry (Lotstra, F.) **478,** 211

Potassium channel; Inward rectification; Glial cell; Malignant glioma; Potassium homeostasis (Brismar, T.) **480,** 249

Calcium-activated potassium-channel; Big conductance channel; Sodium channel; Glial cell; Malignant glioma (Brismar, T.) **480,** 259

Somatosensory system; Cerebral asymmetry; Cerebral dominance; Handedness; Positron emission tomography; Cerebral glucose utilization; Fluorodeoxyglucose (Yoshii, F.) **483,** 355

Astrocyte; Electrophysiology; Ion transport; Glutamine synthetase (Lomneth, R.) **486,** 95

Tryptophan; Amino acid; Brain; Serotonin; Rat (Hernández-R., J.) **488,** 1

Neurotensin receptor; Autoradiography; Acetylcholinesterase; Neurochemical compartment; Caudate nucleus (Faull, R.L.M.) **488,** 381

Epilepsy; Dentate gyrus; Brain slice; γ-Aminobutyric acid; Frequency potentiation; Epileptiform discharge; Inhibition (Masukawa, L.M.) **493,** 168

Somatosensory evoked potential; Cutaneous stimulation; Muscle stretch; Voluntary movement (Dimitrov, B.) **496,** 211

Thallium-201; Membrane potential; Astrocyte; Glioma; Scintigraphy (Brismar, T.) **500,** 30

Reflex; Lip; Muscle; Electromyogram; Cutaneous (McClean, M.D.) **503,** 16

Galanin; Immunocytochemistry; Hypothalamus; Hippocampus; Alzheimer's disease; Sprouting (Gentleman, S.M.) **505,** 311

Human adult astrocyte
Bromodeoxyuridine; Tissue culture; Immunofluorescence; Deoxyribonucleic acid synthesis (Grenier, Y.) **480,** 87

Human brain
Epilepsy; α_1-Adrenoceptor; Phosphatidylinositol; Adrenergic; Neurotransmitter (Dubeau, F.) **481,** 200

D_2 dopamine receptor; Pituitary lobe; Globus pallidus; Striatum; Corticostriatal terminal; Guanine nucleotide effect (De Keyser, J.) **484,** 36

Paroxetine binding; Characteristics (Bäckström, I.) **486,** 261

Excitatory amino acid; *N*-Methyl-D-aspartate; MK-801; Regional distribution; Receptor (Kornhuber, J.) **489,** 397

Quantitative neuroanatomy; Vision; Corticocortical connection; Neurodegenerative disorder (Hof, P.R.) **493,** 368

Depressive illness; Psychosurgery; γ-Aminobutyric acid; Glutamic acid; Homocysteic acid (Francis, P.T.) **494,** 315

Xenobiotic metabolism; Mono-oxygenase; Cytochrome *P*-450; Immunocytochemical localization (Ravindranath, V.) **496,** 331

Monoamine oxidase-A; Monoamine oxidase-B; Frontal cortex; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Neurohypophysial hormone; Oxytocin; Radioiodinated ligand; Receptor distribution; Triniated ligand (Loup, F.) **500,** 223

2-(β-4-Hydroxyphenylethylamino-ethyltetralone); α_1-Adrenergic receptor; Prefrontal cortex; Aging; Alzheimer's disease (Kalaria, R.N.) **501,** 287

Cerebral cortex; Acetylcholine; Nicotinic acetylcholine receptor; Immunocytochemistry; Rat brain (Schröder, H.) **502,** 287

Insulin-like growth factor-1; Quantitative autoradiography; Large cryosection; Brain hemisphere; Receptor; Image analysis (Adem, A.) **503,** 299

Hemicholinium-3; Autoradiography; High-affinity choline uptake; Cholinergic nerve terminals (Pascual, J.) **505,** 306

Human brainstem
Vagus nerve; Cholecystokinin receptor; Nucleus tractus solitarii; Area postrema; Satiety (Hyde, T.M.) **495,** 198

Human central nervous system
γ-Aminobutyric acid; L-Glutamic acid; Neurotransmitter; Amino acid; Uptake; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

Human cerebellum
L-Glutamate binding; Olivopontocerebellar atrophy; Development; Pharmacology; Localization (Tsiotos, P.) **481,** 87

Human cerebral artery
Bay K 8644; $^{45}Ca^{2+}$ uptake; Nifedipine; Verapamil (Salaices, M.) **490,** 133

Human diazepam binding

inhibitor-like immunoreactivity(51–70)
Distribution; Central nervous system; Peripheral tissue (Ball, J.A.) **479,** 300

Human hippocampus
N-Methyl-D-aspartate receptor; MK801 binding (Johnson, M.) **499,** 184

Human motor cortex
Magnetic coil; Sensation of movement (Amassian, V.E.) **479,** 355

Human neuroblastoma
Catecholamine; Transplantation; Parkinson's disease (Mena, M.A.) **486,** 286

Human neuroblastoma cell
Pirenzepine; Receptor; Muscarinic; Sh-SY5Y; Inositol lipid; Cyclic AMP (Mei, L.) **504,** 7

Human neuromuscular junction
Calcitonin gene-related peptide; Immunocytochemistry; Trophic factor; Neuropeptide (Mora, M.) **492,** 404

Human ocular torsion
Eye movement; Vestibulo-ocular reflex; Velocity storage (Seidman, S.H.) **504,** 264

Human retina
Alzheimer's disease; Retinal ganglion cell; Histopathology; Degeneration (Blanks, J.C.) **501,** 364

Human spinal cord
Substance P; Receptor autoradiography; Radioimmunohistochemistry; Amyotrophic lateral sclerosis (Dietl, M.M.) **483,** 39

Human substantia nigra
In situ hybridization; Cholecystokinin; Dopamine; Colocalization (Palacios, J.M.) **488,** 369

Human thalamus
Pain; Spinal cord injury; Calcium; Action potential burst; Nervous system plasticity; Slow wave sleep (Lenz, F.A.) **496,** 357

Huntington's disease
Neural grafting; Neostriatum; Substantia nigra; Connectivity; Rat; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Quinolinic acid; MK-801; Kynurenate; Glycine; Dextrorphan; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

Magnetic resonance imaging; Rat brain; Kainic acid; Neural transplant; Striatum (Norman, A.B.) **483,** 188

Basal ganglia; Excitotoxin; Glia; Neurodegenerative disorder; Quinolinic acid (Schwarcz, R.) **490,** 103

D_1 dopamine receptor; Guanine nucleotide binding protein; Striatum; Amygdala; Frontal cortex (De Keyser, J.) **496,** 327

γ-Aminobutyric acid; Single unit activity; Basal ganglia; Globus pallidus; Entopeduncular nucleus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Hybridization
Glutamate; Glutaraldehyde; Monoclonal antibody; Specificity; Immunocytochemistry; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

2-Hydroxyestradiol
Estradiol; Progesterone; Dopamine receptor; Striatum (Fernández-Ruiz, J.J.) **476,** 388

2-(β-4-Hydroxyphenylethylamino-ethyltetralone)
α_1-Adrenergic receptor; Human brain; Prefrontal cortex; Aging; Alzheimer's disease (Kalaria, R.N.) **501,** 287

3-Hydroxykynurenine
Kynurenine; Cytotoxicity; Neuroblastoma; Oxidative stress; Vitamin B-6 deficiency (Eastman, C.L.) **495,** 225

5-Hydroxyindole acetic acid
Cholecystokinin; Opiate; Serotonin; Tryptophan hydroxylase; Vagotomy (Johannessen, J.N.) **499,** 357

5-Hydroxyindoleacetic acid
Feeding; Serotonin; Lateral hypothalamus; Microdialysis (Schwartz, D.H.) **479,** 349

Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan (Petersen, S.L.) **495,** 9

Microdialysis; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Nucleus accumbens; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

5-Hydroxytryptamine
Cynomolgus monkey; Microsphere; Cerebral circulation; Adenosine; Dog (Faraci, F.M.) **478,** 121

Thyrotropin-releasing hormone; Transmitter coexistence; Peptide; Receptor up-regulation; TRH receptor; 5-HT receptor (Sharif, N.A.) **480,** 365

Serotonin; Immunocytochemistry; Cerebral cortex; Lizard; Reptile (Guirado, S.) **488,** 213

Immunohistochemistry; Cerebral artery; Sympathetic nerve; Neurotoxic denervation; Surgical sympathectomy; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Antinociception; Pain; Pretectal complex; Anterior pretectal nucleus; Stimulation-produced analgesia; Morphine-induced analgesia (Prado, W.A.) **493,** 147

Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Neuropeptide Y; Baclofen; G-protein; Pertussis toxin (Colmers, W.F.) **498,** 99

(±)-8-Hydroxy-2-(di-*n*-propylamino) tetralin-HBr; 1-[3-(trifluoromethyl)-phenyl]-piperazine; Hippocampal slice (Segal, M.) **502,** 67

Sensitization; Carrageenin; Ventrobasal thalamus complex; Rat (Guilbaud, G.) **502,** 187

Serotonin; Motoneuron; Afterhyperpolarization; Spinal cord (White, S.R.) **502,** 205

5-Hydroxytryptamine neuron
Raphe nucleus; Neurokinin; Hyperactivity; 5,7-Dihydroxytryptamine (Paris, J.M.) **476,** 183

5-Hydroxytryptamine release
Immunohistochemistry; Cerebral artery; 5-Hydroxytryptamine; Sympathetic nerve; Neurotoxic denervation; Surgical sympathectomy; Electrical nerve stimulation (Chang, J.-Y.) **492,** 79

5-Hydroxytryptophan
Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Dentate gyrus; Hippocampus; Serotonin; 8-Hydroxy-2-(di-*n*-propyl-amino)tetralin; Population response; Rat (Klancnik, J.M.) **505,** 145

5-Hydroxytryptophan accumulation
Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

6-Hydroxydopa
Neonatal neurotoxin; Inhibitory avoidance learning; *N*-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine; Brainstem noradrenaline; Brainstem serotonin (Cornwell-Jones, C.A.) **493,** 258

6-Hydroxydopamine
α-Tocopherol; Rotation; Striatum; Parkinson's disease; Free radical; Antioxidant (Cadet, J.L.) **476,** 10

Cerebral blood flow; Catecholamine; Norepinephrine; Locus coeruleus; α-Methylparatyrosine (Onesti, S.T.) **477,** 378

Dopamine; Caudate nucleus; Push–pull perfusion; Substantia nigra (Chang, G.D.) **481,** 265

Ventral striatum; Caudate-putamen; Neurotensin; Immunoreactivity; Globus pallidus; Ventral pallidum (Zahm, D.S.) **483,** 301

Substantia nigra; Reactive microglia; Major histocompatibility (MHC) antigen (Akiyama, H.) **489,** 247

Kindling; Epilepsy; Noradrenaline; Idazoxan; Propranolol; Microdialysis (Kokaia, M.) **491,** 398

Parkinsonian; Selective dopaminergic lesion; A9 cell group; A10 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

Neuropeptide Y; Corticotropin-releasing factor; Adrenocorticotropic hormone; Noradrenaline; Adrenaline; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Rabbit; Spinal cord; Catecholamine pathway; Blood pressure; Baroreflex; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Dopamine deficiency; Met^5-enkephalin; Substance P; L-Dihydroxyphenyl-alanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Brain; Insulin receptor; Quantitative autoradiography; Arcuate nucleus; Catecholamine (Wilcox, B.J.) **500,** 149

Monocular paralysis; Lateral geniculate nucleus X/Y ratio; Noradrenergic system; Acetylcholine system; Oculomotor information; Brainstem activating system (Guido, W.) **501,** 397

Striatum; Spine; Golgi; Rat; Structural change (Ingham, C.A.) **503,** 334

5,7-Dihydroxytryptamine; Mazindol, [^{3}H]-binding; Corpus striatum; Hypothalamus (Angel, I.) **503,** 339

Free radical; Superoxide dismutase; Catalase; Glutathione; Glutathione peroxidase; Parkinson's disease (Perumal, A.S.) **504,** 139

8-Hydroxy-2-(di-*n*-propylamino)tetralin
Dentate gyrus; Hippocampus; Serotonin; 5-Hydroxytryptophan; Population response; Rat (Klancnik, J.M.) **505,** 145

8-Hydroxy-2-(di-n-propylamino)tetralin
Serotonin; Serotonin receptor; Neuronal development; Astroglial cell (Whitaker-Azmitia, P.M.) **497,** 80

8-Hydroxy-2-[di-*n*-propylamino-^{3}H]tetralin
Iminodipropionitrile; Dyskinesia; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

(±)-8-Hydroxy-2-(di-*n*-propylamino) tetralin-HBr
5-Hydroxytryptamine; 1-[3-(trifluoro-methyl)phenyl]-piperazine; Hippocampal slice (Segal, M.) **502,** 67

8-Hydroxy-dipropylamino-tetralin
Medullary serotonin neuron; Blood pressure; Sympathetic activity; Electrophysiology (McCall, R.B.) **477,** 172

γ-Hydroxybutyrate
γ-Aminobutyric acid; Muscimol; Intracerebral injection; Epilepsy; Electroencephalogram; Substantia nigra; Rat; Petit mal (Depaulis, A.) **498,** 64

ω-Hydroxyfatty acid
Class III alcohol dehydrogenase; Alcoholism (Giri, P.R.) **481,** 131

Hymenolepis diminuta
Exogenous; Endogenous; Serotonin; Release; Calcium-dependency (Gordon, B.) **486,** 376

Hyperactivity
Raphe nucleus; Neurokinin; 5,7-Dihydroxytryptamine; 5-Hydroxytryptamine neuron (Paris, J.M.) **476,** 183

Hyperalgesia
β-Estradiol; Raynaud's phenomenon; Pain; Cyclooxygenase; Arachidonic acid; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Behavioral pharmacology; Nociception; Paw-withdrawal test; Bradykinin; Pain (Taiwo, Y.O.) **487,** 148

Pain; Nociception; Prostaglandin; Arachidonic acid; Cyclooxygenase; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Pain; Nociception; Cyclic adenosine monophosphate; Guanine nucleotide regulatory protein; Prostaglandin; Primary afferent (Taiwo, Y.O.) **492,** 400

Rat; Naloxone; Neuropathy; Analgesia (Attal, N.) **494,** 276

Calcitonin gene-related peptide; Antiserum; Antinociception; Spinal cord; Intrathecal; Noxious stimulus (Kawamura, M.) **497,** 199

Hyperbaric oxygen
Adult serotonin neuron; Intraocular transplantation; Immunohistochemistry; Oxygen treatment; Iris (Skirboll, S.L.) **484,** 257

Hypercalcemia
Choroid plexus; Cerebrospinal fluid; Hypocalcemia; Calcium regulation; Calcium transfer (Murphy, V.A.) **484,** 65

Hypercapnia
Carotid body; Hypoxia; Extracellular calcium; Extracellular potassium; Chemosensory response; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Hyperemia
Arteriovenous malformation; Autoradiography; Cerebral blood flow; Rat (Morgan, M.K.) **496,** 241

Hyperexcitability CNS
Cordotomy; Central pain; Dysesthesia; Supersensitivity CNS (Levitt, M.) **481,** 47

Hyperglycemia
Stress; Adrenal demedullation; Brain norepinephrine depletion (Bialik, R.J.) **502,** 88

Rat; 2-Deoxy-D-glucose; Neuroglycopenia; Sympathetic nervous system; Liver glucose output; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

Hypernatremia
Seizure; Epilepsy; Hippocampus; Neocortex; Osmolality; Hyponatremia (Andrew, R.D.) **498,** 175

Hyperosmotic solution
Intracerebroventricular infusion; Hypo-osmotic solution; Saline; Mannitol; Sucrose; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Hyperpolarization
Hypoxia; Hippocampus; Glubenclamide; Tolbutamide; D-Glucose; Hypoxic survival (Grigg, J.J.) **489,** 302

Hyperprolactinemia
Vasoactive intestinal peptide; Estradiol-17β; Prolactin; Central nervous system; Pituitary gland; Autoradiography (Montagne, M.-N.) **485,** 258

Hypertension
Viscerotopy; Blood pressure; Midbrain periaqueductal gray; Defense reaction; Rostral ventrolateral medulla; Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Hypertensive rat
μ-Opioid receptor; Clonidine; Analgesia (Mastrianni, J.A.) **479,** 283

Vasoactive intestinal peptide; In situ hybridization; Messenger RNA

(Avidor, R.) **503,** 304

Hyperthermia
Muramyl dipeptide; Slow-wave sleep; Rapid eye movement sleep; Fever; Hypothalamus; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Hypertonic sodium-chloride
Drinking behavior; Sugar; Water intake; Intracarotid; Intracerebroventricular (Park, R.) **493,** 123

Hypnotic anesthesia
Tooth-pulp stimulation; Reflex modulation; Placebo effect; Electromyography; Trigeminal nerve (Sharav, Y.) **479,** 247

Hypo-osmotic solution
Intracerebroventricular infusion; Hyperosmotic solution; Saline; Mannitol; Sucrose; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Hypocalcemia
Choroid plexus; Cerebrospinal fluid; Hypercalcemia; Calcium regulation; Calcium transfer (Murphy, V.A.) **484,** 65

Hypogastric ganglion
Testosterone; Neuronal organization; Tyrosine hydroxylase; Choline acetyltransferase (Melvin, J.E.) **485,** 1

Tyrosine hydroxylase; Androgen receptor; Testosterone; Development (Melvin, J.E.) **485,** 11

Hypogastric nerve
Pelvic pain; Thalamus; Nucleus ventralis posterolateralis; Cat (Asato, F.) **488,** 135

Hypoglossal
Glial fibrillary acidic protein; Astrocyte; Axotomy; Stimulation (Hall, L.L.) **490,** 157

Hypoglossal motoneuron
Tongue muscle-controlling motoneuron; Thalamus; Visually guided behavior; Avoiding behavior; Prey-catching behavior; Toad (Satou, M.) **481,** 39

Hypoglossal nerve
Dorsal tegmental field; Diaphragm; Mesencephalic cat (Kawahara, K.) **479,** 185

Hypoglossal nucleus
Axotomy; Palmitate; Regeneration; Degeneration; Plasticity; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Hypoglycemia
Hypoxia; Neocortex explant; Culture; GABAergic neuron; Rat (Romijn, H.J.) **480,** 58

Glutamate; Aspartate; Transmitter release; Hippocampus; Glucose (Burke, S.P.) **500,** 333

Hyponatremia
Seizure; Epilepsy; Hippocampus; Neocortex; Osmolality; Hypernatremia (Andrew, R.D.) **498,** 175

Hypotaurine
Taurine; Frog spinal cord; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; β-Alanine; Kojic amine (Padjen, A.L.) **488,** 288

Hypothalamic lesion
Substance P; Immunohistochemistry; Median eminence; Arcuate nucleus (Palkovits, M.) **486,** 364

Hypothalamic locomotor region
Muscular contraction; Ventral root stimulation; Cardiopulmonary inhibition; Cat; Reticular formation; Phrenic activity (Richard, C.A.) **482,** 49

Hypothalamic neuropeptide
Circadian rhythm; Pacemaker; Neural transplant; Suprachiasmatic nucleus; Hypothalamus; Parvocellular neuron (DeCoursey, P.J.) **500,** 263

Hypothalamic nucleus
Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Hypothalamic obesity
Ventromedial hypothalamic nucleus; Lateral hypothalamic area; Paraventricular hypothalamic nucleus; Norepinephrine turnover; Sympathetic nervous system (Saito, M.) **481,** 298

Hypothalamic paraventricular nucleus
Oxytocin; Immunochemistry; Ultrastructure; Neuronal plasticity; Neuroglia; Synapse; Lactation (Theodosis, D.T.) **484,** 361

Hypothalamic periventricular nucleus
Growth hormone-releasing hormone; Somatostatin; Immunocytochemistry; Electron microscopy; Arcuate nucleus (Horváth, S.) **481,** 8

Hypothalamic slice
Suprachiasmatic nucleus; Retinohypothalamic tract; Field potential; Unit response (Cahill, G.M.) **479,** 65

Suprachiasmatic nucleus; Retinohypothalamic tract; Synaptic pharmacology; Excitatory amino acid (Cahill, G.M.) **479,** 76

α-Adrenergic receptor; γ-Aminobutyric acid; Medial preoptic area; Noradrenaline; Estrogen; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Histamine; H_1-receptor antagonist; H_2-receptor antagonist; Substance P; Estrogen; Arcuate nucleus; Single unit activity (Jorgenson, K.L.) **502,** 171

Hypothalamo-neurohypophysial system
Corticotropin releasing factor; Electroconvulsive shock; Hypothalamo-pituitary-adrenocortical axis; In situ hybridization; Messenger RNA; Vasopressin (Herman, J.P.) **501,** 235

Hypothalamo-pituitary-adrenocortical axis
Corticotropin releasing factor; Electroconvulsive shock; Hypothalamo-neurohypophysial system; In situ hybridization; Messenger RNA; Vasopressin (Herman, J.P.) **501,** 235

Hypothalamus
Muramyl dipeptide; Slow-wave sleep; Rapid eye movement sleep; Fever; Hyperthermia; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Immunoelectron microscopy; β-Adrenergic receptor; Presynaptic autoreceptor (Wanaka, A.) **479,** 190

Progesterone receptor; Estradiol receptor; Coexistence; Monoclonal antibody; Immunohistochemistry; Guinea pig (Warembourg, M.) **480,** 1

Parabrachial nucleus; Thalamus; Zona incerta; Anterograde tracing; Retrograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

Suprachiasmatic nucleus; Circadian rhythm; Retina; Visual system (Murakami, D.M.) **482,** 283

Neural transplant; Regeneration; Vasopressin; Trophic factor (Marciano, F.F.) **483,** 135

Somatostatin; Immunohistochemistry; Infant (Najimi, M.) **483,** 205

Androgen receptor; Preoptic area; Idazoxin; Yohimbine; Prazosin; R1881 (Handa, R.J.) **483,** 312

Opioid; Opioid antagonist; Naloxone; Oxytocin neuron; Morphine; Morphine dependence (Leng, G.) **484,** 290

Lateral geniculate nucleus; Suprachiasmatic nucleus; Neuropeptide Y; Circadian rhythm (Moore, R.Y.) **486,** 190

Noradrenaline; Paraventricular nucleus of hypothalamus; Energy expenditure; Metabolism; Clonidine; Phenylephrine (Siviy, S.M.) **487,** 79

Prolactin receptor; Ring dove; *Streptopelia risoria*; Quantitative autoradiography; Telencephalon; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Corticotropin-releasing factor; Enkephalin; Co-localization; Immuno-β-galactosidase staining; Peroxidase–antiperoxidase method; Rat (Sakanaka, M.) **487,** 357

Visual system; Suprachiasmatic nucleus; Retinal projection; Comparative anatomy; Primate (Magnin, M.) **488,** 390

Melatonin; Pinealectomy; Glucose utilization; Choroid plexus; Nucleus tractus solitarii (Vitte, P.-A.) **489,** 273

B3 area; Periaqueductal gray matter; Substantia nigra; Zona incerta; Central nucleus of the amygdala; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Adrenocorticotropin; β-Endorphin; Brain; Cell culture; Regulation; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Benzodiazepine; Diazepam; Norepinephrine fiber; Binding site; Agonist; Antagonist (Harary, N.) **492,** 293

Opioid; Enkephalin precursor processing; Guanidinoethyl-mercaptosuccinic acid; Enkephalin convertase; Prolactin; Luteinizing hormone; Luteinizing hormone-releasing hormone (Bommer, M.) **492,** 305

Dwarf rat; Somatostatin; Growth hormone-releasing factor; Immunocytochemistry (Sakuma, S.) **493,** 402

Photoperiod; Melatonin; Mongolian gerbil; *Meriones unguiculatus*; Gonadal regression (Devries, M.J.) **494,** 241

Estrogen receptor; Steroid receptor; Immunocytochemistry (Blaustein, J.D.) **495,** 75

Paraventricular nucleus; Adrenal gland; Pituitary; Corticosterone; Norepinephrine; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

ω-Conotoxin GVIA; Histamine release; Nilvadipine; Rat (Takemura, M.) **496,** 351

γ-Aminobutyric acid; Melanocyte-stimulating hormone; Proopiomelanocortin; Perifusion (Delbende, C.) **497,** 86

Receptor multiplicity; Somatostatin; SMS 201-995; Quantitative radioautography (Krantic, S.) **498,** 267

Neuropeptide Y; Corticotropin-releasing factor; Adrenocorticotropic hormone; Noradrenaline; Adrenaline; 6-Hydroxydopamine; Clonidine (Haas, D.A.) **498,** 333

Serotonin; Dialysis; Rat; Release; High-performance liquid chromatography-electrochemical detection (Auerbach, S.B.) **499,** 281

Adrenalectomy; Corticosterone; Noradrenaline; Dopamine; Paraventricular nucleus (Jhanwar-Uniyal, M.) **500,** 247

Circadian rhythm; Pacemaker; Neural transplant; Suprachiasmatic nucleus; Parvocellular neuron; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Diabetes; Neuronal degeneration; C57BL/*KsJ* mouse; C57BL/*6J* mouse; Morphometry (Garris, D.R.) **501,** 162

Corticotropin-releasing factor; Immunocytochemistry; Cerebellum; Hippocampus; Senile plaque; Alzheimer's disease (Kelley, M.) **501,** 392

Androgen; Testosterone; Dihydrotestosterone; Primate; Amygdala; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

Neuropeptide-Y; Corticotropin releasing factor; Stress; Norepinephrine; Adrenoceptor (Tsagarakis, S.) **502,** 167

Serotonin; Feeding behavior; Macronutrient; Carbohydrate; Protein; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

α-Melanocyte-stimulating hormone; Rat; Serotonin; Dopamine; Superfusion (Tiligada, E.) **503,** 225

6-Hydroxydopamine; 5,7-Dihydroxytryptamine; Mazindol, [^{3}H]-binding; Corpus striatum (Angel, I.) **503,** 339

AF64; Ethylcholine aziridinium; Cholinergic neurotoxin; Circadian rhythm; Nicotinic cholinergic receptor (Morley, B.J.) **504,** 238

Rat; 2-Deoxy-D-glucose; Neuroglycopenia; Sympathetic nervous system; Hyperglycemia; Liver glucose output; Guanethidine (Pascoe, W.S.) **505,** 23

Glucocorticoid receptor; Corticotropin-releasing factor; Adrenocorticotropic hormone; Co-localization; Brainstem; Bird; Immunocytochemistry (Kovács, K.J.) **505,** 239

Galanin; Immunocytochemistry; Human; Hippocampus; Alzheimer's disease; Sprouting (Gentleman, S.M.) **505,** 311

Hypothermia
Neuroprotection; Hypoxia/ischemia; MK-801; Excitotoxicity; Brain damage; Glutamate (Ikonomidou, C.) **487,** 184

Adenosine triphosphate; Hibernation; Brain; Lactate; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Hypothyroidism
Gliosis; Astrocyte; Glial fibrillary acidic protein; S-100; Immunohistochemistry; Autoradiography (Miyake, T.) **493,** 376

Hypoxanthine
Xanthine; Basal ganglia; Hypoxia-ischemia; Fetal lamb cortex (Kjellmer, I.) **478,** 241

Hypoxanthine-guanine phosphoribosyl transferase salvage pathway
Lesch-Nyhan disease; Transgenic mice; Catecholamine biochemistry; Tyrosine hydroxylase immunocytochemistry (Dunnett, S.B.) **501,** 401

Hypoxia
Hypoglycemia; Neocortex explant; Culture; GABAergic neuron; Rat (Romijn, H.J.) **480,** 58

Adenosine; Cerebral blood flow; Mass spectrometry; Rabbit; Theophylline (Pinard, E.) **481,** 124

Tachykinin; Substance P; Neurokinin A; Carotid body; Chemoreceptor (Prabhakar, N.R.) **481,** 205

Aging; Brain phosphate metabolism; In vivo [^{31}P]nuclear magnetic resonance (Stolk, J.A.) **482,** 1

Rat brain; Muscarinic cholinergic receptor; Phosphoinositide turnover (Ninomiya, H.) **482,** 109

Carotid body; Hypercapnia; Extracellular calcium; Extracellular potassium; Chemosensory response; Ion-selective microelectrode (Delpiano, M.A.) **482,** 235

Carotid body; Type-I cell; Ca^{2+} current; K^+ current; Voltage-clamp; Patch-clamp (Hescheler, J.) **486,** 79

Hippocampus; Glubenclamide; Tolbutamide; D-Glucose; Hyperpolarization; Hypoxic survival (Grigg, J.J.) **489,** 302

Adenosine; Hippocampus; Theophylline; 8-Phenyltheophylline (Fowler, J.C.) **490,** 378

Ischemia; Spreading depression; Leão's depression; Potassium, extracellular; Calcium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

Calcium; Cyclic adenosine monophosphate; α_2-Adrenoceptor; Clonidine; Yohimbine; Isoproterenol; Synaptosome (Okada, M.) **501,** 23

D-2-Amino-7-phosphonoheptanoate; Neocortex explant; Culture; γ-Aminobutyric acidergic neuron (Romijn, H.J.) **501,** 100

Hypoxia-ischemia
Hypoxanthine; Xanthine; Basal ganglia; Fetal lamb cortex

(Kjellmer, I.) **478,** 241

Neurotoxicity; Perinatal; MK-801; *N*-Methyl-D-aspartate; Neuroprotection (McDonald, J.W.) **490,** 33

Hypoxia/ischemia
Hypothermia; Neuroprotection; MK-801; Excitotoxicity; Brain damage; Glutamate (Ikonomidou, C.) **487,** 184

Hypoxic survival
Hypoxia; Hippocampus; Glubenclamide; Tolbutamide; D-Glucose; Hyperpolarization (Grigg, J.J.) **489,** 302

I

Ia antigen
Neural transplantation; Xenograft; Class II MHC antigen; Vascular endothelial cell; Immunological rejection (Kohsaka, S.) **484,** 340

Ibotenate
Locust muscle; Outside-out patch; Glutamate receptor; Chloride channel; L-Glutamate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

Kindling; Seizure susceptibility; Amygdala; Excitatory amino acid; Polyphosphoinositide hydrolysis (Akiyama, K.) **485,** 95

Hippocampal kindling; Excitatory amino acid; Polyphosphoinositide hydrolysis (Yamada, N.) **490,** 126

Muscimol; *N*-Methyl-D-aspartate; Chloride current; Voltage clamp (Zorumski, C.F.) **494,** 193

Glutamate agonist; Excitotoxin; Hippocampus; Phencyclidine agonist; Ketamine; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Ibotenic acid
Pontomedullary reticular formation; Head movement; Vestibular nystagmus; Electrical stimulation (Suzuki, S.S.) **484,** 78

Caudate nucleus; Substantia nigra; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Horseradish peroxidase (HRP); Electron microscopy; Cat (Tokuno, H.) **485,** 189

Substantia nigra; Kainic acid; Limbic seizure (Tanaka, T.) **498,** 215

Thalamus; Medialis dorsalis; Electroencephalographic spindle; Sleep; Spectral analysis (Marini, G.) **500,** 395

Rat; Cerebral microvessel; Alkaline phosphatase; Brain lesion (Iadecola, C.) **501,** 188

ICI 169,369
Serotonin-2 antagonists; ICI 170,809; Electroencephalogram; Sleep study; Rat (Tortella, F.C.) **485,** 294

ICI 170,809
Serotonin-2 antagonists; ICI 169,369; Electroencephalogram; Sleep study; Rat (Tortella, F.C.) **485,** 294

Ictal seizure
Aminopyridine; Cat neocortex; Depolarizing plateau potential; Intracellular recording (Szente, M.B.) **495,** 261

Idazoxan
Kindling; Epilepsy; Noradrenaline; 6-Hydroxydopamine; Propranolol; Microdialysis (Kokaia, M.) **491,** 398

Idazoxin
Androgen receptor; Hypothalamus; Preoptic area; Yohimbine; Prazosin; R1881 (Handa, R.J.) **483,** 312

Identified junction
Frog neuromuscular junction; Synaptic strength; Seasonality; Quantal content; Miniature endplate potential frequency (Pawson, P.A.) **495,** 182

Identified neuron
Co-localization; *Aplysia*; Synaptic transmission; Buccal ganglia; Cholecystokinin/gastrin peptide; Cholinergic transmission (Ono, J.K.) **493,** 212

Iliococcygeus muscle
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Image analysis
Insulin-like growth factor-1; Quantitative autoradiography; Human brain; Large cryosection; Brain hemisphere; Receptor (Adem, A.) **503,** 299

Imidazodiazepine
Benzodiazepine receptor; Ethanol; Ro 19-4603; Convulsion; Intoxication; Mouse (Lister, R.G.) **482,** 141

Iminodipropionitrile
Head movement; Circling; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Dyskinesia; 8-Hydroxy-2-[di-*n*-propylamino-^{3}H]tetralin; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Imipramine
Sodium channel; Potassium channel; Calcium channel; Chlorpromazine; Haloperidol; Neuroblastoma (Ogata, N.) **476,** 140

Tricyclic antidepressant; Castration; Testosterone; Binding site; Brain; Rat (Sandrini, M.) **496,** 29

β-Adrenergic receptor; Serotonergic receptor; Hippocampal slice in vitro; CA1 pyramidal cell; Antidepressant; Intracellular recording (Beck, S.G.) **504,** 72

Immature rat
Somatosensory relay neuron; Spinothalamic tract; Trigeminothalamic tract; Fluorescent latex microsphere; Pain; Nociception (Huang, L.-Y.M.) **495,** 108

Immobilized progesterone
Corpus striatum; Female rat; In vitro dopamine release; Tetrodotoxin; Interneuron; Albumin (Dluzen, D.E.) **476,** 338

Immune response
Interleukin-1; Astrocyte; Eicosanoid; Protein kinase C; Inflammation; Rat (Hartung, H.-P.) **489,** 113

Immuno-β-galactosidase staining
Corticotropin-releasing factor; Enkephalin; Co-localization; Peroxidase–antiperoxidase method; Hypothalamus; Rat (Sakanaka, M.) **487,** 357

Immunoautoradiography
β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Autonomic; Catecholamine; Autoreceptor; Immunohistochemistry (Aoki, C.) **493,** 331

Immunoblot
β-Amyloid precursor protein; Alzheimer's disease; Cell-free translation; Polysome runoff; Messenger ribonucleic acid; Processing (Anderson, J.) **478,** 391

Immunochemistry
Hypothalamic paraventricular nucleus; Oxytocin; Ultrastructure; Neuronal plasticity; Neuroglia; Synapse; Lactation (Theodosis, D.T.) **484,** 361

Tyrosine hydroxylase; Dopamine; Medical basal hypothalamus; Tissue culture (Bennett, B.A.) **491,** 109

Subcellular; Inhibitory; Synapse; Central nervous system (Meinecke, D.L.) **493,** 303

Immunocytochemical localization
Human brain; Xenobiotic metabolism; Mono-oxygenase; Cytochrome *P*-450 (Ravindranath, V.) **496,** 331

Immunocytochemical method
Calbindin-D 28K; Roller-tube technique; Hippocampus; Organotypic culture; Rat (Bousez-Dumesnil, N.) **486,** 165

Immunocytochemistry
Neural graft; Autonomic ganglion;

Astrocyte; Cellular migration; Neovascularization (Rosenstein, J.M.) **476,** 110

Calbindin D_{28K}; Neuronal marker; Neuronal subpopulation; Primary culture (Pfeiffer, B.) **476,** 120

Monoclonal antibody (Hawkes, R.) **476,** 279

Neuropeptide Y; Dopamine; Striatum; Electron microscopy; Rat (Vuillet, J.) **477,** 241

Adrenaline; Pons; Electron microscopy (Milner, T.A.) **478,** 1

Kindling; Hippocampus; Epilepsy; Seizure; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Neurotensin; Dopamine; Tyrosine hydroxylase; Substantia nigra; Ventral tegmental area; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Neurofilament; Phosphorylation (Poltorak, M.) **480,** 349

Growth hormone-releasing hormone; Somatostatin; Electron microscopy; Hypothalamic periventricular nucleus; Arcuate nucleus (Horváth, S.) **481,** 8

Neostriatum; Serotonin innervation; Ultrastructure; Radioautography (Soghomonian, J.-J.) **481,** 67

Glutamate; Glutaraldehyde; Monoclonal antibody; Specificity; Hybridization; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Angiotensin II; Rat; Thalamus; Cell body; Neuropeptide (Coveñas, R.) **481,** 185

Dopamine β-hydroxylase (Jengeleski, C.A.) **481,** 378

Retroinsular cortex; Area 7b; γ-Aminobutyric acid; Somatosensory system; Monkey (Chudler, E.H.) **481,** 383

Serotonin; Enkephalin; Substance P; Pudendal motoneuron; Onuf's nucleus; Spinal cord; Cat (Tashiro, T.) **481,** 392

Methamphetamine; Serotonin; Rat forebrain; Quantitative morphometry (Fukui, K.) **482,** 198

Auditory pathway; Brain slice; Electrophysiology; V_1-receptor; Sex difference; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Neurofibrillary tangle; Cytoskeleton; Microtubule; Antibody; Neurodegenerative disease (Mulvihill, P.) **484,** 150

Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell; Somatomedin; Insulin-like growth factor; Local administration; Mitosis (Sjöberg, J.) **485,** 102

Adrenergic receptor; Rat brain (Wanaka, A.) **485,** 125

Brain injury; Reactive astrocyte proliferation; Autoradiography; Rat (Janeczko, K.) **485,** 236

γ-Aminobutyric acid; Neuron; Cetacea; Propoise; Visual cortex (Garey, L.J.) **485,** 278

Serotonin; 5-Hydroxytryptamine; Cerebral cortex; Lizard; Reptile (Guirado, S.) **488,** 213

Estrogen receptor; Lactation; Limbic system; Mouse brain; Pregnancy; Reproductive behavior (Koch, M.) **489,** 101

Coexistence; Enkephalin; Somatostatin; Amacrine cell (Hamano, K.) **489,** 254

Angiotensin II; Brainstem; Respiratory nuclei; Cat; Colchicine (Aguirre, J.A.) **489,** 311

Aspartate; Primary afferent fiber (Westlund, K.N.) **489,** 347

Vasoactive intestinal polypeptide; Olfactory bulb; Teleost (Alonso, J.R.) **490,** 385

Serotonin; Enkephalin; Substance P; Trigemino-thalamic tract; Medullary dorsal horn; Thalamus (Tashiro, T.) **491,** 360

Calcitonin gene-related peptide; Human neuromuscular junction; Trophic factor; Neuropeptide (Mora, M.) **492,** 404

Gamma-aminobutyric acid; Pallidum; Basal ganglia; *Phaseolus-Vulgaris* leucoagglutinin; Postembedding immunocytochemistry (Smith, Y.) **493,** 160

Dwarf rat; Somatostatin; Growth hormone-releasing factor; Hypothalamus (Sakuma, S.) **493,** 402

Trigeminal nerve; Mesencephalic trigeminal nucleus; Enkephalin; Substance P; Serotonin; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

γ-Aminobutyric acid; Hippocampus; Perforant path; Entorhinal cortex; Intracellular injection; Lucifer yellow (Germroth, P.) **494,** 187

Estrogen receptor; Steroid receptor; Hypothalamus (Blaustein, J.D.) **495,** 75

Neuropeptide; Propriospinal; Retrograde tracing; Rat (Leah, J.) **495,** 173

Brainstem; Guinea pig; Sex difference; Vasopressin (Dubois-Dauphin, M.) **496,** 45

Cerebrospinal fluid; Dorsal motor nucleus of the vagus; Guinea pig; Oxytocin; Species difference (Dubois-Dauphin, M.) **496,** 66

Dopaminergic neuron; Nucleus raphe dorsalis; Prefrontal cortex; Horseradish peroxidase; Fluoro-gold (Yoshida, M.) **496,** 373

L-3,4-Dihydroxyphenylalanine; Dopamine; Dorsal vagal complex; A2/C2 cell group; Medulla oblongata; Electron microscopy (Tison, F.) **497,** 260

Choline acetyltransferase; Carotid body (Wang, Z.-Z.) **498,** 131

Superior cervical ganglion; Muscarinic receptor; Neuropeptide; Autoradiography; Cell culture (James, S.) **498,** 205

Transient forebrain ischemia; Striatum; Dopamine receptor; Adenylate cyclase; DARPP-32; Autoradiography; Rat (Benfenati, F.) **498,** 376

β-Adrenergic receptor; Vasopressin neuron; Paraventricular nucleus; Supraoptic nucleus; Rat (Takano, T.) **499,** 174

Glucose transporter; Pyruvate dehydrogenase; Rat brain (Bagley, P.R.) **499,** 214

Intergeniculate leaflet; Ventral lateral geniculate nucleus; True blue; Fluoro-gold (Bennett-Clarke, C.) **500,** 1

Astrocyte; Astrocytoma; Central nervous system neoplasia; Glioblastoma multiforme; Ubiquitin (Galloway, P.G.) **500,** 343

Gonadotropin-releasing hormone; Fluorogold; Transplant; Median eminence; Reproduction (Silverman, R.C.) **501,** 260

Lateral superior olive; Medial superior olive; Medial nucleus of the trapezoid body; Periolivary nuclei (Helfert, R.H.) **501,** 269

Corticotropin-releasing factor; Hypothalamus; Cerebellum; Hippocampus; Senile plaque; Alzheimer's disease (Kelley, M.) **501,** 392

Cerebral cortex; Acetylcholine; Nicotinic acetylcholine receptor; Human brain; Rat brain (Schröder, H.) **502,** 287

Dynorphin; Prevertebral ganglion; Guinea pig; Electron microscopy (Elfvin, L.-G.) **502,** 341

Microtubule-associated protein; 205 kDa Microtubule-associated protein; Neural tissue; Neural development; Monoclonal antibody (Shiomura, Y.) **502,** 356

Sympathetic preganglionic neuron; Rostral ventrolateral medulla; Astrocytic glia; Sympathetic nerve discharge; Spinal cord (Morrison, S.F.) **503,** 5

Transplant; Development; Neostriatum; Serotonin; Dopamine; Choline; Substance P; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Cochlear nucleus; Neurotransmitter receptor; γ-Aminobutyric acid A-receptor; Benzodiazepine receptor; Receptor heterogeneity (Juiz, J.M.) **504,** 173

Glucocorticoid receptor; Corticotropin-releasing factor; Adrenocorticotropic hormone; Co-localization; Hypothalamus; Brainstem; Bird (Kovács, K.J.) **505,** 239

Galanin; Human; Hypothalamus; Hippocampus; Alzheimer's disease; Sprouting (Gentleman, S.M.) **505,** 311

Immunoelectron microscopy
β-Adrenergic receptor; Hypothalamus; Presynaptic autoreceptor (Wanaka, A.) **479,** 190

Skin; Calcitonin gene-related peptide; Primary afferent fiber; Merkel cell; Immunohistochemistry; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Indirect immunofluorescence; Met^5-Enkephalin-Arg^6-Gly^7-Leu^8; Small intensely fluorescent cell; Superior cervical ganglion; Rat (Kanagawa-Terayama, Y.) **494,** 75

Immunoelectronmicroscopy
Enkephalin; Lateral septum; Rat brain; Immunohistochemistry; Afferent connection; Combined HRP and immuno-β-galactosidase method (Sakanaka, M.) **479,** 205

Immunofluorescence
Bromodeoxyuridine; Human adult astrocyte; Tissue culture; Deoxyribonucleic acid synthesis (Grenier, Y.) **480,** 87

Immunogold
Dense core vesicle; Dual labeling; Inhibitory amino acid (Pickel, V.M.) **476,** 265

Wheatgerm agglutinin–horseradish peroxidase; γ-Aminobutyric acid; Dentato-olivary projection (Angaut, P.) **479,** 361

Calcitonin gene-related peptide; Dynorphin A; Primate; Spinal cord; Immunohistochemistry; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Immunohistochemistry
Superior colliculus; Lateral posterior nucleus; Adenosine deaminase; Horseradish peroxidase tracing (Miguel-Hidalgo, J.-J.) **476,** 189

Tyrosine hydroxylase; Cat; Thalamus (Kitahama, K.) **478,** 156

Human; Infant; Hippocampus; Ontogeny; Neuropeptide Y (Lotstra, F.) **478,** 211

Hippocampal formation; Intraocular transplantation; Aging; Electrophysiology; Electrochemistry (Eriksdotter-Nilsson, M.) **478,** 269

Enkephalin; Lateral septum; Rat brain; Afferent connection; Combined HRP and immuno-β-galactosidase method; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Nerve growth factor receptor; Aging; Nucleus basalis; Diagonal band; Septum (Gómez-Pinilla, F.) **479,** 255

Progesterone receptor; Estradiol receptor; Coexistence; Hypothalamus; Monoclonal antibody; Guinea pig (Warembourg, M.) **480,** 1

Neurotransmitter; Lateral geniculate body; Double staining; Subdivision (Takatsuji, K.) **480,** 198

Gonadotropin-releasing hormone; Development; Brain; Rat (Jennes, L.) **482,** 97

Somatostatin; Hypothalamus; Infant (Najimi, M.) **483,** 205

Microtubule-associated proteins (1A and 2); Retina; Neuron (Okabe, S.) **483,** 335

γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex; γ-Aminobutyric acid-A receptor complex; Receptor antibody; γ-Aminobutyric acidergic neuron; Cerebral distribution (Taguchi, J.-I.) **483,** 395

Rat; Guinea pig; Pig; Tuberomammillary nucleus; Spinal cord (Panula, P.) **484,** 234

Adult serotonin neuron; Intraocular transplantation; Oxygen treatment; Hyperbaric oxygen; Iris (Skirboll, S.L.) **484,** 257

Entopeduncular nucleus; Substance P; Glutamic acid decarboxylase; Coexistence; Rat (Murakami, S.) **485,** 403

Substance P; Median eminence; Arcuate nucleus; Hypothalamic lesion (Palkovits, M.) **486,** 364

Glial fibrillary acidic protein; Adult salamander; Radial glial cell; Vascular endfoot; Mammalian astrocyte (Naujoks-Manteuffel, C.) **487,** 397

Protein phosphatase 2A; Polyclonal antibody; Subcellular fractionation; Regional distribution; Rat brain (Saitoh, Y.) **489,** 291

Ca^{2+}-Mg^{2+} ATPase; Choroid plexus; Calcium-transport; Cerebrospinal fluid; Calcium-pump (Borke, J.L.) **489,** 355

Calcitonin gene-related peptide; Motoneuron; Spinal cord; Central nervous system lesion; Cat (Arvidsson, U.) **489,** 387

Thalamus; Ventrolateral nucleus; Cholecystokinin; Vasoactive intestinal polypeptide; Wheat germ agglutinin–horseradish peroxidase; Rat (Ogawa, R.) **490,** 152

Nerve growth factor; Monoclonal antibody; Autoradiography; Cholinergic basal forebrain (Schweitzer, J.B.) **490,** 390

Skin; Calcitonin gene-related peptide; Immunoelectron microscopy; Primary afferent fiber; Merkel cell; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Subthalamic nucleus; Glutamate; γ-Aminobutyric acid; Glycine (Albin, R.L.) **491,** 185

Transplantation; Graft; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Neostriatum; Substantia nigra; Medical forebrain bundle; Basal forebrain; Phosphoprotein (Gustafson, E.L.) **491,** 297

Cerebral artery; 5-Hydroxytryptamine; Sympathetic nerve; Neurotoxic denervation; Surgical sympathectomy; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Nucleus preopticus medianus; Polypeptide; Monoamine; Rat (Kawano, H.) **492,** 139

Neuroplasticity; Sprouting; Somatostatin; Rat amygdala; Ultrastructure; Central nervous system; Autonomic (Gotow, T.) **492,** 325

Neuropeptide Y; Rat liver; Celiac ganglion; Electron microscopy (Inoue, N.) **493,** 87

Cerebral ischemia; Hippocampal formation; CA1 region; Calbinding-D_{28K}; Parvalbumin; Rat (Mudrick, L.A.) **493,** 179

β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Synapse; Autonomic; Catecholamine; Autoreceptor; Immunoautoradiography (Aoki, C.) **493,** 331

Hypothyroidism; Gliosis; Astrocyte; Glial fibrillary acidic protein; S-100; Autoradiography (Miyake, T.) **493,** 376

C-*fos*; Dorsal horn; Pain; Thalamus (Bullitt, E.) **493,** 391

N-Acetylaspartylglutamate; Extrapyramidal system; Carbodiimide; Striatum; Pallidum; Substantia nigra (Moffett, J.R.) **494,** 255

Dorsal root ganglion; Ganglioside; Glycolipid; Surface antigen; Tumor marker (Kusunoki, S.) **494,** 391

Choline acetyltransferase; Cholinergic structure; Rat brainstem (Tago, H.) **495,** 271

Corticotropin-releasing factor; In situ hybridization; Northern blot; Olfactory bulb; Olfactory system (Imaki, T.) **496,** 35

Receptor autoradiography; Calcitonin gene-related peptide; Calcitonin gene-related peptide receptor; Neuromuscular junction; Striated muscle (Popper, P.) **496,** 180

Neuropeptide; Tyrosine hydroxylase; Calcium binding protein; Colocalization; Olfactory bulb (Seroogy, K.) **496,** 389

Substance P; Serotonin; Enkephalin; Onuf's nucleus; Spinal cord; Cat (Tashiro, T.) **497,** 177

Glutamate; Optic terminal; Retinotectal system; Retinal ganglion cell (Kageyama, G.H.) **503,** 118

Calcitonin gene-related peptide; Retrograde tracer; Vestibular efferent system; Rat (Tanaka, M.) **504,** 31

Calcitonin gene-related peptide; Dynorphin A; Primate; Spinal cord; Immunogold; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Atrial natriuretic peptide; Retina (Palm, D.E.) **504,** 142

Calcitonin gene-related peptide; Development; Cerebellum; Climbing fiber; Inferior olive (Morara, S.) **504,** 315

Cyclic guanosine monophosphate; Cerebellum; Rat (De Vente, J.) **504,** 332

Glial fibrillary acidic protein; Astrocyte (Shehab, S.S.A.) **504,** 343

Immunological rejection
Neural transplantation; Ia antigen; Xenograft; Class II MHC antigen; Vascular endothelial cell (Kohsaka, S.) **484,** 340

Xenogeneic grafting; Neural transplantation; Blood vessel; Vascular endothelial cell; Mouse endothelial surface antigen-1 (Nakano, Y.) **496,** 336

Immunology
Melanoma; Tumor cell; Catecholamine; Tyrosinase; Tyrosine hydroxylase; Transplantation; Brain graft (Freed, W.J.) **485,** 349

Immunoperoxidase
Alzheimer's disease; Visual cortex; Laminar; Alz-50; A68; Vision (Beach, T.G.) **501,** 171

Immunoreactive
Adrenocorticotropin; β-Endorphin; Brain; Cell culture; Regulation; Hypothalamus; Synthesis (Kapcala, L.P.) **491,** 253

Immunoreactivity
γ-Aminobutyric acid; L-Glutamate decarboxylase; γ-Aminobutyric acid-transaminase; Vestibular endorgan; Vestibular ganglion; Chicken (Usami, S.-I.) **503,** 213

Immunoreactivity
Ventral striatum; Caudate-putamen; 6-Hydroxydopamine; Neurotensin; Globus pallidus; Ventral pallidum (Zahm, D.S.) **483,** 301

Immunosuppression
Adoptive transfer–experimental autoimmune neuritis; Interleukin-2 receptor; Monoclonal antibody ART 18 (Hartung, H.-P.) **489,** 120

Immunosympathectomy
Monoamine oxidase; Cerebral circulation; Sympathetic nerve terminal; Cerebral artery; Nerve growth factor; Ultrastructure (Shigematsu, K.) **497,** 21

Immunotoxin
Purkinje cell; Saporin; Cerebellar degeneration; OX7; Thy-1 (Davis, T.L.) **504,** 216

τ-Immunoreactivity
Aging; Alzheimer's disease; Paired helical filament; Protease; Ubiquitin immunoreactivity (Ivy, G.) **498,** 360

In situ hybridization
Ischemia; Brain; Hippocampus; C-fos (Jørgensen, M.B.) **484,** 393

Cholecystokinin; Dopamine; Colocalization; Human substantia nigra (Palacios, J.M.) **488,** 369

Rat; Mouse; Striatum; γ-Aminobutyric acid; Messenger RNA; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Corticotropin-releasing factor; Immunohistochemistry; Northern blot; Olfactory bulb; Olfactory system (Imaki, T.) **496,** 35

Acetylcholine; Nucleus basalis of Meynert; Nucleus of the diagonal band of Broca (Walker, L.C.) **499,** 188

Corticotropin releasing factor; Electroconvulsive shock; Hypothalamo-pituitary-adrenocortical axis; Hypothalamo-neurohypophysial system; Messenger RNA; Vasopressin (Herman, J.P.) **501,** 235

Vasoactive intestinal peptide; Hypertensive rat; Messenger RNA (Avidor, R.) **503,** 304

In situ hybridization histochemistry
Morphine dependence; Supraoptic nucleus; Oxytocin mRNA; Opiate (Summer, B.E.H.) **489,** 283

In vitro
Dopamine; γ-Aminobutyric acid; Release; Slice; Striatum; Uptake (Bernath, S.) **476,** 373

Neuronal death; Rat; Trophic factor; Peripheral nervous system; Bioassay (Eichler, M.E.) **482,** 340

γ-Aminobutyric acid; Melanotroph; Pituitary; Receptor (Williams, P.J.) **483,** 130

Respiration; Newborn rat; Norepinephrine; α_2-Adrenoceptor; A_5 cell group (Hilaire, G.) **485,** 325

Purkinje cell; Serotonin; Cerebellum; Excitatory amino acid; Intracellular recording (Hicks, T.P.) **492,** 371

In vitro brain slice
Medial zona incerta; Ventromedial nucleus of hypothalamus; Extracellular action potential; Autoregulation; Dopamine (Eaton, M.J.) **502,** 117

In vitro cerebellum
Noradrenaline; Adenosine 3′,5′-monophosphate; Forskolin; 3-Isobutyl-1-methylxanthine; γ-Aminobutyric acid (Sessler, F.M.) **499,** 27

In vitro dopamine release
Progesterone; Corpus striatum; Female rat; Tetrodotoxin; Interneuron (Dluzen, D.E.) **476,** 332

Immobilized progesterone; Corpus striatum; Female rat; Tetrodotoxin; Interneuron; Albumin (Dluzen, D.E.) **476,** 338

In vitro labeling
Prostaglandin; Binding site; Monkey; Brain; Autoradiography (Watanabe, Y.) **478,** 143

In vitro preparation
Lamprey; Locomotion; Swimming; Reticulospinal neuron; Spinal input; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

In vitro release
Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

In vitro study
γ-Aminobutyric acid; Focal epilepsy; Withdrawal syndrome; Cerebral cortex (Silva-Barrat, C.) **498,** 289

In vivo
Commissural inhibition; Dentate-hilar neuron; Intracellular recording; *Phaseolus vulgaris* leucoagglutinin; Rat (Isokawa-Akesson, M.) **480,** 92

Confocal laser microscopy; Brain microcirculation; Pial arteriole; Rat (Villringer, A.) **504,** 159

In vivo binding
Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ion flux; Receptor occupancy; Shuttlebox active avoidance; Anxiety; Depression

(Drugan, R.C.) **487,** 45

Ro 15-4513; Ro 15-1788; Benzodiazepine receptor (Sadzot, B.) **491,** 128

In vivo binding study
Opioid receptor; Lateralization; Evoked potential; Turtle visual cortex (Bakalkin, G.Y.) **480,** 268

In vivo dialysis
Dopamine; Homovanillic acid; Dihydroxyphenylacetic acid; Striatum; Haloperidol; Motor activity; Motivation (Salamone, J.D.) **487,** 215

In vivo electrochemistry
Cholecystokinin; Caudate nucleus; Nucleus accumbens; Potassium; Dopamine (Gerhardt, G.A.) **499,** 157

In vivo microdialysis
Serotonin; D-Fenfluramine (Laferrere, B.) **504,** 258

In vivo microspectrophotometry
Acetylcholinesterase; Neuron; Electrophysiology (Fossier, P.) **491,** 390

In vivo (push-pull) release
Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vitro release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

In vivo voltammetry
Amphetamine; Ascorbate; Dopamine receptor; Neostriatum; Neuroleptic drug (Oh, C.) **480,** 184

Dopamine; Uptake rate; Overflow rate; Striatum (May, L.J.) **487,** 311

L-Dihydroxyphenylalanine; Dopamine; 3-Methoxytyrosine; Behavior; Dihydroxyphenylalanine-induced dyskinesia; Rat (Nakazato, T.) **490,** 332

Mouse; 3-Methoxytyramine; Dopamine (Crespi, F.) **500,** 241

In vivo [^{31}P]nuclear magnetic resonance
Aging; Hypoxia; Brain phosphate metabolism (Stolk, J.A.) **482,** 1

Inactivation
Voltage clamp; Sodium depletion; Sodium channel; Pyrethroid; Spinal ganglion; Node of Ranvier (De Weille, J.R.) **482,** 324

Inappropriate area
Ricinus communis agglutinin (RCA 120); Central degeneration (Rivero-Melian, C.) **496,** 131

Incertohypothalamic A13 neuron
Dopamine; Iontophoresis; Tyrosine hydroxylase immunocytochemistry; Autoreceptor (Sanghera, M.K.) **483,** 361

Incline
Intramuscular electromyography; Flexor; Extensor; Motor pool; Treadmill locomotion (Pierotti, D.J.) **481,** 57

Indirect immunofluorescence
Immunoelectron microscopy; Met^5-Enkephalin-Arg^6-Gly^7-Leu^8; Small intensely fluorescent cell; Superior cervical ganglion; Rat (Kanagawa-Terayama, Y.) **494,** 75

Indo-1
Cytosolic free calcium; D,L-2-Amino-5-phosphonovaleric acid; Fluorometry; Magnesium ion; *N*-Methyl-D-aspartate (Uematsu, D.) **482,** 129

Indolamine
Castration; Cremaster muscle; Motoneuron; Peptide; Rat; Spinal cord; Testes (Newton, B.W.) **485,** 149

Indoleamine-2,3-dioxygenase
Endotoxin; Infection; Central nervous system; Kynurenine pathway; Neurotoxin; Convulsant; Indoleamines (Heyes, M.P.) **491,** 173

Indoleamines
Endotoxin; Infection; Central nervous system; Kynurenine pathway; Neurotoxin; Convulsant; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

Indomethacin
Interleukin-1; Adrenocorticotropic hormone; Prostaglandin E_2; Fever; Rat (Murakami, N.) **478,** 171

Prostaglandin E_1 hyperthermia; Vasopressin V_1 receptor (Fyda, D.M.) **494,** 307

Prostaglandin E_1; Porcine cerebral artery; Eicosanoid; Cyclooxygenase inhibitor; Aspirin (Fukuda, S.) **496,** 397

Infant
Human; Hippocampus; Ontogeny; Neuropeptide Y; Immunohistochemistry (Lotstra, F.) **478,** 211

Somatostatin; Immunohistochemistry; Hypothalamus (Najimi, M.) **483,** 205

Vestibulo-ocular reflex; Cervico-ocular reflex; Eye movement (Reisman, J.E.) **484,** 119

Infection
Endotoxin; Central nervous system; Kynurenine pathway; Neurotoxin; Convulsant; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

Inferior alveolar nerve
Nerve growth factor; Collateral reinnervation; Transmedian innervation; Jaw opening reflex (Owen, D.J.) **476,** 248

Inferior colliculus
Brain slice; Epilepsy; *N*-Methyl-D-aspartate; Audiogenic seizure; Rat (Pierson, M.G.) **486,** 381

Auditory response; Corticocollicular influence; Bat auditory neuron (Sun, X.) **495,** 1

Bat; Superior colliculus; Inhibition; Facilitation (Sun, X.) **497,** 214

γ-Aminobutyric acid; Binaural inhibition; Bicuculline; Strychnine; Benzodiazepine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Inferior olive
Cerebellum; Trigeminal; Climbing fiber response; Crura I and II; Lobulus simplex (Akaike, T.) **482,** 402

Trigeminocerebellar; Bird; Jaw; Wheat germ-agglutinin conjugated horseradish peroxidase; Sensorimotor (Arends, J.J.A.) **487,** 69

Calcitonin gene-related peptide; Development; Cerebellum; Climbing fiber; Immunohistochemistry (Morara, S.) **504,** 315

Inflammation
Interleukin-1; Astrocyte; Eicosanoid; Protein kinase C; Immune response; Rat (Hartung, H.-P.) **489,** 113

Polymodal receptor; Nociceptor; Morphine; Opioid; Naloxone; Peripheral analgesia; Bradykinin (Kumazawa, T.) **497,** 231

Substance P; Skin; Prostaglandin; Histamine; Rat (Khalil, Z.) **500,** 256

Information processing
Action potential duration; Spike duration; Temperature; Hibernation; Biophysical properties of neurons; Central nervous system (Krilowicz, B.L.) **498,** 73

Infraorbital nerve
Growth-associated protein; Regeneration; Trigeminal system (Erzurumlu, R.S.) **498,** 135

Infusion pump
Nerve growth factor; Choline acetyltransferase; Cholinergic neuron; Basal forebrain; Rat (Williams, L.R.) **498,** 243

Ingestion rate
Swallowing; Swallow volume; Feeding microstructure; Ingestive behavior; Licking; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Ingestive behavior
Arcuate nucleus; Drinking; Mouse; Monosodium glutamate; Neuropeptide Y; Thirst (Morley, J.E.) **494,** 129

Swallowing; Swallow volume; Feeding microstructure; Ingestion rate; Licking; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Inhibition
γ-Aminobutyric $acid_A$-receptor; Chloride transport; γ-Aminobutyric acid-induced ion movement; Hippocampal slice (Müller, W.)

484, 184

Visual cortex; Acetylcholine; γ-Aminobutyric acid; Arousal; Iontophoresis (Müller, C.M.) **487,** 335

Pelvic nerve; Pudendal nerve; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Epilepsy; Human; Dentate gyrus; Brain slice; γ-Aminobutyric acid; Frequency potentiation; Epileptiform discharge (Masukawa, L.M.) **493,** 168

Somatosensory cortex; Barrel; Cortical circuitry; γ-Aminobutyric acid; Neural network (Keller, A.) **496,** 105

Adrenaline; Sympathetic preganglionic neuron; Adrenergic α_1 receptor; Adrenergic α_2 receptor; Excitation (Miyazaki, T.) **497,** 108

Bat; Inferior colliculus; Superior colliculus; Facilitation (Sun, X.) **497,** 214

Bombesin; Neuromedin; Gastrin-releasing peptide; Depression; Substance P; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Synaptosomal plasma membrane; Monoclonal antibody; Choline acetyltransferase (Eder-Colli, L.) **500,** 90

Prefrontal; Middle-latency auditory evoked potential; Gating; Attention; Pa (Knight, R.T.) **504,** 338

Leech; Axotomy; Fluorescent dye irradiation; Development; Synaptic localization (Lytton, W.W.) **504,** 43

Inhibitor
Multiple enkephalin-degrading enzyme; Normal rat; Arthritic rat; Vocalization threshold (Kayser, V.) **497,** 94

Inhibitory
Subcellular; Synapse; Immunochemistry; Central nervous system (Meinecke, D.L.) **493,** 303

Inhibitory amino acid
Dense core vesicle; Immunogold; Dual labeling (Pickel, V.M.) **476,** 265

Inhibitory amino acid neurotransmitter
Phrenic activity; Respiratory rhythm; Oscillation; Spectral analysis; Strychnine; Bicuculine (Schmid, K.) **485,** 193

Inhibitory avoidance
Amygdala; Naloxone; Propranolol; Discrimination learning; Memory; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Acetylcholine; Norepinephrine; Spatial learning; DSP-4; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Amygdala; Bicuculline-methiodide; Caudate-putamen; γ-Aminobutyric acid; Memory; Muscimol (Brioni, J.D.) **487,** 105

Inhibitory avoidance learning
Neonatal neurotoxin; *N*-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine; 6-Hydroxydopa; Brainstem noradrenaline; Brainstem serotonin (Cornwell-Jones, C.A.) **493,** 258

Inhibitory factor
Alzheimer's disease; Neurotrophic factor; Cerebral cortical neuron; Cell culture (Uchida, Y.) **481,** 190

Inhibitory interneuron
Ischemia; Hippocampus; Glutamate decarboxylaseimmunocytochemistry; Basket cell (Nitsch, C.) **495,** 243

Premotor interneuron; Skin reflex pathway; Laminae V–VI; Excitatory interneuron; Cat spinal cord; Spike triggered averaging (Hongo, T.) **505,** 167

Cerebral ischemia; Neuronal death; Excitotoxicity; Hippocampus; Dentate gyrus; Paired-pulse inhibition (Chang, H.S.) **505,** 220

Inhibitory postsynaptic potential
Phrenic motoneuron; Intracellular recording; Superior laryngeal nerve; Cat (Bellingham, M.C.) **486,** 391

γ-Aminobutyric acid; Somatostatin; Hippocampal slice; Excitatory postsynaptic potential; Pressure application (Scharfman, H.E.) **493,** 205

Arachidonic acid; Hepoxilin; Intracellular recording; Hippocampal CA1 neuron; Afterhyperpolarization (Carlen, P.L.) **497,** 171

Inhibitory synapse
Neostriatal cell culture; Receptor; Development (Misgeld, U.) **492,** 149

Inhibitory synaptic potential
Rat visual cortex; Cortical slice; γ-Aminobutyric acid-like immunocytochemistry; Intracellular recording (Chun, M.H.) **494,** 401

Injury
Central nervous system; Optic nerve; Degeneration; Laser; Action potential (Assia, E.) **476,** 205

Inner segment
Photoreceptor; Gap junction; Terminal; Fovea (Cohen, A.I.) **490,** 200

Innominato-cortical pathway
Electrical stimulation; Physostigmine; Cortical blood flow; Tissue gas change; Unanesthetized rat (Lacombe, P.) **491,** 1

Inositol
Pyrethroid; Sodium channel; Phosphate; Synaptoneurosome (Gusovsky, F.) **492,** 72

Inositol 1,3,4,5,6-pentakisphosphate
Intracellular injection; Ionic mechanism; Non-specific cation conductance; *Aplysia* (Sawada, M.) **503,** 167

Inositol 1,4,5-trisphosphate
Cerebellum; Purkinje cell; Granule cell; Glutamate; Dominantly inherited olivopontocerebellar atrophy; Ataxia (Kish, S.J.) **489,** 373

Inositol 1-phosphate
Long-term potentiation; Kindling; Hippocampus; Rat (Stelzer, A.) **490,** 41

Inositol lipid
Pirenzepine; Receptor; Muscarinic; Human neuroblastoma cell; Sh-SY5Y; Cyclic AMP (Mei, L.) **504,** 7

Inositol monophosphate formation
Quisqualate receptor; γ-Aminobutyric acid release; Striatal neuron; Primary culture (Weiss, S.) **491,** 189

Inositol phosphate
Thyrotropin-releasing hormone; GH_3 cell; Diacylglycerol; Phorbol ester; Action potential frequency (Gammon, C.M.) **479,** 217

Adrenal medulla; Catecholamine secretion; Somatostatin; Chromaffin cell; Catecholamine (Moeller, I.) **484,** 192

N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline; Adrenoceptor; Adenosine monophosphate, cyclic (Pilc, A.) **493,** 8

D_2 dopamine receptor; Chronic drug treatment; Rat striatum; Muscarinic receptor; Antipsychotic drug; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Muscarinic agonist; Neurotransmitter release; Long-term potentiation; Phospholipase C; Depolarization (Schwartz, L.) **503,** 62

Inositol phospholipid
$(Asu^{1,7})$eel-Calcitonin; Cortex; Hippocampus; Cyclic adenosine monophosphate; Norepinephrine; Serotonin (Clementi, G.) **478,** 138

Inositol trisphosphate
Adenylate cyclase; Cerebral ischemia; Delayed neuronal death; Forskolin; Hippocampus (Onodera, H.) **487,** 343

Inositolphosphate
Hippocampus; Intradentate colchicine; Granule cell; Muscarinic cholinergic receptor; Compensatory mechanism (Tandon, P.) **477,** 308

Insect
Locust; Neurosecretion; Corpus cardiacum; Adipokinetic hormone; Octopamine; Calcium; Sodium (Pannabecker, T.) **477,** 38

Inspiratory nerve

Medullary inspiratory neuron; Time course of rhythms; Spectral analysis; Lung afferent input (Christakos, C.N.) **482,** 376

Inspiratory neuron
Cat; Phrenic nerve; Superior laryngeal nerve; Nucleus tractus solitarii; Pulmonary afferent (Donnelly, D.F.) **491,** 243

Insular ortex
Arterial blood pressure; Plasma catecholamine (Cechetto, D.F.) **502,** 296

Insulin
Brain mitochondria; Chronic hypoglycemia; Diabetes; Respiratory control ratio; State 3 respiration; State 4 respiration (Pellegrino, D.A.) **479,** 241

Ventromedial nucleus of the hypothalamus; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **480,** 340

Glucose; Pancreas; Portal vein; Vagus nerve (Yamazaki, M.) **484,** 357

Diabetes; Insulin-like growth factor-I; Nerve regeneration; Rat; Sciatic nerve; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Lateral hypothalamus; Ventromedial hypothalamus; Striatum; Monoamine; Gas chromatography/mass spectrometry (Holmes, L.J.) **496,** 204

Glucose; Brown adipose tissue; Efferent sympathetic nerve activity; Zucker obese rats (Holt, S.J.) **500,** 384

Insulin receptor
Brain; Quantitative autoradiography; Arcuate nucleus; Catecholamine; 6-Hydroxydopamine (Wilcox, B.J.) **500,** 149

Insulin secretion
[^{3}H]Mazindol binding; Paraventricular nucleus; Adrenoceptor; Glucose homeostasis (Angel, I.) **490,** 367

Neostigmine; Brain cholinergic neuron; Vagus nerve; Adrenalectomy (Gotoh, M.) **493,** 97

Insulin-induced hypoglycemia
Somatostatin; Cerebral cortex; Hippocampus; Rat (Rodriguez-Sanchez, M.N.) **494,** 36

Insulin-like growth factor
Autoradiography; Acetylcholine release; Hippocampus (Araujo, D.M.) **484,** 130

Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell; Somatomedin; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Insulin-like growth factor I
Rat; Somatomedin; Growth factor; Nerve regeneration; Sciatic nerve; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Insulin-like growth factor-1
Quantitative autoradiography; Human brain; Large cryosection; Brain hemisphere; Receptor; Image analysis (Adem, A.) **503,** 299

Insulin-like growth factor-I
Diabetes; Insulin; Nerve regeneration; Rat; Sciatic nerve; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Integration
Xenotransplantation; Hippocampus; Septum; Neuronal activity; θ-Rhythm (Kitchigina, V.F.) **502,** 39

Interaction
Catecholamine; Neuropeptide Y; Cerebral cortex; Double-staining immunocytochemistry (Tsuchiyama, M.) **494,** 168

Intercellular junction
Autonomic nervous system; Superior cervical ganglion; Trigeminal ganglion; Horseradish peroxidase; Blood–brain barrier (Ten Tusscher, M.P.M.) **490,** 95

Intercostal muscle
γ-Motoneuron; Muscle spindle; Respiration (Greer, J.J.) **477,** 369

Intergeniculate leaflet
Lateral geniculate nucleus; Circadian system; Visual system; Entrainment; Suprachiasmatic nucleus; Electrical stimulation (Rusak, B.) **493,** 283

Entrainment; Sinusoidal light cycle (Pickard, G.E.) **494,** 151

Ventral lateral geniculate nucleus; Immunocytochemistry; True blue; Fluoro-gold (Bennett-Clarke, C.) **500,** 1

Suprachiasmatic nucleus; Photic response; Neurophysiology; Antidromic activation; Circadian rhythm entrainment (Zhang, D.X.) **504,** 161

Interhemispheric connection
Commissural connection; Cerebral cortex; Horseradish peroxidase (Nakamura, H.) **485,** 171

Interictal bursting
Hippocampal slice; Epilepsy; Phorbol ester; Afterhyperpolarization; Electrographic seizure; CA3 pyramidal cell (Chamberlin, N.L.) **492,** 337

Interleukin-1
Adrenocorticotropic hormone; Prostaglandin E_2; Fever; Rat; Indomethacin (Murakami, N.) **478,** 171

Astrocyte; Eicosanoid; Protein kinase C; Immune response; Inflammation; Rat (Hartung, H.-P.) **489,** 113

Acetylcholine; AtT_{20}; Alzheimer's disease (Carmeliet, P.) **491,** 199

Interleukin-2
Autoradiography; Acetylcholine release; Hippocampus (Araujo, D.M.) **498,** 257

Interleukin-2 receptor
Adoptive transfer–experimental autoimmune neuritis; Monoclonal antibody ART 18; Immunosuppression (Hartung, H.-P.) **489,** 120

Interleukin-2-receptor
Major histocompatibility complex antigen; CD8; Growth regulation (Nennesmo, I.) **504,** 306

Intermediolateral column (IML)
Blood pressure; Carbachol; Contractility; Heart rate; Glutamate; Thoracic cord; Wistar rat (Sundaram, K.) **482,** 12

Intermediolateral nucleus
Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Interneuron
Progesterone; Corpus striatum; Female rat; In vitro dopamine release; Tetrodotoxin (Dluzen, D.E.) **476,** 332

Immobilized progesterone; Corpus striatum; Female rat; In vitro dopamine release; Tetrodotoxin; Albumin (Dluzen, D.E.) **476,** 338

Hippocampus; Dentate gyrus; Granule cell; Norepinephrine; Local application; Neuropharmacology (Rose, G.M.) **488,** 353

Skin reflex pathway; Premotor neuron; Cervical spinal cord; Laminae V–VII; Lateral funiculus; Cat (Hongo, T.) **505,** 163

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Interpeduncular nucleus
Hemicholinium-3; Quantitative autoradiography; Tritium tissue quenching; Cholinergic nerve terminal (Bekenstein, J.W.) **481,** 97

Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propyl-amino-^{3}H]tetralin; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Striatum; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Interplexiform
Somatostatin; Glycine; Colocalize; Retina; Neuropeptide; Neurotransmitter (Smiley, J.F.) **495,** 31

Interspike interval function
Cat muscle spindle; Primary afferent; Dynamic γ; Static γ; Maintained fusimotor stimulation; Re-afferent

γ-effect (Awiszus, F.) **489,** 41

Intestine
Calcitonin gene-related peptide; Mesenteric nerve; Non-cholinergic non-adrenergic relaxation (Takaki, M.) **478,** 199

Intoxication
Benzodiazepine receptor; Ethanol; Ro 19-4603; Imidazodiazepine; Convulsion; Mouse (Lister, R.G.) **482,** 141

Intra-/extracellular concentration ratio
Substantia nigra; Perfusion; γ-Aminobutyric acid; Aspartate; Glutamate; Taurine; Rat (Farrant, M.) **480,** 344

Intra-axonal staining
Trigeminal mesencephalic nucleus; Periodontal afferent; Central projection; Horseradish peroxidase (Shigenaga, Y.) **505,** 91

Intracarotid
Drinking behavior; Sugar; Hypertonic sodium-chloride; Water intake; Intracerebroventricular (Park, R.) **493,** 123

Intracarotid infusion of hyperosmolal mannitol
Ornithine decarboxylase; Polyamine; Putrescine; α-Difluoromethylornithine; Blood–brain barrier breakdown; α-Aminoisobutyrate (Koenig, H.) **483,** 110

Intracellular
Rat; Kynurenic acid; Neostriatum; Brain slice (Walsh, J.P.) **480,** 290

Intracellular Ca^{2+}
Primary astrocyte; Fura-2 acetoxymethylester; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

Intracellular calcium
Fura-2; Dissociated brain cell; *N*-Methyl-D-aspartate; Ethanol (Dildy, J.E.) **499,** 383

Intracellular calcium concentration
Somatostatin; Cultured neuron; Rat; Hippocampus (Miyoshi, R.) **489,** 361

Intracellular injection
γ-Aminobutyric acid; Hippocampus; Perforant path; Entorhinal cortex; Lucifer yellow; Immunocytochemistry (Germroth, P.) **494,** 187

Inositol 1,3,4,5,6-pentakisphosphate; Ionic mechanism; Non-specific cation conductance; *Aplysia* (Sawada, M.) **503,** 167

Intracellular labeling
Pedunculopontine nucleus; Subthalamic nucleus; Intracellular recording; Antidromic activation (Granata, A.R.) **488,** 57

Nucleus parabrachialis; Nucleus tractus solitarii; Intracellular recording; Antidromic activation (Granata, A.R.) **492,** 281

Intracellular recording
Pretectum; Dorsal column; Ventrolateral thalamus (Mackel, R.) **476,** 135

Commissural inhibition; Dentate-hilar neuron; *Phaseolus vulgaris* leucoagglutinin; In vivo; Rat (Isokawa-Akesson, M.) **480,** 92

Thalamic reticular neuron; Burst discharge; Excitatory postsynaptic potential; Spindle rhythm; Rat (Sumitomo, I.) **482,** 34

Pattern generator; ENG; Fictive locomotion; Forelimb (Hishinuma, M.) **482,** 184

Adenosine triphosphate-sensitive K^+ channel; Autoradiography; Rat (Mourre, C.) **486,** 159

Phrenic motoneuron; Superior laryngeal nerve; Inhibitory postsynaptic potential; Cat (Bellingham, M.C.) **486,** 391

Pedunculopontine nucleus; Subthalamic nucleus; Intracellular labeling; Antidromic activation (Granata, A.R.) **488,** 57

Nucleus parabrachialis; Nucleus tractus solitarii; Intracellular labeling; Antidromic activation (Granata, A.R.) **492,** 281

Purkinje cell; Serotonin; Cerebellum; Excitatory amino acid; In vitro (Hicks, T.P.) **492,** 371

Development; Noradrenaline; Adrenoceptor, α_1- and α_2-; Dorsal motor nucleus of the vagus; Medulla oblongata slice (Fukuda, A.) **493,** 357

Aging; Striatum; Reduced excitation; Elevated excitatory threshold (Cepeda, C.) **494,** 215

Rat visual cortex; Cortical slice; γ-Aminobutyric acid-like immunocytochemistry; Inhibitory synaptic potential (Chun, M.H.) **494,** 401

Ictal seizure; Aminopyridine; Cat neocortex; Depolarizing plateau potential (Szente, M.B.) **495,** 261

Arachidonic acid; Hepoxilin; Hippocampal CA1 neuron; Afterhyperpolarization; Inhibitory postsynaptic potential (Carlen, P.L.) **497,** 171

Prepositus hypoglossi nucleus; Persistent sodium conductance; Oscillation; Plateau potential; Slice preparation (Rekling, J.C.) **500,** 276

Acetylcholine; Dorsal motor nucleus of the vagus; Rat brainstem slice; Depolarization; Nicotinic receptor (Ito, C.) **503,** 44

Imipramine; β-Adrenergic receptor; Serotonergic receptor; Hippocampal slice in vitro; CA1 pyramidal cell; Antidepressant (Beck, S.G.) **504,** 72

Intracerebral dialysis
Cocaine; Behavioral sensitization; Dopamine uptake site; Striatum (Akimoto, K.) **490,** 339

Cerulein; Cholecystokinin; Acetylcholine; Striatum; Vagotomy (Shimoyama, M.) **492,** 381

Intracerebral injection
Kynurenate; Dyskinesia; Globus pallidus; Subthalamic nucleus; Excitatory amino acid (Robertson, R.G.) **476,** 317

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Electroencephalography (Depaulis, A.) **486,** 121

Epilepsy; Gerbil; γ-Aminobutyric acid; Thalamus; Muscimol; Seizure (Lee, R.J.) **487,** 363

Stereotypy; Striatum; Nucleus accumbens; *R*-(−)-*N*-n-Propylnorapomorphine; Sniffing; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

γ-Aminobutyric acid; Muscimol; Epilepsy; Electroencephalogram; Substantia nigra; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Intracerebral microdialysis
Neural grafting; Serotonin release; Hippocampus; Rat (Daszuta, A.) **498,** 323

Intracerebral transplantation
Cell adhesion molecule; Granule cell migration; Cerebellum (Poltorak, M.) **488,** 265

Intracerebroventricular
Cholecystokinin; Caudate-putamen; D-Amphetamine; Dopamine release; 3-Methoxytyramine (Altar, C.A.) **483,** 321

Drinking behavior; Sugar; Hypertonic sodium-chloride; Water intake; Intracarotid (Park, R.) **493,** 123

Intracerebroventricular administration
Vasopressin; Blood pressure; Sensitization; Conscious rat (Lebrun, C.J.) **505,** 39

Intracerebroventricular infusion
Amastatin; Bestatin; Sarthran; Blood pressure; Jugular infusion; Spontaneously hypertensive rat

(Jensen, L.L.) **490,** 48

Hyperosmotic solution; Hypo-osmotic solution; Saline; Mannitol; Sucrose; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Intracortical microstimulation
Second somatosensory cortex; Motor cortex; Cortico-cortical connection; Cortical microstimulation; Cat (Mori, A.) **504,** 206

Intracranial injection
Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid (Wirtshafter, D.) **482,** 225

Intracranial pressure
Thalamic reticular nucleus; Cerebral ischemia; Excitotoxicity (Ross, D.T.) **501,** 129

Intradentate colchicine
Hippocampus; Granule cell; Muscarinic cholinergic receptor; Inositolphosphate; Compensatory mechanism (Tandon, P.) **477,** 308

Intramuscular electromyography
Motor control; Compartmentalization; Semitendinosus; Paw shake; Jumping; Treadmill locomotion (Hutchison, D.L.) **479,** 56

Flexor; Extensor; Motor pool; Treadmill locomotion; Incline (Pierotti, D.J.) **481,** 57

Intraocular infection
Scrapie; Spongiosis; Enucleation; Mouse (Scott, J.R.) **504,** 301

Intraocular transplantation
Hippocampal formation; Aging; Immunohistochemistry; Electrophysiology; Electrochemistry (Eriksdotter-Nilsson, M.) **478,** 269

Adult serotonin neuron; Immunohistochemistry; Oxygen treatment; Hyperbaric oxygen; Iris (Skirboll, S.L.) **484,** 257

Intraspinal
Antinociception; Dynorphin; Morphine; Hibernation; Opioid; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Intrastriatal infusion
Stereotypy; Dopamine receptor; Co-activation; Sniffing; Oral activity; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Intrathecal
Calcitonin gene-related peptide; Antiserum; Antinociception; Spinal cord; Noxious stimulus; Hyperalgesia (Kawamura, M.) **497,** 199

Intrathecal injection
Phaclofen; Baclofen; H-reflex; Flexor reflex (Wüllner, U.) **496,** 341

Intraventricular infusion
Prostaglandin E_2; Slow wave sleep; Paradoxical sleep; Wakefulness; Circadian sleep–wake cycle; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Intraventricular noradrenaline
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Acepromazine; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Intrinsic neuron
Dorsal column nucleus; Glutamic acid decarboxylase; Local circuit neuron; Reptile; Somatosensation (Pritz, M.B.) **503,** 175

Involuntary movement
Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Inward current
Brain slice; Excitation; G-protein; Locus ceruleus; Vasoactive intestinal peptide; Voltage clamp (Wang, Y.-Y.) **500,** 107

Inward rectification
Carbachol; Acetylcholine; Rapid eye movement sleep; Brainstem reticular formation; Conductance (Greene, R.W.) **476,** 154

Potassium channel; Glial cell; Malignant glioma; Potassium homeostasis; Human (Brismar, T.) **480,** 249

Ion channel
Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Phosphorylation; Patch clamp; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Optic nerve; 4-Aminopyridine; Afterhyperpolarization; Apamin; Tetraethylammonium (Gordon, T.R.) **502,** 252

Ion transport
Neuropeptide; Tachykinin; Serotonin; Co-transmitter; Neuroblastoma × glioma hybrid cell (Reiser, G.) **479,** 40

Astrocyte; Human; Electrophysiology; Glutamine synthetase (Lomneth, R.) **486,** 95

Ion-selective microelectrode
Carotid body; Hypoxia; Hypercapnia; Extracellular calcium; Extracellular potassium; Chemosensory response (Delpiano, M.A.) **482,** 235

Ion-sensitive microelectrode
Extracellular pH; Synaptic transmission; Spontaneous field discharge; Hippocampal slice (Jarolimek, W.) **505,** 225

Iondopindolol
Cerebral cortex; Cerebellum; Noradrenaline; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Ionic conductance
A-current; Neocortex (Woody, C.D.) **480,** 72

Ionic effect
Neuronotoxic activity; Astroglia; Excitotoxin; Neuronal death (Leprince, P.) **502,** 21

Ionic mechanism
Inositol 1,3,4,5,6-pentakisphosphate; Intracellular injection; Non-specific cation conductance; *Aplysia* (Sawada, M.) **503,** 167

Ionophore A23187
Cerebral artery; Noradrenaline release; α_2-Adrenoceptor agonist; α_2-Adrenoceptor antagonists; Protein kinase C; Phorbol ester (Balfagon, G.) **477,** 196

Iontophoresis
Dopamine; Incertohypothalamic A13 neuron; Tyrosine hydroxylase immunocytochemistry; Autoreceptor (Sanghera, M.K.) **483,** 361

Visual cortex; Acetylcholine; Inhibition; γ-Aminobutyric acid; Arousal (Müller, C.M.) **487,** 335

Syrian hamster; Pineal; Electrical activity; Sympathomimetics; Rhythm (Stehle, J.) **488,** 275

Ipsilateral projection
Retinal ganglion cell; Bifurcating axon; Lateral geniculate; Superior colliculus; Fluorescent tracer; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Iris
Adult serotonin neuron; Intraocular transplantation; Immunohistochemistry; Oxygen treatment; Hyperbaric oxygen (Skirboll, S.L.) **484,** 257

Ischemia
Hippocampus; Striatum; Gerbil; Seizure; Brain damage (Armstrong, D.R.) **476,** 174

Axonal transport; Cholinergic enzyme; Spinal cord (Malatová, Z.) **481,** 31

Kainic acid; Hippocampus; κ-Opioid receptor; U-50,488H; Seizure (Lason, W.) **482,** 333

Phenytoin; Cerebral protection; Cell death; Selective neuronal vulnerability (Taft, W.C.) **483,** 143

Proton-induced X-ray emission analysis; Calcium; Zinc; Nickel; Rat hippocampus (Tsuda, T.) **484,** 228

Brain; Hippocampus; C-fos; In situ

hybridization (Jørgensen, M.B.) **484,** 393

Hippocampus; Histology; Neurophysiology (Ashton, D.) **487,** 368

Hippocampus; Excitatory amino acid; Calcium; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

Ouabain; Na^+/K^+-ATPase; CA1 region; Frontal cortex (Pylova, S.I.) **490,** 170

Hippocampus; Glutamate decarboxylaseimmunocytochemistry; Basket cell; Inhibitory interneuron (Nitsch, C.) **495,** 243

Opiate receptor; Hippocampus; Gerbil (Miller, L.P.) **495,** 367

Hypoxia; Spreading depression; Leão's depression; Potassium, extracellular; Calcium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

Spinal cord injury; Opioid; Paralysis (Long, J.B.) **497,** 155

Uric acid; Rat brain; Liquid chromatography; Allopurinol; Electrochemical detection (Kanemitsu, H.) **499,** 367

Astrocyte; Cell culture; Lactacidosis; Membrane potential; Proton (Walz, W.) **504,** 82

Ischemic neuropathy
Perineurium; Peripheral nerve; Morphometry; Cell death; Lipid droplet (Benstead, T.J.) **489,** 177

Ischiocavernosus muscle
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Coitus; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Ischymetry
Bombesin; Satiety; Sleep; Rat (De Saint Hilaire-Kafi, Z.) **478,** 152

3-Isobutyl-1-methylxanthine
Noradrenaline; In vitro cerebellum; Adenosine 3′,5′-monophosphate; Forskolin; γ-Aminobutyric acid (Sessler, F.M.) **499,** 27

Isolated neuron
Rat; Amygdala; Calcium current; Calcium blocker (Kaneda, M.) **497,** 187

Isolated, perfused brain
Spontaneously hypertensive rats; Perfusion flow rate; Prostaglandin $F_{2\alpha}$; Phenylephrine; Serotonin (Gong, D.) **482,** 122

Isoproterenol
Cultured cerebellar neuron; Glutamate; Noradrenaline; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Clonidine (Mori-Okamoto, J.) **490,** 64

Calcium; Cyclic adenosine monophosphate; α_2-Adrenoceptor; Clonidine; Yohimbine; Synaptosome; Hypoxia (Okada, M.) **501,** 23

Isovaleric acid
Specific anosmia; Olfactory glomerular layer; AKR/J mouse; C57BL/6J mouse (Sicard, G.) **481,** 325

1,5(Isoquinolinylsulfonyl)-2-methylpiperazine
Brain edema; Protein kinase C; Cerebral endothelium; Blood–brain barrier; Tight junction (Joó, F.) **490,** 141

Isthmus
Nucleus isthmi ventralis; Tectum; Visual system; Bird (Martínez, S.) **481,** 181

J

Japanese quail
α_2-Adrenergic; *p*-Amino-clonidine; Sex difference; Nucleus intercollicularis; Reproductive behavior; Autoradiography (Ball, G.F.) **491,** 68

Estrogen receptor; Brain; Reproduction; Preoptic area; Preoptic medial nucleus (Balthazart, J.) **501,** 205

Jaundice
Gunn rat; Bilirubin; Cochlear nucleus; Hearing (Zhang, S.) **501,** 194

Jaw
Trigeminocerebellar; Bird; Wheat germ-agglutinin conjugated horseradish peroxidase; Inferior olive; Sensorimotor (Arends, J.J.A.) **487,** 69

Jaw motoneuron
Axon morphology; Recurrent collateral (Moore, J.A.) **489,** 383

Jaw movement
Masticatory muscle; Drinking; Angiotensin II; Electromyography; Guinea pig (Gerstner, G.E.) **478,** 233

Drinking; Masticatory muscle; Electromyography; Guinea pig; Apomorphine-induced rhythmic jaw movement (Gerstner, G.E.) **479,** 6

Jaw opening reflex
Nerve growth factor; Collateral reinnervation; Transmedian innervation; Inferior alveolar nerve (Owen, D.J.) **476,** 248

Anterior pretectal nucleus; Descending modulation; Trigeminal; Tooth pulp; Rat (Chiang, C.Y.) **497,** 325

Jitter
Motor tract; Motoneuron; Evoked potential; Motor unit; Stimulation (Zarola, F.) **495,** 217

Joint afferent
Cruciate ligament; Fusimotor neuron; Motor control; Muscle spindle; Primary spindle afferent; Spinal cord; Reflex (Sojka, P.) **483,** 177

Joro spider toxin
2,4-Dihydroxyphenylacetylasparagine (2,4-DHPA-ASN); Glutamate uptake by synaptosomes; Sodium-dependent glutamate binding; Role of polyamines (Pan-Hou, H.) **476,** 354

Glutamate receptor; Hippocampus; Slice; Long-term potentiation; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Jugular infusion
Amastatin; Bestatin; Sarthran; Blood pressure; Intracerebroventricular infusion; Spontaneously hypertensive rat (Jensen, L.L.) **490,** 48

Jumping
Motor control; Compartmentalization; Intramuscular electromyography; Semitendinosus; Paw shake; Treadmill locomotion (Hutchison, D.L.) **479,** 56

K

K^+ channel
Galanin; PC12; Dopamine (De Weille, J.R.) **485,** 199

K^+ current
Carotid body; Type-I cell; Ca^{2+} current; Voltage-clamp; Patch-clamp; Hypoxia (Hescheler, J.) **486,** 79

Kainate
Retina; Horizontal cell; Cyclic AMP-dependent protein kinase (Liman, E.R.) **481,** 399

Glutamate; Cochlear nucleus; *N*-Methyl-D-aspartate; Kynurenic acid; DL-2-Amino-5-phosphonovalerate; Brain slice (Wickesberg, R.E.) **486,** 39

Retina; Horizontal cell; L-Glutamate (Perlman, I.) **487,** 16

Limbic seizure; Chronic cannula; Temporal lobe epilepsy (Berger, M.L.) **489,** 261

Dorsal lateral geniculate nucleus; Retrograde axonal transport; Horseradish peroxidase; Cytochrome oxidase; Electron microscopy; Visual cortex; Rat (Woodward, W.R.) **494,** 42

Rapid eye movement sleep; Sensory stimulation; Ponto-geniculo-occipital

spike; Medial pontine reticular formation (Arankowsky-Sandoval, G.) **494,** 396

Striatum; Synaptoneurosome; Synaptosome; Membrane sac; Glutamate; Aspartate (Heinonen, E.) **496,** 187

Neuronal Degeneration; Laminin; Basement membrane; Neovascularization; Glia (Shigematsu, K.) **501,** 215

Kainate receptor
Kainyl-bovine serum albumin; Ligand binding; Autoradiography; Chick cerebellum (Eshhar, N.) **476,** 57

N-Methyl-D-aspartate receptor; 6-Cyano-7-nitroquinoxaline-2,3-dione; 7-Chlorokynurenate; γ-Aminobutyric acid release; Cortex (Harris, K.M.) **489,** 185

Kainic acid
Hippocampus; Opiate receptor; Colchicine; Seizure; Mossy fiber path (Perry, D.C.) **477,** 100

Retina; Rod horizontal cell; Voltage-clamp; Excitatory amino acid (O'Dell, T.J.) **477,** 118

Autoradiography, ^{45}Ca; Hippocampus; Thalamic reticular nucleus; Neuronal cell death (Tanaka, S.) **478,** 385

Dopamine release; Dopamine autoreceptor; Rat striatum; Slice (Bonanno, G.) **480,** 242

Zinc; Epilepsy; Seizure; Limbic system; Neuron death; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Adrenalectomy; Dexamethasone; Wet dog shake; Seizure (Lee, P.H.K.) **480,** 322

Hippocampus; κ-Opioid receptor; U-50,488H; Ischemia; Seizure (Lason, W.) **482,** 333

Ventral lateral geniculate nucleus lesion; Geniculotectal pathway; Superior colliculus; Field response; Electron micrograph; Rat (Nagata, T.) **483,** 50

Magnetic resonance imaging; Rat brain; Huntington's disease; Neural transplant; Striatum (Norman, A.B.) **483,** 188

Defense reaction; Periaqueductal gray; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Epilepsy; Noradrenaline; Dopamine; Clonidine (Baran, H.) **495,** 253

Kindling; Phosphoinositide hydrolysis; Hippocampus; Excitatory amino acid; *N*-Methyl-D-aspartate; Phorbol ester (Morrisett, R.A.) **496,** 25

Substantia nigra; Ibotenic acid; Limbic seizure (Tanaka, T.) **498,** 215

Excitotoxin; Acromelic acid; Spinal cord; Spastic paraplegia (Shinozaki, H.) **503,** 330

Glutamic acid; Frog; Spinal cord; Binding experiment; Acromelic acid A (Maruyama, M.) **504,** 328

Kainyl-bovine serum albumin
Kainate receptor; Ligand binding; Autoradiography; Chick cerebellum (Eshhar, N.) **476,** 57

Keoxifene
Antiestrogen; CI-628; LY10074; Luteinizing hormone; Norepinephrine turnover; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

Ketamine
Chloral hydrate; Ether; Urethane; Saffan; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Glutamate; Astrocyte; Glial swelling; *N*-Methyl-D-aspartate receptor (Chan, P.H.) **487,** 380

Glutamate agonist; Excitotoxin; Ibotenate; Hippocampus; Phencyclidine agonist; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Ketanserin
Stress-induced analgesia; Receptor, 5-HT_2; Methysergide; Pirenpirone (Kiefel, J.M.) **500,** 231

Kindling
Accommodation; Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Hippocampus; Epilepsy; Seizure; Immunocytochemistry; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Dentate gyrus; Axospinous synapse; Discontinuous postsynaptic density (Geinisman, Y.) **480,** 326

Serotonin; (Na^+,K^+)ATPase (Hernández-R., J.) **480,** 403

N-Methyl-D-aspartate receptor; Receptor autoradiography; Hippocampus; Epilepsy (Okazaki, M.M.) **482,** 159

Seizure susceptibility; Amygdala; Excitatory amino acid; Ibotenate; Polyphosphoinositide hydrolysis (Akiyama, K.) **485,** 95

Locus coeruleus; α_2-Adrenergic receptor; Epilepsy; Seizure (Jimenez-Rivera, C.A.) **485,** 363

Amygdala; *N*-Methyl-D-aspartate receptor antagonist; Substantia innominata; 2-Amino-7-phosphono-heptanoic acid; Seizure suppression; Elevation of seizure threshold (Mori, N.) **486,** 141

Hippocampus; Low-frequency stimulation; Post-seizure excitation; Post-seizure inhibition (Minabe, Y.) **486,** 201

Local cerebral glucose utilization; 2-Deoxyglucose; Brain metabolism; Postictal phase; Epilepsy (Namba, H.) **486,** 221

Long-term potentiation; Inositol 1-phosphate; Hippocampus; Rat (Stelzer, A.) **490,** 41

Epilepsy; Noradrenaline; 6-Hydroxydopamine; Idazoxan; Propranolol; Microdialysis (Kokaia, M.) **491,** 398

FG 7142; Benzodiazepine receptor; Anticonvulsant (Stephens, D.N.) **492,** 89

Epilepsy; γ-Aminobutyric acid; *N*-Methyl-D-aspartate; Amygdala (Gean, P.-W.) **494,** 177

Afterdischarge; Seizure; Amygdala; Pyriform; Vasopressin; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

Dynorphin; Messenger ribonucleic acid; Hippocampus (Xie, C.-W.) **495,** 156

Phosphoinositide hydrolysis; Hippocampus; Excitatory amino acid; *N*-Methyl-D-aspartate; Kainic acid; Phorbol ester (Morrisett, R.A.) **496,** 25

Experimental epilepsy; Hippocampus; Receptor binding; Quantitative autoradiography; γ-Aminobutyric acid complex; Benzodiazepine (Nobrega, J.N.) **498,** 315

Glutamate; Aspartate; Excitatory amino acid; Epilepsy; Seizure (Croucher, M.J.) **501,** 58

Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

Kindling
L-Glutamate; L-Aspartate; Electrical stimulation; Rat; Amygdala (Mori, N.) **498,** 163

Kinetics of inactivation
Cultured hippocampal neuron; Whole-cell patch-clamp; Calcium current; Voltage-dependence of activation; Calcium-channel blocker (Ozawa, S.) **495,** 329

Kitten

Spindle; Threshold; Dynamic sensitivity (Jami, L.) **478,** 34

Ponto-geniculo-occipital activity; Lateral geniculate nucleus; Maturation; Extraretinal factor (Davenne, D.) **485,** 267

Kojic amine
Taurine; Frog spinal cord; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; β-Alanine; Hypotaurine (Padjen, A.L.) **488,** 288

Kynurenate
Dyskinesia; Globus pallidus; Subthalamic nucleus; Intracerebral injection; Excitatory amino acid (Robertson, R.G.) **476,** 317

Quinolinic acid; MK-801; Huntington's disease; Glycine; Dextrorphan; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

Kynurenic acid
Rat; Intracellular; Neostriatum; Brain slice (Walsh, J.P.) **480,** 290

Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Glutamate; Kainate; Cochlear nucleus; *N*-Methyl-D-aspartate; DL-2-Amino-5-phosphonovalerate; Brain slice (Wickesberg, R.E.) **486,** 39

Nucleus accumbens; Hippocampus; Glutamate; Radial-arm maze; Movement initiation; Memory (Schacter, G.B.) **494,** 339

Glycine; *N*-Methyl-D-aspartate; Excitatory amino acid; Schild plot (Pullan, L.M.) **497,** 59

Kynurenine
3-Hydroxykynurenine; Cytotoxicity; Neuroblastoma; Oxidative stress; Vitamin B-6 deficiency (Eastman, C.L.) **495,** 225

Kynurenine pathway
Endotoxin; Infection; Central nervous system; Neurotoxin; Convulsant; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

L

Lactacidosis
Astrocyte; Cell culture; Ischemia; Membrane potential; Proton (Walz, W.) **504,** 82

Lactate
Adenosine triphosphate; Hibernation; Hypothermia; Brain; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Lust, W.D.) **489,** 12

Lactation
Hypothalamic paraventricular nucleus; Oxytocin; Immunochemistry; Ultrastructure; Neuronal plasticity; Neuroglia; Synapse (Theodosis, D.T.) **484,** 361

Estrogen receptor; Immunocytochemistry; Limbic system; Mouse brain; Pregnancy; Reproductive behavior (Koch, M.) **489,** 101

Axotomy; Neuron loss; Progesterone (Yu, W.-H.A.) **491,** 379

Lactic acid
Cytotoxic edema; Cytoplasmic pH; Cell swelling; Na^+/H^+ exchange; Glioma cell; Astrocyte (Jakubovicz, D.E.) **485,** 215

Laminae V–VI
Premotor interneuron; Skin reflex pathway; Excitatory interneuron; Inhibitory interneuron; Cat spinal cord; Spike triggered averaging (Hongo, T.) **505,** 167

Laminae V–VII
Skin reflex pathway; Premotor neuron; Interneuron; Cervical spinal cord; Lateral funiculus; Cat (Hongo, T.) **505,** 163

Laminar
Alzheimer's disease; Visual cortex; Immunoperoxidase; Alz-50; A68; Vision (Beach, T.G.) **501,** 171

Laminin
Kainate; Neuronal Degeneration; Basement membrane; Neovascularization; Glia (Shigematsu, K.) **501,** 215

Lamprey
In vitro preparation; Locomotion; Swimming; Reticulospinal neuron; Spinal input; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Reticulospinal neuron; Phasic modulation; Locomotion; Brainstem; Spinal cord (Kasicki, S.) **484,** 203

Forskolin; Adenylate cyclase; Adenosine 3′,5′-cyclic monophosphate; Calcium action potential (Womble, M.D.) **485,** 89

Retina; Centrifugal innervation (Vesselkin, N.P.) **493,** 51

Lamprey spinal cord
Cord transection; Regneration (Cohen, A.H.) **496,** 368

Large cryosection
Insulin-like growth factor-1; Quantitative autoradiography; Human brain; Brain hemisphere; Receptor; Image analysis (Adem, A.) **503,** 299

Large neuron
Maturation factor; Growth factor; Brain injury; Neurofilament; Neuronal regeneration (Lim, R.) **504,** 154

Alzheimer's disease; Progressive supranuclear palsy; Neostriatum; Basal nucleus of Meynert; Cholinergic neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Laryngeal nerve
Ambiguous motoneuron; Axonal branching; Unitary discharge; Antidromic activation; Rat (Yajima, Y.) **478,** 309

Laser
Central nervous system; Optic nerve; Injury; Degeneration; Action potential (Assia, E.) **476,** 205

Latency
Vestibulo-ocular reflex; High-acceleration stimulus; High-frequency performance; Gain (Maas, E.F.) **499,** 153

Lateral cerebral ventricle
Fluorescent tracer; Propidium iodide; Dopaminergic neuron; Rat (Chen, S.) **483,** 379

Lateral funiculus
Skin reflex pathway; Premotor neuron; Interneuron; Cervical spinal cord; Laminae V–VII; Cat (Hongo, T.) **505,** 163

Lateral geniculate
Retinal ganglion cell; Bifurcating axon; Ipsilateral projection; Superior colliculus; Fluorescent tracer; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Lateral geniculate body
Immunohistochemistry; Neurotransmitter; Double staining; Subdivision (Takatsuji, K.) **480,** 198

Lateral geniculate nucleus
Ponto-geniculo-occipital activity; Maturation; Kitten; Extraretinal factor (Davenne, D.) **485,** 267

Suprachiasmatic nucleus; Neuropeptide Y; Hypothalamus; Circadian rhythm (Moore, R.Y.) **486,** 190

Marsupial; Acetylcholinesterase; Horseradish peroxidase; Cytoarchitecture; Retinal terminal (Wilson, P.M.) **486,** 236

Relay neuron; Dorsal raphe nucleus; Serotonin; Ascending reticular system; Electroencephalography (Kayama, Y.) **489,** 1

Intergeniculate leaflet; Circadian system; Visual system; Entrainment; Suprachiasmatic nucleus; Electrical stimulation (Rusak, B.) **493,** 283

Geniculo-striate pathway; Functional architecture; Mapping transformation; Axon tracing (Bowling, D.B.) **502,** 180

Lateral geniculate nucleus X/Y ratio
Monocular paralysis; 6-Hydroxydopamine; Noradrenergic system; Acetylcholine system; Oculomotor information; Brainstem activating system (Guido, W.) **501,** 397

Lateral hypothalamic area
Ventromedial hypothalamic nucleus; Paraventricular hypothalamic nucleus; Norepinephrine turnover; Sympathetic nervous system; Hypothalamic obesity (Saito, M.) **481,** 298

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Lateral hypothalamic neuron
Smell; Taste; Potable; Licking; Cue signal (Nakamura, K.) **491,** 15

Lateral hypothalamus
Bombesin; Free fatty acid; Glucose; Corticosterone; Paraventricular nucleus; Ventromedial nucleus; Caudate-putamen (Gunion, M.W.) **478,** 47

Feeding; Serotonin; 5-Hydroxyindoleacetic acid; Microdialysis (Schwartz, D.H.) **479,** 349

Unit recording; Taste; Licking; Learning; Freely moving rat (Yamamoto, T.) **481,** 286

Aversion; Benzodiazepine; Diazepam; Escape; Reward; Self-stimulation (Carden, S.E.) **483,** 327

Self-stimulation; Peduncular-pontine nucleus; Reinforcement threshold; Lesion; Lateralized effect (Buscher, W.) **487,** 321

Medial prefrontal cortex; Ventral tegmental area; Stress; Learned helplessness; Self-stimulation; Dopamine (McGregor, I.S.) **490,** 397

Insulin; Ventromedial hypothalamus; Striatum; Monoamine; Gas chromatography/mass spectrometry (Holmes, L.J.) **496,** 204

Brain stimulation reward; Self-stimulation; Single-unit recording; Ventral tegmental area; Basal forebrain (Shizgal, P.) **499,** 234

Lateral posterior nucleus
Superior colliculus; Adenosine deaminase; Horseradish peroxidase tracing; Immunohistochemistry (Miguel-Hidalgo, J.-J.) **476,** 189

Lateral rectus
Abducens internuclear neuron; Abducens motoneuron; Eye movement; Oculomotor system; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Lateral reticular nucleus
Antidromic activation; Medulla; Reticulospinal neuron (Liu, R.H.) **481,** 350

Lateral septum
Enkephalin; Rat brain; Immunohistochemistry; Afferent connection; Combined HRP and immuno-β-galactosidase method; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Long-term potentiation; Vasopressin; Brain slice; Brattleboro rat (Van den Hooff, P.) **505,** 181

Lateral superior olivary
Neurotransmitter; Excitant amino acid; *N*-Methyl-D-aspartate; Quisqualate; D,L-2-Amino-5-phosphonovaleric acid; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

Lateral superior olive
Medial superior olive; Medial nucleus of the trapezoid body; Periolivary nuclei; Immunocytochemistry (Helfert, R.H.) **501,** 269

Lateral suprasylvian area
Extrastriate cortex; Area 20; Pupil; Wheatgerm agglutinin-horseradish peroxidase; Cat (Bando, T.) **494,** 369

Lateralization
Testosterone; Frontal cortex; Behavior; Locomotion (Starkstein, S.E.) **478,** 16

Opioid receptor; Evoked potential; In vivo binding study; Turtle visual cortex (Bakalkin, G.Y.) **480,** 268

Dopamine; Activity; Cortex; Substantia nigra (McMahon, F.J.) **503,** 185

Lateralized effect
Self-stimulation; Peduncular-pontine nucleus; Lateral hypothalamus; Reinforcement threshold; Lesion (Buscher, W.) **487,** 321

Laterodorsal tegmental nucleus
Diagonal band; Olfactory bulb; Mediodorsal nucleus; Collateral axons (Cornwall, J.) **491,** 194

Periaqueductal gray; Bladder; Pontine micturition center; Electrical stimulation; Blood pressure; Bladder postganglionic nerve (Noto, H.) **492,** 99

Lead
Opioid; Pro-opiomelanocortin; Gene expression (Rosen, H.) **493,** 380

Calcium; Neuron; NG108-15; Nuclear magnetic resonance spectroscopy, ^{19}F (Schanne, F.A.X.) **503,** 308

Leão's depression
Hypoxia; Ischemia; Spreading depression; Potassium, extracellular; Calcium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

Learned helplessness
Medial prefrontal cortex; Lateral hypothalamus; Ventral tegmental area; Stress; Self-stimulation; Dopamine (McGregor, I.S.) **490,** 397

Learning
Lateral hypothalamus; Unit recording; Taste; Licking; Freely moving rat (Yamamoto, T.) **481,** 286

Somatostatin; Cysteamine; Behavior; Memory; Alzheimer's disease (DeNoble, V.J.) **482,** 42

Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein (Shashoua, V.E.) **484,** 333

Auditory system; Long-term habituation; Acoustic startle response; 2-Deoxyglucose (Gonzalez-Lima, F.) **489,** 67

CA1; Long-term potentiation; Neuronal plasticity; Adrenalectomy; Stress; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

Hippocampus; Perforant pathway stimulation; Glutamate; Memory; Pyramidal cell (Rogers, B.C.) **493,** 41

Vertical limb of the diagonal band of Broca; Acetylcholine; Marmoset (Ridley, R.M.) **502,** 306

Motor cortex; Association fiber; Sensory cortex; Motor learning; Sensory input; Cortical lesion (Sakamoto, T.) **503,** 258

Equilibrium; Cerebellum; Maturation; Rat (Auvray, N.) **505,** 291

Learning deficit
Animal model; Memory deficit; Sidman active avoidance; Senescence accelerated mouse (Ohta, A.) **498,** 195

Lectin
Parvalbumin; *N*-Acetylgalactosamine; γ-Aminobutyric acid; Cerebral cortex (Kosaka, T.) **483,** 158

Barrel; Glia; Boundary; Plasticity; Critical period substrate; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Lectin tracing
Axonal transport; *Lens culinaris* agglutinin; Leucoagglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Leech
Single channel; Calcium-activated potassium channel (Pellegrini, M.) **483,** 294

Inhibition; Axotomy; Fluorescent dye irradiation; Development; Synaptic

localization (Lytton, W.W.) **504,** 43

Left/right flexion ratio
Opioid; Postural asymmetry; Flexion reflex (Bakalkin, G.Y.) **480,** 277

Left–right discrimination
Circling; Hemispheric asymmetry; Dopamine (Willar, C.D.) **500,** 405

***Lens culinaris* agglutinin**
Axonal transport; Lectin tracing; Leucoagglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Lesch-Nyhan disease
Transgenic mice; Hypoxanthine-guanine phosphoribosyl transferase salvage pathway; Catecholamine biochemistry; Tyrosine hydroxylase immunocytochemistry (Dunnett, S.B.) **501,** 401

Lesch–Nyhan syndrome
Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenyl-alanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior (Sivam, S.P.) **500,** 119

Lesion
Morphine; Amygdala; Caudate nucleus; Hippocampus; Locomotor activity; C57BL/6 mouse (Libri, V.) **479,** 1

Cholinergic; Muscarinic; Nicotine; Receptor; Nucleus basalis magnocellularis (Atack, J.R.) **483,** 367

Self-stimulation; Peduncular-pontine nucleus; Lateral hypothalamus; Reinforcement threshold; Lateralized effect (Buscher, W.) **487,** 321

Vestibulo-ocular reflex; Direction adaptation; Vestibulo-cerebellum; Optokinetic stimulation; Optokinetic velocity; Nodulus-uvula (Mason, C.R.) **490,** 373

Behavioral recovery; Accessory olfactory bulb; Preference of odor; T-maze test; Rat (Ichikawa, M.) **498,** 45

Opioid receptor; Mesolimbic dopamine; Nucleus accumbens; Cellular localization; Receptor autoradiography (Unterwald, E.M.) **505,** 111

Leu-enkephalin
α-Neoendorphin; Prodynorphin; *Xenopus laevis* (Sei, C.A.) **479,** 162

IR-Leu-enkephalin
Amygdaloid kindling; Behavior; Electrophysiology; IR-Met-enkephalin; Long-lasting change; Amygdala; Hippocampus (Talavera, E.) **485,** 141

Leucoagglutinin
Axonal transport; Lectin tracing; *Lens culinaris* agglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Leukotriene
Luteinizing hormone-releasing hormone; Eicosanoid; Median eminence; Norepinephrine; Dopamine (Saadi, M.) **488,** 97

Astrocyte; Arachidonic acid; Cyclooxygenase; Lipoxygenase; C_6 glioma cell; Prostaglandin (Ishizaki, Y.) **494,** 138

Leumorphin
Substance P; Dynorphin; Colocalization; Hamster; Mating behavior; Opiate (Neal, C.R.) **496,** 1

Leupeptin
Long-term potentiation; Calpain; Hippocampus (Oliver, M.W.) **505,** 233

Levator anus
Nicotine; Sexual behavior; Testosterone; Eye opening; Reproductive axis; Development (Segarra, A.C.) **480,** 151

Licking
Lateral hypothalamus; Unit recording; Taste; Learning; Freely moving rat (Yamamoto, T.) **481,** 286

Lateral hypothalamic neuron; Smell; Taste; Potable; Cue signal (Nakamura, K.) **491,** 15

Swallowing; Swallow volume; Feeding microstructure; Ingestion rate; Ingestive behavior; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Lidocaine
Rat hippocampus; CA1 pyramidal neuron; Concentration-clamp technique; Voltage-dependent sodium current; Tetrodotoxin (Kaneda, M.) **484,** 348

Carbamazepine; Epilepsy; Cocaine; Local anesthetic (Weiss, S.R.B.) **497,** 72

Baroreflex; Blood pressure; Glutamate; Heart rate; Muscimol; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

Medial septum; Hippocampus; Single unit activity (Mizumori, S.J.Y.) **500,** 99

Ligand binding
Kainate receptor; Kainyl-bovine serum albumin; Autoradiography; Chick cerebellum (Eshhar, N.) **476,** 57

Light adaptation
Dopamine; Retina; *Xenopus laevis* (Boatright, J.H.) **482,** 164

Retina; Calmodulin; Calcium; Calmodulin kinase II; Dark adaptation (Bronstein, J.) **495,** 83

Light–dark cycle
Rat; Pineal; *N*-Acetyltransferase; Circadian rhythm; Entrainment (Illnerová, H.) **494,** 365

Melatonin; Pineal gland; Melatonin metabolite; Circadian rhythm (Kennaway, D.J.) **495,** 349

Limbic
Extrathalamic ascending system; Cortico-subcortical connection; Visceral; Autonomic; Cat (Clascá, F.) **490,** 361

Limbic brain structure
κ-Agonist; U-50,488H; Glucose utilization; Pituitary; Spinal cord (Ableitner, A.) **478,** 326

Limbic seizure
Kainate; Chronic cannula; Temporal lobe epilepsy (Berger, M.L.) **489,** 261

Substantia nigra; Kainic acid; Ibotenic acid (Tanaka, T.) **498,** 215

Limbic system
Zinc; Epilepsy; Seizure; Kainic acid; Neuron death; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Estrogen receptor; Immunocytochemistry; Lactation; Mouse brain; Pregnancy; Reproductive behavior (Koch, M.) **489,** 101

Cyclic adenosine monophosphate; Phosphodiesterase; Antidepressant; Rolipram; Autoradiography (Kaulen, P.) **503,** 229

Serotonin; Neurotoxin; Alzheimer's disease (Crino, P.B.) **504,** 247

Lindane
Picrotoxin; Chloride channel; γ-Aminobutyric acid; Glutamate; Acetylcholine; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Lingual nerve
Nerve regeneration; Reinnervation; Chorda tympani; Tongue; Taste; Salivary gland (Robinson, P.P.) **483,** 259

Lip
Reflex; Muscle; Electromyogram; Cutaneous; Human (McClean, M.D.) **503,** 16

Lipid droplet
Perineurium; Peripheral nerve; Ischemic neuropathy; Morphometry; Cell death (Benstead, T.J.) **489,** 177

Lipid metabolism
Axotomy; Hypoglossal nucleus; Palmitate; Regeneration; Degeneration; Plasticity; Autoradiography (Yamazaki, S.) **477,** 19

Lipopolysaccharide
Cerebral lateralization; Neocortical ablation; Neuroimmunology; Lymphoproliferation; Concanavalin A; Prolactin; Female rat (LaHoste, G.J.) **483,** 123

Lipoxygenase

Astrocyte; Arachidonic acid; Cyclooxygenase; C_6 glioma cell; Prostaglandin; Leukotriene (Ishizaki, Y.) **494,** 138

Liquid chromatography
Uric acid; Rat brain; Ischemia; Allopurinol; Electrochemical detection (Kanemitsu, H.) **499,** 367

Lithium
Potassium; Toxicity; Hamster; Circadian rhythm; Affective disorder (Klemfuss, H.) **492,** 300

Liver glucose output
Rat; 2-Deoxy-D-glucose; Neuroglycopenia; Sympathetic nervous system; Hyperglycemia; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

Lizard
Serotonin; 5-Hydroxytryptamine; Immunocytochemistry; Cerebral cortex; Reptile (Guirado, S.) **488,** 213

Load compensation
Microneurography; Muscle spindle; Stretch reflex; Cross-bridge (Jahnke, M.T.) **501,** 324

Lobster
Forskolin; Cyclic adenosine monophosphate; Potassium channel; Stomatogastric ganglion; Transient potassium current (Harris-Warrick, R.M.) **489,** 59

Adenosine triphosphate; Chemoreceptor; Antagonism; Nucleotide; Ectonucleotidase; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Dopamine; Agonistic behavior; Central pattern generator; Monoclonal antibody (Barthe, J.Y.) **497,** 368

Lobulus simplex
Cerebellum; Trigeminal; Inferior olive; Climbing fiber response; Crura I and II (Akaike, T.) **482,** 402

Local administration
Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell; Somatomedin; Insulin-like growth factor; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Rat; Somatomedin; Growth factor; Insulin-like growth factor I; Nerve regeneration; Sciatic nerve; Nerve growth factor (Kanje, M.) **486,** 396

Local anesthetic
Carbamazepine; Epilepsy; Cocaine; Lidocaine (Weiss, S.R.B.) **497,** 72

Local application
Hippocampus; Dentate gyrus; Granule cell; Interneuron; Norepinephrine; Neuropharmacology (Rose, G.M.) **488,** 353

Local cerebral glucose
Deoxyglucose; Behavior (Crane, A.M.) **499,** 87

Local cerebral glucose utilization
2-Deoxyglucose; Brain metabolism; Kindling; Postictal phase; Epilepsy (Namba, H.) **486,** 221

Visual system; Enucleation; Plasticity; Rat (Zilles, K.) **488,** 14

Morphine; Basal ganglia; 2-Deoxyglucose (Beck, T.) **497,** 205

Local circuit neuron
Dorsal column nucleus; Glutamic acid decarboxylase; Intrinsic neuron; Reptile; Somatosensation (Pritz, M.B.) **503,** 175

Localization
L-Glutamate binding; Human cerebellum; Olivopontocerebellar atrophy; Development; Pharmacology (Tsiotos, P.) **481,** 87

Neuropeptide; Neuropeptide Y; Memory; Mouse; Recall; Retention; Forebrain (Flood, J.F.) **503,** 73

Neuroma; Substance P; Calcitonin gene-related peptide; Stimulated release; Basal release (White, D.M.) **503,** 198

Locomotion
Testosterone; Lateralization; Frontal cortex; Behavior (Starkstein, S.E.) **478,** 16

Corticotropin-releasing factor; Novelty; Ganglionic blocker; Chlorisondamine; Hexamethonium; Grooming (Britton, D.R.) **478,** 205

Lamprey; In vitro preparation; Swimming; Reticulospinal neuron; Spinal input; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Reticulospinal neuron; Phasic modulation; Brainstem; Spinal cord; Lamprey (Kasicki, S.) **484,** 203

Co-concentration; Exercise; Rat; Reciprocal inhibition; Step cycle (Hutton, R.S.) **492,** 230

Feeding; N-0437; Dopamine D_2 receptor; Satiety; Microstructural analysis; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

Ageing; Apomorphine; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

Sch-23390; Ventral tegmental area; Substantia nigra; Amphetamine (Stewart, J.) **495,** 401

N-Methyl-D-aspartate receptor; Calcium; Afterhyperpolarization; Spinal cord (Hill, R.H.) **499,** 388

Recruitment; Electromyography; Swimming; Motor control; Skeletal muscle (Hutchison, D.L.) **502,** 233

Freely moving cat; Posture; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Locomotor activity
Amygdala; Nucleus accumbens; Dopamine; Neuromodulation (Yim, C.Y.) **477,** 202

Morphine; Amygdala; Caudate nucleus; Hippocampus; Lesion; C57BL/6 mouse (Libri, V.) **479,** 1

Excitatory amino acid; Median raphe nucleus; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

CY208 243; Dopamine D_1 receptor; Dopamine D_2 receptor; Nucleus accumbens; Quinpirole; SKF38393 (Dreher, J.K.) **487,** 267

Cocaine; Opioid peptide, endogenous; Conditioned place preference; Reinforcement (Houdi, A.A.) **497,** 195

Behavioral sensitization; Amphetamine; Morphine; Dopamine receptor antagonist; D-1 and D-2; Ventral tegmental area (Vezina, P.) **499,** 108

Dynorphin A(1–13); Apomorphine; (–)-(1R,5R,9R)-5,9-diethyl-2-(3-furylmethyl)-2′-hydroxy-6,7-benzomorphan; Rearing; Mouse (Ukai, M.) **499,** 299

Carbachol; Djungarian hamster; Phase response curve; Circadian rhythm; Blind (Wee, B.E.F.) **505,** 209

Cysteamine; Morris water task; Passive avoidance; Somatostatin-like immunoreactivity; Rat (Fitzgerald, L.W.) **505,** 246

Locus ceruleus
Regional cerebral blood flow; Vasoconstriction; Low frequency (Goadsby, P.J.) **476,** 71

Cerebral blood flow; Catecholamine; Norepinephrine; 6-Hydroxydopamine; α-Methylparatyrosine (Onesti, S.T.) **477,** 378

Noradrenaline; Serotonin; Prazosin; Methysergide; Spinal Cord; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

Kindling; α_1-Adrenergic receptor; Epilepsy; Seizure (Jimenez-Rivera, C.A.) **485,** 363

Morphine; Opiate dependence; Naltrexone; Opiate antagonist; Opiate withdrawal (Valentino, R.J.) **488,** 126

Cerebral metabolism; 2-Deoxyglucose; Norepinephrine; Stress; Rat (Justice, A.) **490,** 73

Benzodiazepine; α-Adrenergic receptor; Anxiety (Simson, P.E.) **490,** 236

Pontine tegmentum; Kölliker-Fuse; Norepinephrine; Spinal cord; Horseradish peroxidase; Cat (Reddy, V.K.) **491,** 144

Cerebral cortex; Cerebellum; Noradrenaline; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Superior cervical ganglion (Levin, B.E.) **494,** 325

Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Noradrenaline; Hippocampus; Pyramidal neuron; Noradrenergic neurotransmission; Autoreceptor; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

Brain slice; Excitation; G-protein; Inward current; Vasoactive intestinal peptide; Voltage clamp (Wang, Y.-Y.) **500,** 107

α_2-Receptor; [^{3}H]Yohimbine binding; Narcolepsy; Dog; Noradrenaline; Autoinhibition (Fruhstorfer, B.) **500,** 209

Morphine; Excitatory amino acid; Opiate withdrawal; Nucleus paragigantocellularis (Rasmussen, K.) **505,** 346

Locust
Insect; Neurosecretion; Corpus cardiacum; Adipokinetic hormone; Octopamine; Calcium; Sodium (Pannabecker, T.) **477,** 38

Locust muscle
Outside-out patch; Glutamate receptor; Chloride channel; L-Glutamate; Ibotenate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

Long sleep mouse
γ-Aminobutyric acid; Seizure; Ethanol; Colliculus; Short sleep mouse; Receptor (Peris, J.) **503,** 288

Long-lasting change
Amygdaloid kindling; Behavior; Electrophysiology; IR-Met-enkephalin; IR-Leu-enkephalin; Amygdala; Hippocampus (Talavera, E.) **485,** 141

Long-term depression
Long-term potentiation; Behavioral state; Sleep; Dentate gyrus; Perforant path; Freely moving rat (Bramham, C.R.) **493,** 74

Long-term habituation
Auditory system; Acoustic startle response; Learning; 2-Deoxyglucose (Gonzalez-Lima, F.) **489,** 67

Long-term memory
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Long-term potentiation
Habituation; Paired-pulse depression; Field potential; Dentate gyrus (Krug, M.) **476,** 163

N-Methyl-D-aspartate; Glycine; Spermine; 2-Amino-5-phosphonovalerate (Thibault, O.) **476,** 170

Accommodation; Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Kindling; Noradrenaline; Plasticity (Stanton, P.K.) **476,** 367

Hippocampus; Dentate field potential; Paired-pulse depression; Antidromic depression; Recurrent inhibition (Maru, E.) **478,** 112

Glutamate receptor; Joro spider toxin; Hippocampus; Slice; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Rat; Visual cortex; Tetanus; Brain slice; Plasticity (Berry, R.L.) **481,** 221

Scopolamine; CA1 area; Hippocampal slice (Hirotsu, I.) **482,** 194

Norepinephrine-induced long-lasting potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

Hippocampus; Acetylcholine (ACh); Monoamine; Memory; Denervation (Buzsáki, G.) **484,** 94

Hippocampus; Dentate field potential; Commissural inhibition; Commissural facilitation; Paired-pulse depression; Diazepam (Kanda, M.) **484,** 325

Hippocampal slice; Epidermal growth factor; Neuromodulation (Terlau, H.) **484,** 352

θ Rhythm; Hippocampus (Pacelli, G.J.) **486,** 26

Theta rhythm; Hippocampus; CA1; Synaptic plasticity; *N*-Methyl-D-aspartate receptor (Larson, J.) **489,** 49

Kindling; Inositol 1-phosphate; Hippocampus; Rat (Stelzer, A.) **490,** 41

Hippocampus; Mossy fiber; Mouse; Genetic variation (Heimrich, B.) **490,** 404

Adenosine triphosphate; Hippocampal slice (Wieraszko, A.) **491,** 356

CA1; Neuronal plasticity; Adrenalectomy; Stress; Learning; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

Long-term depression; Behavioral state; Sleep; Dentate gyrus; Perforant path; Freely moving rat (Bramham, C.R.) **493,** 74

Associative long-term potentiation/depression; CA3; Hippocampus; Mossy fiber; *N*-Methyl-D-aspartate; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

Phorbol ester; Protein kinase C; Hippocampus (Colley, P.A.) **495,** 205

Protein phosphorylation; Protein kinase C; Calcium/calmodulin-dependent kinase; Vesicle-associated phosphoprotein; Presynaptic terminal (Nelson, R.B.) **497,** 30

Muscarinic agonist; Neurotransmitter release; Phospholipase C; Depolarization; Inositol phosphate (Schwartz, L.) **503,** 62

Hippocampal slice; Short-term potentiation; Excitatory postsynaptic potential; *N*-Methyl-D-aspartate (Anwyl, R.) **503,** 148

Vasopressin; Lateral septum; Brain slice; Brattleboro rat (Van den Hooff, P.) **505,** 181

Leupeptin; Calpain; Hippocampus (Oliver, M.W.) **505,** 233

cis-Fatty acid; F_1-phosphorylation; Spatial memory; Protein kinase C; GAP 43 (Wong, K.L.) **505,** 302

Long-term synaptic failure
Hippocampal slice; Epileptic depolarization; Persistent depolarization; *N*-Methyl-D-aspartate antagonist; Anoxic depolarization (Watson, G.B.) **498,** 81

Lordosis
Estrogen receptor; Progestin receptor; Puberty; Sex behavior (Olster, D.H.) **484,** 168

Estradiol; Paraventricular nucleus; Food intake; Body weight (Butera, P.C.) **491,** 266

Low calcium
Epilepsy; CA1; Dentate gyrus; Spatial buffering; Potassium (Albrecht, D.) **480,** 393

Low frequency
Locus ceruleus; Regional cerebral blood flow; Vasoconstriction (Goadsby, P.J.) **476,** 71

Low-frequency stimulation
Kindling; Hippocampus; Post-seizure excitation; Post-seizure inhibition (Minabe, Y.) **486,** 201

LS/SS mouse
Ethanol; Benzodiazepine receptor;

Flunitrazepam; γ-Aminobutyric acid-activated chloride channel; Genetics; HS mouse (Harris, R.A.) **490,** 26

Lucifer yellow
γ-Aminobutyric acid; Hippocampus; Perforant path; Entorhinal cortex; Intracellular injection; Immunocytochemistry (Germroth, P.) **494,** 187

Enteric glia; Dye coupling; Myenteric plexus; Guinea pig; Horseradish peroxidase; S-100 immunoreactivity (Hanini, M.) **497,** 245

Lumbar paravertebral ganglion
A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Lumbar spinal cord
Motoneuron; Perineal muscle; Sexually dimorphic; House mouse; Dendritic pattern (Wagner, C.K.) **499,** 93

Lumbar sympathetic chain
Neuromuscular spindle; Secondary spindle sensory ending; Group I and group II afferent fibre; Sympathetic nervous system; Antidromic collision (Petit, J.) **503,** 181

Lumbar sympathetic ganglion
Spinal cord; Superior cervical ganglion; Neurospecificity; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **485,** 115

Lung afferent
Pons; Respiratory neuron; Lung inflation; High-frequency oscillation (Shaw, C.-F.) **485,** 179

Lung afferent input
Medullary inspiratory neuron; Inspiratory nerve; Time course of rhythms; Spectral analysis (Christakos, C.N.) **482,** 376

Lung inflation
Pons; Respiratory neuron; Lung afferent; High-frequency oscillation (Shaw, C.-F.) **485,** 179

Luteinizing hormone
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Prolactin; Serotonin; Estradiol; Ovariectomy; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Phencyclidine; *N*-Methyl-D-aspartate; Excitatory amino acid; Glutamate; Homocysteic acid; DL-2-Amino-5-phosphonopentanoic acid (Boggan, W.O.) **478,** 382

Antiestrogen; CI-628; LY10074; Keoxifene; Norepinephrine turnover; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

Subfornical organ; Luteinizing hormone-releasing hormone (Donevan, S.D.) **488,** 398

Neurotoxin; *N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Sexual behavior; Aromatase; Noradrenergic; Norepinephrine (Balthazart, J.) **492,** 163

Opioid; Enkephalin precursor processing; Guanidinoethyl-mercaptosuccinic acid; Enkephalin convertase; Prolactin; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Luteinizing hormone-releasing hormone; Skin temperature; Morphine dependence; Animal model; Hot flush (Katovich, M.J.) **494,** 85

Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Photoperiod; Amygdala; Opiate; Naloxone; Hamster; Sexual behavior (Tubbiola, M.L.) **503,** 91

Luteinizing hormone-releasing hormone
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Antiestrogen; CI-628; LY10074; Keoxifene; Luteinizing hormone; Norepinephrine turnover (Petersen, S.L.) **484,** 279

Eicosanoid; Leukotriene; Median eminence; Norepinephrine; Dopamine (Saadi, M.) **488,** 97

Subfornical organ; Luteinizing hormone (Donevan, S.D.) **488,** 398

Opioid; Enkephalin precursor processing; Guanidinoethyl-mercaptosuccinic acid; Enkephalin convertase; Prolactin; Luteinizing hormone; Hypothalamus (Bommer, M.) **492,** 305

Skin temperature; Morphine dependence; Animal model; Hot flush; Luteinizing hormone (Katovich, M.J.) **494,** 85

LY 10074
Antiestrogen; CI-628; Keoxifene; Luteinizing hormone; Norepinephrine turnover; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

LY 171555
Neurotensin; Dopamine receptor, D_2; Neuroleptics; Sulpiride; Striatum; Nucleus accumbens (Merchant, K.M.) **500,** 21

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Lymnaea
Feeding response; Appetitive learning; Discriminative learning; Stimulus generalization; Generalization of extinction (Kemenes, G.) **489,** 163

Lymnaea stagnalis
Peptide release by exocytosis; Neurohemal and non-synaptic release; Quantitative immunoelectron microscopy; Tannic acid; Caudodorsal cell (Schmidt, E.D.) **489,** 325

Lymphoid tissue
Adrenal steroid receptors; Brain; Corticosterone; Pituitary; Rat; Adrenalectomy (Lowy, M.T.) **503,** 191

Lymphokine
Oligodendrocyte; Maturation; Mouse; Demyelination; Multiple sclerosis; Remyelination (Suzumura, A.) **480,** 51

Lymphoproliferation
Cerebral lateralization; Neocortical ablation; Neuroimmunology; Concanavalin A; Lipopolysaccharide; Prolactin; Female rat (LaHoste, G.J.) **483,** 123

Lymphotoxin
Tumour necrosis factor-α; Sympathetic efferent activity; Brown adipose tissue; Rat; Central nervous system (Holt, S.J.) **497,** 183

Lysergic acid diethylamide
Hallucinogen; Psychotomimetic; Quantitative autoradiography; Serotonin-2 receptor; Phenylisopropylamine (McKenna, D.J.) **476,** 45

Lysosomal enzyme
β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Pineal; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

M

M_1 and M_2 muscarinic receptor
AFDX-116; Blood pressure; *Cis*-Methyldioxolane; Heart rate; McN-A-343; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; McN-A343; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

M_1 muscarinic receptor
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

Alzheimer's disease; Parkinson's disease; Muscarinic receptor; M_2-receptor; Choline acetyltransferase; Dementia (Rinne, J.O.) **483,** 402

M_2 muscarinic receptor
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

AF-DX 116; Central nervous system; Regional distribution (Wang, J.-X.) **477,** 322

Alzheimer's disease; Parkinson's disease; Muscarinic receptor; M_1-receptor; Choline acetyltransferase; Dementia (Rinne, J.O.) **483,** 402

Macaca fascicularis
Accommodation; Central electrical stimulation; Ciliary muscle; Coincidence refractometry; Contrast ventriculoradiography; Edinger–Westphal nucleus (Crawford, K.) **503,** 265

Macaque monkey
Visual cortex; Superior temporal sulcus; Accessory optic system; Autoradiography (Maioli, M.G.) **498,** 389

Macronutrient
Serotonin; Hypothalamus; Feeding behavior; Carbohydrate; Protein; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

Magnesium
Spinal cord; Spinal root; 2-Amino-5-phosphonovalerate; *N*-Methyl-D-aspartic acid (Bagust, J.) **479,** 138

Central nervous system trauma; Rat; Brain injury; Treatment (McIntosh, T.K.) **482,** 252

Spinal cord injury; Magnetic resonance (Vink, R.) **490,** 144

Adenosine triphosphate; Chemoreceptor; Antagonism; Lobster; Nucleotide; Ectonucleotidase; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Excitatory amino acid; *N*-Methyl-D-aspartate receptor; Glutamate; Cerebellar granule cell (Cox, J.A.) **499,** 267

Magnesium ion
Cultured hippocampal neuron; Patch-clamp technique; Single-channel recording; Current–voltage relation; Quinolinic acid; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

Cytosolic free calcium; D,L-2-Amino-5-phosphonovaleric acid; Fluorometry; Indo-1; *N*-Methyl-D-aspartate (Uematsu, D.) **482,** 129

Magnesium perfusion technique
Catecholamine histofluorescence; Developing brain; Formaldehyde–glutaraldehyde perfusion technique; Polyethylene glycol (Woerly, S.) **495,** 377

Magnetic coil
Human motor cortex; Sensation of movement (Amassian, V.E.) **479,** 355

Magnetic field
Electroencephalogram; Nuclear magnetic resonance (Von Klitzing, L.) **483,** 201

Dopamine; Pigmentation; Retina; Rodent (Olcese, J.) **498,** 145

Magnetic resonance
Magnesium; Spinal cord injury (Vink, R.) **490,** 144

Magnetic resonance imaging
Rat brain; Kainic acid; Huntington's disease; Neural transplant; Striatum (Norman, A.B.) **483,** 188

Rat brain; Gadolinium diethylenetriamine pentaacetic acid; Blood–brain barrier; Neural transplant; Rat C6 glioma (Norman, A.B.) **503,** 156

Magnetic resonance spectroscopy
Phosphocreatine; Adenosine-triphosphate (ATP); *N*-Methyl-D-aspartate (NMDA); Excitatory transmission; Brain slice (Jacquin, T.) **497,** 296

Magnocellular neuron
γ_2-Melanocyte stimulating hormone; Vasopressin; Supraoptic nucleus (Mitchell, L.D.) **480,** 388

Maintained fusimotor stimulation
Cat muscle spindle; Primary afferent; Dynamic γ; Static γ; Re-afferent γ-effect; Interspike interval function (Awiszus, F.) **489,** 41

Maintenance of the neuron
Perikaryonal protein synthesis; Perikaryonal volume; Morphometry of axon; Sensory neuron (Von Bernhardi, R.) **478,** 301

Major dense line
Thiamine pyrophosphatase (TPPase); Myelin sheath; Oligodendrocyte; Schwann cell; Cytochemistry (Castellano, B.) **492,** 203

Major histocompatibility complex antigen
Nerve regeneration; Axonal transport; Skeletal muscle; Neuroimmunology (Maehlen, J.) **481,** 368

6-Hydroxydopamine; Substantia nigra; Reactive microglia (Akiyama, H.) **489,** 247

CD8; Interleukin-2-receptor; Growth regulation (Nennesmo, I.) **504,** 306

Male
Dopamine; Sexual behavior; Penile reflex; Seminal emission; Medial preoptic area; Paraventricular nucleus; Rat (Pehek, E.A.) **500,** 325

Male sexual behavior
Aromatase; Estrogen; Androgen; Enzyme induction; Preoptic area; Ring dove (Steimer, T.) **480,** 335

Malignant glioma
Potassium channel; Inward rectification; Glial cell; Potassium homeostasis; Human (Brismar, T.) **486,** 249

Calcium-activated potassium-channel; Big conductance channel; Sodium channel; Glial cell; Human (Brismar, T.) **480,** 259

Malondialdehyde
Nerve graft; Noradrenaline; Prostacyclin; Blood–nerve barrier; Electrophysiology (Shupeck, M.) **493,** 225

Mammal
Visual system; Retinal projection; Olfactory tubercle; Basal telencephalon; Anterograde tracing (Cooper, H.M.) **477,** 350

Mammalian astrocyte
Glial fibrillary acidic protein; Immunohistochemistry; Adult salamander; Radial glial cell; Vascular endfoot (Naujoks-Manteuffel, C.) **487,** 397

Mannitol
Intracerebroventricular infusion; Hyperosmotic solution; Hypo-osmotic solution; Saline; Sucrose; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Manometry
Gastric corpus; Thyrotropin-releasing hormone; L-Glutamic acid; Vagus; Microinjection; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Mapping
Somatosensory cortex; Progressive

change; Development; Cat (McKinley, P.A.) **484,** 378

Brainstem; Moveable electrode; Pons; Reward; Self-stimulation (Rompré, P.-P.) **496,** 295

Mapping transformation
Lateral geniculate nucleus; Geniculo-striate pathway; Functional architecture; Axon tracing (Bowling, D.B.) **502,** 180

Marker protein
Saccular macula; Hair cell; Electrophoresis (Drescher, D.G.) **485,** 225

Marmoset
Primary visual cortex; Ocular dominance column; Postnatal ontogenesis (Spatz, W.B.) **488,** 376

Vertical limb of the diagonal band of Broca; Acetylcholine; Learning (Ridley, R.M.) **502,** 306

Marsupial
Lateral geniculate nucleus; Acetylcholinesterase; Horseradish peroxidase; Cytoarchitecture; Retinal terminal (Wilson, P.M.) **486,** 236

Mass spectrometry
Adenosine; Hypoxia; Cerebral blood flow; Rabbit; Theophylline (Pinard, E.) **481,** 124

Mass spectroscopy
Quinolinic acid; L-Tryptophan; Striatum; Microdialysis; Neurotoxicity; Extracellular fluid (During, M.J.) **476,** 384

Masseter nerve
Horseradish peroxidase-transport; Trigeminal ganglion; Mesencephalic trigeminal nucleus; Central projection (Arvidsson, J.) **480,** 111

Mast cell
Neurogenic plasma extravasation; Dura; Trigeminal ganglion; Compound 48/80 (Markowitz, S.) **477,** 157

Mast cell degranulating peptide
Potassium channel; Dendrotoxin; Epilepsy; Histolocalization; Rat brain (Bidard, J.-N.) **495,** 45

Dendrotoxin; 4-Aminopyridine; Potassium channel blocker; Potassium channel opener; Seizure; Epilepsy (Gandolfo, G.) **495,** 189

Masticatory muscle
Jaw movement; Drinking; Angiotensin II; Electromyography; Guinea pig (Gerstner, G.E.) **478,** 233

Drinking; Jaw movement; Electromyography; Guinea pig; Apomorphine-induced rhythmic jaw movement (Gerstner, G.E.) **479,** 6

Maternal behavior
Naltrexone; Oxytocin; Phentolamine; Vaginocervical stimulation; Sheep (Kendrick, K.M.) **505,** 329

Mating behavior
Substance P; Dynorphin; Leumorphin; Colocalization; Hamster; Opiate (Neal, C.R.) **496,** 1

Matrigel
Peripheral nerve regeneration; Angiogenesis; Extracellular matrix; Schwann cell; Trophic factor (Humphrey, M.F.) **497,** 132

Maturation
Oligodendrocyte; Mouse; Lymphokine; Demyelination; Multiple sclerosis; Remyelination (Suzumura, A.) **480,** 51

Ponto-geniculo-occipital activity; Lateral geniculate nucleus; Kitten; Extraretinal factor (Davenne, D.) **485,** 267

Equilibrium; Cerebellum; Learning; Rat (Auvray, N.) **505,** 291

Maturation factor
Growth factor; Brain injury; Large neuron; Neurofilament; Neuronal regeneration (Lim, R.) **504,** 154

Mazindol
Nomifensine; Dopamine; Re-uptake; Striatum; Voltammetry (Glynn, G.E.) **481,** 235

[^{3}H]Mazindol
Catecholamine; Autoradiography; Desmethylimipramine (Donnan, G.A.) **504,** 64

[^{3}H]Mazindol binding
Paraventricular nucleus; Adrenoceptor; Insulin secretion; Glucose homeostasis (Angel, I.) **490,** 367

6-Hydroxydopamine; 5,7-Dihydroxytryptamine; Corpus striatum; Hypothalamus (Angel, I.) **503,** 339

McN-A343
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

AFDX-116; Blood pressure; *Cis*-Methyldioxolane; Heart rate; M_1 and M_2 muscarinic receptor; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; Nicotine; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Mean arterial pressure
Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Traumatic brain injury; Neurological outcome; Traumatic spinal cord injury (Faden, A.I.) **486,** 228

Mechanical hyperalgesia
Capsaicin; Pain; Dorsal horn neuron (Simone, D.A.) **486,** 185

Mechanism
Choline acetyltransferase; Regulation; Retinoic acid; Butyrate; Neuroblastoma (Casper, D.) **478,** 85

Mechanoreceptor
Muscle spindle; Calcium-activated potassium channel; Electrical tuning (Kruse, M.N.) **496,** 303

Sensory transduction; Rapid adaptation; Sensory encoding; Threshold; Sodium pump; Ouabain (French, A.S.) **504,** 112

Mechanosensitive
Chemosensitive; Epiglottis; Multimodal; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Medial basal hypothalamus
Tyrosine hydroxylase; Dopamine; Immunochemistry; Tissue culture (Bennett, B.A.) **491,** 109

Medial forebrain bundle
Brain stimulation reward; Anterior hypothalamic area; Stria medullaris (Blander, A.) **483,** 12

Neostriatum; Substantia nigra; Immunohistochemistry; Basal forebrain; Phosphoprotein (Gustafson, E.L.) **491,** 297

Microdialysis; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindole-acetic acid; Nucleus accumbens; Self-stimulation (Nakahara, D.) **495,** 178

Medial frontal cortex
Dopamine; Accumbens; Caudate; *cis*-Flupenthixol; Self-stimulation; Reward; Motor effect (Stellar, J.R.) **477,** 126

Medial hypothalamus
Flexor reflex; Rat; Stimulation produced analgesia; Medial thalamus (Duysens, J.) **499,** 131

Medial nucleus of the solitary tract
β-Adrenergic receptor; Membrane biogenesis; Synapse; Autonomic; Catecholamine; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Medial nucleus of the trapezoid body
Lateral superior olive; Medial superior olive; Periolivary nuclei; Immunocytochemistry (Helfert, R.H.) **501,** 269

Medial pontine reticular formation
Rapid eye movement sleep; Sensory stimulation; Kainate; Ponto-geniculo-occipital spike (Arankowsky-Sandoval, G.) **494,** 396

Medial prefrontal cortex
Brain stimulation; Pure reward; Reward-escape (Miserendino, M.J.D.)

483, 226

Nucleus reticularis gigantocellularis; Brain stimulation reward; Hedonic processes (Miserendino, M.J.D.) **483,** 233

Lateral hypothalamus; Ventral tegmental area; Stress; Learned helplessness; Self-stimulation; Dopamine (McGregor, I.S.) **490,** 397

Centralis lateralis nucleus; Dorsal raphe nucleus; Ascending pathway; Rat (Condés-Lara, M.) **499,** 141

Nociception; Centralis lateralis nucleus; Dorsal raphe nucleus; Ascending pain modulation pathway; Rat (Condés-Lara, M.) **499,** 145

Rotation; Conditioned circling; Striatum; Dopamine; Cerebral asymmetry (Glick, S.D.) **504,** 231

Prelimbic area; Hippocampus; Field CA1; Prosubiculum; Rat; Fluoro-gold (Jay, T.M.) **505,** 337

Medial preoptic area
α-Adrenergic receptor; γ-Aminobutyric acid; Hypothalamic slice; Noradrenaline; Estrogen; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Dopamine; Sexual behavior; Penile reflex; Seminal emission; Paraventricular nucleus; Male; Rat (Pehek, E.A.) **500,** 325

Medial preoptic nucleus
Luteinizing hormone; Prolactin; Serotonin; Estradiol; Ovariectomy; Median eminence; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Medial reticular formation
Abdominal muscle; Nucleus retroambiguus; Ventral respiratory group; Horseradish peroxidase retrograde transport (Miller, A.D.) **493,** 348

Medial septal lesion
Ganglioside; Recovery from brain damage; Body weight; Activity; Stereotypy (Poplawsky, A.) **495,** 396

Medial septum
Diagonal band; Septohippocampal; γ-Aminobutyric acid; Parvalbumin (Freund, T.F.) **478,** 375

Phosphoinositide; Hippocampus; Cholinergic; Noradrenergic (Connor, D.J.) **488,** 387

Rhythmic cell; Acetylcholine; γ-Aminobutyric acid (Stewart, M.) **500,** 55

Lidocaine; Hippocampus; Single unit activity (Mizumori, S.J.Y.) **500,** 99

Choline acetyltransferase; Cholinergic; Fimbria-fornix transection; Nerve growth factor; Neuronal death; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Medial superior olive
Lateral superior olive; Medial nucleus of the trapezoid body; Periolivary nuclei; Immunocytochemistry (Helfert, R.H.) **501,** 269

Medial thalamus
Flexor reflex; Medial hypothalamus; Rat; Stimulation produced analgesia (Duysens, J.) **499,** 131

Medial zona incerta
Ventromedial nucleus of hypothalamus; In vitro brain slice; Extracellular action potential; Autoregulation; Dopamine (Eaton, M.J.) **502,** 117

Medialis dorsalis
Thalamus; Ibotenic acid; Electroencephalographic spindle; Sleep; Spectral analysis (Marini, G.) **500,** 395

Median eminence
Luteinizing hormone; Prolactin; Serotonin; Estradiol; Ovariectomy; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Melatonin binding sites; Hamster; Photoperiodism; Anterior pituitary (Vaněček, J.) **477,** 387

Substance P; Immunohistochemistry; Arcuate nucleus; Hypothalamic lesion (Palkovits, M.) **486,** 364

Luteinizing hormone-releasing hormone; Eicosanoid; Leukotriene; Norepinephrine; Dopamine (Saadi, M.) **488,** 97

Gonadotropin-releasing hormone; Immunocytochemistry; Fluorogold; Transplant; Reproduction (Silverman, R.C.) **501,** 260

Diurnal rhythm; Monoamine; Pituitary gland (Koulu, M.) **503,** 246

Histamine; Posterior hypothalamus; Retrograde transport; Double labeling; Cat (Yoshimoto, Y.) **504,** 149

Median preoptic nucleus
Thirst; Blood pressure regulation; Cardiovascular reflex pathway (Gutman, M.B.) **488,** 49

Median raphe nucleus
Excitatory amino acid; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Hypothalamic nucleus; Dorsal raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Mediodorsal nucleus
Diagonal band; Laterodorsal tegmental nucleus; Olfactory bulb; Collateral axons (Cornwall, J.) **491,** 194

Mediodorsal nucleus of thalamus
Subpallidal area; Pedunculopontine nucleus; Spontaneous locomotor activity; Procaine (Mogenson, G.J.) **485,** 396

Mediodorsal thalamus
Amygdala; Anterograde transport of *Phaseolus*; Basolateral complex (Van Vulpen, E.H.S.) **500,** 389

Medulla
Periaqueductal gray; Glutamate; Opiate receptor; Analgesia (Jensen, T.S.) **476,** 1

Antidromic activation; Lateral reticular nucleus; Reticulospinal neuron (Liu, R.H.) **481,** 350

Brainstem; Electrolytic lesion; Phrenic nerve; Respiratory control (Speck, D.F.) **482,** 387

Dihydromorphine; Opiate binding; Periaqueductal gray; Analgesia (Ramberg, D.A.) **483,** 61

Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Degeneration; Spinal cord; Cerebellum; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Medulla oblongata
L-3,4-Dihydroxyphenylalanine; Dopamine; Immunocytochemistry; Dorsal vagal complex; A2/C2 cell group; Electron microscopy (Tison, F.) **497,** 260

Medulla oblongata slice
Development; Noradrenaline; Adrenoceptor, α_1- and α_2-; Dorsal motor nucleus of the vagus; Intracellular recording (Fukuda, A.) **493,** 357

Medullary dorsal horn
Serotonin; Enkephalin; Substance P; Trigemino-thalamic tract; Thalamus; Immunocytochemistry (Tashiro, T.) **491,** 360

Morphine; Dorsal raphe nucleus; Nucleus raphe magnus; Spinal cord; Serotonin; Voltammetry (Rivot, J.P.) **495,** 140

Medullary inspiratory neuron
Inspiratory nerve; Time course of rhythms; Spectral analysis; Lung afferent input (Christakos, C.N.) **482,** 376

Medullary serotonin neuron
Blood pressure; Sympathetic activity; 8-Hydroxy-dipropylamino-tetralin; Electrophysiology (McCall, R.B.) **477,** 172

Medulloblastoma
N-ras oncogene; Differentiation; Polymerase chain reaction;

Cerebellum; Neuroectodermal tumor (Fults, D.) **503,** 281

Melanocyte-stimulating hormone
Org 2766; Binding; Spinal cord; Sciatic nerve crush; Adrenocorticotropic hormone (Dekker, A.J.A.M.) **477,** 327

γ-Aminobutyric acid; Proopiomelanocortin; Hypothalamus; Perifusion (Delbende, C.) **497,** 86

α-Melanocyte-stimulating hormone
Rat; Serotonin; Dopamine; Hypothalamus; Superfusion (Tiligada, E.) **503,** 225

γ_2-Melanocyte-stimulating hormone
Vasopressin; Magnocellular neuron; Supraoptic nucleus (Mitchell, L.D.) **480,** 388

Melanoma
Tumor cell; Catecholamine; Tyrosinase; Tyrosine hydroxylase; Transplantation; Brain graft; Immunology (Freed, W.J.) **485,** 349

Melanotroph
γ-Aminobutyric acid; Pituitary; In vitro; Receptor (Williams, P.J.) **483,** 130

BAY K 8644; Nimodipine; Tetrodotoxin; Calcium current; Calcium action potential; Electrical activity; Mouse (Taraskevich, P.S.) **491,** 102

Melatonin
Pinealectomy; Glucose utilization; Choroid plexus; Hypothalamus; Nucleus tractus solitarii (Vitte, P.-A.) **489,** 273

Photoperiod; Hypothalamus; Mongolian gerbil; *Meriones unguiculatus*; Gonadal regression (Devries, M.J.) **494,** 241

Pineal gland; Melatonin metabolite; Circadian rhythm; Light–dark cycle (Kennaway, D.J.) **495,** 349

Circadian rhythm; Entrainment (Zatz, M.) **501,** 37

Anterior pituitary; Pars tuberalis; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Vaněček, J.) **505,** 157

Melatonin binding sites
Hamster; Photoperiodism; Median eminence; Anterior pituitary (Vaněček, J.) **477,** 387

Melatonin metabolite
Melatonin; Pineal gland; Circadian rhythm; Light–dark cycle (Kennaway, D.J.) **495,** 349

Membrane biogenesis
β-Adrenergic receptor; Medial nucleus of the solitary tract; Synapse; Autonomic; Catecholamine; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Membrane Ca^{2+} conductance
Excitatory opioid receptor; Dorsal root ganglion neuron; Action potential duration; Cyclic AMP; *Pertussis* toxin-sensitive G protein; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

Membrane glycoprotein
Axonal transport; Lectin tracing; *Lens culinaris* agglutinin; Leucoagglutinin; *Phaseolus vulgaris* agglutinin; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Membrane K^+ conductance
Excitatory opioid receptor; Dorsal root ganglion neuron; Action potential duration; Cyclic AMP; *Pertussis* toxin-sensitive G protein; Membrane Ca^{2+} conductance (Shen, K.-F.) **491,** 227

Membrane potential
Thallium-201; Astrocyte; Glioma; Scintigraphy; Human (Brismar, T.) **500,** 30

Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Phenylephrine; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

Astrocyte; Cell culture; Ischemia; Lactacidosis; Proton (Walz, W.) **504,** 82

Membrane sac
Striatum; Synaptoneurosome; Synaptosome; Glutamate; Kainate; Aspartate (Heinonen, E.) **496,** 187

Memory
Amygdala; Naloxone; Propranolol; Inhibitory avoidance; Discrimination learning; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Somatostatin; Cysteamine; Behavior; Learning; Alzheimer's disease (DeNoble, V.J.) **482,** 42

Long-term potentiation; Hippocampus; Acetylcholine (ACh); Monoamine; Denervation (Buzsáki, G.) **484,** 94

Amygdala; Bicuculline-methiodide; Caudate-putamen; γ-Aminobutyric acid; Inhibitory avoidance; Muscimol (Brioni, J.D.) **487,** 105

Hippocampus; Perforant pathway stimulation; Glutamate; Learning; Pyramidal cell (Rogers, B.C.) **493,** 41

Nucleus accumbens; Hippocampus; Kynurenic acid; Glutamate; Radial-arm maze; Movement initiation (Schacter, G.B.) **494,** 339

Somatostatin; Cysteamine; Acetylcholine; Physostigmine; Nucleus basalis of Meynert (Haroutunian, V.) **496,** 98

P3; Orientation; Attention; Temporal–parietal; Area Tpt; Area cSTP (Knight, R.T.) **502,** 109

Neuropeptide; Neuropeptide Y; Mouse; Recall; Retention; Localization; Forebrain (Flood, J.F.) **503,** 73

Cholinergic neurotoxin; Ethylcholine aziridinium (AF64A); Hemicholinium; High affinity choline transport; Hippocampus; Working memory (Chrobak, J.J.) **504,** 269

Memory consolidation
Ependymin; Classical conditioning; Goldfish training; Shock avoidance; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Memory deficit
Animal model; Learning deficit; Sidman active avoidance; Senescence accelerated mouse (Ohta, A.) **498,** 195

Meperidine
Shock titration; Pain; Analgesia; Rhesus monkey; Morphine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

Meriones unguiculatus
Photoperiod; Melatonin; Hypothalamus; Mongolian gerbil; Gonadal regression (Devries, M.J.) **494,** 241

Merkel cell
Skin; Calcitonin gene-related peptide; Immunoelectron microscopy; Primary afferent fiber; Immunohistochemistry; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Mesencephalic cat
Dorsal tegmental field; Diaphragm; Hypoglossal nerve (Kawahara, K.) **479,** 185

Mesencephalic locomotor region
Freely moving cat; Locomotion; Posture; Microstimulation; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Mesencephalic trigeminal nucleus
Horseradish peroxidase-transport; Masseter nerve; Trigeminal ganglion; Central projection (Arvidsson, J.) **480,** 111

Trigeminal nerve; Enkephalin; Substance P; Serotonin; Immunocytochemistry; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

Tooth pulp; Primary afferent neuron; Trigeminal ganglion; Retrograde transport; Horseradish peroxidase; Cell body size; Cat (Yoshino, K.) **503,** 152

Mesencephalon
Dopamine; Diencephalon; Dissociation culture; Development; Rat (Engele, J.)

483, 98

Dopamine; μ-Opioid; Neurotensin; Receptor; Nucleus accumbens (Dilts, R.P.) **488,** 311

Mesenteric nerve
Calcitonin gene-related peptide; Intestine; Non-cholinergic non-adrenergic relaxation (Takaki, M.) **478,** 199

Mesocortical dopamine system
Dopamine; Mesolimbic dopamine system; Ventral tegmental area; Substance P; Neurotensin; Enkephalin (Cador, M.) **486,** 357

Mesolimbic dopamine
Opioid receptor; Nucleus accumbens; Lesion; Cellular localization; Receptor autoradiography (Unterwald, E.M.) **505,** 111

Mesolimbic dopamine system
Dopamine; Mesocortical dopamine system; Ventral tegmental area; Substance P; Neurotensin; Enkephalin (Cador, M.) **486,** 357

Sexual arousal; Sexual behavior; Castration; Nucleus accumbens (Mitchell, J.B.) **491,** 116

Mesopontine tegmentum
Basal forebrain; Reticular thalamic nucleus; Cerebral cortex; Axonal collateralization; Cholinergic neuron; Parvalbumin (Jourdain, A.) **505,** 55

Messenger ribonucleic acid
β-Amyloid precursor protein; Alzheimer's disease; Cell-free translation; Polysome runoff; Immunoblot; Processing (Anderson, J.) **478,** 391

Dynorphin; Hippocampus; Kindling (Xie, C.-W.) **495,** 156

Messenger RNA
Rat; Mouse; Striatum; γ-Aminobutyric acid; In situ hybridization; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Corticotropin releasing factor; Electroconvulsive shock; Hypothalamo-pituitary-adrenocortical axis; Hypothalamo-neurohypophysial system; In situ hybridization; Vasopressin (Herman, J.P.) **501,** 235

Vasoactive intestinal peptide; Hypertensive rat; In situ hybridization (Avidor, R.) **503,** 304

Met-enkephalin
Substance P; Serotonin; Spinal cord; Periaqueductal gray matter; Pain; Blood pressure (De Felipe, M.C.) **485,** 301

Corticotropin-releasing factor; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

Met-enkephalin release
Delta-sleep-inducing peptide; Opioid receptor (Nakamura, A.) **481,** 165

Pain; Spinal cord (Cesselin, F.) **484,** 71

IR-Met-enkephalin
Amygdaloid kindling; Behavior; Electrophysiology; IR-Leu-enkephalin; Long-lasting change; Amygdala; Hippocampus (Talavera, E.) **485,** 141

Met^5-enkephalin
Dopamine deficiency; 6-Hydroxydopamine; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Met^5-Enkephalin-Arg-Gly-Leu
Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Met^5-Enkephalin-Arg^6-Gly^7-Leu^8
Indirect immunofluorescence; Immunoelectron microscopy; Small intensely fluorescent cell; Superior cervical ganglion; Rat (Kanagawa-Terayama, Y.) **494,** 75

Metabolic activity
Ventrobasal complex; Homotypic grafting; Fetal neuron; Cytochrome oxidase; Acetylcholinesterase; 2-Deoxyglucose (Juliano, S.L.) **478,** 356

Spontaneous hypertension; Development; Hexokinase; Arterial pressure; Histochemistry (Krukoff, T.L.) **499,** 1

Metabolic hypothesis
Carotid body; Chemoreceptor; Cyanide; Uncoupler; Dopamine release (Obeso, A.) **481,** 250

Metabolic fuel
Metabolism; Brain; Chromogranin A; Pituitary; Adrenocorticotropic hormone; Autonomic nervous system (Gunion, M.W.) **485,** 251

Metabolism
Dopamine; Serotonin; Noradrenaline (Kalsbeek, A.) **479,** 339

Brain; Chromogranin A; Metabolic fuel; Pituitary; Adrenocorticotropic hormone; Autonomic nervous system (Gunion, M.W.) **485,** 251

Noradrenaline; Hypothalamus; Paraventricular nucleus of hypothalamus; Energy expenditure; Clonidine; Phenylephrine (Siviy, S.M.) **487,** 79

Metal ion
N-Methyl-D-aspartate receptor; MK-801 (Hubbard, C.M.) **486,** 170

Methamphetamine
Serotonin; Rat forebrain; Immunocytochemistry; Quantitative morphometry (Fukui, K.) **482,** 198

Neurotoxicity; Dopamine; Serotonin; Rhesus monkey; Brain (Woolverton, W.L.) **486,** 73

Neurotoxicity; Dopamine; Serotonin; Drug abuse (Ricaurte, G.A.) **490,** 301

Serotonin uptake site; Neurotoxicity; Autoradiography, quantitative (Kovachich, G.B.) **505,** 123

3-Methoxytyramine
Cholecystokinin; Intracerebroventricular; Caudate-putamen; D-Amphetamine; Dopamine release (Altar, C.A.) **483,** 321

In vivo voltammetry; Mouse; Dopamine (Crespi, F.) **500,** 241

3-Methoxytyrosine
L-Dihydroxyphenylalanine; Dopamine; In vivo voltammetry; Behavior; Dihydroxyphenylalanine-induced dyskinesia; Rat (Nakazato, T.) **490,** 332

5-Methoxy-*N*,*N*-dimethyltryptamine
Hippocampus; Ventrobasal complex; Single unit activity; Serotonin; *p*-Chlorophenylalanine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

5-Methoxyindole-3-acetic acid
Estrous cycle; Pineal indole; Female Wistar albino rats (Öcal-İrez, T.) **493,** 1

L-β-Methylaminoalanine
L-Glutamate receptor; *N*-Methyl-D-aspartate receptor; Synaptic junction (Richter, K.E.) **492,** 385

Methylspiperone
D_1 receptor; D_2 receptor; Neuroblastoma; Retinoblastoma; Clonal cell line; SCH 23390 (Monsma, F.J.) **492,** 314

1-Methyl-4-phenyl-2,3-dihydropyridine
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridine; Brain endothelium; Blood–brain barrier; Monoamine oxidase (Scriba, G.K.E.) **501,** 175

1-Methyl-4-phenylpyridine
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenyl-2,3-dihydropyridine; Brain endothelium; Blood–brain barrier; Monoamine oxidase (Scriba, G.K.E.) **501,** 175

1-Methyl-4-phenylpyridinium ion
Dopaminergic neuron; Striatum; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Ethanol; Acetaldehyde (Zuddas, A.) **501,** 11

Autoradiography; μ-Opiate receptor; Neostriatum; Nigrostriatal dopamine pathway; Neural transplantation; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

1-Methyl-1,4-phenylpyridinium ion
Dopamine release; Microdialysis; Adenosine; Puridine; Striatum (Ballarin, M.) **483,** 184

1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine
Midbrain dopaminergic neuron; Nucleus accumbens; Striatum; Tyrosine hydroxylase; Mouse (Manaye, K.F.) **491,** 307

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
Dopamine; Striatum; Substantia nigra; Tyrosine hydroxylase immunoreactivity; GM_1 ganglioside (Hadjiconstantinou, M.) **484,** 297

Tyrosine hydroxylase activity; Neurotoxicity; Striatum; Total biopterin; Mouse (Nishi, K.) **489,** 157

Diethyldithiocarbamate; Dopamine; Substantia nigra; Striatum; Parkinson's disease; Behavior; Mouse (Yurek, D.M.) **497,** 250

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Caudate nucleus; Synaptic degeneration; Gliosis; Monoamine oxidase inhibition (Hess, A.) **499,** 393

Ethanol; Acetaldehyde; Neurotoxicity; Dopamine; Substantia nigra (Zuddas, A.) **501,** 1

Dopaminergic neuron; Striatum; Cell culture; 1-Methyl-4-phenylpyridinium ion; Ethanol; Acetaldehyde (Zuddas, A.) **501,** 11

1-Methyl-4-phenyl-2,3-dihydropyridine; 1-Methyl-4-phenylpyridine; Brain endothelium; Blood–brain barrier; Monoamine oxidase (Scriba, G.K.E.) **501,** 175

1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine
Epilepsy; Seizure; Substantia nigra; Mongolian gerbil; Mouse (Van Ness, P.C.) **504,** 289

3,4-Methylenedioxymethamphetamine
Serotonin; Neurotoxicity; Primate (Kleven, M.S.) **488,** 121

(+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine maleate, [^{3}H]-
Triton X-100; *N*-Methyl-D-aspartate receptor; L-Glutamic acid; Glycine; Cation channel (Yoneda, Y.) **499,** 305

***bis* 4-Methylpiperidine**
Cholinergic neurotoxin; Ethylcholine aziridinium; Hemicholinium; High affinity choline transport; Serotonin; Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

***cis*-Methyldioxolane**
AFDX-116; Blood pressure; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

***Cis*-Methyldioxolane**
AFDX-116; Blood pressure; Heart rate; M_1 and M_2 muscarinic receptor; McN-A-343; Pirenzepine; Wistar rat (Murugaian, J.) **501,** 355

***N*-Methyl-D-aspartate**
Glycine; Spermine; 2-Amino-5-phosphonovalerate; Long-term potentiation (Thibault, O.) **476,** 170

Hippocampus; Synaptic plasticity (Muller, D.) **477,** 396

Adenosine; Glutamate; Cortex; Purine; Excitatory amino acid (Hoehn, K.) **478,** 149

Luteinizing hormone; Phencyclidine; Excitatory amino acid; Glutamate; Homocysteic acid; DL-2-Amino-5-phosphonopentanoic acid (Boggan, W.O.) **478,** 382

Excitatory amino acid receptor; Glycine; Cyclic guanosine monophosphate; Phencyclidine; Cerebellum (Danysz, W.) **479,** 270

Flexion reflex; Scratch reflex; Amino acid antagonist D(−)-2-Amino-5-phosphonovalerate (Stein, P.S.G.) **479,** 379

Glutamate; L-α-(carboxycyclopropyl)glycine; Excitatory amino acid; Rat spinal cord; Conformational variation; Electrophysiology (Shinozaki, H.) **480,** 355

Glutamate receptor; Joro spider toxin; Hippocampus; Slice; Long-term potentiation; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Cytosolic free calcium; D,L-2-Amino-5-phosphonovaleric acid; Fluorometry; Indo-1; Magnesium ion (Uematsu, D.) **482,** 129

Norepinephrine-induced long-lasting potentiation; Long-term potentiation; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

Neurotrophic action of excitatory amino acids; Cerebellar granule cell; Astrocyte; 2-Amino-5-phosphonovaleric acid; Transmembrane Ca^{2+} entry; Cerebellar development (Moran, J.) **486,** 15

Glutamate; Kainate; Cochlear nucleus; Kynurenic acid; DL-2-Amino-5-phosphonovalerate; Brain slice (Wickesberg, R.E.) **486,** 39

Inferior colliculus; Brain slice; Epilepsy; Audiogenic seizure; Rat (Pierson, M.G.) **486,** 381

Human brain; Excitatory amino acid; MK-801; Regional distribution; Receptor (Kornhuber, J.) **489,** 397

Neurotoxicity; Perinatal; MK-801; Hypoxia-ischemia; Neuroprotection (McDonald, J.W.) **490,** 33

Frog spinal cord; Ventral root potential; Excitatory amino acid antagonist (Zhang, D.X.) **493,** 129

Epilepsy; Kindling; γ-Aminobutyric acid; Amygdala (Gean, P.-W.) **494,** 177

Ibotenate; Muscimol; Chloride current; Voltage clamp (Zorumski, C.F.) **494,** 193

Seizure; γ-Aminobutyric acid; Divalent cation (Czéh, G.) **495,** 89

Associative long-term potentiation/depression; CA3; Hippocampus; Long-term potentiation; Mossy fiber; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

Kindling; Phosphoinositide hydrolysis; Hippocampus; Excitatory amino acid; Kainic acid; Phorbol ester (Morrisett, R.A.) **496,** 25

Glycine; Kynurenic acid; Excitatory amino acid; Schild plot (Pullan, L.M.) **497,** 59

Cerebral ischemia; Cerebrovascular disease; Dextrorphan; Excitatory amino acid; Glutamate (Steinberg, G.K.) **497,** 382

Phosphocreatine; Adenosine-triphosphate (ATP); Excitatory transmission; Magnetic resonance spectroscopy; Brain slice (Jacquin, T.) **497,** 296

Glutamate; Synchronization; Hippocampus; Epilepsy (Dalkara, T.) **498,** 123

Intracellular calcium; Fura-2; Dissociated brain cell; Ethanol (Dildy, J.E.) **499,** 383

Lateral superior olivary; Neurotransmitter; Excitant amino acid; Quisqualate; D,L-2-Amino-5-phosphonovaleric acid; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

Hippocampal slice; Short-term potentiation; Long-term potentiation; Excitatory postsynaptic potential (Anwyl, R.) **503,** 148

c-Fos; Proto-oncogene; Cerebral

ischemia; Brain damage; Spreading depression (Herrera, D.G.) **503,** 205

Quisqualate; Glutamate; Blood pressure; Nucleus tractus solitarii (Le Galloudec, E.) **503,** 322

17β-Estradiol; Quisqualate; Potentiation; Purkinje cell response (Smith, S.S.) **503,** 354

N-Methyl-D-aspartate antagonist
Excitatory amino acid (EAA) antagonist; Glutamate antagonist; Complete global cerebral ischemia; Canine cerebral ischemia model; Dizocilipine maleate (MK-801) (Michenfelder, J.D.) **481,** 228

Cerebral blood flow; Cerebral metabolism; Cerebral ischemia (Perkins, W.J.) **498,** 34

Hippocampal slice; Epileptic depolarization; Long-term synaptic failure; Persistent depolarization; Anoxic depolarization (Watson, G.B.) **498,** 81

N-Methyl-D-aspartate receptor; Excitatory amino acid; Respiration; Vagus nerve; Apneusis; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

N-Methyl-D-aspartate receptor
Cultured hippocampal neuron; Patch-clamp technique; Single-channel recording; Current–voltage relation; Quinolinic acid; Magnesium ion (Tsuzuki, K.) **481,** 258

Kindling; Receptor autoradiography; Hippocampus; Epilepsy (Okazaki, M.M.) **482,** 159

Autoradiography; Glycine; Hippocampus; Phencyclidine receptor (Jansen, K.L.R.) **482,** 174

Aspartate; Glutamate; Neurotoxicity; Excitatory amino acid; Cortex; Cell culture (Monyer, H.) **483,** 347

MK-801; Metal ion (Hubbard, C.M.) **486,** 170

Ketamine; Glutamate; Astrocyte; Glial swelling (Chan, P.H.) **487,** 380

Long-term potentiation; Theta rhythm; Hippocampus; CA1; Synaptic plasticity (Larson, J.) **489,** 49

6-Cyano-7-nitroquinoxaline-2,3-dione; 7-Chlorokynurenate; Kainate receptor; γ-Aminobutyric acid release; Cortex (Harris, K.M.) **489,** 185

Glycine binding; Antagonist; *N*-(1-(2-Thienyl)cyclohexyl)piperidine binding; 6-Cyano-7-nitroquinoxaline-2,3-dione; 6,7-Dinitroquinoxaline-2,3-dione; Quinoxaline derivative (Kessler, M.) **489,** 377

L-Glutamate receptor; L-β-Methylaminoalanine; Synaptic junction (Richter, K.E.) **492,** 385

MK-801; 3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid; Autoradiography; Deoxy sugar; Cerebral glucose utilisation (Kurumaji, A.) **496,** 268

Excitatory amino acid; Cardiovascular control; Blood pressure; Autoradiography (Somogyi, P.) **496,** 401

Glutamate; Amyotrophic lateral sclerosis; Alzheimer's disease; Parkinson's disease; Dementia; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Human hippocampus; MK801 binding (Johnson, M.) **499,** 184

Excitatory amino acid; Glutamate; Neuron; Cerebellar granule cell; Neuronal energy (Lysko, P.G.) **499,** 258

Excitatory amino acid; Magnesium; Glutamate; Cerebellar granule cell (Cox, J.A.) **499,** 267

Triton X-100; (+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine maleate, [^{3}H]-; L-Glutamic acid; Glycine; Cation channel (Yoneda, Y.) **499,** 305

Calcium; Afterhyperpolarization; Locomotion; Spinal cord (Hill, R.H.) **499,** 388

N-Methyl-D-aspartate antagonist; Excitatory amino acid; Respiration; Vagus nerve; Apneusis; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

Zinc; Glycine; Alzheimer's disease (Steele, J.E.) **500,** 369

2-Amino-7-phosphonoheptanoic acid; 3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate; MK-801; Phencyclidine; Anticonvulsant (Nevins, M.E.) **503,** 1

Phencyclidine receptor; Glycine receptor antagonist; 7-Chlorokynurenic acid; [^{3}H]MK-801 (Sircar, R.) **504,** 325

N-Methyl-D-aspartate receptor antagonist
Amygdala; Kindling; Substantia innominata; 2-Amino-7-phosphono-heptanoic acid; Seizure suppression; Elevation of seizure threshold (Mori, N.) **486,** 141

N-Methyl-D-aspartic acid
Spinal cord; Spinal root; Magnesium; 2-Amino-5-phosphonovalerate (Bagust, J.) **479,** 138

Excitatory amino acid; Glycine; Serine; Thalamus; Somatosensory system (Salt, T.E.) **481,** 403

Excitatory amino acid; Quisqualate; Phencyclidine; Autoradiography; Visual plasticity; Frog; Tectum (McDonald, J.W.) **482,** 155

Dentate gyrus; Excitatory amino acid; Glutamate; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; Pyramidal neuron (Mattson, M.P.) **490,** 110

α-Methyl-*p*-tyrosine
Dopamine; Compartment; Caudate nucleus; Release; Reserpine (Leviel, V.) **499,** 205

α-Methyldopa
Rabbit; Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Baroreflex; Nasopharyngeal reflex; Clonidine (Elghozi, J.-L.) **499,** 39

α-Methyldopa-induced hypotension
Nucleus tractus solitarii; Opiate receptor; Naltrexone; Antisera against opioid peptide; Conscious normotensive rat (Van Giersbergen, P.L.M.) **498,** 154

α-Methylparatyrosine
Cerebral blood flow; Catecholamine; Norepinephrine; Locus coeruleus; 6-Hydroxydopamine (Onesti, S.T.) **477,** 378

Methysergide
Morphine; Atropine; Phentolamine; Analgesia; Tail-flick; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

Locus ceruleus; Noradrenaline; Serotonin; Prazosin; Spinal Cord; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

Stress-induced analgesia; Receptor, 5-HT_2; Pirenpirone; Ketanserin (Kiefel, J.M.) **500,** 231

Metoclopramide
Dopamine receptor; Receptor proliferation; Denervation; Autoradiography; Spiroperidol, [^{3}H]-; Chronic neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Ca^{2+}-Mg^{2+} ATPase
Choroid plexus; Calcium-transport; Cerebrospinal fluid; Calcium-pump; Immunohistochemistry (Borke, J.L.) **489,** 355

Mianserin
Protryptiline; Adrenoceptor, α_1; Prazosin binding; Phosphoinositide hydrolysis; Cerebral cortex (Sallés, J.) **498,** 366

Mice
Adenosine receptor; Caffeine; 5′-*N*-Ethylcarboxamide adenosine; C-fos (Nakajima, T.) **501,** 307

Microcapsule
Monosialoganglioside (GM1); Choline acetyltransferase (ChAT); Cortical lesion; Cholinergic neuron (Maysinger, D.) **496,** 165

Microcarrier
Nuclear magnetic resonance

spectroscopy, ^{31}P-; Glioma cell line; Phosphorylated compound; Cell culture (Vion-Dury, J.) **493,** 175

Microdialysis
Quinolinic acid; L-Tryptophan; Striatum; Neurotoxicity; Extracellular fluid; Mass spectroscopy (During, M.J.) **476,** 384

Nicotine; Dopamine; Nucleus accumbens; Addiction (Mifsud, J.-C.) **478,** 365

Feeding; Serotonin; 5-Hydroxyindoleacetic acid; Lateral hypothalamus (Schwartz, D.H.) **479,** 349

D-Fenfluramine; Serotonin; Perifornical lateral hypothalamus (Schwartz, D.) **482,** 261

Dopamine release; 1-Methyl-1,4-phenylpyridinium ion; Adenosine; Puridine; Striatum (Ballarin, M.) **483,** 184

Haloperidol; Dopamine release; Striatum (Zhang, W.) **484,** 389

Kindling; Epilepsy; Noradrenaline; 6-Hydroxydopamine; Idazoxan; Propranolol (Kokaia, M.) **491,** 398

Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Nucleus accumbens; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

Cocaine self-administration; Dopamine release; Dopamine uptake; Addiction (Hurd, Y.L.) **498,** 199

Neurotensin; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Apomorphine; Striatum; Rat (Tanganelli, S.) **502,** 319

Microdialysis
Serotonin; Habenula; Dorsal raphe nucleus; Striatum; Release (Kalén, P.) **492,** 187

Microelectrophoresis
Monkey; Amygdala; Feeding behavior; Unit activity; Acetylcholine; Atropine (Lénárd, L.) **500,** 359

Microglia
Astrocyte; Tumor necrosis factor-alpha; Cytokine; Glia; Brain culture (Sawada, M.) **491,** 394

Microinfusion
Antihistamine, H_1; Histamine H_1-receptor; Feeding; Ventromedial nucleus; Paraventricular nucleus; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

Microinjection
Waking center; Posterior hypothalamus; Cat; Muscimol (Lin, J.-S.) **479,** 225

Periaqueductal gray; γ-Aminobutyric acid; Semicarbazide; Muscimol; Aversion; Conditioned place preference (Di Scala, G.) **483,** 91

Gastric corpus; Manometry; Thyrotropin-releasing hormone; L-Glutamic acid; Vagus; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Horseradish peroxidase; Fibrous astrocyte; Protoplasmic astrocyte; Endfoot; Reconstruction (Sasaki, H.) **501,** 339

Microiontophoresis
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Globus pallidus; Chronic haloperidol; Supersensitivity; Glycine (Frey, J.M.) **491,** 57

Dorsal lateral geniculate nucleus; Acetylcholine; Sleep–wake cycle; State dependency; Rat (Marks, G.A.) **494,** 294

Microneurography
Peripheral nerve lesion; Regeneration; Microstimulation; Clinical evaluation (Ochs, G.) **496,** 228

Muscle spindle; Stretch reflex; Load compensation; Cross-bridge (Jahnke, M.T.) **501,** 324

Microsphere
5-Hydroxytryptamine; Cynomolgus monkey; Cerebral circulation; Adenosine; Dog (Faraci, F.M.) **478,** 121

Microstimulation
Peripheral nerve lesion; Regeneration; Microneurography; Clinical evaluation (Ochs, G.) **496,** 228

Freely moving cat; Locomotion; Posture; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Microstructural analysis
Feeding; N-0437; Dopamine D_2 receptor; Satiety; Locomotion; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

Microtubule
Neurofilament; Cytoskeletal protein; Acrylamide; Neurotoxicity (Lapadula, D.M.) **481,** 157

Neurofibrillary tangle; Immunocytochemistry; Cytoskeleton; Antibody; Neurodegenerative disease (Mulvihill, P.) **484,** 150

Dentate gyrus; Neurotoxicity; Colchicine; Cytoskeleton (Goldschmidt, R.B.) **486,** 133

Microtubule-associated protein
205 kDa Microtubule-associated protein; Neural tissue; Neural development; Monoclonal antibody; Immunocytochemistry (Shiomura, Y.) **502,** 356

Microtubule-associated proteins (1A and 2)
Retina; Immunohistochemistry; Neuron (Okabe, S.) **483,** 335

205 kDa Microtubule-associated protein
Microtubule-associated protein; Neural tissue; Neural development; Monoclonal antibody; Immunocytochemistry (Shiomura, Y.) **502,** 356

Microvessel
Cerebral vasospasm; Arg-vasopressin; Rat hippocampal slice (Cach, R.) **483,** 221

Microvillar cell
Brush cell; Horseradish peroxidase; Neuron; Olfaction; Olfactory epithelium; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Midazolam
Benzodiazepines; Substantia nigra pars reticulata; Seizure; γ-Aminobutyric acid (GABA); Muscimol; Flurazepam; Pentylenetetrazol (Zhang, H.) **488,** 73

Midbrain
Reward; Brainstem; Dopamine; Pimozide; Morphine (Rompré, P.-P.) **477,** 144

Rat; Tail-flick reflex; Antinociception; Pain; Stimulation-produced analgesia; Naloxone (Guinan, M.J.) **485,** 333

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Midbrain dopaminergic neuron
1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine; Nucleus accumbens; Striatum; Tyrosine hydroxylase; Mouse (Manaye, K.F.) **491,** 307

Midbrain periaqueductal gray
Defense reaction; Arterial pressure; Skeletal muscle vasodilation; Emotion; Excitatory amino acid; Cat (Carrive, P.) **483,** 251 Viscerotopy; Blood pressure; Hypertension; Defense reaction; Rostral ventrolateral medulla; Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Middle ear
Stapedius muscle; Acoustic reflex; Transneuronal tracing; Retrograde horseradish peroxidase tracing; Rat; Superior olivary complex (Rouiller, E.M.) **476,** 21

Middle temporal visual area
Cortical module; Cytochrome oxidase bands and blobs (Krubitzer, L.A.) **478,** 161

Monkey visual cortex; Motion processing; Visual unit (Lagae, L.) **496,** 361

Middle-latency auditory evoked potential
Prefrontal; Gating; Inhibition; Attention; Pa (Knight, R.T.) **504,** 338

Migrating neuron
Gamma aminobutyric acidergic neuron; Developing cerebellum; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Purkinje cell; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Migration
Transplantation; Graft; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Mineralocorticoid
Adrenocorticosteroid receptor; Glucocorticoid; Steroid binding; Receptor stability; Type I receptor; Type II receptor (Luttge, W.G.) **493,** 190

Mineralocorticoid receptor
Spinal cord; Hippocampus; Glucocorticoid receptor; Dexamethasone; Corticosterone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

Salt intake; Deoxycorticosterone; (Na+K)-ATPase (Grillo, C.) **499,** 225

Miniature endplate current
Acetylcholine receptor channel; Denervation; End-plate; Schwann cell (Reiser, G.) **479,** 83

Miniature endplate potential frequency
Frog neuromuscular junction; Synaptic strength; Seasonality; Identified junction; Quantal content (Pawson, P.A.) **495,** 182

Minipig
Drinking; Osmoregulation; Vasopressin; Cerebrospinal fluid sodium (Thornton, S.N.) **488,** 297

Mitochondria
Endothelium; Blood–brain barrier; Optic nerve; Capillary; Ultrastructure (Schmidley, J.W.) **481,** 154

Brain; Chronic ethanol ingestion; Calcium uptake; Respiration (Farrar, R.P.) **500,** 374

Mitosis
Neurotumor; Neuroblastoma; Cancer; Opioid receptor; Endogenous opioid system; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell; Somatomedin; Insulin-like growth factor; Local administration; Immunocytochemistry (Sjöberg, J.) **485,** 102

MK-801
Quinolinic acid; Huntington's disease; Kynurenate; Glycine; Dextrorphan; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

N-Methyl-D-aspartate receptor; Metal ion (Hubbard, C.M.) **486,** 170

Hypothermia; Neuroprotection; Hypoxia/ischemia; Excitotoxicity; Brain damage; Glutamate (Ikonomidou, C.) **487,** 184

Neonate rat brain; Ontogeny; Glutamate receptor (Morin, A.M.) **487,** 376

Human brain; Excitatory amino acid; *N*-Methyl-D-aspartate; Regional distribution; Receptor (Kornhuber, J.) **489,** 397

Neurotoxicity; Perinatal; *N*-Methyl-D-aspartate; Hypoxia-ischemia; Neuroprotection (McDonald, J.W.) **490,** 33

Spectrin; Calpain; Excitotoxicity; Neuropathology; Calcium (Seubert, P.) **492,** 366

N-Methyl-D-aspartate receptor; 3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid; Autoradiography; Deoxy sugar; Cerebral glucose utilisation (Kurumaji, A.) **496,** 268

N-Methyl-D-aspartate receptor; 2-Amino-7-phosphonoheptanoic acid; 3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate; Phencyclidine; Anticonvulsant (Nevins, M.E.) **503,** 1

[^{3}H]MK-801
N-Methyl-D-aspartate receptor; Phencyclidine receptor; Glycine receptor antagonist; 7-Chlorokynurenic acid (Sircar, R.) **504,** 325

MK-801 binding
Human hippocampus; *N*-Methyl-D-aspartate receptor (Johnson, M.) **499,** 184

Mollusc
Cyclic adenosine monophosphate; Neuroendocrine cell; Egg laying (Moed, P.J.) **476,** 298

Extraocular photoreceptor; Phototransduction; Cyclic GMP decrease (Nishi, T.) **485,** 185

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod (Cappell, M.S.) **502,** 266

Circadian rhythm; H-8; Protein kinase; Phosphoprotein; *Bulla gouldiana* (Roberts, M.H.) **504,** 211

Mollusc isolated neuron
Caffeine; Steady magnetic field; Calcium/potassium kinetics; CAN current; Calcium-dependent K^+-conductance (Azanza, M.J.) **489,** 195

Molluscan photoreceptor
Action spectrum; Generator potential; Potassium current (Gotow, T.) **479,** 120

Monensin
Ouabain; Push–pull perfusion; Sheep; Sodium appetite; Thirst (Tarjan, E.) **500,** 352

Mongolian gerbil
Photoperiod; Melatonin; Hypothalamus; *Meriones unguiculatus*; Gonadal regression (Devries, M.J.) **494,** 241

Epilepsy; Seizure; Substantia nigra; 1-Methyl-4-phenyl-1,2,5,6-tetra-hydropyridine; Mouse (Van Ness, P.C.) **504,** 289

Monkey
Vision; Cortex; Striate; Orientation; Correlation (Krüger, J.) **477,** 57

Prostaglandin; Binding site; Brain; In vitro labeling; Autoradiography (Watanabe, Y.) **478,** 143

Retroinsular cortex; Area 7b; γ-Aminobutyric acid; Immunocytochemistry; Somatosensory system (Chudler, E.H.) **481,** 383

Auditory cortex; Thalamocortical synapse; Double-labeling immunocytochemistry; γ-Aminobutyric acid; Peptide (Cipolloni, P.B.) **492,** 347

Prefrontal cortex; Electrical stimulation; Cortical field potential; Visual discrimination task; Suppression (Sasaki, K.) **495,** 100

Prelunate gyrus; Area DP; Eye movement; Attention (Li, C.-Y.) **496,** 307

Globus pallidus; Striatum; Caudate nucleus; Putamen; Nucleus basalis; Unit activity; Electrical stimulation (Tremblay, L.) **498,** 1

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Dopamine; Apomorphine (Tremblay, L.) **498,** 17

Amygdala; Feeding behavior; Unit activity; Microelectrophoresis; Acetylcholine; Atropine (Lénárd, L.) **500,** 359

Cerebral cortex; Double bouquet cell; Calcium binding protein (DeFelipe, J.) **503,** 49

Posterior parietal cortex; Prefrontal cortex; Visuomotor delay task; Cooling; Prefrontal units (Quintana, J.) **503,** 100

Monkey visual cortex
Motion processing; Visual unit; Middle

temporal visual area (Lagae, L.) **496,** 361

Monoamine
Long-term potentiation; Hippocampus; Acetylcholine (ACh); Memory; Denervation (Buzsáki, G.) **484,** 94

Nucleus preopticus medianus; Polypeptide; Immunohistochemistry; Rat (Kawano, H.) **492,** 139

Insulin; Lateral hypothalamus; Ventromedial hypothalamus; Striatum; Gas chromatography/mass spectrometry (Holmes, L.J.) **496,** 204

α-Mouse; Submissive mouse; Behavioral 'despair'; Exploration; Anxiety; Seizure threshold; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Diurnal rhythm; Median eminence; Pituitary gland (Koulu, M.) **503,** 246

Monoamine oxidase
AF64A; Cholinergic neurotoxin (Jossan, S.S.) **476,** 291

5,7-Dihydroxytryptamine; Serotonin; Norepinephrine; Parkinson's disease; Aging; Neurotoxin (Finnegan, K.T.) **496,** 251

Cerebral circulation; Sympathetic nerve terminal; Cerebral artery; Nerve growth factor; Immunosympathectomy; Ultrastructure (Shigematsu, K.) **497,** 21

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenyl-2,3-dihydropyridine; 1-Methyl-4-phenylpyridine; Brain endothelium; Blood–brain barrier (Scriba, G.K.E.) **501,** 175

Monoamine oxidase-B
Monoamine oxidase-A; Human brain; Frontal cortex; Ontogenesis; Aging; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Monoamine oxidase inhibition
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Caudate nucleus; Synaptic degeneration; Gliosis (Hess, A.) **499,** 393

Monoclonal antibody
Immunocytochemistry (Hawkes, R.) **476,** 279

Progesterone receptor; Estradiol receptor; Coexistence; Hypothalamus; Immunohistochemistry; Guinea pig (Warembourg, M.) **480,** 1

Glutamate; Glutaraldehyde; Specificity; Hybridization; Immunocytochemistry; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Neural subpopulation; Olfactory epithelium; Neuronal culture; Basal cell (Akeson, R.A.) **488,** 202

Nerve growth factor; Autoradiography; Immunohistochemistry; Cholinergic basal forebrain (Schweitzer, J.B.) **490,** 390

Dopamine; Agonistic behavior; Central pattern generator; Lobster (Barthe, J.Y.) **497,** 368

Synaptosomal plasma membrane; Choline acetyltransferase; Inhibition (Eder-Colli, L.) **500,** 90

Schizophrenia; Neuropathology; Neuroimmunology (Honer, W.G.) **500,** 379

Microtubule-associated protein; 205 kDa Microtubule-associated protein; Neural tissue; Neural development; Immunocytochemistry (Shiomura, Y.) **502,** 356

Thy 1; Suicide transport; Saporin; Vagus nerve; Caudate nucleus; Neurotoxicity (Wiley, R.G.) **505,** 44

Entorhinal cortex; Hippocampus; Columnar structure (Ikeda, J.) **505,** 176

Monoclonal antibody ART 18
Adoptive transfer–experimental autoimmune neuritis; Interleukin-2 receptor; Immunosuppression (Hartung, H.-P.) **489,** 120

Monocular angular difference threshold
Ocular neglect; Anteromedial cortex; Rat (Christie, D.) **497,** 378

Monocular paralysis
Lateral geniculate nucleus X/Y ratio; 6-Hydroxydopamine; Noradrenergic system; Acetylcholine system; Oculomotor information; Brainstem activating system (Guido, W.) **501,** 397

Monooxygenase
Human brain; Xenobiotic metabolism; Cytochrome *P*-450; Immunocytochemical localization (Ravindranath, V.) **496,** 331

Monosialoganglioside (GM1)
Choline acetyltransferase (ChAT); Microcapsule; Cortical lesion; Cholinergic neuron (Maysinger, D.) **496,** 165

Monosodium glutamate
Arcuate nucleus; Drinking; Ingestive behavior; Mouse; Neuropeptide Y; Thirst (Morley, J.E.) **494,** 129

Monosynaptic connection
Serotonin cell; *Helix* (Vehovszky, A.) **484,** 404

Monosynaptic reflex
Excitatory amino acid antagonist; Neurotransmitter; Brainstem (Chandler, S.H.) **477,** 252

Locus ceruleus; Noradrenaline; Serotonin; Prazosin; Methysergide; Spinal Cord; Descending control (Lai, Y.-Y.) **484,** 268

Galanin; Substance P; Calcitonin gene-related peptide; Naloxone; Bicuculline; Flexor-reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Reflex, spinal; Dorsal root potential; Divalent cation (Czéh, G.) **486,** 274

Cat spinal α-motoneuron; Chronic deafferentation; Plasticity (Hellgren, J.) **488,** 149

Monosynaptic response
Serotonin; Spinal cord; Dialysis (Samathanam, G.) **501,** 179

Morphine
Reward; Brainstem; Midbrain; Dopamine; Pimozide (Rompré, P.-P.) **477,** 144

Dopamine; Depolarization inactivation; Pimozide; Muscimol; Reward (Rompré, P.-P.) **477,** 152

Atropine; Phentolamine; Methysergide; Analgesia; Tail-flick; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

Amygdala; Caudate nucleus; Hippocampus; Lesion; Locomotor activity; C57BL/6 mouse (Libri, V.) **479,** 1

Vasopressin; Brattleboro; Natural killer cell; Stress; Psychoneuroimmunology (Yirmiya, R.) **479,** 16

Pain; Rat; Behavior; Cocaine; Dopamine (Lin, Y.) **479,** 306

Opioid; Opioid antagonist; Naloxone; Oxytocin neuron; Morphine dependence; Hypothalamus (Leng, G.) **484,** 290

Nucleus tractus solitarius; Antinociception; Pain modulation; Tail-flick test; Pentobarbital; Glutamate; Descending inhibition (Morgan, M.M.) **486,** 175

Opiate dependence; Naltrexone; Locus ceruleus; Opiate antagonist; Opiate withdrawal (Valentino, R.J.) **488,** 126

Behavioral tolerance; Dose–response relationship; Habituation; Spinal; Bulbospinal (Milne, R.J.) **491,** 316

Antinociception; Intraspinal; Dynorphin; Hibernation; Opioid; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Dorsal raphe nucleus; Nucleus raphe magnus; Spinal cord; Medullary dorsal horn; Serotonin; Voltammetry (Rivot, J.P.) **495,** 140

Basal ganglia; 2-Deoxyglucose; Local cerebral glucose utilization (Beck, T.) **497,** 205

Polymodal receptor; Nociceptor; Opioid; Naloxone; Peripheral analgesia; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

Corticotropin-releasing factor; Adrenocorticotropic hormone; Chlorisondamine; Opiate receptor (Nikolarakis, K.E.) **498,** 385

Behavioral sensitization; Amphetamine; Dopamine receptor antagonist; D-1 and D-2; Ventral tegmental area; Locomotor activity (Vezina, P.) **499,** 108

Shock titration; Pain; Analgesia; Rhesus monkey; Meperidine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

FLFQPQRFamide; FMRFamide; Spinal cord; Binding site (Allard, M.) **500,** 169

Acetylcholine; Traumatic brain injury; Rat (Robinson, S.E.) **503,** 32

Locus coeruleus; Excitatory amino acid; Opiate withdrawal; Nucleus paragigantocellularis (Rasmussen, K.) **505,** 346

Morphine analgesia
Cholecystokinin-octapeptide (CCK-8); Proglumide; Periaqueductal gray (Li, Y.) **480,** 105

Morphine dependence
Opioid; Opioid antagonist; Naloxone; Oxytocin neuron; Morphine; Hypothalamus (Leng, G.) **484,** 290

β-Adrenergic receptor; Withdrawal; Hippocampal slice; Electrophysiological responsiveness; Radioligand binding (Moises, H.C.) **485,** 67

Supraoptic nucleus; Oxytocin mRNA; In situ hybridization histochemistry; Opiate (Summer, B.E.H.) **489,** 283

Luteinizing hormone-releasing hormone; Skin temperature; Animal model; Hot flush; Luteinizing hormone (Katovich, M.J.) **494,** 85

Morphine tolerance
Autoradiography; D-Ala^2-*N*-methyl-Phe^4,Gly-ol^5-enkephalin; μ-Opiate receptor; Receptor upregulation (Brady, L.S.) **477,** 382

Morphine-6-glucuronide
Normorphine; μ-Opioid; Analgesia; Spinal cord (Sullivan, A.F.) **482,** 219

Morphine-induced analgesia
Antinociception; Pain; Pretectal complex; Anterior pretectal nucleus; Stimulation-produced analgesia; 5-Hydroxytryptamine (Prado, W.A.) **493,** 147

Morphologically mixed synapse
Electric organ; Electric eel; Electrical synapse; Horseradish peroxidase; Retrograde axonal transport (Bennett, M.V.L.) **488,** 22

Morphology
Ethanol; Chronic intake; Neuron (Durand, D.) **477,** 373

Morphometric analysis
Vesicle; Sucrose gradient; Zonal centrifugation; Acetylcholine; *Torpedo* electric organ (Fox, G.Q.) **498,** 279

Morphometry
Blood–spinal cord barrier; Transection; Horseradish peroxidase (Noble, L.J.) **487,** 299

Neurofibrillary tangle; Nerve cell size; Nucleolar volume; Dementia of the Alzheimer type; Hippocampus (Gertz, H.-J.) **487,** 373

Perineurium; Peripheral nerve; Ischemic neuropathy; Cell death; Lipid droplet (Benstead, T.J.) **489,** 177

Peripheral nerve; Regeneration; Crush; Multiple crush; Graft; Neuropathology (Giannini, C.) **500,** 131

Diabetes; Neuronal degeneration; Hypothalamus; C57BL/*KsJ* mouse; C57BL/*6J* mouse (Garris, D.R.) **501,** 162

Alzheimer's disease; Progressive supranuclear palsy; Neostriatum; Basal nucleus of Meynert; Large neuron; Cholinergic neuron; Nerve growth factor (Oyanagi, K.) **504,** 354

Morphometry of axon
Maintenance of the neuron; Perikaryonal protein synthesis; Perikaryonal volume; Sensory neuron (Von Bernhardi, R.) **478,** 301

Morris water task
Cysteamine; Passive avoidance; Locomotor activity; Somatostatin-like immunoreactivity; Rat (Fitzgerald, L.W.) **505,** 246

Mossy fiber
Hippocampus; Long-term potentiation; Mouse; Genetic variation (Heimrich, B.) **490,** 404

Associative long-term potentiation/depression; CA3; Hippocampus; Long-term potentiation; *N*-Methyl-D-aspartate; Plasticity; Pyramidal neuron (Chattarji, S.) **495,** 145

Zinc; Hippocampal formation; Histofluorescence (Savage, D.D.) **496,** 257

Mossy fiber expansion
Hippocampus; Glutamate; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

Mossy fiber path
Hippocampus; Opiate receptor; Colchicine; Kainic acid; Seizure (Perry, D.C.) **477,** 100

Motion after-effect
Motion-sensitive neuron; Optic tectum; Toad; Rebound activation; Center-surround receptive field; Background motion (Satou, M.) **504,** 320

Motion processing
Monkey visual cortex; Visual unit; Middle temporal visual area (Lagae, L.) **496,** 361

Motion-sensitive neuron
Optic tectum; Toad; Rebound activation; Center-surround receptive field; Background motion; Motion after-effect (Satou, M.) **504,** 320

Motivation
Dopamine; Homovanillic acid; Dihydroxyphenylacetic acid; Striatum; In vivo dialysis; Haloperidol; Motor activity (Salamone, J.D.) **487,** 215

Motoneuron
Motor tract; Excitability; Evoked potential; Brain stimulation (Caramia, M.D.) **479,** 98

Castration; Cremaster muscle; Indolamine; Peptide; Rat; Spinal cord; Testes (Newton, B.W.) **485,** 149

Thyrotropin-releasing hormone (TRH); Voltage clamp; Excitatory postsynaptic potential; Spinal cord; Glutamate; Frog (Lacey, G.) **488,** 80

Nerve cross-union; Muscle coordination; Electromyography; Wheel running; Mouse (Wernig, A.) **489,** 352

Calcitonin gene-related peptide; Spinal cord; Immunohistochemistry; Central nervous system lesion; Cat (Arvidsson, U.) **489,** 387

Jitter; Motor tract; Evoked potential; Motor unit; Stimulation (Zarola, F.) **495,** 217

Gap junction; Dendritic bundling; Testosterone (Matsumoto, A.) **495,** 362

Lumbar spinal cord; Perineal muscle; Sexually dimorphic; House mouse; Dendritic pattern (Wagner, C.K.) **499,** 93

Serotonin; 5-Hydroxytryptamine; Afterhyperpolarization; Spinal cord (White, S.R.) **502,** 205

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

γ-Motoneuron
Muscle spindle; Intercostal muscle; Respiration (Greer, J.J.) **477,** 369

Axotomy; Quantitative; Ultrastructure; Horseradish peroxidase; Cat (Johnson, I.P.) **489,** 400

Motoneuron pool
Cat; Spinal cord; Central activation; Electromyography (Kandou, T.W.A.) **486,** 340

Motor activity
Dopamine; Homovanillic acid; Dihydroxyphenylacetic acid; Striatum; In vivo dialysis; Haloperidol; Motivation (Salamone, J.D.) **487,** 215

Motor behavior
Aging; Dopamine; Striatum; Muscarinic; Estrogen; Prolactin (Joseph, J.A.) **505,** 195

Motor control
Compartmentalization; Intramuscular electromyography; Semitendinosus; Paw shake; Jumping; Treadmill locomotion (Hutchison, D.L.) **479,** 56

Cruciate ligament; Joint afferent; Fusimotor neuron; Muscle spindle; Primary spindle afferent; Spinal cord; Reflex (Sojka, P.) **483,** 177

Recruitment; Electromyography; Locomotion; Swimming; Skeletal muscle (Hutchison, D.L.) **502,** 233

Motor cortex
Anterior pretectal nucleus; Central lateral nucleus; Dorsal accessory olivary nucleus; Anterior interpositus nucleus; Electron microscopy; Retrograde double-labeling (Kitao, Y.) **484,** 304

Corticostriatal cell; Pyramidal tract neuron; Behaving monkey; Antidromic identification; Single-unit recording (Bauswein, E.) **493,** 198

Learning; Association fiber; Sensory cortex; Motor learning; Sensory input; Cortical lesion (Sakamoto, T.) **503,** 258

Second somatosensory cortex; Cortico-cortical connection; Cortical microstimulation; Intracortical microstimulation; Cat (Mori, A.) **504,** 206

Motor dysfunction
Electroencephalogram; Neurotoxicity; Somatostatin; Substance P analogue (Grabow, T.S.) **489,** 223

Motor effect
Dopamine; Accumbens; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Reward (Stellar, J.R.) **477,** 126

Motor inhibition
Sleep; Rapid eye movement sleep; Startle; Arousal; Audition; Ponto-geniculo-occipital spike; Prepulse inhibition (Wu, M.-F.) **499,** 7

Motor learning
Learning; Motor cortex; Association fiber; Sensory cortex; Sensory input; Cortical lesion (Sakamoto, T.) **503,** 258

Motor pool
Intramuscular electromyography; Flexor; Extensor; Treadmill locomotion; Incline (Pierotti, D.J.) **481,** 57

Motor potential
Parietal lobe; Movement-related cortical potential; Movement; Sensorimotor (Knight, R.T.) **498,** 190

Motor programming
Pulvinar lateral posterior complex; Behaving monkey; Extracellular recording; Reaching movement; Reaching cells (Cudeiro, J.) **484,** 367

Motor readjustment
Cross-reinnervation; Phrenic nerve; Voluntary resporatory control; Forelimb; Cat (Fujito, Y.) **492,** 36

Motor tract
Motoneuron; Excitability; Evoked potential; Brain stimulation (Caramia, M.D.) **479,** 98

Jitter; Motoneuron; Evoked potential; Motor unit; Stimulation (Zarola, F.) **495,** 217

Motor unit
Aging; Electromyography; Firing rate; Cocontraction; Myoelectric signal (Kamen, G.) **482,** 136

Jitter; Motor tract; Motoneuron; Evoked potential; Stimulation (Zarola, F.) **495,** 217

Mouse
Somatostatin; Retina; Receptor (Kossut, M.) **476,** 78

Epidermal growth factor; Nerve growth factor; Neurobehavioral development; Body weight; Behavior (Calamandrei, G.) **477,** 1

Acetylcholine; Norepinephrine; Inhibitory avoidance; Spatial learning; DSP-4; Scopolamine (Decker, M.W.) **477,** 29

Cell membrane expansion; Tissue culture; Dorsal root ganglion; Osmolarity; Aging; Adaptation; Action potential (Horie, H.) **477,** 233

Nerve terminal; Calcium current; Antibiotic (Bourret, C.) **478,** 403

Cerebellum; *pcd* mutant; Habituation-hole poking (Lalonde, R.) **479,** 201

Oligodendrocyte; Maturation; Lymphokine; Demyelination; Multiple sclerosis; Remyelination (Suzumura, A.) **480,** 51

Benzodiazepine receptor; Ethanol; Ro 19-4603; Imidazodiazepine; Convulsion; Intoxication (Lister, R.G.) **482,** 141

Anthramycin; Cholecystokinin; Antagonist; Benzodiazepine; Autoradiography; Brain (Kubota, K.) **485,** 62

Transplant; Axon guidance; Rat; Rhodamine microsphere (Jaeger, C.B.) **487,** 225

Gliosis; Astrocyte; S-100; Thymidine; Proliferation; Cell number; Ultrastructure; Autoradiography (Miyake, T.) **489,** 31

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase activity; Neurotoxicity; Striatum; Total biopterin (Nishi, K.) **489,** 157

Nerve cross-union; Muscle coordination; Electromyography; Motoneuron; Wheel running (Wernig, A.) **489,** 352

Obesity; Norepinephrine; Serotonin; Dopamine; Goldthioglucose (Silva, E.) **490,** 192

Hippocampus; Mossy fiber; Long-term potentiation; Genetic variation (Heimrich, B.) **490,** 404

BAY K 8644; Nimodipine; Tetrodotoxin; Calcium current; Calcium action potential; Electrical activity; Melanotroph (Taraskevich, P.S.) **491,** 102

1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine; Midbrain dopaminergic neuron; Nucleus accumbens; Striatum; Tyrosine hydroxylase (Manaye, K.F.) **491,** 307

Rat; Striatum; γ-Aminobutyric acid; Messenger RNA; In situ hybridization; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Arcuate nucleus; Drinking; Ingestive behavior; Monosodium glutamate; Neuropeptide Y; Thirst (Morley, J.E.) **494,** 129

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Diethyldithiocarbamate; Dopamine; Substantia nigra; Striatum; Parkinson's disease; Behavior (Yurek, D.M.) **497,** 250

Dynorphin A(1–13); Apomorphine; (–)-(1R,5R,9R)-5,9-diethyl-2-(3-furylmethyl)-2′-hydroxy-6,7-benzomorphan; Rearing; Locomotor activity (Ukai, M.) **499,** 299

In vivo voltammetry; 3-Methoxytyramine; Dopamine (Crespi, F.) **500,** 241

Chronic ethanol ingestion; Guanine nucleotide binding protein; Forskolin binding; Adenylate cyclase (Valverius, P.) **503,** 38

Neuropeptide; Neuropeptide Y; Memory; Recall; Retention; Localization; Forebrain (Flood, J.F.) **503,** 73

Epilepsy; Seizure; Substantia nigra; 1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Mongolian gerbil (Van Ness, P.C.) **504,** 289

Scrapie; Intraocular infection; Spongiosis; Enucleation (Scott, J.R.) **504,** 301

Mouse brain
Estrogen receptor; Immunocytochemistry; Lactation; Limbic system; Pregnancy; Reproductive behavior (Koch, M.) **489,** 101

Mouse endothelial surface antigen-1

Xenogeneic grafting; Neural transplantation; Blood vessel; Vascular endothelial cell; Immunological rejection (Nakano, Y.) **496,** 336

Mouse, *mld*
Myelin basic protein gene; Genomic organization; Transcription (Roch, J.-M.) **477,** 292

Mouse, ddN strain
Corpus callosum; Acallosal brain; Probst's bundle; Corticocortical projection; Association fiber (Ozaki, H.S.) **493,** 66

α-Mouse
Submissive mouse; Behavioral 'despair'; Exploration; Anxiety; Seizure threshold; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Moveable electrode
Brainstem; Mapping; Pons; Reward; Self-stimulation (Rompré, P.-P.) **496,** 295

Movement
Motor potential; Parietal lobe; Movement-related cortical potential; Sensorimotor (Knight, R.T.) **498,** 190

Sigma receptor; Di-*o*-tolylguanidine; Posture; Age (Matsumoto, R.R.) **504,** 145

Movement initiation
Nucleus accumbens; Hippocampus; Kynurenic acid; Glutamate; Radial-arm maze; Memory (Schacter, G.B.) **494,** 339

Movement organization
Dopamine; Receptor, D_2; Quinpirole; Open field behavior (Eilam, D.) **490,** 255

Movement-related cortical potential
Motor potential; Parietal lobe; Movement; Sensorimotor (Knight, R.T.) **498,** 190

MPF
Adrenal medullary strip; Chromaffin cell; Dopamine; β-Endorphin (Ensor, D.M.) **490,** 196

mRNA
N-Acetylaspartylglutamate; Climbing fiber response; *Xenopus laevis* oocyte; Excitatory amino acid; Uptake; Cerebellum (Sekiguchi, M.) **482,** 87

Müller cell
Glial cell; Retina; Barium; Potassium conductance; Tiger salamander (Newman, E.A.) **498,** 308

Multimodal
Chemosensitive; Epiglottis; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Multiple crush
Peripheral nerve; Regeneration; Crush; Graft; Morphometry; Neuropathology (Giannini, C.) **500,** 131

Multiple enkephalin-degrading enzyme
Inhibitor; Normal rat; Arthritic rat; Vocalization threshold (Kayser, V.) **497,** 94

Multiple sclerosis
Oligodendrocyte; Maturation; Mouse; Lymphokine; Demyelination; Remyelination (Suzumura, A.) **480,** 51

Axon; Demyelination; Sodium channel (Shrager, P.) **483,** 149

Substance P; Astrocyte (Kostyk, S.K.) **504,** 284

Multiunit activity
Subcortical visual pathway; Visually evoked potential; Oscillatory potential; Alert monkey (Schroeder, C.E.) **477,** 183

Multiunit recording
Cross-correlation; Rat; Peristimulus histogram; Dorsal cochlear nucleus; Neuronal interaction (Gochin, P.M.) **497,** 1

Muramyl dipeptide
Slow-wave sleep; Rapid eye movement sleep; Fever; Hyperthermia; Hypothalamus; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Muscarinic
Cholinergic; Nicotine; Receptor; Lesion; Nucleus basalis magnocellularis (Atack, J.R.) **483,** 367

Pirenzepine; Receptor; Human neuroblastoma cell; Sh-SY5Y; Inositol lipid; Cyclic AMP (Mei, L.) **504,** 7

Aging; Dopamine; Striatum; Motor behavior; Estrogen; Prolactin (Joseph, J.A.) **505,** 195

Muscarinic agonist
Neurotransmitter release; Long-term potentiation; Phospholipase C; Depolarization; Inositol phosphate (Schwartz, L.) **503,** 62

Muscarinic autoreceptor
[11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzodiazepin-6-on] (AF-DX 116); Heterogeneity; Rat hippocampus; Rat cerebral cortex; Rat striatum (Lapchak, P.A.) **496,** 285

Muscarinic cholinergic receptor
Hippocampus; Intradentate colchicine; Granule cell; Inositolphosphate; Compensatory mechanism (Tandon, P.) **477,** 308

Stress; Quinuclidinyl benzilate binding; Autoradiography in vitro; Hippocampus (Mizukawa, K.) **478,** 187

Hypoxia; Rat brain; Phosphoinositide turnover (Ninomiya, H.) **482,** 109

Noise; Hippocampus; Naltrexone (Lai, H.) **488,** 361

Muscarinic receptor
Supersensitivity; Hippocampus; Denervation; Potassium channel (Benson, D.M.) **478,** 399

Alzheimer's disease; Parkinson's disease; M_1-receptor; M_2-receptor; Choline acetyltransferase; Dementia (Rinne, J.O.) **483,** 402

Brain dialysis; Striatal dopamine release; AF102B; Oxotremorine; Pirenzepine; AF-DX116 (Xu, M.) **495,** 232

D_2 dopamine receptor; Chronic drug treatment; Inositol phosphate; Rat striatum; Antipsychotic drug; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Development; Excitotoxicity; Hippocampus; Neuroarchitecture; Selective cell death (Mattson, M.P.) **497,** 402

Superior cervical ganglion; Neuropeptide; Autoradiography; Immunocytochemistry; Cell culture (James, S.) **498,** 205

Rapid eye movement sleep; Brainstem (Velazquez-Moctezuma, J.) **503,** 128

Adrenergic receptor, α_1; Phosphatidyl inositol; Depolarization; Brain slice (Diamant, S.) **503,** 55

Muscarinic receptor subtype
Rat hippocampus; Fimbria/fornix lesion; Nicotinic receptor; Phosphoinositide hydrolysis; Carbachol (Smith, C.J.) **485,** 317

AF-DX 116; 4-Diphenylacetoxy-*N*-methyl-piperidine methiodide; Hexahydro-sila-difenidol; Cyclic adenosine monophosphate; N1E-115 neuroblastoma (Surichamorn, W.) **493,** 320

Muscimol
Dopamine; Depolarization inactivation; Pimozide; Morphine; Reward (Rompré, P.-P.) **477,** 152

Waking center; Posterior hypothalamus; Cat; Microinjection (Lin, J.-S.) **479,** 225

Seizure; Convulsion; γ-Aminobutyric acid; Bicuculline; Baclofen; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Periaqueductal gray; γ-Aminobutyric acid; Semicarbazide; Microinjection; Aversion; Conditioned place preference (Di Scala, G.) **483,** 91

Amygdala; Bicuculline-methiodide; Caudate-putamen; γ-Aminobutyric acid; Inhibitory avoidance; Memory (Brioni, J.D.) **487,** 105

Epilepsy; Gerbil; γ-Aminobutyric acid; Intracerebral injection; Thalamus; Seizure (Lee, R.J.) **487,** 363

Benzodiazepines; Substantia nigra pars reticulata; Seizure; γ-Aminobutyric acid (GABA); Flurazepam; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

Ibotenate; *N*-Methyl-D-aspartate; Chloride current; Voltage clamp (Zorumski, C.F.) **494,** 193

γ-Aminobutyric acid; Intracerebral injection; Epilepsy; Electroencephalogram; Substantia nigra; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Baroreflex; Blood pressure; Glutamate; Heart rate; Lidocaine; Ventrolateral medullary pressor area (Murugaian, J.) **499,** 371

Disinhibition; Epilepsy; γ-Aminobutyric acid; Hippocampus (Chesnut, T.J.) **502,** 365

Muscle
Cholesterol; Neuromuscular junction; Aging; Denervation; Phospholipid (Williams, K.D.) **493,** 14

Electromyogram; Reflex; Muscle spindle; Stiffness; Contraction (Jahnke, M.T.) **493,** 103

Reflex; Lip; Electromyogram; Cutaneous; Human (McClean, M.D.) **503,** 16

Calcitonin gene-related peptide (CGRP); Receptor; Neuromuscular junction (Jennings, C.G.B.) **504,** 199

Muscle coordination
Nerve cross-union; Electromyography; Motoneuron; Wheel running; Mouse (Wernig, A.) **489,** 352

Muscle spindle
γ-Motoneuron; Intercostal muscle; Respiration (Greer, J.J.) **477,** 369

Cruciate ligament; Joint afferent; Fusimotor neuron; Motor control; Primary spindle afferent; Spinal cord; Reflex (Sojka, P.) **483,** 177

Rat; Peripheral nervous system; Golgi tenson organ; Histochemistry; Carbonic anhydrase (Szabolcs, M.J.) **492,** 129

Muscle; Electromyogram; Reflex; Stiffness; Contraction (Jahnke, M.T.) **493,** 103

Calcium-activated potassium channel; Mechanoreceptor; Electrical tuning (Kruse, M.N.) **496,** 303

Spindle capsule; Endocytosis; Transcytosis; Pinocytosis; Receptor-mediated uptake (Fukami, Y.) **499,** 249

Microneurography; Stretch reflex; Load compensation; Cross-bridge (Jahnke, M.T.) **501,** 324

Muscle stretch
Somatosensory evoked potential; Cutaneous stimulation; Voluntary movement; Human (Dimitrov, B.) **496,** 211

Muscular contraction
Hypothalamic locomotor region; Ventral root stimulation; Cardiopulmonary inhibition; Cat; Reticular formation; Phrenic activity (Richard, C.A.) **482,** 49

Muscular dystrophy
Electron microscopy; Acetylcholinesterase inhibitor; Myopathy; Calcium channel blocker; Diltiazem (Meshul, C.K.) **497,** 142

Muscular swallow synergy
Swallowing; Tongue extrinsic muscle; Electromyographic recording; Sheep (Amri, M.) **503,** 141

Mutant mouse
Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Mutation
Striatum; Dopamine; Dopamine receptor; Weaver mouse; Substantia nigra (Pullara, J.M.) **480,** 225

Myelin
1,1,2-Trichloroethylene; Hippocampus; Stratum lacunosum–moleculare (Isaacson, L.G.) **488,** 403

Myelin basic protein gene
Genomic organization; Transcription; Mouse, *mld* (Roch, J.-M.) **477,** 292

Myelin sheath
Thiamine pyrophosphatase (TPPase); Major dense line; Oligodendrocyte; Schwann cell; Cytochemistry (Castellano, B.) **492,** 203

Myelin spherule
Cerebellar explant culture; Purified oligodendrocyte; Myelination; Myelin-like membrane; Transplantation; Cytosine arabinoside (Seil, F.J.) **503,** 111

Myelin-like membrane
Cerebellar explant culture; Purified oligodendrocyte; Myelination; Myelin spherule; Transplantation; Cytosine arabinoside (Seil, F.J.) **503,** 111

Myelination
Twitcher mouse; Globoid cell leukodystrophy; Galactosylsphingosine; Psychosine (Tanaka, K.) **482,** 347

Cerebellar explant culture; Purified oligodendrocyte; Myelin-like membrane; Myelin spherule; Transplantation; Cytosine arabinoside (Seil, F.J.) **503,** 111

Myelination inhibition
Ganglioside antibody; Demyelination; Anti-axon antibody; Tissue culture (Bourdette, D.N.) **478,** 175

Myenteric plexus
Enteric glia; Dye coupling; Guinea pig; Lucifer yellow; Horseradish peroxidase; S-100 immunoreactivity (Hanini, M.) **497,** 245

Myocardium
Neural cell adhesion molecule; Heart; Cardiac innervation; Development; Vascular smooth muscle (Wharton, J.) **483,** 170

Myoelectric signal
Motor unit; Aging; Electromyography; Firing rate; Cocontraction (Kamen, G.) **482,** 136

Myopathy
Electron microscopy; Acetylcholinesterase inhibitor; Calcium channel blocker; Diltiazem; Muscular dystrophy (Meshul, C.K.) **497,** 142

N

***N*^{6}-R-phenylisopropyladenosine receptor**
Adenosine; Caffeine; Naloxone; Feeding (Levine, A.S.) **477,** 280

***N*-(1-(2-Thienyl)cyclohexyl)-piperidine binding**
Glycine binding; *N*-Methyl-D-aspartate receptor; Antagonist; 6-Cyano-7-nitroquinoxaline-2,3-dione; 6,7-Dinitroquinoxaline-2,3-dione; Quinoxaline derivative (Kessler, M.) **489,** 377

***N*-(1-[2-Thienyl]cyclohexyl)-piperidine binding**
Down's syndrome; Post-mortem brain; D-Aspartate binding (Simpson, M.D.C.) **484,** 273

***N*-(1-[2-Thienyl]cyclohexyl)[^{3}H]-piperidine binding**
Phencyclidine receptor; Glumate; Corticostriatal projection; Frontal decortication; Striatum (Yoshida, Y.) **499,** 179

***N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4)**
Neurotoxin; Sexual behavior; Luteinizing hormone; Aromatase; Noradrenergic; Norepinephrine (Balthazart, J.) **492,** 163

N-0437
Feeding; Dopamine D_2 receptor; Satiety; Microstructural analysis; Locomotion; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

N-ras oncogene

Medulloblastoma; Differentiation; Polymerase chain reaction; Cerebellum; Neuroectodermal tumor (Fults, D.) **503,** 281

N1E-115 neuroblastoma
Muscarinic receptor subtype; AF-DX 116;
4-Diphenylacetoxy-*N*-methyl-piperidine methiodide; Hexahydro-sila-difenidol; Cyclic adenosine monophosphate (Surichamorn, W.) **493,** 320

***N*-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine**
Neonatal neurotoxin; Inhibitory avoidance learning; 6-Hydroxydopa; Brainstem noradrenaline; Brainstem serotonin (Cornwell-Jones, C.A.) **493,** 258

Na^+/K^+-ATPase
Ischemia; Ouabain; CA1 region; Frontal cortex (Pylova, S.I.) **490,** 170

Na^+/H^+ exchange
Cytotoxic edema; Cytoplasmic pH; Lactic acid; Cell swelling; Glioma cell; Astrocyte (Jakubovicz, D.E.) **485,** 215

Na^+,K^+-pump
Oxygen consumption; Energy metabolism; Calcium; Ouabain; Exocytosis; Neurohypophysis (Shibuki, K.) **487,** 96

Naftidrofuryl
Cerebral ischemia; Repeated ischemia; Serotonin S_2 antagonist; Gerbil (Fujikura, H.) **494,** 387

Naloxone
Amygdala; Propranolol; Inhibitory avoidance; Discrimination learning; Memory; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Chronic pain; Spinal cord; Dorsal horn neuron (Lombard, M.-C.) **477,** 48

Adenosine; Caffeine; Feeding; N^6-R-phenylisopropyladenosine receptor (Levine, A.S.) **477,** 280

Opioid analgesia; Habituation; Danger stimulus; Non-painful stimulus (Valeggia, C.) **481,** 304

Opioid; Opioid antagonist; Oxytocin neuron; Morphine; Morphine dependence; Hypothalamus (Leng, G.) **484,** 290

Rat; Tail-flick reflex; Antinociception; Pain; Stimulation-produced analgesia; Midbrain (Guinan, M.J.) **485,** 333

Galanin; Substance P; Calcitonin gene-related peptide; Bicuculline; Flexor-reflex; Monosynaptic reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Swim-induced analgesia; Genetic difference; Stimulation-produced analgesia; Periaqueductal gray matter (Marek, P.) **489,** 182

Naltrexone; Self-stimulation; Reinforcement; Extinction; Endorphin (Trujillo, K.A.) **492,** 15

Rat; Neuropathy; Analgesia; Hyperalgesia (Attal, N.) **494,** 276

Polymodal receptor; Nociceptor; Morphine; Opioid; Peripheral analgesia; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

Photoperiod; Amygdala; Opiate; Hamster; Luteinizing hormone; Sexual behavior (Tubbiola, M.L.) **503,** 91

Naloxone binding, [^{3}H]-
Opiates; Quantitative autoradiography; Domestic chick; Avian brain (Csillag, A.) **479,** 391

Naltrexone
Opioid; Up-regulation; Supersensitivity; Opioid peptide; Spinal analgesia; Opioid receptor (Yoburn, B.C.) **485,** 176

Rat brain; Cell proliferation (Schmahl, W.) **486,** 297

Morphine; Opiate dependence; Locus ceruleus; Opiate antagonist; Opiate withdrawal (Valentino, R.J.) **488,** 126

Noise; Muscarinic cholinergic receptor; Hippocampus (Lai, H.) **488,** 361

Naloxone; Self-stimulation; Reinforcement; Extinction; Endorphin (Trujillo, K.A.) **492,** 15

α-Methyldopa-induced hypotension; Nucleus tractus solitarii; Opiate receptor; Antisera against opioid peptide; Conscious normotensive rat (Van Giersbergen, P.L.M.) **498,** 154

Maternal behavior; Oxytocin; Phentolamine; Vaginocervical stimulation; Sheep (Kendrick, K.M.) **505,** 329

Narcolepsy
Receptor, α_1-; Receptor subtype; Rapid eye movement sleep; Cataplexy (Mignot, E.) **490,** 186

α_2-Receptor; [^{3}H]Yohimbine binding; Dog; Locus ceruleus; Noradrenaline; Autoinhibition (Fruhstorfer, B.) **500,** 209

Naris closure
Olfaction; Receptor neuron; Epithelium; Deprivation; Nasal cavity (Maruniak, J.A.) **490,** 212

Nasal cavity
Olfaction; Receptor neuron; Epithelium; Deprivation; Naris closure (Maruniak, J.A.) **490,** 212

Nasopharyngeal reflex
Rabbit; Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Baroreflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Natriuresis
Angiotensin II; Brain; Saralasin (Unger, T.) **486,** 33

Intracerebroventricular infusion; Hyperosmotic solution; Hypo-osmotic solution; Saline; Mannitol; Sucrose; Diuresis (Osborne, P.G.) **499,** 101

Atrial natriuretic factor; Angiotensin II; Brain (Rohmeiss, P.) **502,** 198

Natural killer cell
Vasopressin; Brattleboro; Stress; Morphine; Psychoneuroimmunology (Yirmiya, R.) **479,** 16

Natural stimulation
Vestibular afferent; Semicircular canal; Auditory (freeze) startle reflex (Blanks, R.H.I.) **487,** 278

Navanax inermis
Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

Negative feedback
Neurophysin; Arginine vasopressin; 1-Deamino[8-D-arginine] vasopressin; Sodium chloride; Radioimmunoassay (Cheng, S.W.T.) **479,** 35

Neocortex
Ionic conductance; A-current (Woody, C.D.) **480,** 72

Cholinergic basal forebrain lesion; Somatostatin; Neuropeptide Y; Rat (Gaykema, R.P.A.) **489,** 392

Seizure; Epilepsy; Hippocampus; Osmolality; Hypernatremia; Hyponatremia (Andrew, R.D.) **498,** 175

Tyrosine hydroxylase; Dopamine; Noradrenaline; Cynomolgus monkey (Noack, H.J.) **500,** 313

α-Bungarotoxin; Ontogeny; Cortical development; Receptor autoradiography; Acetylcholine system (Fuchs, J.L.) **501,** 223

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Rat; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Neocortex explant
Hypoglycemia; Hypoxia; Culture; GABAergic neuron; Rat (Romijn, H.J.) **480,** 58

Hypoxia; D-2-Amino-7-phosphonoheptanoate; Culture; γ-Aminobutyric acidergic neuron (Romijn, H.J.) **501,** 100

Neocortical ablation
Cerebral lateralization; Neuroimmunology; Lymphoproliferation; Concanavalin A; Lipopolysaccharide; Prolactin; Female

rat (LaHoste, G.J.) **483,** 123

Neocortical afferent
Co-localization; Glutamic acid decarboxylase; Choline acetyltransferase; γ-Aminobutyric acid; Acetylcholine; Co-production; Basal forebrain projection neuron (Fisher, R.S.) **491,** 163

α-Neoendorphin
Leu-enkephalin; Prodynorphin; *Xenopus laevis* (Sei, C.A.) **479,** 162

Neonatal neurotoxin
Inhibitory avoidance learning; *N*-(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine; 6-Hydroxydopa; Brainstem noradrenaline; Brainstem serotonin (Cornwell-Jones, C.A.) **493,** 258

Neonate rat brain
MK-801; Ontogeny; Glutamate receptor (Morin, A.M.) **487,** 376

Neostigmine
Brain cholinergic neuron; Insulin secretion; Vagus nerve; Adrenalectomy (Gotoh, M.) **493,** 97

Neostriatal cell culture
Inhibitory synapse; Receptor; Development (Misgeld, U.) **492,** 149

Neostriatum
Neural grafting; Substantia nigra; Connectivity; Huntington's disease; Rat; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

Amphetamine; Ascorbate; Dopamine receptor; In vivo voltammetry; Neuroleptic drug (Oh, C.) **480,** 184

Rat; Intracellular; Kynurenic acid; Brain slice (Walsh, J.P.) **480,** 290

Serotonin innervation; Ultrastructure; Radioautography; Immunocytochemistry (Soghomonian, J.-J.) **481,** 67

Amphetamine; Freely moving rat; Single-unit activity (Haracz, J.L.) **489,** 365

Scorpion toxin; Sodium channel; Tetrodotoxin; Calcium; EGTA; Dopamine; Push-pull; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Substantia nigra; Medical forebrain bundle; Immunohistochemistry; Basal forebrain; Phosphoprotein (Gustafson, E.L.) **491,** 297

Dopamine receptor subtype; Haloperidol; Clozapine; Antipsychotic drug; Cyclic adenosine monophosphate; Chronic drug treatment; Supersensitivity (Ashby, C.R.) **493,** 194

Transplant; Development; Serotonin; Dopamine; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Autoradiography; μ-Opiate receptor; 1-Methyl-4-phenylpyridinium ion; Nigrostriatal dopamine pathway; Neural transplantation; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Alzheimer's disease; Progressive supranuclear palsy; Basal nucleus of Meynert; Large neuron; Cholinergic neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Neovascularization
Neural graft; Autonomic ganglion; Astrocyte; Cellular migration; Immunocytochemistry (Rosenstein, J.M.) **476,** 110

Kainate; Neuronal Degeneration; Laminin; Basement membrane; Glia (Shigematsu, K.) **501,** 215

Nerve cell size
Neurofibrillary tangle; Nucleolar volume; Morphometry; Dementia of the Alzheimer type; Hippocampus (Gertz, H.-J.) **487,** 373

Nerve cross-union
Muscle coordination; Electromyography; Motoneuron; Wheel running; Mouse (Wernig, A.) **489,** 352

Nerve development
Amino acid transmitter receptor; Glutamate receptor; *Xenopus* (Sands, S.B.) **502,** 375

Nerve freeze
Conditioning lesion; Axonal regeneration; Nerve transection; Sciatic nerve; Rat; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Nerve graft
Noradrenaline; Prostacyclin; Malondialdehyde; Blood–nerve barrier; Electrophysiology (Shupeck, M.) **493,** 225

Nerve growth factor
Collateral reinnervation; Transmedian innervation; Inferior alveolar nerve; Jaw opening reflex (Owen, D.J.) **476,** 248

Epidermal growth factor; Neurobehavioral development; Body weight; Behavior; Mouse (Calamandrei, G.) **477,** 1

Sympathetic; Sensory; Survival; Receptor; Antibody (Johnson, E.M.) **478,** 166

Vagus nerve; Nodose ganglion; Substance P; Calcitonin gene-related peptide; Tissue culture (MacLean, D.B.) **478,** 349

GM_1 ganglioside; Choline acetyltransferase; Nucleus basalis magnocellularis; High affinity choline uptake (Di Patre, P.L.) **480,** 219

Rat; Somatomedin; Growth factor; Insulin-like growth factor I; Nerve regeneration; Sciatic nerve; Local administration (Kanje, M.) **486,** 396

Nucleus basalis of Meynert; Choline acetyltransferase; Acetylcholinesterase (Haroutunian, V.) **487,** 200

Sprouting; Hippocampal slice; Bioassay; Conditioned medium; Septal lesion (Collins, F.) **490,** 355

Monoclonal antibody; Autoradiography; Immunohistochemistry; Cholinergic basal forebrain (Schweitzer, J.B.) **490,** 390

Blood vessel; Collateral sprouting; Osmotic minipump; Rat; Sympathetic (Saffran, B.N.) **492,** 245

Monoamine oxidase; Cerebral circulation; Sympathetic nerve terminal; Cerebral artery; Immunosympathectomy; Ultrastructure (Shigematsu, K.) **497,** 21

Choline acetyltransferase; Cholinergic neuron; Basal forebrain; Infusion pump; Rat (Williams, L.R.) **498,** 243

Alzheimer's disease; Progressive supranuclear palsy; Neostriatum; Basal nucleus of Meynert; Large neuron; Cholinergic neuron; Morphometry (Oyanagi, K.) **504,** 354

Choline acetyltransferase; Cholinergic; Fimbria-fornix transection; Medial septum; Neuronal death; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Nerve growth factor receptor
Suprachiasmatic nucleus; Basal forebrain cholinergic neuron; Retinohypothalamic projection (Sofroniew, M.V.) **476,** 358

Aging; Nucleus basalis; Diagonal band; Septum; Immunohistochemistry (Gómez-Pinilla, F.) **479,** 255

Aging; Spatial memory; Basal forebrain (Koh, S.) **498,** 397

Choline acetyltransferase; Cholinergic; Fimbria-fornix transection; Medial septum; Nerve growth factor; Neuronal death; Neuronal size (Hagg, T.) **505,** 29

Nerve injury
Tachykinin; Vasoactive intestinal peptide; Sensory neuron; Gene expression; Actin (Nielsch, U.) **481,** 25

Hexanedione; Neurotoxicity; Axonopathy; Protein phosphorylation; Sciatic nerve (Horan, K.L.) **491,** 366

Nerve regeneration
Ganglioside; Glycolipid; Glycoprotein; Growth cone; Peripheral nerve (Yates, A.J.) **479,** 277

Major histocompatibility complex antigen; Axonal transport; Skeletal muscle; Neuroimmunology (Maehlen, J.) **481,** 368

Reinnervation; Lingual nerve; Chorda tympani; Tongue; Taste; Salivary gland (Robinson, P.P.) **483,** 259

Rat sciatic nerve; Thymidine; Schwann cell; Somatomedin; Insulin-like growth factor; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Pulsed electromagnetic field; Crush lesion; Conditioning effect (Sisken, B.F.) **485,** 309

Rat; Somatomedin; Growth factor; Insulin-like growth factor I; Sciatic nerve; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Cerebral cortex; Cerebellum; Noradrenaline; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Diabetes; Insulin; Insulin-like growth factor-I; Rat; Sciatic nerve; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Nerve section
Neuropeptide; Flexor reflex; Vasoactive intestinal polypeptide; Substance P; Calcitonin gene-related peptide; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Nerve stimulation
Ovarian innervation; Rat; Viscero-visceral reflex pathway (Klein, C.M.) **479,** 194

Nerve terminal
Calcium current; Antibiotic; Mouse (Bourret, C.) **478,** 403

Neuromuscular junction; Calcium current; Calcium-dependent potassium current; Botulinum A toxin; Carbonyl cyanide *m*-chlorophenylhydrazone (Mallart, A.) **479,** 167

Olfactory epithelium; Peptidergic innervation; Frog; Substance P (Zielinski, B.S.) **492,** 361

Ca current; Ca channel; Presynaptic nerve terminal; Transmitter release; Vertebrate nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

Nerve transection
Conditioning lesion; Axonal regeneration; Nerve freeze; Sciatic nerve; Rat; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Nervous system plasticity
Pain; Spinal cord injury; Human thalamus; Calcium; Action potential burst; Slow wave sleep (Lenz, F.A.) **496,** 357

Nervus terminalis
Septum; Transient connection; Amphibian; Tadpole; Ontogeny; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

Neural cell adhesion molecule
Heart; Myocardium; Cardiac innervation; Development; Vascular smooth muscle (Wharton, J.) **483,** 170

Neural connection
Tractus nucleus solitarii; Subfornical organ; Paraventricular nucleus; Baroreceptor (Shioya, M.) **483,** 192

Neural crest
Glutamate; Neurofilament; Neuronal differentiation; Sensory neuron; Substance P; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

Neural development
Microtubule-associated protein; 205 kDa Microtubule-associated protein; Neural tissue; Monoclonal antibody; Immunocytochemistry (Shiomura, Y.) **502,** 356

Neural graft
Autonomic ganglion; Astrocyte; Cellular migration; Neovascularization; Immunocytochemistry (Rosenstein, J.M.) **476,** 110

Neural implants; Chromaffin cell; Nociception; Spinal cord; Opioid peptide; Adrenal medulla; Analgesia (Sagen, J.) **502,** 1

Neural grafting
Neostriatum; Substantia nigra; Connectivity; Huntington's disease; Rat; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

Serotonin release; Intracerebral microdialysis; Hippocampus; Rat (Daszuta, A.) **498,** 323

Neural implants
Chromaffin cell; Nociception; Spinal cord; Opioid peptide; Adrenal medulla; Analgesia; Neural graft (Sagen, J.) **502,** 1

Neural inhibition
Geniculate body; Neural transmission; γ-Aminobutyric acid; Receiver operating characteristic curve; Attention; Tree shrew (Holdefer, R.N.) **488,** 341

Geniculate body; Sensory threshold; Physiology; γ-Aminobutyric acid; Vision; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Neural network
Somatosensory cortex; Barrel; Cortical circuitry; γ-Aminobutyric acid; Inhibition (Keller, A.) **496,** 105

Neural pathway
Anterograde degeneration; Electron microscopy; Neuroanatomical technique; Thalamocortical; Visual cortex (Dashe, J.F.) **505,** 203

Neural receptor
Progesterone; Promegestone; Androgen receptor; Copulatory behavior (Connolly, P.B.) **503,** 312

Neural subpopulation
Olfactory epithelium; Neuronal culture; Basal cell; Monoclonal antibody (Akeson, R.A.) **488,** 202

Neural tissue
Microtubule-associated protein; 205 kDa Microtubule-associated protein; Neural development; Monoclonal antibody; Immunocytochemistry (Shiomura, Y.) **502,** 356

Neural transmission
Geniculate body; γ-Aminobutyric acid; Neural inhibition; Receiver operating characteristic curve; Attention; Tree shrew (Holdefer, R.N.) **488,** 341

Neural transplant
Hypothalamus; Regeneration; Vasopressin; Trophic factor (Marciano, F.F.) **483,** 135

Magnetic resonance imaging; Rat brain; Kainic acid; Huntington's disease; Striatum (Norman, A.B.) **483,** 188

Circadian rhythm; Pacemaker; Suprachiasmatic nucleus; Hypothalamus; Parvocellular neuron; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Magnetic resonance imaging; Rat brain; Gadolinium diethylenetriamine pentaacetic acid; Blood–brain barrier; Rat C6 glioma (Norman, A.B.) **503,** 156

Neural transplantation
Ia antigen; Xenograft; Class II MHC antigen; Vascular endothelial cell; Immunological rejection (Kohsaka, S.) **484,** 340

Xenogeneic grafting; Blood vessel; Vascular endothelial cell; Mouse endothelial surface antigen-1; Immunological rejection (Nakano, Y.) **496,** 336

Autoradiography; μ-Opiate receptor; Neostriatum; 1-Methyl-4-phenyl-pyridinium ion; Nigrostriatal dopamine pathway; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Neuritic plaque
Alzheimer's disease; Cholinergic hypothesis; Thalamic reticular nuclei; Thalamic mediodorsal nuclei (Masliah, E.) **493,** 240

Alzheimer's disease; Amyloid; Neurofibrillary tangle; Neuropil thread; Allocortex; Presubiculum (Kalus, P.) **494,** 198

Neuroactive peptide
Rostral ventrolateral medulla; Arterial pressure; Brain slice (Sun, M.-K.) **492,** 261

Neuroanatomical technique
Anterograde degeneration; Electron microscopy; Neural pathway; Thalamocortical; Visual cortex

(Dashe, J.F.) **505,** 203

Neuroanatomical tracing
Avidin; Biotin (King, M.A.) **497,** 361

Neuroanatomy method
Acetylcholine; Acetylcholinesterase; Cytoarchitectonics; Histochemistry (Shipley, M.T.) **504,** 347

Neuroarchitecture
Development; Excitotoxicity; Hippocampus; Muscarinic receptor; Selective cell death (Mattson, M.P.) **497,** 402

Neurobehavioral development
Epidermal growth factor; Nerve growth factor; Body weight; Behavior; Mouse (Calamandrei, G.) **477,** 1

Neuroblastoma
Sodium channel; Potassium channel; Calcium channel; Imipramine; Chlorpromazine; Haloperidol (Ogata, N.) **476,** 140

Acetylcholine synthesis; Acetylcholine release; Human; Phosphocholine; Choline uptake (Richardson, U.I.) **476,** 323

Choline acetyltransferase; Regulation; Retinoic acid; Butyrate (Casper, D.) **478,** 74

Choline acetyltransferase; Regulation; Mechanism; Retinoic acid; Butyrate (Casper, D.) **478,** 85

Neurotumor; Cancer; Opioid receptor; Endogenous opioid system; Mitosis; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Opioid receptor; Zeta; Enkephalin; Growth; Cancer (Zagon, I.S.) **482,** 297

Opioid receptor; Growth; Cancer; Enkephalin; Cell proliferation (Zagon, I.S.) **490,** 14

D_1 receptor; D_2 receptor; Retinoblastoma; Clonal cell line; SCH 23390; Methylspiperone (Monsma, F.J.) **492,** 314

3-Hydroxykynurenine; Kynurenine; Cytotoxicity; Oxidative stress; Vitamin B-6 deficiency (Eastman, C.L.) **495,** 225

Neuroblastoma cell
Guanosine triphosphate; β-Endorphin; Opioid receptor, μ-; Opioid receptor, δ-; Opioid peptide (Selley, D.E.) **493,** 23

Neuroblastoma × glioma hybrid cell
Neuropeptide; Tachykinin; Serotonin; Co-transmitter; Ion transport (Reiser, G.) **479,** 40

Neurochemical compartment
Neurotensin receptor; Autoradiography; Acetylcholinesterase; Caudate nucleus; Human (Faull, R.L.M.) **488,** 381

Neurodegeneration
Calcium; Dendritic outgrowth; Diazepam; γ-Aminobutyric acid; Glutamate; Hippocampus; Pyramidal neuron (Mattson, M.P.) **478,** 337

Dentate gyrus; Excitatory amino acid; Glutamate; γ-Aminobutyric acid; Hippocampus; *N*-Methyl-D-aspartic acid; Pyramidal neuron (Mattson, M.P.) **490,** 110

Neurodegenerative disease
Neurofibrillary tangle; Immunocytochemistry; Cytoskeleton; Microtubule; Antibody (Mulvihill, P.) **484,** 150

Neurodegenerative disorder
Alzheimer's disease; Paired helical filament; Superoxide dismutase; Free radical; Senile plaques (Zemlan, F.P.) **476,** 160

Basal ganglia; Excitotoxin; Glia; Huntington's disease; Quinolinic acid (Schwarcz, R.) **490,** 103

Quantitative neuroanatomy; Vision; Corticocortical connection; Human brain (Hof, P.R.) **493,** 368

Neuroectodermal tumor
Medulloblastoma; N-ras oncogene; Differentiation; Polymerase chain reaction; Cerebellum (Fults, D.) **503,** 281

Neuroendocrine cell
Cyclic adenosine monophosphate; Egg laying; Mollusc (Moed, P.J.) **476,** 298

Neuroendocrine regulation
Pituitary gland; Supraependymal neuron; Cerebrospinal fluid alteration therapy (Michael, D.B.) **478,** 227

Neurofibrillary pathology
Aluminum; Neuronal cell; Neurofilament; Phosphorylation; Neurotoxicity; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Neurofibrillary tangle
Alzheimer's disease; Paired helical filament; Protein phosphorylation; Tau; Ubiquitin (Bancher, C.) **477,** 90

Immunocytochemistry; Cytoskeleton; Microtubule; Antibody; Neurodegenerative disease (Mulvihill, P.) **484,** 150

Nerve cell size; Nucleolar volume; Morphometry; Dementia of the Alzheimer type; Hippocampus (Gertz, H.-J.) **487,** 373

Alzheimer's disease; Amyloid; Neuritic plaque; Neuropil thread; Allocortex; Presubiculum (Kalus, P.) **494,** 198

Neurofilament
Axonal transport; Tubulin; Cytoskeleton (Watson, D.F.) **477,** 225

Immunocytochemistry; Phosphorylation (Poltorak, M.) **480,** 349

Microtubule; Cytoskeletal protein; Acrylamide; Neurotoxicity (Lapadula, D.M.) **481,** 157

Axonal transport; 2,5-Hexanedione; Giant axonal neuropathy; Acceleration of transport (Monaco, S.) **491,** 328

Aluminum; Neuronal cell; Phosphorylation; Neurotoxicity; Neurofibrillary pathology; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Glutamate; Neural crest; Neuronal differentiation; Sensory neuron; Substance P; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

Maturation factor; Growth factor; Brain injury; Large neuron; Neuronal regeneration (Lim, R.) **504,** 154

Neurogenesis
Cell division; Tyrosine hydroxylase; Deoxyribonucleic acid synthesis (DiCicco-Bloom, E.) **491,** 403

Neurogenic plasma extravasation
Mast cell; Dura; Trigeminal ganglion; Compound 48/80 (Markowitz, S.) **477,** 157

Neuroglia
Hypothalamic paraventricular nucleus; Oxytocin; Immunochemistry; Ultrastructure; Neuronal plasticity; Synapse; Lactation (Theodosis, D.T.) **484,** 361

Neuroglycopenia
Rat; 2-Deoxy-D-glucose; Sympathetic nervous system; Hyperglycemia; Liver glucose output; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

Neurohemal and non-synaptic release
Peptide release by exocytosis; Quantitative immunoelectron microscopy; Tannic acid; Caudodorsal cell; *Lymnaea stagnalis* (Schmidt, E.D.) **489,** 325

Neurohypophysial hormone
Human brain; Oxytocin; Radioiodinated ligand; Receptor distribution; Triniated ligand (Loup, F.) **500,** 223

Neurohypophysis
Oxygen consumption; Energy metabolism; Calcium; Ouabain; Exocytosis; Na^+,K^+-pump (Shibuki, K.) **487,** 96

Vasopressin secretion; Forskolin; Cyclic adenosine monophosphate; Presynaptic regulation (Treiman, M.) **488,** 260

Neuroimmunology
Major histocompatibility complex antigen; Nerve regeneration; Axonal transport; Skeletal muscle (Maehlen, J.) **481,** 368

Cerebral lateralization; Neocortical ablation; Lymphoproliferation;

Concanavalin A; Lipopolysaccharide; Prolactin; Female rat (LaHoste, G.J.) **483,** 123

Brain asymmetry; New Zealand black mouse; Systemic lupus erythematosus; Auto-antibody (Neveu, P.J.) **498,** 159

Schizophrenia; Neuropathology; Monoclonal antibody (Honer, W.G.) **500,** 379

Neurokinin
Raphe nucleus; Hyperactivity; 5,7-Dihydroxytryptamine; 5-Hydroxytryptamine neuron (Paris, J.M.) **476,** 183

Neurokinin A
Substance P; Desensitization; Tachykinin; Parotid (McMillian, M.K.) **480,** 330

Tachykinin; Substance P; Hypoxia; Carotid body; Chemoreceptor (Prabhakar, N.R.) **481,** 205

Substance P; Neurokinin B; Eledoisin; Tachykinin receptor; Uridine incorporation; Guanine nucleotide (Lee, C.-M.) **488,** 328

Tachykining receptor; Substance P; Neurokinin B; Sympathetic ganglia (Konishi, S.) **490,** 162

Neurokinin B
Substance P; Tachykinin peptide; Nucleus tractus solitarii; Cardiovascular (Nagashima, A.) **487,** 392

Substance P; Neurokinin A; Eledoisin; Tachykinin receptor; Uridine incorporation; Guanine nucleotide (Lee, C.-M.) **488,** 328

Tachykining receptor; Substance P; Neurokinin A; Sympathetic ganglia (Konishi, S.) **490,** 162

Substance P; Spontaneously hypertensive rat; Cardiovascular; Tachykinin peptide (Nagashima, A.) **499,** 198

Neuroleptic drug
Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Amphetamine; Ascorbate; Dopamine receptor; In vivo voltammetry; Neostriatum (Oh, C.) **480,** 184

Electron microscopy; Caudate; Nucleus accumbens; Perforated postsynaptic density; Tardive dyskinesia (Meshul, C.K.) **489,** 338

Neuroleptic
Antipsychotic; Haloperidol; Clozapine; Dopamine receptor; Serotonin receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Neurotensin; Dopamine receptor, D_2; LY 171555; Sulpiride; Striatum; Nucleus accumbens (Merchant, K.M.) **500,** 21

Neurological mutant
Epilepsy; Hippocampus; Seizure; Timm's stain (Stanfield, B.B.) **480,** 294

Neurological outcome
Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Traumatic brain injury; Mean arterial pressure; Traumatic spinal cord injury (Faden, A.I.) **486,** 228

Neuroma
Sensory nerve; Spontaneous activity; Capsaicin; Rat (Hartung, M.) **499,** 363

Substance P; Calcitonin gene-related peptide; Stimulated release; Basal release; Localization (White, D.M.) **503,** 198

Neuromediator system
Alzheimer's disease; Dystrophic neurite; Senile plaque; Paired helical filament; Amyloid substance (Lenders, M.-B.) **481,** 344

Neuromedin
Bombesin; Gastrin-releasing peptide; Inhibition; Depression; Substance P; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Neuromedin N
Radioimmunoassay; Neuromedin N-like immunoreactivity; Characterization; Regional distribution; Rat brain; Neurotensin (De Nadai, F.) **500,** 193

Neuromedin N-like immunoreactivity
Neuromedin N; Radioimmunoassay; Characterization; Regional distribution; Rat brain; Neurotensin (De Nadai, F.) **500,** 193

Neuromodulation
Amygdala; Nucleus accumbens; Locomotor activity; Dopamine (Yim, C.Y.) **477,** 202

Hippocampal slice; Long-term potentiation; Epidermal growth factor (Terlau, H.) **484,** 352

Neuromodulator
Auditory cortex; Acetylcholine; Receptive field; Single neuron; Neuronal plasticity (Metherate, R.) **480,** 372

Neuromotrophic factor
Developing spinal cord; Organotypic culture; Testosterone; Cell death (Hauser, K.F.) **485,** 157

Neuromuscular junction
Acetylcholine (Molenaar, P.C.) **477,** 109

Nerve terminal; Calcium current; Calcium-dependent potassium current; Botulinum A toxin; Carbonyl cyanide *m*-chlorophenylhydrazone (Mallart, A.) **479,** 167

Cholesterol; Muscle; Aging; Denervation; Phospholipid (Williams, K.D.) **493,** 14

Receptor autoradiography; Immunohistochemistry; Calcitonin gene-related peptide; Calcitonin gene-related peptide receptor; Striated muscle (Popper, P.) **496,** 180

Calcitonin gene-related peptide (CGRP); Receptor; Muscle (Jennings, C.G.B.) **504,** 199

Neuromuscular spindle
Secondary spindle sensory ending; Group I and group II afferent fibre; Sympathetic nervous system; Lumbar sympathetic chain; Antidromic collision (Petit, J.) **503,** 181

Neuron
Ethanol; Chronic intake; Morphology (Durand, D.) **477,** 373

Microtubule-associated proteins (1A and 2); Retina; Immunohistochemistry (Okabe, S.) **483,** 335

γ-Aminobutyric acid; Cetacea; Propoise; Visual cortex; Immunocytochemistry (Garey, L.J.) **485,** 278

Calcium-dependent potassium channel; C channel; Patch clamp; *Helix* (Chagneux, H.) **488,** 336

Acetylcholinesterase; In vivo microspectrophotometry; Electrophysiology (Fossier, P.) **491,** 390

γ-Aminobutyric acid; Glycine; Chloride channel; Buspirone; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Spinal cord (Smith, S.M.) **493,** 366

Glutathione; Ascorbate; Astrocyte (Raps, S.P.) **493,** 398

Quantification; Cerebral cortex; Cortical thickness; Environment (Beaulieu, C.) **495,** 382

Aging; Striatum; Receptor (Han, Z.) **498,** 299

Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate receptor; Cerebellar granule cell; Neuronal energy (Lysko, P.G.) **499,** 258

Australoid race; Purkinje cell; Growth; Development (Riedel, A.) **499,** 333

Brush cell; Horseradish peroxidase; Microvillar cell; Olfaction; Olfactory epithelium; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Lead; Calcium; NG108-15; Nuclear magnetic resonance spectroscopy, ^{19}F (Schanne, F.A.X.) **503,** 308

Neuron death
Zinc; Epilepsy; Seizure; Limbic system; Kainic acid; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Neuron loss
Axotomy; Lactation; Progesterone (Yu, W.-H.A.) **491,** 379

Neuron–glia interaction
Proline; Axonal transport (Contos, N.) **479,** 172

Neuronal activity
Xenotransplantation; Hippocampus; Septum; θ-Rhythm; Integration (Kitchigina, V.F.) **502,** 39

Neuronal adhesion
Amyloid precursor; Heparan sulfate proteoglycan; Heparin (Octave, J.-N.) **486,** 369

Neuronal atrophy
Alzheimer's disease; Neuronal loss; Computer simulation (Duyckaerts, C.) **504,** 94

Neuronal cell
Aluminum; Neurofilament; Phosphorylation; Neurotoxicity; Neurofibrillary pathology; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Neuronal cell death
Kainic acid; Autoradiography, ^{45}Ca; Hippocampus; Thalamic reticular nucleus (Tanaka, S.) **478,** 385

Neuronal culture
Neural subpopulation; Olfactory epithelium; Basal cell; Monoclonal antibody (Akeson, R.A.) **488,** 202

Neuronal death
Rat; Trophic factor; Peripheral nervous system; In vitro; Bioassay (Eichler, M.E.) **482,** 340

Neuronotoxic activity; Astroglia; Excitotoxin; Ionic effect (Leprince, P.) **502,** 21

Choline acetyltransferase; Cholinergic; Fimbria-fornix transection; Medial septum; Nerve growth factor; Neuronal size; Nerve growth factor receptor (Hagg, T.) **505,** 29

Cerebral ischemia; Excitotoxicity; Hippocampus; Dentate gyrus; Paired-pulse inhibition; Inhibitory interneuron (Chang, H.S.) **505,** 220

Neuronal degeneration
Diabetes; Hypothalamus; C57BL/*KsJ* mouse; C57BL/*6J* mouse; Morphometry (Garris, D.R.) **501,** 162

Kainate; Laminin; Basement membrane; Neovascularization; Glia (Shigematsu, K.) **501,** 215

Neuronal depolarization
Acetylcholine; Receptor subtypes; Postreceptor mechanisms; GTP-binding proteins (Simantov, R.) **505,** 160

Neuronal development
Serotonin; Serotonin receptor; Astroglial cell; 8-Hydroxy-2-(di-n-propylamino)tetralin (Whitaker-Azmitia, P.M.) **497,** 80

γ-Aminobutyric acid receptor; Chloride current; Chick cortex; γ-Aminobutyric acid/benzodiazepine receptor (Hablitz, J.J.) **501,** 332

Neuronal differentiation
Glutamate; Neural crest; Neurofilament; Sensory neuron; Substance P; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

PC12 cell; Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Tyrosine hydroxylase (Matsuoka, I.) **502,** 53

Neuronal energy
Excitatory amino acid; Glutamate; *N*-Methyl-D-aspartate receptor; Neuron; Cerebellar granule cell (Lysko, P.G.) **499,** 258

Neuronal excitability
Paradoxical sleep deprivation; Evoked potential; Hippocampus (Gorter, J.A.) **476,** 16

Neuronal inhibition
Fascia dentata; Axo-axonic synapse; Epilepsy (Soriano, E.) **503,** 170

Neuronal injury
Head injury; Rat; Gliosis; Barrier breakdown (Cortez, S.C.) **482,** 271

Neuronal interaction
Multi-unit recording; Cross-correlation; Rat; Peristimulus histogram; Dorsal cochlear nucleus (Gochin, P.M.) **497,** 1

Neuronal loss
Hippocampus; Plasticity; Temporal lobe epilepsy (De Lanerolle, N.C.) **495,** 387

Alzheimer's disease; Neuronal atrophy; Computer simulation (Duyckaerts, C.) **504,** 94

Neuronal maintenance
Regeneration; Astrocyte; Graft; Spinal cord; Neuronal rescue (Bernstein, J.J.) **488,** 180

Neuronal marker
Calbindin D_{28K}; Immunocytochemistry; Neuronal subpopulation; Primary culture (Pfeiffer, B.) **476,** 120

Neuronal membrane
Estradiol; Cerebral cortex; Freeze-fracture; Plasma membrane; Development; Cell culture (Garcia-Segura, L.M.) **498,** 339

Neuronal organization
Testosterone; Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase (Melvin, J.E.) **485,** 1

Neuronal plasticity
Auditory cortex; Acetylcholine; Receptive field; Neuromodulator; Single neuron (Metherate, R.) **480,** 372

Hypothalamic paraventricular nucleus; Oxytocin; Immunochemistry; Ultrastructure; Neuroglia; Synapse; Lactation (Theodosis, D.T.) **484,** 361

CA1; Long-term potentiation; Adrenalectomy; Stress; Learning; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

Thyroxine; Visual system; Optic tectum; Neuronal sprouting; Amphibian (Hofmann, M.H.) **492,** 389

Neuronal regeneration
Maturation factor; Growth factor; Brain injury; Large neuron; Neurofilament (Lim, R.) **504,** 154

Neuronal rescue
Regeneration; Astrocyte; Graft; Spinal cord; Neuronal maintenance (Bernstein, J.J.) **488,** 180

Neuronal response
Primary somatosensory cortex; Primate; Single-unit recording; Premovement activity (Nelson, R.J.) **484,** 43

Food; Water; Salt; Sodium appetite; Zona incerta; Sheep (Kendrick, K.M.) **492,** 211

Neuronal size
Choline acetyltransferase; Cholinergic; Fimbria-fornix transection; Medial septum; Nerve growth factor; Neuronal death; Nerve growth factor receptor (Hagg, T.) **505,** 29

Neuronal sprouting
Thyroxine; Visual system; Optic tectum; Neuronal plasticity; Amphibian (Hofmann, M.H.) **492,** 389

Neuronal subpopulation
Calbindin D_{28K}; Immunocytochemistry; Neuronal marker; Primary culture (Pfeiffer, B.) **476,** 120

Neuronal survival
Potassium; Depolarization; Calcium; Voltage-gated calcium channel; Dihydropyridine (Collins, F.) **502,** 99

Neuronectin
Extracellular matrix; Central nervous system; Fibroblast growth factor; Phorbol ester (Rettig, W.J.) **487,** 171

Neuronotoxic activity
Astroglia; Excitotoxin; Neuronal death; Ionic effect (Leprince, P.) **502,** 21

Neuronotrophic factor
PC12 cell; Retinoic acid; Choline acetyltransferase; Tyrosine hydroxylase; Neuronal differentiation (Matsuoka, I.) **502,** 53

Neuropathology
Spectrin; Calpain; MK-801; Excitotoxicity; Calcium (Seubert, P.) **492,** 366

Peripheral nerve; Regeneration; Crush; Multiple crush; Graft; Morphometry (Giannini, C.) **500,** 131

Schizophrenia; Neuroimmunology; Monoclonal antibody (Honer, W.G.) **500,** 379

Neuropathy
Acrylamide; Neurotoxicity; Retrograde axonal transport (Sabri, M.I.) **483,** 1

Rat; Naloxone; Analgesia; Hyperalgesia (Attal, N.) **494,** 276

Neuropeptide
Tachykinin; Serotonin; Co-transmitter; Ion transport; Neuroblastoma × glioma hybrid cell (Reiser, G.) **479,** 40

Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Angiotensin II; Immunocytochemistry; Rat; Thalamus; Cell body (Coveñas, R.) **481,** 185

Galanin; Substance P; Calcitonin gene-related peptide; Naloxone; Bicuculline; Flexor-reflex; Monosynaptic reflex; Unmyelinated afferent (Wiesenfeld-Hallin, Z.) **486,** 205

Dementia; Tachykinin (Clevens, R.A.) **486,** 387

Neurotensin; Water intake; Drinking; Polydipsia; Structure–activity study (Hawkins, M.F.) **487,** 188

Flexor reflex; Nerve section; Vasoactive intestinal polypeptide; Substance P; Calcitonin gene-related peptide; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Calcitonin gene-related peptide; Human neuromuscular junction; Immunocytochemistry; Trophic factor (Mora, M.) **492,** 404

Sympathetic; Target-specific neuron; Adult rat; Gender difference (Wright, L.L.) **494,** 267

Somatostatin; Glycine; Colocalize; Interplexiform; Retina; Neurotransmitter (Smiley, J.F.) **495,** 31

Immunocytochemistry; Propriospinal; Retrograde tracing; Rat (Leah, J.) **495,** 173

Tyrosine hydroxylase; Calcium binding protein; Colocalization; Olfactory bulb; Immunohistochemistry (Seroogy, K.) **496,** 389

Superior cervical ganglion; Muscarinic receptor; Autoradiography; Immunocytochemistry; Cell culture (James, S.) **498,** 205

Endothelial cell; Aminopeptidase; Thyrotropin releasing hormone (Rozental, J.M.) **499,** 397

Somatostatin; Neuropeptide Y; Vasoactive intestinal peptide; Cholecystokinin; Amygdala; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Corticotropin releasing factor; Hypothalamus; Stress; Norepinephrine; Adrenoceptor (Tsagarakis, S.) **502,** 167

Nucleus tractus solitarius; Substance P; Serotonin; Colocalization of neurotransmitter; Brainstem; Slice (Jacquin, T.) **502,** 214

Neuropeptide Y; Memory; Mouse; Recall; Retention; Localization; Forebrain (Flood, J.F.) **503,** 73

Neuropeptide Y
Dopamine; Striatum; Immunocytochemistry; Electron microscopy; Rat (Vuillet, J.) **477,** 241

Human; Infant; Hippocampus; Ontogeny; Immunohistochemistry (Lotstra, F.) **478,** 211

Ventrolateral medulla; Noradrenergic; Adrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Lateral geniculate nucleus; Suprachiasmatic nucleus; Hypothalamus; Circadian rhythm (Moore, R.Y.) **486,** 190

Arginine vasopressin; Salt-loading; Brattleboro rat; Rat (Hooi, S.C.) **486,** 214

Release; Noradrenaline; Calcium; Exocytosis; Sympathetic neuron (Saxena, V.K.) **486,** 310

Cholinergic basal forebrain lesion; Somatostatin; Neocortex; Rat (Gaykema, R.P.A.) **489,** 392

Alzheimer's disease; Somatostatin; Co-localization; Cortex; Bed nucleus of stria terminalis (Gaspar, P.) **490,** 1

Rat liver; Immunohistochemistry; Celiac ganglion; Electron microscopy (Inoue, N.) **493,** 87

Retina; Amacrine cell; Cell matrix; Anura (Hiscock, J.) **494,** 55

Arcuate nucleus; Drinking; Ingestive behavior; Mouse; Monosodium glutamate; Thirst (Morley, J.E.) **494,** 129

Catecholamine; Cerebral cortex; Interaction; Double-staining immunocytochemistry (Tsuchiyama, M.) **494,** 168

Baclofen; 5-Hydroxytryptamine; G-protein; Pertussis toxin (Colmers, W.F.) **498,** 99

Corticotropin-releasing factor; Adrenocorticotropic hormone; Noradrenaline; Adrenaline; 6-Hydroxydopamine; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Noradrenaline; Supraoptic nucleus; Neurosecretory cell; Vasopressin cell (Sibbald, J.R.) **499,** 164

Neuropeptide; Somatostatin; Vasoactive intestinal peptide; Cholecystokinin; Amygdala; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Adrenals; Corticosterone; Eating behavior; Paraventricular nucleus; Pituitary gland (Stanley, B.G.) **501,** 32

Neuropeptide; Memory; Mouse; Recall; Retention; Localization; Forebrain (Flood, J.F.) **503,** 73

Neuropharmacology
Hippocampus; Dentate gyrus; Granule cell; Interneuron; Norepinephrine; Local application (Rose, G.M.) **488,** 353

Neurophysin
Arginine vasopressin; 1-Deamino[8-D-arginine] vasopressin; Negative feedback; Sodium chloride; Radioimmunoassay (Cheng, S.W.T.) **479,** 35

Neurophysiology
Hippocampus; Ischemia; Histology (Ashton, D.) **487,** 368

Suprachiasmatic nuclei; Circadian system; Photic responsiveness; Entrainment (Meijer, J.H.) **501,** 315

Intergeniculate leaflet; Suprachiasmatic nucleus; Photic response; Antidromic activation; Circadian rhythm entrainment (Zhang, D.X.) **504,** 161

Neuropil
Dense-cored vesicle; Non-synaptic release; Ultrastructure; Crayfish; Synapse (Cuadras, J.) **477,** 332

Neuropil thread
Alzheimer's disease; Amyloid; Neuritic plaque; Neurofibrillary tangle; Allocortex; Presubiculum (Kalus, P.) **494,** 198

Neuroplasticity
Sprouting; Somatostatin; Rat amygdala; Ultrastructure; Immunohistochemistry; Central nervous system; Autonomic (Gotow, T.) **492,** 325

Neuroprotection
Hypothermia; Hypoxia/ischemia; MK-801; Excitotoxicity; Brain damage; Glutamate (Ikonomidou, C.) **487,** 184

Neurotoxicity; Perinatal; MK-801; *N*-Methyl-D-aspartate; Hypoxia-ischemia (McDonald, J.W.) **490,** 33

Neurosecretion
Insect; Locust; Corpus cardiacum; Adipokinetic hormone; Octopamine; Calcium; Sodium (Pannabecker, T.) **477,** 38

Neurosecretory cell
Neuropeptide Y; Noradrenaline; Supraoptic nucleus; Vasopressin cell

(Sibbald, J.R.) **499,** 164

Neurospecificity
Spinal cord; Superior cervical ganglion; Lumbar sympathetic ganglion; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **485,** 115

Neurotensin
Dopamine; Tyrosine hydroxylase; Substantia nigra; Ventral tegmental area; Immunocytochemistry; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Cholecystokinin; Haloperidol; Dopamine; Rat (Radke, J.M.) **480,** 178

Radioimmunoassay; Stellate ganglion; Superior cervical ganglion; Non-cholinergic transmission; Sympathetic preganglionic neuron (Caverson, M.M.) **482,** 365

Ventral striatum; Caudate-putamen; 6-Hydroxydopamine; Immunoreactivity; Globus pallidus; Ventral pallidum (Zahm, D.S.) **483,** 301

Dopamine; Mesolimbic dopamine system; Mesocortical dopamine system; Ventral tegmental area; Substance P; Enkephalin (Cador, M.) **486,** 357

Water intake; Drinking; Neuropeptide; Polydipsia; Structure–activity study (Hawkins, M.F.) **487,** 188

Dopamine; μ-Opioid; Receptor; Nucleus accumbens; Mesencephalon (Dilts, R.P.) **488,** 311

Dopamine receptor, D_2; Neuroleptics; LY 171555; Sulpiride; Striatum; Nucleus accumbens (Merchant, K.M.) **500,** 21

Neuromedin N; Radioimmunoassay; Neuromedin N-like immunoreactivity; Characterization; Regional distribution; Rat brain (De Nadai, F.) **500,** 193

Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Apomorphine; Microdialysis; Striatum; Rat (Tanganelli, S.) **502,** 319

Neurotensin receptor
Autoradiography; Acetylcholinesterase; Neurochemical compartment; Caudate nucleus; Human (Faull, R.L.M.) **488,** 381

Neurotoxic denervation
Immunohistochemistry; Cerebral artery; 5-Hydroxytryptamine; Sympathetic nerve; Surgical sympathectomy; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Neurotoxicant
Axonal transport; Diisopropyl phosphorofluoridate; Anterograde transport; Organophosphorus compound-induced delayed neurotoxicity (Carrington, C.D.) **476,** 179

Neurotoxicity
Quinolinic acid; L-Tryptophan; Striatum; Microdialysis; Extracellular fluid; Mass spectroscopy (During, M.J.) **476,** 384

Microtubule; Neurofilament; Cytoskeletal protein; Acrylamide (Lapadula, D.M.) **481,** 157

Acrylamide; Neuropathy; Retrograde axonal transport (Sabri, M.I.) **483,** 1

Aspartate; Glutamate; *N*-Methyl-D-aspartate receptor; Excitatory amino acid; Cortex; Cell culture (Monyer, H.) **483,** 347

Methamphetamine; Dopamine; Serotonin; Rhesus monkey; Brain (Woolverton, W.L.) **486,** 73

Dentate gyrus; Microtubule; Colchicine; Cytoskeleton (Goldschmidt, R.B.) **486,** 133

Serotonin; 3,4-Methylenedioxymethamphetamine; Primate (Kleven, M.S.) **488,** 121

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase activity; Striatum; Total biopterin; Mouse (Nishi, K.) **489,** 157

Electroencephalogram; Motor dysfunction; Somatostatin; Substance P analogue (Grabow, T.S.) **489,** 223

Perinatal; MK-801; *N*-Methyl-D-aspartate; Hypoxia-ischemia; Neuroprotection (McDonald, J.W.) **490,** 33

Methamphetamine; Dopamine; Serotonin; Drug abuse (Ricaurte, G.A.) **490,** 301

Hexanedione; Axonopathy; Protein phosphorylation; Nerve injury; Sciatic nerve (Horan, K.L.) **491,** 366

Aluminum; Neuronal cell; Neurofilament; Phosphorylation; Neurofibrillary pathology; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Excitatory amino acid; Glutamate; Glutamine (Yamada, K.A.) **498,** 351

Aluminum; Choline; Norepinephrine; Rat hippocampus (Zubenko, G.S.) **498,** 381

Selective degeneration; Squirrel monkey; Retinal ganglion cell; Parallel visual pathway; Visual system; Acrylamide; Cytochrome oxidase (Lynch III, J.L.) **499,** 325

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Ethanol; Acetaldehyde; Dopamine; Substantia nigra (Zuddas, A.) **501,** 1

Glutamate agonist; Excitotoxin; Ibotenate; Hippocampus; Phencyclidine agonist; Ketamine; Halothane; Anesthesia (Lees, G.J.) **502,** 280

Thy 1; Monoclonal antibody; Suicide transport; Saporin; Vagus nerve; Caudate nucleus (Wiley, R.G.) **505,** 44

Serotonin uptake site; Methamphetamine; Autoradiography, quantitative (Kovachich, G.B.) **505,** 123

Fenfluramine; Stereoisomer; Serotonin (Kleven, M.S.) **505,** 351

Neurotoxin
Amino acid transmitter; Argiotoxin; Glutamate; Hippocampus (Ashe, J.H.) **480,** 234

Zinc; Epilepsy; Seizure; Limbic system; Kainic acid; Neuron death; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Endotoxin; Infection; Central nervous system; Kynurenine pathway; Convulsant; Indoleamines; Indoleamine-2,3-dioxygenase (Heyes, M.P.) **491,** 173

N-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Sexual behavior; Luteinizing hormone; Aromatase; Noradrenergic; Norepinephrine (Balthazart, J.) **492,** 163

5,7-Dihydroxytryptamine; Serotonin; Norepinephrine; Monoamine oxidase; Parkinson's disease; Aging (Finnegan, K.T.) **496,** 251

Serotonin; Limbic system; Alzheimer's disease (Crino, P.B.) **504,** 247

Neurotransmission
Glutamate; Glutamate dehydrogenase; Cochlea; Compound action potential; Guinea pig (Rebillard, G.) **494,** 379

Neurotransmitter
Glycine; Glutamate; Amino acid; Blood pressure; Baroreceptor reflex; Nucleus tractus solitarii; Cardiovascular regulation (Talman, W.T.) **477,** 7

Monosynaptic reflex; Excitatory amino acid antagonist; Brainstem (Chandler, S.H.) **477,** 252

Immunohistochemistry; Lateral geniculate body; Double staining; Subdivision (Takatsuji, K.) **480,** 198

Epilepsy; α_1-Adrenoceptor; Human brain; Phosphatidylinositol; Adrenergic (Dubeau, F.) **481,** 200

Cerebral microcirculation; Vascular smooth muscle; Amino acid; γ-Aminobutyric acid; Glycine; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Cancer; Anorexia; Ammonia; Amino acid (Chance, W.T.) **486,** 316

1-(*p*-Bromobenzoyl)-piperazine-2,3-dicarboxylic acid (pBB-PzDA); Guinea pig; Cochlea; Excitatory amino acid; Antagonist (Puel, J.L.) **487,** 9

γ-Aminobutyric acid; L-Glutamic acid; Amino acid; Uptake; Human central nervous system; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

Experimental autoimmune encephalomyelitis; Rat; Spinal cord; Brainstem; High performance liquid chromatography; Degeneration (Krenger, W.) **491,** 374

Somatostatin; Glycine; Colocalize; Interplexiform; Retina; Neuropeptide (Smiley, J.F.) **495,** 31

Gamma aminobutyric acidergic neuron; Developing cerebellum; Migrating neuron; Anti-gamma aminobutyric acid antibody; Purkinje cell; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Glucagon-like peptide-1; Gut–brain peptide; Experimental diabetes mellitus (Kreymann, B.) **502,** 325

Lateral superior olivary; Excitant amino acid; *N*-Methyl-D-aspartate; Quisqualate; D,L-2-Amino-5-phosphono-valeric acid; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

Neurotransmitter colocalization
Neuropeptide; Somatostatin; Neuropeptide Y; Vasoactive intestinal peptide; Cholecystokinin; Amygdala (McDonald, A.J.) **500,** 37

Neurotransmitter expression
Olfactory nerve; Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter plasticity; Subependymal cell; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Neurotransmitter plasticity
Olfactory nerve; Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter expression; Subependymal cell; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Neurotransmitter receptor
Cochlear nucleus; γ-Aminobutyric acid A-receptor; Benzodiazepine receptor; Receptor heterogeneity; Immunocytochemistry (Juiz, J.M.) **504,** 173

Neurotransmitter release
Frog lateral line; Hair cell; Glutamate; Aspartate; High performance liquid chromatography (Bledsoe, S.C.) **493,** 113

Opioid peptide; Endogenous; Enkephalin; Dynorphin; Hippocampus; Diprenorphine (Neumaier, J.F.) **493,** 292

Haloperidol-sensitive; σ-Receptor; Ditolylguanidine; Hippocampus; Schizophrenia (Neumaier, J.F.) **500,** 215

Muscarinic agonist; Long-term potentiation; Phospholipase C; Depolarization; Inositol phosphate (Schwartz, L.) **503,** 62

Neurotrophic action of excitatory amino acids
N-Methyl-D-aspartate; Cerebellar granule cell; Astrocyte; 2-Amino-5-phosphonovaleric acid; Transmembrane Ca^{2+} entry; Cerebellar development (Moran, J.) **486,** 15

Neurotrophic factor
Alzheimer's disease; Inhibitory factor; Cerebral cortical neuron; Cell culture (Uchida, Y.) **481,** 190

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Rat; Electrical stimulation; Denervated muscle (Bondoux-Jahan, M.) **490,** 350

Neurotumor
Neuroblastoma; Cancer; Opioid receptor; Endogenous opioid system; Mitosis; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Neutral amino acid
Suprachiasmatic nucleus; Circadian rhythm; Paraventricular nucleus; Brain protein synthesis; Autoradiography, [^{14}C]leucine (Scammell, T.E.) **494,** 155

Neutral endopeptidase
Opioid receptor; Rat spinal cord; Dorsal rhizotomy; Quantitative autoradiography (Zajac, J.-M.) **477,** 400

New Zealand black mouse
Neuroimmunology; Brain asymmetry; Systemic lupus erythematosus; Auto-antibody (Neveu, P.J.) **498,** 159

Newborn host
Cerebral cortical transplant; Thalamic stimulation; Peripheral stimulation; Electrophysiology; Sensory input (Neafsey, E.J.) **493,** 33

Newborn rabbit
Sodium influx; Veratridine; Carotid body glomus cell; Superior cervical ganglion neuronal cell; Primary culture; Tetrodotoxin-sensitive voltage-dependent sodium channel (Sato, M.) **504,** 132

Newborn rat
Respiration; In vitro; Norepinephrine; α_2-Adrenoceptor; A_5 cell group (Hilaire, G.) **485,** 325

NG108-15
Lead; Calcium; Neuron; Nuclear magnetic resonance spectroscopy, ^{19}F (Schanne, F.A.X.) **503,** 308

Nickel
Proton-induced X-ray emission analysis; Ischemia; Calcium; Zinc; Rat hippocampus (Tsuda, T.) **484,** 228

Nicotine
Dopamine; Microdialysis; Nucleus accumbens; Addiction (Mifsud, J.-C.) **478,** 365

Sexual behavior; Testosterone; Eye opening; Reproductive axis; Levator anus; Development (Segarra, A.C.) **480,** 151

Cholinergic; Muscarinic; Receptor; Lesion; Nucleus basalis magnocellularis (Atack, J.R.) **483,** 367

Baroreflex; Arterial pressure; Ventilation; Pentobarbital; Ventral medulla (Jung, R.) **485,** 399

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Scopolamine; Wistar rats (Sundaram, K.) **503,** 22

Synaptic vesicle; Transport; Dopamine; [^{3}H]-Accumulation; Reserpine (Kramer, H.K.) **503,** 296

Nicotinic acetylcholine receptor
Cerebral cortex; Acetylcholine; Immunocytochemistry; Human brain; Rat brain (Schröder, H.) **502,** 287

Nicotinic cholinergic receptor
AF64; Ethylcholine aziridinium; Cholinergic neurotoxin; Circadian rhythm; Hypothalamus (Morley, B.J.) **504,** 238

Nicotinic receptor
Rat hippocampus; Fimbria/fornix lesion; Muscarinic receptor subtype; Phosphoinositide hydrolysis; Carbachol (Smith, C.J.) **485,** 317

Acetylcholine; Dorsal motor nucleus of the vagus; Intracellular recording; Rat brainstem slice; Depolarization (Ito, C.) **503,** 44

Nifedipine
Serotonin; ω-Conotoxin GVIA; Bay K 8644; Calcium-dependent plateau; Action potential; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Human cerebral artery; Bay K 8644; $^{45}Ca^{2+}$ uptake; Verapamil (Salaices, M.) **490,** 133

Calcium current; Voltage clamp; Cortical neuron; Barium; Cadmium (Dichter, M.A.) **492,** 219

Nigral lesion
Tryptamine binding site/receptor; Caudate nucleus/striatum; Rat (Van Nguyen, T.) **476,** 85

Nigrostriatal
Adrenal medulla; Parkinsonism; Catecholamine; Transplant; Rotation; Amphetamine (Fitzgerald, L.R.) **481,** 373

Substantia nigra; Striatum; Dopaminergic neuron; Primate; Putamen; Caudate nucleus; Striosome (Langer, L.F.) **498,** 344

Nigrostriatal dopamine pathway
Autoradiography; μ-Opiate receptor;

Neostriatum; 1-Methyl-4-phenylpyridinium ion; Neural transplantation; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Nigrotectal
Epilepsy; Anticonvulsant; Substantia nigra; Superior colliculus; Bicuculline, γ-Aminobutyric acid (Dean, P.) **477,** 391

Nigrotectal pathway
Iminodipropionitrile; Head movement; Circling; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Nilvadipine
ω-Conotoxin GVIA; Histamine release; Hypothalamus; Rat (Takemura, M.) **496,** 351

Nimodipine
BAY K 8644; Tetrodotoxin; Calcium current; Calcium action potential; Electrical activity; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Nipecotic acid
Inferior colliculus; γ-Aminobutyric acid; Binaural inhibition; Bicuculline; Strychnine; Benzodiazepine; Glycine (Faingold, C.L.) **500,** 302

NMDA antagonist
Homocysteic acid; Seizure; NMDA receptor (Turski, W.A.) **479,** 371

NMDA receptor
Homocysteic acid; Seizure; NMDA antagonist (Turski, W.A.) **479,** 371

Nociception
Parabrachial nucleus; Spinal cord; Anterograde degeneration; Anterograde transport (Blomqvist, A.) **480,** 29

Parabrachial nucleus; Thalamus; Zona incerta; Hypothalamus; Anterograde tracing; Retrograde tracing; Double-labeling; Triple-labeling (Ma, W.) **480,** 37

Visceral pain; Superficial dorsal horn; Colorectal distension; Spinal neuron (Ness, T.J.) **486,** 301

Hyperalgesia; Behavioral pharmacology; Paw-withdrawal test; Bradykinin; Pain (Taiwo, Y.O.) **487,** 148

Adrenal secretion; Adrenocorticotropin; Adrenaline; γ-Amino-butyric acid; Noradrenaline; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Pain; Hyperalgesia; Prostaglandin; Arachidonic acid; Cyclooxygenase; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Pain; Hyperalgesia; Cyclic adenosine monophosphate; Guanine nucleotide regulatory protein; Prostaglandin; Primary afferent (Taiwo, Y.O.) **492,** 400

Somatosensory relay neuron; Spinothalamic tract; Trigeminothalamic tract; Fluorescent latex microsphere; Pain; Immature rat (Huang, L.-Y.M.) **495,** 108

Nucleus accumbens; Septal nucleus; Retrograde transport; Spinal cord; Fluoro-gold (Burstein, R.) **497,** 149

Bombesin; Neuromedin; Gastrin-releasing peptide; Inhibition; Depression; Substance P; Primary afferent transmission; Dorsal horn (De Koninck, Y.) **498,** 105

Medial prefrontal cortex; Centralis lateralis nucleus; Dorsal raphe nucleus; Ascending pain modulation pathway; Rat (Condés-Lara, M.) **499,** 145

Analgesia; Pain; Temperature; Behavior (Casey, K.L.) **501,** 150

Neural implants; Chromaffin cell; Spinal cord; Opioid peptide; Adrenal medulla; Analgesia; Neural graft (Sagen, J.) **502,** 1

Corticotropin-releasing factor; Trigeminal; Wide dynamic range; Single unit recording; Heat; Gold (Poree, L.R.) **502,** 349

Nociceptive neuron
Thalamus; Pain; Tail; Rat; Extracellular single unit recording (Yen, C.-T.) **498,** 118

Nociceptive specific neuron
Second somatosensory cortex; Cortical area 7b; Trigeminal somatosensory system; Noxious mechanical stimulation; Stimulus habituated monkey (Dong, W.K.) **484,** 314

Nociceptor
Polymodal receptor; Morphine; Opioid; Naloxone; Peripheral analgesia; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

Nocturnal
2-Deoxyglucose, [^{14}C]-; Glucose utilization; Circadian rhythm; Day/night rhythm (Room, P.) **505,** 321

Node of Ranvier
Voltage clamp; Sodium depletion; Sodium channel; Pyrethroid; Inactivation; Spinal ganglion (De Weille, J.R.) **482,** 324

Dorsal root ganglion neuron; Cell culture; Freeze-fracture; Non-myelinated axon; Schwann cell (Bigbee, J.W.) **494,** 182

Nodose ganglion
Vagus nerve; Substance P; Calcitonin gene-related peptide; Nerve growth factor; Tissue culture (MacLean, D.B.) **478,** 349

Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Superior cervical ganglion; Sensory innervation; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Nodose ganglionectomy
Angiotensin II; Sarcosine^1,isoleucine^8-angiotensin II; Nucleus tractus solitarii; Dorsal vagal nucleus; Sinoaortic denervation; Baroreceptor reflex (Healy, D.P.) **484,** 1

Nodulus-uvula
Vestibulo-ocular reflex; Direction adaptation; Vestibulo-cerebellum; Optokinetic stimulation; Optokinetic velocity; Lesion (Mason, C.R.) **490,** 373

Noise
Muscarinic cholinergic receptor; Hippocampus; Naltrexone (Lai, H.) **488,** 361

Noise analysis
α-Chloralose; Chloride channel; Frog; Sensory neuron (Ishizuka, S.) **498,** 181

Nomifensine
Mazindol; Dopamine; Re-uptake; Striatum; Voltammetry (Glynn, G.E.) **481,** 235

Non-cholinergic non-adrenergic relaxation
Calcitonin gene-related peptide; Intestine; Mesenteric nerve (Takaki, M.) **478,** 199

Non-cholinergic transmission
Neurotensin; Radioimmunoassay; Stellate ganglion; Superior cervical ganglion; Sympathetic preganglionic neuron (Caverson, M.M.) **482,** 365

Non-myelinated axon
Dorsal root ganglion neuron; Cell culture; Freeze-fracture; Node of Ranvier; Schwann cell (Bigbee, J.W.) **494,** 182

Non-painful stimulus
Opioid analgesia; Habituation; Naloxone; Danger stimulus (Valeggia, C.) **481,** 304

Non-rapid eye movement sleep
Prolactin; Vasoactive intestinal peptide; Peptide histidine isoleucine/peptide histidine methionine; Rapid eye movement sleep; Brain temperature (Obal, F.) **490,** 292

Non-specific cation conductance
Inositol 1,3,4,5,6-pentakisphosphate; Intracellular injection; Ionic mechanism; *Aplysia* (Sawada, M.) **503,** 167

Non-synaptic release
Dense-cored vesicle; Ultrastructure; Neuropile; Crayfish; Synapse (Cuadras, J.) **477,** 332

Noradrenaline
Accommodation; Calcium; Calcium-dependent potassium

conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Plasticity (Stanton, P.K.) **476,** 367

Dopamine; Serotonin; Metabolism (Kalsbeek, A.) **479,** 339

Vasopressin; Osmotic stimulus; Dopamine; Haloperidol; Phenoxybenzamine; Rat (Yamaguchi, K.) **481,** 388

Locus ceruleus; Serotonin; Prazosin; Methysergide; Spinal Cord; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

α-Adrenergic receptor; γ-Aminobutyric acid; Hypothalamic slice; Medial preoptic area; Estrogen; Phenoxybenzamine; Rat (Herbison, A.E.) **486,** 195

Release; Neuropeptide Y; Calcium; Exocytosis; Sympathetic neuron (Saxena, V.K.) **486,** 310

Hypothalamus; Paraventricular nucleus of hypothalamus; Energy expenditure; Metabolism; Clonidine; Phenylephrine (Siviy, S.M.) **487,** 79

Cultured cerebellar neuron; Glutamate; Cyclic adenosine monophosphate; Dibutyryl cyclic adenosine monophosphate; Adrenergic receptor; Isoproterenol; Clonidine (Mori-Okamoto, J.) **490,** 64

Adrenal secretion; Adrenocorticotropin; Adrenaline; γ-Amino-butyric acid; Nociception; Substance P; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Kindling; Epilepsy; 6-Hydroxydopamine; Idazoxan; Propranolol; Microdialysis (Kokaia, M.) **491,** 398

Cerebrospinal fluid; Xylazine; α_2-Agonist; Catecholamine (Mefford, I.N.) **492,** 377

Nerve graft; Prostacyclin; Malondialdehyde; Blood–nerve barrier; Electrophysiology (Shupeck, M.) **493,** 225

Development; Adrenoceptor, α_1- and α_2-; Dorsal motor nucleus of the vagus; Medulla oblongata slice; Intracellular recording (Fukuda, A.) **493,** 357

Cerebral cortex; Cerebellum; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Superior cervical ganglion; Locus ceruleus (Levin, B.E.) **494,** 325

Acetylcholine; Calcium channel; Guanosine triphosphate-binding protein; Superior cervical ganglion; Sympathetic neuron (Song, S.-Y.) **494,** 383

Kainic acid; Epilepsy; Dopamine; Clonidine (Baran, H.) **495,** 253

Mutant mouse; Wriggle Mouse Sagami; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

Paraventricular nucleus; Vasopressin; α-Adrenoceptor; Brattleboro rat (Harland, D.) **496,** 14

Sensitization; Amphetamine; Glucocorticoid receptor; Stress; Dopamine (Rivet, J.-M.) **498,** 149

Neuropeptide Y; Corticotropin-releasing factor; Adrenocorticotropic hormone; Adrenaline; 6-Hydroxydopamine; Clonidine; Hypothalamus (Haas, D.A.) **498,** 333

Hippocampus; Pyramidal neuron; Locus ceruleus; Noradrenergic neurotransmission; Autoreceptor; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

In vitro cerebellum; Adenosine 3′,5′-monophosphate; Forskolin; 3-Isobutyl-1-methylxanthine; γ-Aminobutyric acid (Sessler, F.M.) **499,** 27

Neuropeptide Y; Supraoptic nucleus; Neurosecretory cell; Vasopressin cell (Sibbald, J.R.) **499,** 164

α_2-Receptor; [^{3}H]Yohimbine binding; Narcolepsy; Dog; Locus ceruleus; Autoinhibition (Fruhstorfer, B.) **500,** 209

Adrenalectomy; Corticosterone; Dopamine; Hypothalamus; Paraventricular nucleus (Jhanwar-Uniyal, M.) **500,** 247

Tyrosine hydroxylase; Dopamine; Neocortex; Cynomolgus monkey (Noack, H.J.) **500,** 313

Adrenaline; Catecholamine; Substantia innominata; Extended amygdala (Chang, H.T.) **503,** 350

Spinal reflex; Endogenous opioid; High intensity stimulation (Clarke, R.W.) **505,** 1

Noradrenaline release
Cerebral artery; α_2-Adrenoceptor agonist; α_2-Adrenoceptor antagonists; Protein kinase C; Phorbol ester; Ionophore A23187 (Balfagon, G.) **477,** 196

Cerebral blood flow; γ-Aminobutyric acid-B receptor; Cerebral artery; Baclofen (Miranda, F.J.) **492,** 45

Noradrenergic
Ventrolateral medulla; Adrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Phosphoinositide; Medial septum; Hippocampus; Cholinergic (Connor, D.J.) **488,** 387

Neurotoxin; *N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Sexual behavior; Luteinizing hormone; Aromatase; Norepinephrine (Balthazart, J.) **492,** 163

Noradrenergic neurotransmission
Noradrenaline; Hippocampus; Pyramidal neuron; Locus ceruleus; Autoreceptor; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

Noradrenergic system
Monocular paralysis; Lateral geniculate nucleus X/Y ratio; 6-Hydroxydopamine; Acetylcholine system; Oculomotor information; Brainstem activating system (Guido, W.) **501,** 397

[^{3}H]Noradrenaline release
[^{3}H]Dopamine release; Adrenocorticotropic hormone-(1–24); Septal slice in vitro; Dopamine D_2 receptor (Florijn, W.J.) **494,** 247

Norepinephrine
Acetylcholine; Inhibitory avoidance; Spatial learning; DSP-4; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Cerebral blood flow; Catecholamine; Locus coeruleus; 6-Hydroxydopamine; α-Methylparatyrosine (Onesti, S.T.) **477,** 378

(Asu^{1,7})eel-Calcitonin; Inositol phospholipid; Cortex; Hippocampus; Cyclic adenosine monophosphate; Serotonin (Clementi, G.) **478,** 138

Abnormal axon (Powers, R.E.) **481,** 194

Respiration; In vitro; Newborn rat; α_2-Adrenoceptor; A_5 cell group (Hilaire, G.) **485,** 325

Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Serotonin; Acetylcholine (Potter, P.E.) **487,** 238

Luteinizing hormone-releasing hormone; Eicosanoid; Leukotriene; Median eminence; Dopamine (Saadi, M.) **488,** 97

Food intake; Diet-induced obesity; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

Hippocampus; Dentate gyrus; Granule cell; Interneuron; Local application; Neuropharmacology (Rose, G.M.) **488,** 353

Cerebral metabolism; 2-Deoxyglucose; Locus coeruleus; Stress; Rat

(Justice, A.) **490,** 73

Obesity; Serotonin; Dopamine; Goldthioglucose; Mouse (Silva, E.) **490,** 192

Locus ceruleus; Pontine tegmentum; Kölliker-Fuse; Spinal cord; Horseradish peroxidase; Cat (Reddy, V.K.) **491,** 144

Somatostatin; Adenylate cyclase; Brain; Dopamine; Vasointestinal; Polypeptide; Forskolin (Schettini, G.) **492,** 65

Neurotoxin; *N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Sexual behavior; Luteinizing hormone; Aromatase; Noradrenergic (Balthazart, J.) **492,** 163

Paraventricular nucleus; Adrenal gland; Hypothalamus; Pituitary; Corticosterone; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

5,7-Dihydroxytryptamine; Serotonin; Monoamine oxidase; Parkinson's disease; Aging; Neurotoxin (Finnegan, K.T.) **496,** 251

Aluminum; Neurotoxicity; Choline; Rat hippocampus (Zubenko, G.S.) **498,** 381

Neuropeptide-Y; Corticotropin releasing factor; Hypothalamus; Stress; Adrenoceptor (Tsagarakis, S.) **502,** 167

Norepinephrine fiber
Benzodiazepine; Diazepam; Hypothalamus; Binding site; Agonist; Antagonist (Harary, N.) **492,** 293

Norepinephrine turnover
Ventromedial hypothalamic nucleus; Lateral hypothalamic area; Paraventricular hypothalamic nucleus; Sympathetic nervous system; Hypothalamic obesity (Saito, M.) **481,** 298

Antiestrogen; CI-628; LY10074; Keoxifene; Luteinizing hormone; Luteinizing hormone-releasing hormone (Petersen, S.L.) **484,** 279

Norepinephrine-induced long-lasting potentiation
Long-term potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]-propyl-1-phosphonic acid; Plasticy; Hippocampal formation (Burgard, E.C.) **482,** 351

Normal rat
Inhibitor; Multiple enkephalin-degrading enzyme; Arthritic rat; Vocalization threshold (Kayser, V.) **497,** 94

Normorphine
Morphine-6-glucuronide; μ-Opioid; Analgesia; Spinal cord (Sullivan, A.F.) **482,** 219

Northern blot
Corticotropin-releasing factor; Immunohistochemistry; In situ hybridization; Olfactory bulb; Olfactory system (Imaki, T.) **496,** 35

Novelty
Corticotropin-releasing factor; Ganglionic blocker; Chlorisondamine; Hexamethonium; Locomotion; Grooming (Britton, D.R.) **478,** 205

Noxious mechanical stimulation
Second somatosensory cortex; Cortical area 7b; Nociceptive specific neuron; Trigeminal somatosensory system; Stimulus habituated monkey (Dong, W.K.) **484,** 314

Noxious stimulus
Calcitonin gene-related peptide; Antiserum; Antinociception; Spinal cord; Intrathecal; Hyperalgesia (Kawamura, M.) **497,** 199

Noxious tail pinch
Dopamine neuron; Ventromedial mesencephalic tegmentum; Unit activity (Mantz, J.) **476,** 377

Nuclear magnetic resonance
Brain; Creatine kinase; Creatine phosphate (Holtzman, D.) **483,** 68

Magnetic field; Electroencephalogram (Von Klitzing, L.) **483,** 201

Blood–brain barrier; Cerebral metabolism; Positron emission tomography; Delayed radiation injury; Heavy charged particle (Lo, E.H.) **504,** 168

Nuclear magnetic resonance spectroscopy, ^{19}F
Lead; Calcium; Neuron; NG108-15 (Schanne, F.A.X.) **503,** 308

Nuclear magnetic resonance spectroscopy, ^{31}P-
Glioma cell line; Phosphorylated compound; Cell culture; Microcarrier (Vion-Dury, J.) **493,** 175

Nucleolar volume
Neurofibrillary tangle; Nerve cell size; Morphometry; Dementia of the Alzheimer type; Hippocampus (Gertz, H.-J.) **487,** 373

Nucleolus
Purkinje cell; Cerebellar cortex; Hedgehog; Active period; Hibernation (Giacometti, S.) **488,** 365

Nucleotide
Adenosine triphosphate; Chemoreceptor; Antagonism; Lobster; Ectonucleotidase; Magnesium; Structure–activity relationship (Gleeson, R.A.) **497,** 12

Nucleus accumbens
Amygdala; Locomotor activity; Dopamine; Neuromodulation (Yim, C.Y.) **477,** 202

Nicotine; Dopamine; Microdialysis; Addiction (Mifsud, J.-C.) **478,** 365

CY208 243; Dopamine D_1 receptor; Dopamine D_2 receptor; Locomotor activity; Quinpirole; SKF38393 (Dreher, J.K.) **487,** 267

Antipsychotic; Neuroleptic; Haloperidol; Clozapine; Dopamine receptor; Serotonin receptor; Striatum; Frontal cortex (Wilmot, C.A.) **487,** 288

Dopamine; μ-Opioid; Neurotensin; Receptor; Mesencephalon (Dilts, R.P.) **488,** 311

Stereotypy; Intracerebral injection; Striatum; *R*-(–)-*N*-n-Propylnorapomorphine; Sniffing; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Dopamine; Ventral pallidum; Disinhibition; γ-Aminobutyric acid; Enkephalin (Yang, C.R.) **489,** 237

Electron microscopy; Caudate; Perforated postsynaptic density; Neuroleptic drug; Tardive dyskinesia (Meshul, C.K.) **489,** 338

Sexual arousal; Sexual behavior; Castration; Mesolimbic dopamine system (Mitchell, J.B.) **491,** 116

1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine; Midbrain dopaminergic neuron; Striatum; Tyrosine hydroxylase; Mouse (Manaye, K.F.) **491,** 307

Amphetamine; Ascorbic acid; Uric acid; Voltammetry in vivo; Caudate (Mueller, K.) **494,** 30

Hippocampus; Kynurenic acid; Glutamate; Radial-arm maze; Movement initiation; Memory (Schacter, G.B.) **494,** 339

Microdialysis; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Medial forebrain bundle; Self-stimulation (Nakahara, D.) **495,** 178

Septal nucleus; Retrograde transport; Spinal cord; Nociception; Fluoro-gold (Burstein, R.) **497,** 149

Cholecystokinin; Caudate nucleus; Potassium; Dopamine; In vivo electrochemistry (Gerhardt, G.A.) **499,** 157

Neurotensin; Dopamine receptor, D_2; Neuroleptics; LY 171555; Sulpiride; Striatum (Merchant, K.M.) **500,** 21

Dopamine; Receptor, D_1-; Receptor, D_2-; Dopamine uptake (Allin, R.) **501,** 389

Opioid receptor; Mesolimbic dopamine; Lesion; Cellular localization; Receptor autoradiography (Unterwald, E.M.) **505,** 111

Nucleus accumbens olfactory tubercle

Parkinsonian; 6-Hydroxydopamine; Selective dopaminergic lesion; A9 cell group; A10 cell group (Perese, D.A.) **494,** 285

Nucleus basalis
Nerve growth factor receptor; Aging; Diagonal band; Septum; Immunohistochemistry (Gómez-Pinilla, F.) **479,** 255

Globus pallidus; Striatum; Caudate nucleus; Putamen; Unit activity; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Parkinson's disease; Globus pallidus; Striatum; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Nucleus basalis magnocellularis
GM_1 ganglioside; Nerve growth factor; Choline acetyltransferase; High affinity choline uptake (Di Patre, P.L.) **480,** 219

Cholinergic; Muscarinic; Nicotine; Receptor; Lesion (Atack, J.R.) **483,** 367

Nucleus basalis of Meynert
Nerve growth factor; Choline acetyltransferase; Acetylcholinesterase (Haroutunian, V.) **487,** 200

Somatostatin; Cysteamine; Acetylcholine; Physostigmine; Memory (Haroutunian, V.) **496,** 98

Acetylcholine; In situ hybridization; Nucleus of the diagonal band of Broca (Walker, L.C.) **499,** 188

Calbindin; Cholinergic neuron; Alzheimer-type dementia (Ichimiya, Y.) **499,** 402

Nucleus cuneiformis
Antinociception; Nucleus parabrachialis; Pontomesencephalic reticular formation; Single unit recording; Rat (Haws, C.M.) **483,** 272

Nucleus intercollicularis
α_2-Adrenergic; *p*-Amino-clonidine; Sex difference; Reproductive behavior; Japanese quail; Autoradiography (Ball, G.F.) **491,** 68

Nucleus isthmi ventralis
Tectum; Visual system; Isthmus; Bird (Martínez, S.) **481,** 181

Nucleus of the diagonal band of Broca
Acetylcholine; In situ hybridization; Nucleus basalis of Meynert (Walker, L.C.) **499,** 188

Nucleus parabrachialis
Antinociception; Nucleus cuneiformis; Pontomesencephalic reticular formation; Single unit recording; Rat (Haws, C.M.) **483,** 272

Nucleus tractus solitarii; Intracellular recording; Intracellular labeling; Antidromic activation (Granata, A.R.) **492,** 281

Nucleus paragigantocellularis
Morphine; Locus coeruleus; Excitatory amino acid; Opiate withdrawal (Rasmussen, K.) **505,** 346

Nucleus Perlia
Ciliary ganglion; Edinger-Westphal nucleus; Oculomotor nerve (Burde, R.M.) **498,** 371

Nucleus preopticus medianus
Polypeptide; Monoamine; Immunohistochemistry; Rat (Kawano, H.) **492,** 139

Nucleus raphe dorsalis
Opioid receptor; Serotonin; Apomorphine-induced aggression (Giraud, O.) **488,** 174

Dopaminergic neuron; Prefrontal cortex; Immunocytochemistry; Horseradish peroxidase; Fluoro-gold (Yoshida, M.) **496,** 373

Nucleus raphe magnus
Serotonin; Stimulation-produced analgesia; Raphe-spinal axon; Substantia gelatinosa; Dorsal horn (Cho, H.J.) **477,** 344

Trigeminal; Subnucleus oralis; Somatosensory; Descending modulation; Cat (Chiang, C.Y.) **485,** 371

Morphine; Dorsal raphe nucleus; Spinal cord; Medullary dorsal horn; Serotonin; Voltammetry (Rivot, J.P.) **495,** 140

μ-Agonist; κ-Agonist; Opiate; Analgesia; Periaqueductal (Fang, F.G.) **501,** 116

Nucleus raphe obscurus
Electrical stimulation; Glutamate-induced stimulation; Efferent vagus; Gastric motility (McCann, M.J.) **486,** 181

Nucleus reticularis gigantocellularis
Medial prefrontal cortex; Brain stimulation reward; Hedonic processes (Miserendino, M.J.D.) **483,** 233

Nucleus reticularis thalami
Ethosuximide; Spindle wave; Recruiting response; Thalamocortical synchronization (Pellegrini, A.) **497,** 344

Nucleus retroambiguus
Abdominal muscle; Ventral respiratory group; Medial reticular formation; Horseradish peroxidase retrograde transport (Miller, A.D.) **493,** 348

Nucleus tegmenti pedunculopontinus pars compacta (TPC)
Caudate nucleus; Substantia nigra; Horseradish peroxidase (HRP); Ibotenic acid; Electron microscopy; Cat (Tokuno, H.) **485,** 189

Nucleus tractus solitarii
Glycine; Glutamate; Amino acid; Blood pressure; Baroreceptor reflex; Neurotransmitter; Cardiovascular regulation (Talman, W.T.) **477,** 7

Adrenoceptor; Autonomic; Brain slice; Clonidine; Synaptic excitability (Feldman, P.D.) **480,** 190

Angiotensin II; Sarcosine^1,isoleucine^8-angiotensin II; Dorsal vagal nucleus; Sinoaortic denervation; Nodose ganglionectomy; Baroreceptor reflex (Healy, D.P.) **484,** 1

Gastric; Ventral vagus; Dorsal vagus; Splanchnic nerve; Brainstem (Barber, W.D.) **487,** 1

Substance P; Tachykinin peptide; Cardiovascular; Neurokinin B (Nagashima, A.) **487,** 392

Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Vagus; Amygdala (Levin, B.E.) **488,** 221

Melatonin; Pinealectomy; Glucose utilization; Choroid plexus; Hypothalamus (Vitte, P.-A.) **489,** 273

Vasopressin; Oxytocin; Respiratory neuron; Brainstem; Sensory physiology; Respiration (Henry, J.L.) **491,** 150

Cat; Phrenic nerve; Superior laryngeal nerve; Pulmonary afferent; Inspiratory neuron (Donnelly, D.F.) **491,** 243

Nucleus parabrachialis; Intracellular recording; Intracellular labeling; Antidromic activation (Granata, A.R.) **492,** 281

Vagus nerve; Cholecystokinin receptor; Area postrema; Satiety; Human brainstem (Hyde, T.M.) **495,** 198

α-Methyldopa-induced hypotension; Opiate receptor; Naltrexone; Antisera against opioid peptide; Conscious normotensive rat (Van Giersbergen, P.L.M.) **498,** 154

N-Methyl-D-aspartate; Quisqualate; Glutamate; Blood pressure (Le Galloudec, E.) **503,** 322

Glucagon; Sympathetic activity (Krzeski, R.) **504,** 297

Area postrema; Dorsal motor nucleus of the vagus nerve; Spinal trigeminal nucleus; Deoxyglucose; Autoradiography; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Nucleus tractus solitarius
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive; Tongue

(Sweazey, R.D.) **480,** 133

Adenosine; Respiratory control; 5′-Ethylcarboxamidoadenosine (Barraco, R.A.) **480,** 360

Antinociception; Pain modulation; Tail-flick test; Pentobarbital; Glutamate; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Substance P; Blood pressure; Structure–activity relationship; Substance P metabolism (Hall, M.E.) **497,** 280

Substance P; Neuropeptide; Serotonin; Colocalization of neurotransmitter; Brainstem; Slice (Jacquin, T.) **502,** 214

Nucleus ventralis posterolateralis
Hypogastric nerve; Pelvic pain; Thalamus; Cat (Asato, F.) **488,** 135

O

Obesity
Brown adipose tissue; Efferent sympathetic nerve activity; Glucose; 2-Deoxy-D-glucose; Ventromedial hypothalamus (Holt, S.J.) **481,** 106

Norepinephrine; Serotonin; Dopamine; Goldthioglucose; Mouse (Silva, E.) **490,** 192

Ventromedial hypothalamus; Paraventricular nucleus; Energy expenditure (Sakaguchi, T.) **492,** 271

Octopamine
Insect; Locust; Neurosecretion; Corpus cardiacum; Adipokinetic hormone; Calcium; Sodium (Pannabecker, T.) **477,** 38

Ocular dominance column
Marmoset monkey; Primary visual cortex; Postnatal ontogenesis (Spatz, W.B.) **488,** 376

Ocular neglect
Monocular angular difference threshold; Anteromedial cortex; Rat (Christie, D.) **497,** 378

Oculomotor information
Monocular paralysis; Lateral geniculate nucleus X/Y ratio; 6-Hydroxydopamine; Noradrenergic system; Acetylcholine system; Brainstem activating system (Guido, W.) **501,** 397

Oculomotor nerve
Ciliary ganglion; Edinger-Westphal nucleus; Nucleus Perlia (Burde, R.M.) **498,** 371

Oculomotor system
Abducens internuclear neuron; Abducens motoneuron; Lateral rectus; Eye movement; Rabbit (Labandeira-Garcia, J.L.) **497,** 305

Odor discrimination
Exploratory sniffing; Olfactory bulb; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

θ-Off cell
Physiology; Pharmacology; Hippocampal (Bland, B.H.) **505,** 333

8-OH DPAT
Serotonin; Sympathetic neuron; Serotonin agonist (McCall, R.B.) **501,** 73

Olfaction
Receptor neuron; Epithelium; Deprivation; Naris closure; Nasal cavity (Maruniak, J.A.) **490,** 212

Propionic acid; Olfactory coding; Olfactory adaptation; Deoxyglucose (Slotnick, B.M.) **500,** 161

Brush cell; Horseradish peroxidase; Microvillar cell; Neuron; Olfactory epithelium; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Olfactory
Vomeronasal; Photoperiod; Testicular; Reproductive; Gonadotropin; Hamster (Pieper, D.R.) **485,** 382

Olfactory adaptation
Propionic acid; Olfaction; Olfactory coding; Deoxyglucose (Slotnick, B.M.) **500,** 161

Olfactory bulb
Odor discrimination; Exploratory sniffing; Prepiriform cortex; Entorhinal cortex; Electroencephalogram; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Olfactory neuron; Olfactory marker protein; Transplantation; Target recognition (Monti-Graziadei, A.G.) **484,** 157

Vasoactive intestinal polypeptide; Immunocytochemistry; Teleost (Alonso, J.R.) **490,** 385

Diagonal band; Laterodorsal tegmental nucleus; Mediodorsal nucleus; Collateral axons (Cornwall, J.) **491,** 194

Corticotropin-releasing factor; Immunohistochemistry; In situ hybridization; Northern blot; Olfactory system (Imaki, T.) **496,** 35

Neuropeptide; Tyrosine hydroxylase; Calcium binding protein; Colocalization; Immunohistochemistry (Seroogy, K.) **496,** 389

Olfactory bulbectomy
Olfactory nerve; Tyrosine hydroxylase; Neurotransmitter expression; Neurotransmitter plasticity; Subependymal cell; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Olfactory coding
Propionic acid; Olfaction; Olfactory adaptation; Deoxyglucose (Slotnick, B.M.) **500,** 161

Olfactory epithelium
Neural subpopulation; Neuronal culture; Basal cell; Monoclonal antibody (Akeson, R.A.) **488,** 202

Nerve terminal; Peptidergic innervation; Frog; Substance P (Zielinski, B.S.) **492,** 361

Brush cell; Horseradish peroxidase; Microvillar cell; Neuron; Olfaction; Sensory receptor; Smell (Rowley III, J.C.) **502,** 387

Olfactory glomerular layer
Specific anosmia; Isovaleric acid; AKR/J mouse; C57BL/6J mouse (Sicard, G.) **481,** 325

Olfactory marker protein
Olfactory neuron; Olfactory bulb; Transplantation; Target recognition (Monti-Graziadei, A.G.) **484,** 157

Olfactory nerve
Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter expression; Neurotransmitter plasticity; Subependymal cell; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Olfactory neuron
Olfactory bulb; Olfactory marker protein; Transplantation; Target recognition (Monti-Graziadei, A.G.) **484,** 157

Olfactory system
Corticotropin-releasing factor; Immunohistochemistry; In situ hybridization; Northern blot; Olfactory bulb (Imaki, T.) **496,** 35

Olfactory tubercle
Visual system; Retinal projection; Basal telencephalon; Anterograde tracing; Mammal (Cooper, H.M.) **477,** 350

Oligodendrocyte
Maturation; Mouse; Lymphokine; Demyelination; Multiple sclerosis; Remyelination (Suzumura, A.) **480,** 51

Thiamine pyrophosphatase (TPPase); Myelin sheath; Major dense line; Schwann cell; Cytochemistry (Castellano, B.) **492,** 203

Olivopontocerebellar atrophy
L-Glutamate binding; Human cerebellum; Development; Pharmacology; Localization (Tsiotos, P.) **481,** 87

ON-pathway
Electroretinogram; DL-2-Amino-4-phosphonobutyric acid; Retina; Goldfish (DeMarco, P.J.) **482,** 317

Ontogenesis
Adrenal medulla; Chromogranin A; Chromogranin B; Catecholamine (Schober, M.) **478,** 41

Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Aging; Serotonin; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Ontogeny
Human; Infant; Hippocampus; Neuropeptide Y; Immunohistochemistry (Lotstra, F.) **478,** 211

Dopamine receptor; Striatum; Striosome; Development; SCH 23390 (Murrin, L.C.) **480,** 170

MK-801; Neonate rat brain; Glutamate receptor (Morin, A.M.) **487,** 376

Nervus terminalis; Septum; Transient connection; Amphibian; Tadpole; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

α-Bungarotoxin; Neocortex; Cortical development; Receptor autoradiography; Acetylcholine system (Fuchs, J.L.) **501,** 223

Analgesia; Arylacetamide; Autoradiography; Binding site; Electrophysiology; κ Opioid; Spinal cord (Allerton, C.A.) **502,** 149

Onuf's nucleus
Serotonin; Enkephalin; Substance P; Pudendal motoneuron; Spinal cord; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Substance P; Serotonin; Enkephalin; Immunohistochemistry; Spinal cord; Cat (Tashiro, T.) **497,** 177

Oocyte
Ethanol; Calcium (Wafford, K.A.) **505,** 215

Open field
Avoidance behavior; Circadian rhythm; 5,7-Dihydroxytryptamine; Serotonin; Social behavior; Scopolamine (Vanderwolf, C.H.) **504,** 192

Open field behavior
Dopamine; Receptor, D_2; Quinpirole; Movement organization (Eilam, D.) **490,** 255

Opiate
Morphine dependence; Supraoptic nucleus; Oxytocin mRNA; In situ hybridization histochemistry (Summer, B.E.H.) **489,** 283

Dynorphin A; Blood pressure; Blood flow (Thornhill, J.A.) **490,** 174

Substance P; Dynorphin; Leumorphin; Colocalization; Hamster; Mating behavior (Neal, C.R.) **496,** 1

Cholecystokinin; Serotonin; Tryptophan hydroxylase; Vagotomy; 5-Hydroxyindole acetic acid (Johannessen, J.N.) **499,** 357

μ-Agonist; κ-Agonist; Analgesia; Nucleus raphe magnus; Periaqueductal (Fang, F.G.) **501,** 116

Photoperiod; Amygdala; Naloxone; Hamster; Luteinizing hormone; Sexual behavior (Tubbiola, M.L.) **503,** 91

Opiate addiction
Tolerance and dependence; Pertussis toxin; Adenosine diphosphate ribosylation; Adenosine monophosphate, cyclic (Nestler, E.J.) **476,** 230

Opiate antagonist
Morphine; Opiate dependence; Naltrexone; Locus ceruleus; Opiate withdrawal (Valentino, R.J.) **488,** 126

Opiate binding
Dihydromorphine; Periaqueductal gray; Medulla; Analgesia (Ramberg, D.A.) **483,** 61

Opiate dependence
Morphine; Naltrexone; Locus ceruleus; Opiate antagonist; Opiate withdrawal (Valentino, R.J.) **488,** 126

Opiate receptor
Periaqueductal gray; Glutamate; Analgesia; Medulla (Jensen, T.S.) **476,** 1

Analgesia; Stress (Stuckey, J.) **476,** 167

Hippocampus; Colchicine; Kainic acid; Seizure; Mossy fiber path (Perry, D.C.) **477,** 100

Ischemia; Hippocampus; Gerbil (Miller, L.P.) **495,** 367

α-Methyldopa-induced hypotension; Nucleus tractus solitarii; Naltrexone; Antisera against opioid peptide; Conscious normotensive rat (Van Giersbergen, P.L.M.) **498,** 154

Corticotropin-releasing factor; Adrenocorticotropic hormone; Chlorisondamine; Morphine (Nikolarakis, K.E.) **498,** 385

Opioid; Enkephalin release (Xu, H.) **504,** 36

Opiate withdrawal
Morphine; Opiate dependence; Naltrexone; Locus ceruleus; Opiate antagonist (Valentino, R.J.) **488,** 126

Morphine; Locus coeruleus; Excitatory amino acid; Nucleus paragigantocellularis (Rasmussen, K.) **505,** 346

Opiates
Naloxone binding, [^{3}H]-; Quantitative autoradiography; Domestic chick; Avian brain (Csillag, A.) **479,** 391

μ-Opiate receptor
Autoradiography; D-Ala^2-*N*-methyl-Phe^4,Gly-ol^5-enkephalin; Morphine tolerance; Receptor upregulation (Brady, L.S.) **477,** 382

Autoradiography; Neostriatum; 1-Methyl-4-phenylpyridinium ion; Nigrostriatal dopamine pathway; Neural transplantation; Embryonic substantia nigra; Rat (Sirinathsinghji, D.J.S.) **504,** 115

Opioid
Periaqueductal gray; μ-Receptor; Coupling; Guanine nucleotide binding protein; Analgesia (Fedynyshyn, J.P.) **476,** 103

Postural asymmetry; Flexion reflex; Left/right flexion ratio (Bakalkin, G.Y.) **480,** 277

Opioid antagonist; Naloxone; Oxytocin neuron; Morphine; Morphine dependence; Hypothalamus (Leng, G.) **484,** 290

Naltrexone; Up-regulation; Supersensitivity; Opioid peptide; Spinal analgesia; Opioid receptor (Yoburn, B.C.) **485,** 176

Enkephalin precursor processing; Guanidinoethylmercaptosuccinic acid; Enkephalin convertase; Prolactin; Luteinizing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Lead; Pro-opiomelanocortin; Gene expression (Rosen, H.) **493,** 380

Antinociception; Intraspinal; Dynorphin; Morphine; Hibernation; *Rana pipiens*; Stress (Stevens, C.W.) **494,** 227

Spinal cord injury; Paralysis; Ischemia (Long, J.B.) **497,** 155

Polymodal receptor; Nociceptor; Morphine; Naloxone; Peripheral analgesia; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

κ Agonists; U50488; Corticotropin releasing factor; Cortisol; Stress; Dog (Gué, M.) **502,** 143

Corticotropin-releasing hormone; Antinociception; Tolerance; Stress (Ayesta, F.J.) **503,** 219

Enkephalin release; Opiate receptor (Xu, H.) **504,** 36

Opioid analgesia
Habituation; Naloxone; Danger stimulus; Non-painful stimulus (Valeggia, C.) **481,** 304

Opioid antagonist
Opioid; Naloxone; Oxytocin neuron; Morphine; Morphine dependence; Hypothalamus (Leng, G.) **484,** 290

Opioid peptide
Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Opioid; Naltrexone; Up-regulation; Supersensitivity; Spinal analgesia; Opioid receptor (Yoburn, B.C.) **485,** 176

Guanosine triphosphate; β-Endorphin; Neuroblastoma cell; Opioid receptor, μ-; Opioid receptor, δ- (Selley, D.E.) **493,** 23

Endogenous; Enkephalin; Dynorphin; Neurotransmitter release; Hippocampus; Diprenorphine (Neumaier, J.F.) **493,** 292

Neural implants; Chromaffin cell; Nociception; Spinal cord; Adrenal medulla; Analgesia; Neural graft (Sagen, J.) **502,** 1

Opioid peptide, endogenous
Cocaine; Conditioned place preference; Locomotor activity; Reinforcement (Houdi, A.A.) **497,** 195

Opioid receptor
Neutral endopeptidase; Rat spinal cord; Dorsal rhizotomy; Quantitative autoradiography (Zajac, J.-M.) **477,** 400

Neurotumor; Neuroblastoma; Cancer; Endogenous opioid system; Mitosis; Growth; Enkephalin (Zagon, I.S.) **480,** 16

Lateralization; Evoked potential; In vivo binding study; Turtle visual cortex (Bakalkin, G.Y.) **480,** 268

Delta-sleep-inducing peptide; Met-enkephalin release (Nakamura, A.) **481,** 165

Zeta; Enkephalin; Growth; Cancer; Neuroblastoma (Zagon, I.S.) **482,** 297

Opioid; Naltrexone; Up-regulation; Supersensitivity; Opioid peptide; Spinal analgesia (Yoburn, B.C.) **485,** 176

Substantia nigra; μ-Opioid; δ-Opioid; Dopamine; Stereotyped behavior (Morelli, M.) **487,** 120

Nucleus raphe dorsalis; Serotonin; Apomorphine-induced aggression (Giraud, O.) **488,** 174

Growth; Cancer; Neuroblastoma; Enkephalin; Cell proliferation (Zagon, I.S.) **490,** 14

Mesolimbic dopamine; Nucleus accumbens; Lesion; Cellular localization; Receptor autoradiography (Unterwald, E.M.) **505,** 111

δ-Opioid
Substantia nigra; Opioid receptor; μ-Opioid; Dopamine; Stereotyped behavior (Morelli, M.) **487,** 120

δ-Opioid receptor
Guanosine triphosphate; β-Endorphin; Neuroblastoma cell; Opioid receptor, μ-; Opioid peptide (Selley, D.E.) **493,** 23

κ-Opioid
Analgesia; Arylacetamide; Autoradiography; Binding site; Electrophysiology; Ontogeny; Spinal cord (Allerton, C.A.) **502,** 149

κ-Opioid receptor
Kainic acid; Hippocampus; U-50,488H; Ischemia; Seizure (Lason, W.) **482,** 333

μ-Opioid
Morphine-6-glucuronide; Normorphine; Analgesia; Spinal cord (Sullivan, A.F.) **482,** 219

Substantia nigra; Opioid receptor; δ-Opioid; Dopamine; Stereotyped behavior (Morelli, M.) **487,** 120

Dopamine; Neurotensin; Receptor; Nucleus accumbens; Mesencephalon (Dilts, R.P.) **488,** 311

μ-Opioid receptor
Clonidine; Analgesia; Hypertensive rat (Mastrianni, J.A.) **479,** 283

Guanosine triphosphate; β-Endorphin; Neuroblastoma cell; Opioid receptor, δ-; Opioid peptide (Selley, D.E.) **493,** 23

Optic nerve
Central nervous system; Injury; Degeneration; Laser; Action potential (Assia, E.) **476,** 205

Regeneration; *Vipera aspis*; Unmyelinated axon (Rio, J.P.) **479,** 151

Mitochondria; Endothelium; Blood–brain barrier; Capillary; Ultrastructure (Schmidley, J.W.) **481,** 154

Ion channel; 4-Aminopyridine; Afterhyperpolarization; Apamin; Tetraethylammonium (Gordon, T.R.) **502,** 252

Optic nerve crush
Peripheral nerve graft; Axon-like process; Retinal ganglion cell; Hamster (Cho, E.Y.P.) **484,** 371

Cell proliferation; Goldfish retina; Photoreceptor; Rod precursor (Henken, D.B.) **501,** 247

Optic tectum
Thyroxine; Visual system; Neuronal sprouting; Neuronal plasticity; Amphibian (Hofmann, M.H.) **492,** 389

Motion-sensitive neuron; Toad; Rebound activation; Center-surround receptive field; Background motion; Motion after-effect (Satou, M.) **504,** 320

Optic terminal
Glutamate; Immunohistochemistry; Retinotectal system; Retinal ganglion cell (Kageyama, G.H.) **503,** 118

Optic tract
4-Aminopyridine; Tetraethylammonium; Potassium channel; Action potential repolarization; Frequency-following; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Optokinetic stimulation
Vestibulo-ocular reflex; Direction adaptation; Vestibulo-cerebellum; Optokinetic velocity; Nodulus-uvula; Lesion (Mason, C.R.) **490,** 373

Optokinetic velocity
Vestibulo-ocular reflex; Direction adaptation; Vestibulo-cerebellum; Optokinetic stimulation; Nodulus-uvula; Lesion (Mason, C.R.) **490,** 373

Oral activity
Stereotypy; Intracerebral injection; Striatum; Nucleus accumbens; *R*-(–)-*N*-n-Propylnorapomorphine; Sniffing; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Stereotypy; Intrastriatal infusion; Dopamine receptor; Co-activation; Sniffing; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Oral cavity
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Palate; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Oral nucleus
Trigeminal principal nucleus; Horseradish peroxidase staining; Structure–function relationship; Periodontal afferent; Pulpal afferent (Tsuru, K.) **485,** 29

Org 2766
Binding; Spinal cord; Sciatic nerve crush; Adrenocorticotropic hormone; Melanocyte stimulating hormone (Dekker, A.J.A.M.) **477,** 327

Organ blood flow
Angiotensin II; Drinking; Hemodynamics; Tracer microsphere technique (Rettig, R.) **505,** 251

Organophosphorus compound-induced delayed neurotoxicity
Axonal transport; Diisopropyl phosphorofluoridate; Anterograde transport; Neurotoxicant (Carrington, C.D.) **476,** 179

Organophosphorus-induced delayed neurotoxicity
Tri-*ortho*-tolyl phosphate; Degeneration; Spinal cord; Medulla; Cerebellum; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Organotypic culture
Developing spinal cord; Testosterone; Neuromotrophic factor; Cell death (Hauser, K.F.) **485,** 157

Calbindin-D 28K; Roller-tube technique; Immunocytochemical method; Hippocampus; Rat (Bousez-Dumesnil, N.) **486,** 165

Organotypic explant culture
Spinal cord; Ventral horn neuron;

Dorsal horn neuron; Roller tube; Rat; Acetylcholinesterase (Delfs, J.) **488,** 31

Orientation
Monkey; Vision; Cortex; Striate; Correlation (Krüger, J.) **477,** 57

P3; Attention; Temporal–parietal; Area Tpt; Area cSTP; Memory (Knight, R.T.) **502,** 109

Ornithine decarboxylase
Polyamine; Putrescine; α-Difluoromethylornithine; Blood–brain barrier breakdown; α-Aminoisobutyrate; Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

Oscillation
Phrenic activity; Respiratory rhythm; Spectral analysis; Inhibitory amino acid neurotransmitter; Strychnine; Bicuculine (Schmid, K.) **485,** 193

Prepositus hypoglossi nucleus; Persistent sodium conductance; Plateau potential; Slice preparation; Intracellular recording (Rekling, J.C.) **500,** 276

Oscillatory potential
Subcortical visual pathway; Visually evoked potential; Multiunit activity; Alert monkey (Schroeder, C.E.) **477,** 183

Osmolality
Seizure; Epilepsy; Hippocampus; Neocortex; Hypernatremia; Hyponatremia (Andrew, R.D.) **498,** 175

Osmolarity
Cell membrane expansion; Tissue culture; Mouse; Dorsal root ganglion; Aging; Adaptation; Action potential (Horie, H.) **477,** 233

Osmoregulation
Drinking; Vasopressin; Cerebrospinal fluid sodium; Minipig (Thornton, S.N.) **488,** 297

Osmotic minipump
Blood vessel; Collateral sprouting; Nerve growth factor; Rat; Sympathetic (Saffran, B.N.) **492,** 245

Osmotic stimulation
Vasopressin; Oxytocin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Osmotic stimulus
Vasopressin; Dopamine; Noradrenaline; Haloperidol; Phenoxybenzamine; Rat (Yamaguchi, K.) **481,** 388

Vasopressin; Angiotensin II; Cholinoceptor; Carbachol; Hexamethonium; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Ouabain
Phorbol ester; Protein kinase C; γ-Aminobutyric acid release; Deep cerebellar nucleus; Enteric neuron (Shuntoh, H.) **483,** 384

Oxygen consumption; Energy metabolism; Calcium; Exocytosis; Na^+,K^+-pump; Neurohypophysis (Shibuki, K.) **487,** 96

Ischemia; Na^+/K^+-ATPase; CA1 region; Frontal cortex (Pylova, S.I.) **490,** 170

Monensin; Push–pull perfusion; Sheep; Sodium appetite; Thirst (Tarjan, E.) **500,** 352

Sensory transduction; Mechanoreceptor; Rapid adaptation; Sensory encoding; Threshold; Sodium pump (French, A.S.) **504,** 112

Ouabain binding
Cyclic adenosine monophosphate; Forskolin; Na,K-ATPase (Swann, A.C.) **476,** 351

Outside-out patch
Locust muscle; Glutamate receptor; Chloride channel; L-Glutamate; Ibotenate; Channel conductance; Channel open time (Dudel, J.) **481,** 215

Ovarian innervation
Rat; Viscero-visceral reflex pathway; Nerve stimulation (Klein, C.M.) **479,** 194

Ovariectomy
Luteinizing hormone; Prolactin; Serotonin; Estradiol; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Overflow rate
Dopamine; In vivo voltammetry; Uptake rate; Striatum (May, L.J.) **487,** 311

OX7
Immunotoxin; Purkinje cell; Saporin; Cerebellar degeneration; Thy-1 (Davis, T.L.) **504,** 216

Oxidative stress
3-Hydroxykynurenine; Kynurenine; Cytotoxicity; Neuroblastoma; Vitamin B-6 deficiency (Eastman, C.L.) **495,** 225

L-2-Oxothiazolidine-4-carboxylate
Rat brain; Central nervous system; Glutathione (Mesina, J.E.) **478,** 181

***bis*-Oxonol**
Growth hormone releasing factor; Somatostatin; Anterior pituitary cell; Extracellular Na^+; Fura 2 (Kato, M.) **476,** 145

Oxotremorine
Brain dialysis; Striatal dopamine release; Muscarinic receptor; AF102B; Pirenzepine; AF-DX116 (Xu, M.) **495,** 232

Oxygen
Hippocampus; Hippocampus cell culture; Defined medium (Brewer, G.J.) **494,** 65

Oxygen consumption
Energy metabolism; Calcium; Ouabain; Exocytosis; Na^+,K^+-pump; Neurohypophysis (Shibuki, K.) **487,** 96

Age; Senescence; Aging; Hippocampal slice; Brain; Potassium (Martin, F.R.) **492,** 392

Oxygen treatment
Adult serotonin neuron; Intraocular transplantation; Immunohistochemistry; Hyperbaric oxygen; Iris (Skirboll, S.L.) **484,** 257

Oxytocin
Hypothalamic paraventricular nucleus; Immunochemistry; Ultrastructure; Neuronal plasticity; Neuroglia; Synapse; Lactation (Theodosis, D.T.) **484,** 361

Vasopressin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Paraventricular nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Vasopressin; Respiratory neuron; Nucleus tractus solitarii; Brainstem; Sensory physiology; Respiration (Henry, J.L.) **491,** 150

Cholecystokinin; Grooming behavior; Coexistence (Kaltwasser, M.T.) **496,** 380

Cerebrospinal fluid; Dorsal motor nucleus of the vagus; Guinea pig; Immunocytochemistry; Species difference (Dubois-Dauphin, M.) **496,** 66

Human brain; Neurohypophysial hormone; Radioiodinated ligand; Receptor distribution; Triniated ligand (Loup, F.) **500,** 223

Maternal behavior; Naltrexone; Phentolamine; Vaginocervical stimulation; Sheep (Kendrick, K.M.) **505,** 329

Oxytocin mRNA
Morphine dependence; Supraoptic nucleus; In situ hybridization histochemistry; Opiate (Summer, B.E.H.) **489,** 283

Oxytocin neuron
Opioid; Opioid antagonist; Naloxone; Morphine; Morphine dependence; Hypothalamus (Leng, G.) **484,** 290

P

P3
Orientation; Attention; Temporal–parietal; Area Tpt; Area cSTP; Memory (Knight, R.T.) **502,** 109

Pa
Prefrontal; Middle-latency auditory evoked potential; Gating; Inhibition; Attention (Knight, R.T.) **504,** 338

Pacemaker
Circadian rhythm; Neural transplant; Suprachiasmatic nucleus; Hypothalamus; Parvocellular neuron; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Pain
Rat; Behavior; Morphine; Cocaine; Dopamine (Lin, Y.) **479,** 306

Thalamus; Ventrobasal neuron; Arthritic rat (Guilbaud, G.) **484,** 383

Spinal cord; Met-enkephalin release (Cesselin, F.) **484,** 71

Substance P; Met-enkephalin; Serotonin; Spinal cord; Periaqueductal gray matter; Blood pressure (De Felipe, M.C.) **485,** 301

Rat; Tail-flick reflex; Antinociception; Stimulation-produced analgesia; Naloxone; Midbrain (Guinan, M.J.) **485,** 333

Ventromedial medulla; Single-unit recording; Freely moving rat (Oliveras, J.-L.) **486,** 1

Capsaicin; Mechanical hyperalgesia; Dorsal horn neuron (Simone, D.A.) **486,** 185

β-Estradiol; Hyperalgesia; Raynaud's phenomenon; Cyclooxygenase; Arachidonic acid; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Hyperalgesia; Behavioral pharmacology; Nociception; Paw-withdrawal test; Bradykinin (Taiwo, Y.O.) **487,** 148

Hyperalgesia; Nociception; Prostaglandin; Arachidonic acid; Cyclooxygenase; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Hyperalgesia; Nociception; Cyclic adenosine monophosphate; Guanine nucleotide regulatory protein; Prostaglandin; Primary afferent (Taiwo, Y.O.) **492,** 400

Antinociception; Pretectal complex; Anterior pretectal nucleus; Stimulation-produced analgesia; 5-Hydroxytryptamine; Morphine-induced analgesia (Prado, W.A.) **493,** 147

C-*fos*; Dorsal horn; Immunohistochemistry; Thalamus (Bullitt, E.) **493,** 391

Somatosensory relay neuron; Spinothalamic tract; Trigeminothalamic tract; Fluorescent latex microsphere; Nociception; Immature rat (Huang, L.-Y.M.) **495,** 108

Spinal cord injury; Human thalamus; Calcium; Action potential burst; Nervous system plasticity; Slow wave sleep (Lenz, F.A.) **496,** 357

Thalamus; Nociceptive neuron; Tail; Rat; Extracellular single unit recording (Yen, C.-T.) **498,** 118

Shock titration; Analgesia; Rhesus monkey; Morphine; Meperidine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

Analgesia; Nociception; Temperature; Behavior (Casey, K.L.) **501,** 150

Calcitonin gene-related peptide; Dynorphin A; Primate; Spinal cord; Immunohistochemistry; Immunogold; Primary afferent (Carlton, S.M.) **504,** 124

Pain modulation
Nucleus tractus solitarius; Antinociception; Tail-flick test; Pentobarbital; Glutamate; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Pain tolerance
Primate; Cold pressor pain; Tonic pain; Diffuse noxious inhibitory control; Counterirritation (Marchand, S.) **487,** 388

Paired helical filament
Alzheimer's disease; Superoxide dismutase; Free radical; Senile plaques; Neurodegenerative disorder (Zemlan, F.P.) **476,** 160

Alzheimer's disease; Neurofibrillary tangle; Protein phosphorylation; Tau; Ubiquitin (Bancher, C.) **477,** 90

Alzheimer's disease; Dystrophic neurite; Neuromediator system; Senile plaque; Amyloid substance (Lenders, M.-B.) **481,** 344

Aging; Alzheimer's disease; Protease; τ-Immunoreactivity; Ubiquitin immunoreactivity (Ivy, G.) **498,** 360

Paired-pulse depression
Long-term potentiation; Habituation; Field potential; Dentate gyrus (Krug, M.) **476,** 163

Hippocampus; Dentate field potential; Antidromic depression; Recurrent inhibition; Long-term potentiation (Maru, E.) **478,** 112

Hippocampus; Dentate field potential; Commissural inhibition; Commissural facilitation; Diazepam; Long-term potentiation (Kanda, M.) **484,** 325

Paired-pulse inhibition
Cerebral ischemia; Neuronal death; Excitotoxicity; Hippocampus; Dentate gyrus; Inhibitory interneuron (Chang, H.S.) **505,** 220

Palatability
Benzodiazepine; FG 7142; Ro 15-1788; Ro 15-4513; Saccharin; Food intake (Cooper, S.J.) **494,** 172

Palate
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Receptive field; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Pallidum
Gamma-aminobutyric acid; Basal ganglia; *Phaseolus-Vulgaris* leucoagglutinin; Immunocytochemistry; Postembedding immunocytochemistry (Smith, Y.) **493,** 160

N-Acetylaspartylglutamate; Extrapyramidal system; Immunohistochemistry; Carbodiimide; Striatum; Substantia nigra (Moffett, J.R.) **494,** 255

Palmitate
Axotomy; Hypoglossal nucleus; Regeneration; Degeneration; Plasticity; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Pancreas
Glucose; Insulin; Portal vein; Vagus nerve (Yamazaki, M.) **484,** 357

Pancreatic islet transplantation
Diabetes; Sympathetic neuropathy (Schmidt, R.E.) **497,** 393

Parabrachial nucleus
Spinal cord; Anterograde degeneration; Anterograde transport; Nociception (Blomqvist, A.) **480,** 29

Thalamus; Zona incerta; Hypothalamus; Anterograde tracing; Retrograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

Pons; Blood volume; Blood pressure; Fluid balance (Ward, D.G.) **491,** 80

Paradoxical sleep
Prostaglandin E_2; Intraventricular infusion; Slow wave sleep; Wakefulness; Circadian sleep–wake cycle; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Paradoxical sleep deprivation
Neuronal excitability; Evoked potential; Hippocampus (Gorter, J.A.) **476,** 16

Parallel visual pathway
Selective degeneration; Squirrel monkey; Retinal ganglion cell; Visual system; Acrylamide; Cytochrome oxidase; Neurotoxicity (Lynch

III, J.L.) **499,** 325

Paralysis
Spinal cord injury; Opioid; Ischemia (Long, J.B.) **497,** 155

Paranodal axoglial junction
Optic tract; 4-Aminopyridine; Tetraethylammonium; Potassium channel; Action potential repolarization; Frequency-following (Fox, D.A.) **498,** 229

Parasympathetic
Choline acetyltransferase; Acetylcholinesterase; Penis; Acetylcholine; Cholinergic innervation (Dail, W.G.) **487,** 165

Parasympathetic ganglion
Somatostatin; Transmitter release; Ciliary ganglion; Presynaptic inhibition (Katayama, Y.) **487,** 62

Paraventricular hypothalamic nucleus
Ventromedial hypothalamic nucleus; Lateral hypothalamic area; Norepinephrine turnover; Sympathetic nervous system; Hypothalamic obesity (Saito, M.) **481,** 298

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Paraventricular nucleus
Bombesin; Free fatty acid; Glucose; Corticosterone; Ventromedial nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Tractus nucleus solitarii; Subfornical organ; Neural connection; Baroreceptor (Shioya, M.) **483,** 192

Vasopressin; Oxytocin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Antihistamine, H_1; Histamine H_1-receptor; Feeding; Ventromedial nucleus; Microinfusion; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

[^{3}H]Mazindol binding; Adrenoceptor; Insulin secretion; Glucose homeostasis (Angel, I.) **490,** 367

Estradiol; Food intake; Body weight; Lordosis (Butera, P.C.) **491,** 266

Ventromedial hypothalamus; Obesity; Energy expenditure (Sakaguchi, T.) **492,** 271

Suprachiasmatic nucleus; Circadian rhythm; Brain protein synthesis; Neutral amino acid; Autoradiography, [^{14}C]leucine (Scammell, T.E.) **494,** 155

Noradrenaline; Vasopressin; α-Adrenoceptor; Brattleboro rat (Harland, D.) **496,** 14

Adrenal gland; Hypothalamus; Pituitary; Corticosterone; Norepinephrine; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

β-Adrenergic receptor; Vasopressin neuron; Supraoptic nucleus; Rat; Immunocytochemistry (Takano, T.) **499,** 174

Adrenalectomy; Corticosterone; Noradrenaline; Dopamine; Hypothalamus (Jhanwar-Uniyal, M.) **500,** 247

Dopamine; Sexual behavior; Penile reflex; Seminal emission; Medial preoptic area; Male; Rat (Pehek, E.A.) **500,** 325

Adrenals; Corticosterone; Eating behavior; Neuropeptide Y; Pituitary gland (Stanley, B.G.) **501,** 32

Serotonin; Hypothalamus; Feeding behavior; Macronutrient; Carbohydrate; Protein; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

Paraventricular nucleus of hypothalamus
Noradrenaline; Hypothalamus; Energy expenditure; Metabolism; Clonidine; Phenylephrine (Siviy, S.M.) **487,** 79

Parcellation theory
Nervus terminalis; Septum; Transient connection; Amphibian; Tadpole; Ontogeny; Reproduction (Hofmann, M.H.) **498,** 167

Parietal lobe
Motor potential; Movement-related cortical potential; Movement; Sensorimotor (Knight, R.T.) **498,** 190

Parkinson's disease
α-Tocopherol; 6-Hydroxydopamine; Rotation; Striatum; Free radical; Antioxidant (Cadet, J.L.) **476,** 10

Dopamine receptor, D_1; Dopamine receptor, D_2; Status lacunaris; Striatum; Substantia nigra (Cortés, R.) **483,** 30

Alzheimer's disease; Muscarinic receptor; M_1-receptor; M_2-receptor; Choline acetyltransferase; Dementia (Rinne, J.O.) **483,** 402

Human neuroblastoma; Catecholamine; Transplantation (Mena, M.A.) **486,** 286

5,7-Dihydroxytryptamine; Serotonin; Norepinephrine; Monoamine oxidase; Aging; Neurotoxin (Finnegan, K.T.) **496,** 251

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Diethyldithiocarbamate; Dopamine; Substantia nigra; Striatum; Behavior; Mouse (Yurek, D.M.) **497,** 250

Glutamate; *N*-Methyl-D-aspartate receptor; Amyotrophic lateral sclerosis; Alzheimer's disease; Dementia; Excitatory amino acid; Cortex; Cell culture (Weiss, J.H.) **497,** 64

Globus pallidus; Striatum; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

6-Hydroxydopamine; Free radical; Superoxide dismutase; Catalase; Glutathione; Glutathione peroxidase (Perumal, A.S.) **504,** 139

Parkinsonian
6-Hydroxydopamine; Selective dopaminergic lesion; A9 cell group; A10 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

Parkinsonism
Adrenal medulla; Catecholamine; Transplant; Rotation; Amphetamine; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Parotid
Neurokinin A; Substance P; Desensitization; Tachykinin (McMillian, M.K.) **480,** 330

Paroxetine binding
Human brain; Characteristics (Bäckström, I.) **486,** 261

Paroxetine-labeled serotonin uptake site
Serotonin$_{1D}$ receptor; *p*-Chloroamphetamine; Autoradiography (Herrick-Davis, K.) **483,** 155

Paroxysmal discharge
Rat cortical slice; Baclofen; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Partial agonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

Pars tuberalis
Melatonin; Anterior pituitary; Cyclic adenosine monophosphate; Cyclic guanosine monophosphate (Vaněček, J.) **505,** 157

Parsympathetic innervation
Sympathetic innervation; Superior cervical ganglion; Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Anterior eye segment (Ten

Tusscher, M.P.M.) **494,** 105

Partial agonist
Rat cortical slice; Paroxysmal discharge; Baclofen; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

Partial deafferentation
γ-Aminobutyric acid; Single unit activity; Huntington's disease; Basal ganglia; Globus pallidus; Entopeduncular nucleus (Sachdev, R.N.S.) **501,** 295

Parvalbumin
Medial septum; Diagonal band; Septohippocampal; γ-Aminobutyric acid (Freund, T.F.) **478,** 375

Kindling; Hippocampus; Epilepsy; Seizure; Immunocytochemistry; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Lectin; *N*-Acetylgalactosamine; γ-Aminobutyric acid; Cerebral cortex (Kosaka, T.) **483,** 158

Cerebral ischemia; Hippocampal formation; CA1 region; Calbinding-D_{28K}; Immunohistochemistry; Rat (Mudrick, L.A.) **493,** 179

Perforant path; Dentate inhibitory neuron; Feed-forward inhibition; Electron microscopic immunocytochemistry (Zipp, F.) **495,** 161

Calbinding D28k; Calcitonin gene-related peptide; Sensory neuron; Dorsal root ganglia (Carr, P.A.) **497,** 163

Vicia villosa lectin; Calbindin D_{28K}; Alzheimer-type dementia (Kobayashi, K.) **498,** 170

Basal forebrain; Reticular thalamic nucleus; Mesopontine tegmentum; Cerebral cortex; Axonal collateralization; Cholinergic neuron (Jourdain, A.) **505,** 55

Parvocellular neuron
Circadian rhythm; Pacemaker; Neural transplant; Suprachiasmatic nucleus; Hypothalamus; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Passive avoidance
Cysteamine; Morris water task; Locomotor activity; Somatostatin-like immunoreactivity; Rat (Fitzgerald, L.W.) **505,** 246

Patch clamp
Trisomy 16; Down syndrome; Action potential (Ault, B.) **485,** 165

Superior cervical ganglion; Potassium current; Voltage clamp (Schofield, G.G.) **485,** 205

Calcium-dependent potassium channel; C channel; Neuron; *Helix* (Chagneux, H.) **488,** 336

Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Phosphorylation; Ion channel; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Single potassium channel; Pentylenetetrazole; Seizure; Cultured neuron (Sugaya, E.) **497,** 239

Schwann cell; Potassium channel; Whole-cell recording; Tetraethylammonium; Quinine (Konishi, T.) **499,** 273

Lindane; Picrotoxin; Chloride channel; γ-Aminobutyric acid; Glutamate; Acetylcholine; Crayfish muscle (Zufall, F.) **503,** 342

Patch recording
Down syndrome; Superoxide dismutase; Whole cell; Action potential (Ault, B.) **497,** 191

Patch-clamp
Astrocyte; Potassium channel; Primary cell culture; Voltage dependence (Jalonen, T.) **484,** 177

γ-Aminobutyric acid (GABA); Picrotoxinin; *t*-Butylbicyclophosphorothionate (TBPS); Voltage–clamp; Spinal cord neuron (Zorumski, C.F.) **484,** 102

Carotid body; Type-I cell; Ca^{2+} current; K^+ current; Voltage-clamp; Hypoxia (Hescheler, J.) **486,** 79

Pregnenolone sulfate; Picrotoxin; Pentobarbital; γ-Aminobutyric acid; Chloride current; Steroid (Mienville, J.-M.) **489,** 190

Patch-clamp technique
Cultured hippocampal neuron; Single-channel recording; Current–voltage relation; Quinolinic acid; Magnesium ion; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

Pathway tracing
Retrograde tracer; Axonal transport; Trigeminal nerve; Peripheral nervous system (Colin, W.) **486,** 334

Pattern generator
ENG; Intracellular recording; Fictive locomotion; Forelimb (Hishinuma, M.) **482,** 184

Paw nibbling
Stereotypy; Intrastriatal infusion; Dopamine receptor; Co-activation; Sniffing; Oral activity; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Paw shake
Motor control; Compartmentalization; Intramuscular electromyography; Semitendinosus; Jumping; Treadmill locomotion (Hutchison, D.L.) **479,** 56

Paw-withdrawal test
Hyperalgesia; Behavioral pharmacology; Nociception; Bradykinin; Pain (Taiwo, Y.O.) **487,** 148

PC12
Galanin; K^+ channel; Dopamine (De Weille, J.R.) **485,** 199

PC12 cell
Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Tyrosine hydroxylase; Neuronal differentiation (Matsuoka, I.) **502,** 53

***pcd* mutant**
Cerebellum; Mouse; Habituation-hole poking (Lalonde, R.) **479,** 201

Peduncular-pontine nucleus
Self-stimulation; Lateral hypothalamus; Reinforcement threshold; Lesion; Lateralized effect (Buscher, W.) **487,** 321

Pedunculopontine nucleus
γ-Aminobutyric acid; Substantia nigra; Pentylenetetrazol-induced seizure (Okada, R.) **480,** 383

Subpallidal area; Mediodorsal nucleus of thalamus; Spontaneous locomotor activity; Procaine (Mogenson, G.J.) **485,** 396

Subthalamic nucleus; Intracellular recording; Intracellular labeling; Antidromic activation (Granata, A.R.) **488,** 57

Subpallidal output neuron; Basolateral nucleus of amygdala; Ventral subiculum of hippocampus; Electrophysiological recording (Tsai, C.T.) **494,** 22

Pedunculopontine tegmental nucleus
Synaptic organization; Electron microscopy (Moriizumi, T.) **478,** 315

Pelvic nerve
Sacral parasympathetic nucleus; Pudendal nerve; Spinal cord projection; Strain difference; Rat; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Pudendal nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Pelvic pain
Hypogastric nerve; Thalamus; Nucleus ventralis posterolateralis; Cat (Asato, F.) **488,** 135

Penicillin spike
Focal epilepsy; Direct cortical response; Current source–density; Principal component analysis; Source modeling; Electrophysiology (Barth, D.S.) **484,** 13

Penile reflex

Dopamine; Sexual behavior; Seminal emission; Medial preoptic area; Paraventricular nucleus; Male; Rat (Pehek, E.A.) **500,** 325

Penis
Choline acetyltransferase; Acetylcholinesterase; Parasympathetic; Acetylcholine; Cholinergic innervation (Dail, W.G.) **487,** 165

Pentazocine
Drug discrimination; SCH 23390; Sulpiride; Dopamine; Dopamine D_1 receptor (Ukai, M.) **496,** 377

Shock titration; Pain; Analgesia; Rhesus monkey; Morphine; Meperidine; Diazepam (Bloss, J.L.) **499,** 344

Receptor, σ; 2-Deoxyglucose; Brain metabolism; Glucose utilization; Antipsychotic (Della Puppa, A.) **505,** 283

Pentobarbital
Baroreflex; Arterial pressure; Ventilation; Nicotine; Ventral medulla (Jung, R.) **485,** 399

Nucleus tractus solitarius; Antinociception; Pain modulation; Tail-flick test; Glutamate; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Pregnenolone sulfate; Picrotoxin; γ-Aminobutyric acid; Chloride current; Steroid; Patch-clamp (Mienville, J.-M.) **489,** 190

Pentylenetetrazol
Benzodiazepines; Substantia nigra pars reticulata; Seizure; γ-Aminobutyric acid (GABA); Muscimol; Flurazepam; Midazolam (Zhang, H.) **488,** 73

Ethanol; Convulsion; Ro 15-4513; FG 7142; Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex (Mehta, A.K.) **489,** 93

Pentylenetetrazol-induced seizure
γ-Aminobutyric acid; Substantia nigra; Pedunculopontine nucleus (Okada, R.) **480,** 383

Pentylenetetrazole
Single potassium channel; Patch clamp; Seizure; Cultured neuron (Sugaya, E.) **497,** 239

Peptide
Thyrotropin-releasing hormone; 5-Hydroxytryptamine; Transmitter coexistence; Receptor up-regulation; TRH receptor; 5-HT receptor (Sharif, N.A.) **480,** 365

Castration; Cremaster muscle; Indolamine; Motoneuron; Rat; Spinal cord; Testes (Newton, B.W.) **485,** 149

Monkey; Auditory cortex; Thalamocortical synapse; Double-labeling immunocytochemistry; γ-Aminobutyric acid (Cipolloni, P.B.) **492,** 347

Peptide histidine isoleucine/peptide histidine methionine
Prolactin; Vasoactive intestinal peptide; Rapid eye movement sleep; Brain temperature; Non-rapid eye movement sleep (Obal, F.) **490,** 292

Peptide release by exocytosis
Neurohemal and non-synaptic release; Quantitative immunoelectron microscopy; Tannic acid; Caudodorsal cell; *Lymnaea stagnalis* (Schmidt, E.D.) **489,** 325

Peptidergic innervation
Olfactory epithelium; Nerve terminal; Frog; Substance P (Zielinski, B.S.) **492,** 361

Peptidylglycine
Amidation; Dorsal root ganglia; Spinal cord; Copper-dependency; Ascorbate-dependency (Graham, L.) **491,** 371

Perforant path
Dentate gyrus; Acetylcholine; Carbachol; Atropine; Pirenzepine (Kahle, J.S.) **482,** 159

Long-term potentiation; Long-term depression; Behavioral state; Sleep; Dentate gyrus; Freely moving rat (Bramham, C.R.) **493,** 74

γ-Aminobutyric acid; Hippocampus; Entorhinal cortex; Intracellular injection; Lucifer yellow; Immunocytochemistry (Germroth, P.) **494,** 187

Parvalbumin; Dentate inhibitory neuron; Feed-forward inhibition; Electron microscopic immunocytochemistry (Zipp, F.) **495,** 161

Perforant pathway stimulation
Hippocampus; Glutamate; Learning; Memory; Pyramidal cell (Rogers, B.C.) **493,** 41

Perforated postsynaptic density
Electron microscopy; Caudate; Nucleus accumbens; Neuroleptic drug; Tardive dyskinesia (Meshul, C.K.) **489,** 338

Perfusion
Substantia nigra; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Aspartate; Glutamate; Taurine; Rat (Farrant, M.) **480,** 344

Perfusion flow rate
Isolated, perfused brain; Spontaneously hypertensive rats; Prostaglandin $F_{2\alpha}$; Phenylephrine; Serotonin (Gong, D.) **482,** 122

Periaqueductal
μ-Agonist; κ-Agonist; Opiate; Analgesia; Nucleus raphe magnus (Fang, F.G.) **501,** 116

Periaqueductal gray
Glutamate; Opiate receptor; Analgesia; Medulla (Jensen, T.S.) **476,** 1

Opioid; μ-Receptor; Coupling; Guanine nucleotide binding protein; Analgesia (Fedynyshyn, J.P.) **476,** 103

Cholecystokinin-octapeptide (CCK-8); Proglumide; Morphine analgesia (Li, Y.) **480,** 105

Dihydromorphine; Opiate binding; Medulla; Analgesia (Ramberg, D.A.) **483,** 61

γ-Aminobutyric acid; Semicarbazide; Muscimol; Microinjection; Aversion; Conditioned place preference (Di Scala, G.) **483,** 91

Defense reaction; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Laterodorsal tegmental nucleus; Bladder; Pontine micturition center; Electrical stimulation; Blood pressure; Bladder postganglionic nerve (Noto, H.) **492,** 99

Cardiopulmonary afferent; Bradykinin; Visceral nociception; Descending inhibition; Glutamate (Chandler, M.J.) **496,** 148

Stimulation-produced analgesia; Descending pain modulation; Ascending pain modulation; Tail-flick test; Hot-plate test; Antinociception (Morgan, M.M.) **502,** 61

Periaqueductal gray matter
Substance P; Met-enkephalin; Serotonin; Spinal cord; Pain; Blood pressure (De Felipe, M.C.) **485,** 301

Swim-induced analgesia; Genetic difference; Stimulation-produced analgesia; Naloxone (Marek, P.) **489,** 182

B3 area; Substantia nigra; Zona incerta; Hypothalamus; Central nucleus of the amygdala; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Perifornical lateral hypothalamus
D-Fenfluramine; Serotonin; Microdialysis (Schwartz, D.) **482,** 261

Perifusion
γ-Aminobutyric acid; Melanocyte-stimulating hormone; Proopiomelanocortin; Hypothalamus (Delbende, C.) **497,** 86

Perikaryonal protein synthesis
Maintenance of the neuron; Perikaryonal volume; Morphometry of axon; Sensory neuron (Von Bernhardi, R.) **478,** 301

Perikaryonal volume
Maintenance of the neuron; Perikaryonal protein synthesis; Morphometry of axon; Sensory neuron (Von Bernhardi, R.) **478,** 301

Perinatal

Neurotoxicity; MK-801; *N*-Methyl-D-aspartate; Hypoxia-ischemia; Neuroprotection (McDonald, J.W.) **490,** 33

Perineal muscle
Lumbar spinal cord; Motoneuron; Sexually dimorphic; House mouse; Dendritic pattern (Wagner, C.K.) **499,** 93

Perineurium
Peripheral nerve; Ischemic neuropathy; Morphometry; Cell death; Lipid droplet (Benstead, T.J.) **489,** 177

Blood–nerve barrier; Capillary; Compound action potential; Sciatic nerve; Tibial nerve (Wadhwani, K.C.) **493,** 231

Albumin; Blood–nerve barrier; Capillary permeability; Endoneurial capillary; Endoneurium; Sciatic nerve (Weerasuriya, A.) **494,** 114

Periodontal afferent
Trigeminal principal nucleus; Oral nucleus; Horseradish peroxidase staining; Structure–function relationship; Pulpal afferent (Tsuru, K.) **485,** 29

Trigeminal mesencephalic nucleus; Central projection; Intra-axonal staining; Horseradish peroxidase (Shigenaga, Y.) **505,** 91

Periolivary nuclei
Lateral superior olive; Medial superior olive; Medial nucleus of the trapezoid body; Immunocytochemistry (Helfert, R.H.) **501,** 269

Peripheral analgesia
Polymodal receptor; Nociceptor; Morphine; Opioid; Naloxone; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

Peripheral mechanism
Chemosensory receptor; Chemical sense; Taste; Transduction (Kalinoski, D.L.) **488,** 163

Peripheral nerve
Ganglioside; Glycolipid; Nerve regeneration; Glycoprotein; Growth cone (Yates, A.J.) **479,** 277

Perineurium; Ischemic neuropathy; Morphometry; Cell death; Lipid droplet (Benstead, T.J.) **489,** 177

Regeneration; Crush; Multiple crush; Graft; Morphometry; Neuropathology (Giannini, C.) **500,** 131

Peripheral nerve graft
Optic nerve crush; Axon-like process; Retinal ganglion cell; Hamster (Cho, E.Y.P.) **484,** 371

Peripheral nerve injury
Peripheral nerve sprouting; Unmyelinated fiber; Compound action potential; Spinal nerve; Ventral root afferent (Oh, U.T.) **501,** 90

Peripheral nerve lesion
Regeneration; Microneurography; Microstimulation; Clinical evaluation (Ochs, G.) **496,** 228

Peripheral nerve regeneration
Angiogenesis; Matrigel; Extracellular matrix; Schwann cell; Trophic factor (Humphrey, M.F.) **497,** 132

Peripheral nerve sprouting
Peripheral nerve injury; Unmyelinated fiber; Compound action potential; Spinal nerve; Ventral root afferent (Oh, U.T.) **501,** 90

Peripheral nerve stimulation
Guinea-pig; Push–pull cannula; Substantia nigra; Acetylcholinesterase; Evoked release (Taylor, S.J.) **482,** 356

Peripheral nerve transection
Primary sensory neuron; Dorsal root ganglion neuronal loss (Ygge, J.) **478,** 193

Peripheral nervous system
Neuronal death; Rat; Trophic factor; In vitro; Bioassay (Eichler, M.E.) **482,** 340

Retrograde tracer; Axonal transport; Trigeminal nerve; Pathway tracing (Colin, W.) **486,** 334

Rat; Muscle spindle; Golgi tenson organ; Histochemistry; Carbonic anhydrase (Szabolcs, M.J.) **492,** 129

Peripheral stimulation
Cerebral cortical transplant; Newborn host; Thalamic stimulation; Electrophysiology; Sensory input (Neafsey, E.J.) **493,** 33

Peripheral tissue
Human diazepam binding inhibitor-like immunoreactivity(51–70); Distribution; Central nervous system (Ball, J.A.) **479,** 300

Peristalsis
Pharynx; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Pharynx; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

Peristimulus histogram
Multi-unit recording; Cross-correlation; Rat; Dorsal cochlear nucleus; Neuronal interaction (Gochin, P.M.) **497,** 1

Peroxidase–antiperoxidase method
Corticotropin-releasing factor; Enkephalin; Co-localization; Immuno-β-galactosidase staining; Hypothalamus; Rat (Sakanaka, M.) **487,** 357

Persistent depolarization
Hippocampal slice; Epileptic depolarization; Long-term synaptic failure; *N*-Methyl-D-aspartate antagonist; Anoxic depolarization (Watson, G.B.) **498,** 81

Persistent sodium conductance
Prepositus hypoglossi nucleus; Oscillation; Plateau potential; Slice preparation; Intracellular recording (Rekling, J.C.) **500,** 276

Pertussis toxin
Opiate addiction; Tolerance and dependence; Adenosine diphosphate ribosylation; Adenosine monophosphate, cyclic (Nestler, E.J.) **476,** 230

G protein; *Aplysia*; Cholera toxin; Adenylate cyclase; Synaptosome (Vogel, S.S.) **478,** 281

Adenosine; Hippocampus; Guanosine triphosphate-binding protein; Caffeine (Stratton, K.R.) **494,** 359

G-protein; Electrophysiology; Adenylate cyclase; Cautate-putamen; Rat (Boyajian, C.L.) **495,** 66

Neuropeptide Y; Baclofen; 5-Hydroxytryptamine; G-protein (Colmers, W.F.) **498,** 99

Pertussis toxin-sensitive G protein
Excitatory opioid receptor; Dorsal root ganglion neuron; Action potential duration; Cyclic AMP; Membrane Ca^{2+} conductance; Membrane K^+ conductance (Shen, K.-F.) **491,** 227

Petit mal
γ-Aminobutyric acid; Muscimol; Intracerebral injection; Epilepsy; Electroencephalogram; Substantia nigra; Rat; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Phaclofen
Ventral lateral geniculate nucleus; Dorsal lateral geniculate nucleus; γ-Aminobutyric acid; Baclofen; $GABA_A$ inhibitory postsynaptic potential; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

Rat cortical slice; Paroxysmal discharge; Baclofen; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Partial agonist; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

Baclofen; H-reflex; Flexor reflex; Intrathecal injection (Wüllner, U.) **496,** 341

Pharmacology
L-Glutamate binding; Human cerebellum; Olivopontocerebellar atrophy; Development; Localization (Tsiotos, P.) **481,** 87

Physiology; Hippocampal; θ-Off cell (Bland, B.H.) **505,** 333

Pharynx
Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 258

Peristalsis; Buccal ganglion; Enteric nervous system; Motoneuron; *Navanax inermis*; Gastropod; Mollusc (Cappell, M.S.) **502,** 266

Phase response curve
Cycloheximide; Circadian rhythm; Protein synthesis; Hamster (Wollnik, F.) **496,** 82

Carbachol; Djungarian hamster; Circadian rhythm; Locomotor activity; Blind (Wee, B.E.F.) **505,** 209

***Phaseolus vulgaris* agglutinin**
Axonal transport; Lectin tracing; *Lens culinaris* agglutinin; Leucoagglutinin; Membrane glycoprotein; Rat; Wheat germ agglutinin (Trudrung, P.) **497,** 399

***Phaseolus vulgaris* leucoagglutinin**
Commissural inhibition; Dentate-hilar neuron; Intracellular recording; In vivo; Rat (Isokawa-Akesson, M.) **480,** 92

Transplantation; Graft; Migration; Astrocyte; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

Gamma-aminobutyric acid; Pallidum; Basal ganglia; Immunocytochemistry; Postembedding immunocytochemistry (Smith, Y.) **493,** 160

Transplant; Development; Neostriatum; Serotonin; Dopamine; Choline; Substance P; Immunocytochemistry; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Phasic membrane potential oscillation
Lamprey; In vitro preparation; Locomotion; Swimming; Reticulospinal neuron; Spinal input; Brainstem (Dubuc, R.) **483,** 196

Phasic modulation
Reticulospinal neuron; Locomotion; Brainstem; Spinal cord; Lamprey (Kasicki, S.) **484,** 203

Phencyclidine
Luteinizing hormone; *N*-Methyl-D-aspartate; Excitatory amino acid; Glutamate; Homocysteic acid; DL-2-Amino-5-phosphono-pentanoic acid (Boggan, W.O.) **478,** 382

Excitatory amino acid receptor; Glycine; *N*-Methyl-D-aspartate; Cyclic guanosine monophosphate; Cerebellum (Danysz, W.) **479,** 270

Excitatory amino acid; *N*-Methyl-D-aspartic acid; Quisqualate; Autoradiography; Visual plasticity; Frog; Tectum (McDonald, J.W.) **482,** 155

N-Methyl-D-aspartate receptor; 2-Amino-7-phosphonoheptanoic acid; 3-[2-Carboxypiperazin-4-yl]-propyl-1-phosphonate; MK-801; Anticonvulsant (Nevins, M.E.) **503,** 1

Phencyclidine agonist
Glutamate agonist; Excitotoxin; Ibotenate; Hippocampus; Ketamine; Halothane; Neurotoxicity; Anesthesia (Lees, G.J.) **502,** 280

Phencyclidine receptor
Autoradiography; Glycine; Hippocampus; *N*-Methyl-D-aspartate receptor (Jansen, K.L.R.) **482,** 174

N-(1-[2-Thienyl]cylohexyl)[^{3}H]-piperidine binding; Glutamate; Corticostriatal projection; Frontal decortication; Striatum (Yoshida, Y.) **499,** 179

N-Methyl-D-aspartate receptor; Glycine receptor antagonist; 7-Chlorokynurenic acid; [^{3}H]MK-801 (Sircar, R.) **504,** 325

Phenobarbital
Deoxyglucose; Cerebral metabolism; Drug withdrawal (Marietta, C.A.) **496,** 173

Phenothiazine
Cerebral ischemia; Spinal cord ischemia; Protein kinase; Stroke; Rabbit (Zivin, J.A.) **482,** 189

Phenoxybenzamine
Vasopressin; Osmotic stimulus; Dopamine; Noradrenaline; Haloperidol; Rat (Yamaguchi, K.) **481,** 388

α-Adrenergic receptor; γ-Aminobutyric acid; Hypothalamic slice; Medial preoptic area; Noradrenaline; Estrogen; Rat (Herbison, A.E.) **486,** 195

Phentolamine
Morphine; Atropine; Methysergide; Analgesia; Tail-flick; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

Maternal behavior; Naltrexone; Oxytocin; Vaginocervical stimulation; Sheep (Kendrick, K.M.) **505,** 329

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Phenylalanine
Tyrosine hydroxylation; Retina; Tyrosine; *p*-Chlorophenylalanine; Rat (Fernstrom, M.H.) **499,** 291

Phenylephrine
Isolated, perfused brain; Spontaneously hypertensive rats; Perfusion flow rate; Prostaglandin $F_{2\alpha}$; Serotonin (Gong, D.) **482,** 122

Noradrenaline; Hypothalamus; Paraventricular nucleus of hypothalamus; Energy expenditure; Metabolism; Clonidine (Siviy, S.M.) **487,** 79

Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

Phenylethanolamine-*N*-methyltransferase
Epinephrine; Catecholamine; Blood pressure; C1 cell group (Sved, A.F.) **481,** 113

Ventrolateral medulla; Noradrenergic; Adrenergic; Preganglionic; Neuropeptide Y; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Tyrosine hydroxylase; Cholinergic neuron; Endothelial cell; Adrenergic neuron; Cardiovascular regulation (Milner, T.A.) **500,** 67

Phenylisopropylamine
Hallucinogen; Psychotomimetic; Quantitative autoradiography; Serotonin-2 receptor; Lysergic acid diethylamide (McKenna, D.J.) **476,** 45

Phenytoin
Ischemia; Cerebral protection; Cell death; Selective neuronal vulnerability (Taft, W.C.) **483,** 143

Hippocampus; Brain slice; Cerebral ischemia; Vitamin E (Amagasa, M.) **504,** 87

8-Phenyltheophylline
Adenosine; Hippocampus; Hypoxia; Theophylline (Fowler, J.C.) **490,** 378

β-Phenylethylamine
Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Aging; Serotonin; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Phorbol ester
Cerebral artery; Noradrenaline release; α_2-Adrenoceptor agonist; α_2-Adrenoceptor antagonists; Protein kinase C; Ionophore A23187 (Balfagon, G.) **477,** 196

Thyrotropin-releasing hormone; GH_3 cell; Diacylglycerol; Inositol phosphate; Action potential frequency (Gammon, C.M.) **479,** 217

Autoradiography; Cerebral ischemia; Hippocampus; Protein kinase C; Selective vulnerability; Synaptic plasticity (Onodera, H.) **481,** 1

Protein kinase C; γ-Aminobutyric acid release; Ouabain; Deep cerebellar nucleus; Enteric neuron (Shuntoh, H.) **483,** 384

Extracellular matrix; Central nervous system; Neuronectin; Fibroblast growth factor (Rettig, W.J.) **487,** 171

Hippocampal slice; Interictal bursting; Epilepsy; Afterhyperpolarization; Electrographic seizure; CA3 pyramidal

cell (Chamberlin, N.L.) **492,** 337

Protein kinase C; Hippocampus; Long-term potentiation (Colley, P.A.) **495,** 205

Kindling; Phosphoinositide hydrolysis; Hippocampus; Excitatory amino acid; *N*-Methyl-D-aspartate; Kainic acid (Morrisett, R.A.) **496,** 25

Receptor; Retina; Forskolin; Autoradiography (Zarbin, M.A.) **497,** 334

Phosphate
Pyrethroid; Sodium channel; Inositol; Synaptoneurosome (Gusovsky, F.) **492,** 72

Phosphatidyl inositol
Muscarinic receptor; Adrenergic receptor, α_1; Depolarization; Brain slice (Diamant, S.) **503,** 55

Phosphatidylcholine
Choline; Acetylcholine; Phospholipid; Precursor; Striatum (Ulus, I.H.) **484,** 217

Phosphatidylinositol
Epilepsy; α_1-Adrenoceptor; Human brain; Adrenergic; Neurotransmitter (Dubeau, F.) **481,** 200

Phosphocholine
Acetylcholine synthesis; Acetylcholine release; Neuroblastoma; Human; Choline uptake (Richardson, U.I.) **476,** 323

Phosphocreatine
Adenosine-triphosphate (ATP); *N*-Methyl-D-aspartate (NMDA); Excitatory transmission; Magnetic resonance spectroscopy; Brain slice (Jacquin, T.) **497,** 296

Phosphodiesterase
Cyclic adenosine monophosphate; Antidepressant; Rolipram; Autoradiography; Limbic system (Kaulen, P.) **503,** 229

Phosphoinositide
Medial septum; Hippocampus; Cholinergic; Noradrenergic (Connor, D.J.) **488,** 387

Phosphoinositide hydrolysis
Vasopressin; Receptor; Brattleboro rat; Septum (Shewey, L.M.) **478,** 95

Rat hippocampus; Fimbria/fornix lesion; Muscarinic receptor subtype; Nicotinic receptor; Carbachol (Smith, C.J.) **485,** 317

Kindling; Hippocampus; Excitatory amino acid; *N*-Methyl-D-aspartate; Kainic acid; Phorbol ester (Morrisett, R.A.) **496,** 25

Mianserin; Protryptiline; Adrenoceptor, α_1; Prazosin binding; Cerebral cortex (Sallés, J.) **498,** 366

Phosphoinositide second messenger system
Astrocyte; Glia (Choi, W.C.) **499,** 193

Phosphoinositide turnover
Hypoxia; Rat brain; Muscarinic cholinergic receptor (Ninomiya, H.) **482,** 109

Phospholipase C
Muscarinic agonist; Neurotransmitter release; Long-term potentiation; Depolarization; Inositol phosphate (Schwartz, L.) **503,** 62

Phospholipid
Choline; Acetylcholine; Phosphatidylcholine; Precursor; Striatum (Ulus, I.H.) **484,** 217

Cholesterol; Muscle; Neuromuscular junction; Aging; Denervation (Williams, K.D.) **493,** 14

Phosphono-γ-aminobutyric acid analogue
Rat cortical slice; Paroxysmal discharge; Baclofen; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Partial agonist; Phaclofen (Kerr, D.I.B.) **480,** 312

Phosphoprotein
Neostriatum; Substantia nigra; Medical forebrain bundle; Immunohistochemistry; Basal forebrain (Gustafson, E.L.) **491,** 297

Circadian rhythm; H-8; Protein kinase; *Bulla gouldiana*; Mollusc (Roberts, M.H.) **504,** 211

Phosphorylated compound
Nuclear magnetic resonance spectroscopy, ^{31}P-; Glioma cell line; Cell culture; Microcarrier (Vion-Dury, J.) **493,** 175

Phosphorylation
Tyrosine hydroxylase; Synaptosome; Cyclic nucleotide; Striatum (Colby, K.A.) **478,** 103

Immunocytochemistry; Neurofilament (Poltorak, M.) **480,** 349

Aluminum; Neuronal cell; Neurofilament; Neurotoxicity; Neurofibrillary pathology; Amyotrophic lateral sclerosis; Alzheimer's disease (Shea, T.B.) **492,** 53

Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Patch clamp; Ion channel; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Photic response
Intergeniculate leaflet; Suprachiasmatic nucleus; Neurophysiology; Antidromic activation; Circadian rhythm entrainment (Zhang, D.X.) **504,** 161

Photic responsiveness
Suprachiasmatic nuclei; Circadian system; Entrainment; Neurophysiology (Meijer, J.H.) **501,** 315

Photoaffinity labeling
Signal transduction; Guanosine triphosphate-binding protein; β-Adrenergic receptor; Receptor–effector coupling; Cyclic nucleotide; C6 glioma cell (Rasenick, M.M.) **488,** 105

Photoperiod
Olfactory; Vomeronasal; Testicular; Reproductive; Gonadotropin; Hamster (Pieper, D.R.) **485,** 382

β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Pineal; Castration (Vaughan, M.K.) **489,** 318

Melatonin; Hypothalamus; Mongolian gerbil; *Meriones unguiculatus*; Gonadal regression (Devries, M.J.) **494,** 241

Amygdala; Opiate; Naloxone; Hamster; Luteinizing hormone; Sexual behavior (Tubbiola, M.L.) **503,** 91

Photoperiodism
Melatonin binding sites; Hamster; Median eminence; Anterior pituitary (Vaněček, J.) **477,** 387

Photoreceptor
Gap junction; Terminal; Inner segment; Fovea (Cohen, A.I.) **490,** 200

Cell proliferation, Goldfish retina; Optic nerve crush; Rod precursor (Henken, D.B.) **501,** 247

Phototransduction
Circadian rhythm; Calcium channel (Zatz, M.) **477,** 14

Mollusc; Extraocular photoreceptor; Cyclic GMP decrease (Nishi, T.) **485,** 185

Phrenic activity
Hypothalamic locomotor region; Muscular contraction; Ventral root stimulation; Cardiopulmonary inhibition; Cat; Reticular formation (Richard, C.A.) **482,** 49

Respiratory rhythm; Oscillation; Spectral analysis; Inhibitory amino acid neurotransmitter; Strychnine; Bicuculine (Schmid, K.) **485,** 193

Phrenic motoneuron
Intracellular recording; Superior laryngeal nerve; Inhibitory postsynaptic potential; Cat (Bellingham, M.C.) **486,** 391

Respiration; Recruitment; Cat; Firing property; Aspiration reflex (Jodkowski, J.S.) **505,** 187

Phrenic nerve
Brainstem; Electrolytic lesion; Medulla; Respiratory control (Speck, D.F.) **482,** 387

Cat; Superior laryngeal nerve; Nucleus tractus solitarii; Pulmonary afferent; Inspiratory neuron (Donnelly, D.F.) **491,** 243

Cross-reinnervation; Motor readjustment; Voluntary resporatory control; Forelimb; Cat (Fujito, Y.)

492, 36

Respiratory rhythm; Superior laryngeal nerve; Upper airway receptor; Apnea (Donnelly, D.F.) **505,** 149

Physiology
Geniculate body; Sensory threshold; γ-Aminobutyric acid; Neural inhibition; Vision; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Pharmacology; Hippocampal; θ-Off cell (Bland, B.H.) **505,** 333

Physostigmine
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Pirenzepine; Wistar rat (Sundaram, K.) **477,** 358

Innominato-cortical pathway; Electrical stimulation; Cortical blood flow; Tissue gas change; Unanesthetized rat (Lacombe, P.) **491,** 1

Somatostatin; Cysteamine; Acetylcholine; Nucleus basalis of Meynert; Memory (Haroutunian, V.) **496,** 98

Phytohaemagglutinin
Erythrocyte ghost fusion injection; Primary cultured neuronal cell; Polyethylene glycol (Hikawa, N.) **481,** 162

Pial arteriole
Confocal laser microscopy; Brain microcirculation; Rat; In vivo (Villringer, A.) **504,** 159

Picrotoxin
Seizure; Estrogen; Testosterone; Sex difference (Schwartz-Giblin, S.) **476,** 240

γ-Aminobutyric acid receptor; Chloride ion channel; Synaptoneurosome; Barbiturate; Picrotoxinin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

Pregnenolone sulfate; Pentobarbital; γ-Aminobutyric acid; Chloride current; Steroid; Patch-clamp (Mienville, J.-M.) **489,** 190

Lindane; Chloride channel; γ-Aminobutyric acid; Glutamate; Acetylcholine; Patch clamp; Crayfish muscle (Zufall, F.) **503,** 342

Picrotoxinin
γ-Aminobutyric acid receptor; Chloride ion channel; Synaptoneurosome; Barbiturate; Picrotoxin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

γ-Aminobutyric acid (GABA); *t*-Butylbicyclophosphorothionate (TBPS); Voltage–clamp; Patch–clamp; Spinal cord neuron (Zorumski, C.F.) **484,** 102

Pig
Immunohistochemistry; Rat; Guinea pig; Tuberomammillary nucleus; Spinal cord (Panula, P.) **484,** 234

Pigeon
Somatosensory system; Thalamus; Spinal cord; Anatomy (Schneider, A.) **484,** 139

Cold receptor; Discharge pattern; Cyclic activity; Transducer process; Calcium dependence (Schäfer, K.) **501,** 66

Pigmentation
Dopamine; Magnetic field; Retina; Rodent (Olcese, J.) **498,** 145

Pimozide
Reward; Brainstem; Midbrain; Dopamine; Morphine (Rompré, P.-P.) **477,** 144

Dopamine; Depolarization inactivation; Morphine; Muscimol; Reward (Rompré, P.-P.) **477,** 152

Pineal
Syrian hamster; Electrical activity; Iontophoresis; Sympathomimetics; Rhythm (Stehle, J.) **488,** 275

β-Glucuronidase; Hexosaminidase; β-Glucosidase; Acid phosphatase; α-Arabinosidase; β-D-Galactosidase; Lysosomal enzyme; Photoperiod; Castration (Vaughan, M.K.) **489,** 318

Rat; *N*-Acetyltransferase; Circadian rhythm; Entrainment; Light–dark cycle (Illnerová, H.) **494,** 365

Pineal gland
α_1-Adrenoceptor; Circadian variation (Pangerl, A.) **490,** 166

Melatonin; Melatonin metabolite; Circadian rhythm; Light–dark cycle (Kennaway, D.J.) **495,** 349

Pineal indole
5-Methoxyindole-3-acetic acid; Estrous cycle; Female Wistar albino rats (Öcal-İrez, T.) **493,** 1

Pinealectomy
Melatonin; Glucose utilization; Choroid plexus; Hypothalamus; Nucleus tractus solitarii (Vitte, P.-A.) **489,** 273

Pinocytosis
Muscle spindle; Spindle capsule; Endocytosis; Transcytosis; Receptor-mediated uptake (Fukami, Y.) **499,** 249

1-[3-(trifluoromethyl)phenyl]-Piperazine
5-Hydroxytryptamine; (±)-8-Hydroxy-2-(di-*n*-propylamino) tetralin-HBr; Hippocampal slice (Segal, M.) **502,** 67

Pirenpirone
Stress-induced analgesia; Receptor, 5-HT_2; Methysergide; Ketanserin (Kiefel, J.M.) **500,** 231

Pirenzepine
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Wistar rat (Sundaram, K.) **477,** 358

Perforant path; Dentate gyrus; Acetylcholine; Carbachol; Atropine (Kahle, J.S.) **482,** 159

Brain dialysis; Striatal dopamine release; Muscarinic receptor; AF102B; Oxotremorine; AF-DX116 (Xu, M.) **495,** 232

AFDX-116; Blood pressure; *Cis*-Methyldioxolane; Heart rate; M_1 and M_2 muscarinic receptor; McN-A-343; Wistar rat (Murugaian, J.) **501,** 355

Receptor; Muscarinic; Human neuroblastoma cell; Sh-SY5Y; Inositol lipid; Cyclic AMP (Mei, L.) **504,** 7

Pituitary
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

κ-Agonist; U-50,488H; Glucose utilization; Limbic brain structure; Spinal cord (Ableitner, A.) **478,** 326

γ-Aminobutyric acid; Melanotroph; In vitro; Receptor (Williams, P.J.) **483,** 130

Metabolism; Brain; Chromogranin A; Metabolic fuel; Adrenocorticotropic hormone; Autonomic nervous system (Gunion, M.W.) **485,** 251

FMRF-NH_2-like peptide; Rat brain; Spinal cord; Distribution (Majane, E.A.) **494,** 1

Paraventricular nucleus; Adrenal gland; Hypothalamus; Corticosterone; Norepinephrine; Dopamine; Serotonin (Leibowitz, S.F.) **496,** 219

Adrenal steroid receptors; Brain; Lymphoid tissue; Corticosterone; Rat; Adrenalectomy (Lowy, M.T.) **503,** 191

Pituitary cell
Somatostatin; Calcium-current; Somatotroph; Growth hormone (Nussinovitch, I.) **504,** 136

Pituitary gland
Supraependymal neuron; Neuroendocrine regulation; Cerebrospinal fluid alteration therapy (Michael, D.B.) **478,** 227

Hyperprolactinemia; Vasoactive intestinal peptide; Estradiol-17β; Prolactin; Central nervous system; Autoradiography (Montagne, M.-N.) **485,** 258

Adrenals; Corticosterone; Eating behavior; Neuropeptide Y; Paraventricular nucleus (Stanley, B.G.)

501, 32

Androgen; Testosterone; Dihydrotestosterone; Primate; Hypothalamus; Amygdala; Autoradiography (Michael, R.P.) **502,** 11

Diurnal rhythm; Monoamine; Median eminence (Koulu, M.) **503,** 246

Pituitary gonadotroph
Adenosine-3′,5′-monophosphate (cAMP); Phosphorylation; Patch clamp; Ion channel; Ca^{2+}-activated K^+ channel; Protein kinase inhibitor; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Pituitary lobe
D_2 dopamine receptor; Human brain; Globus pallidus; Striatum; Corticostriatal terminal; Guanine nucleotide effect (De Keyser, J.) **484,** 36

Placebo effect
Tooth-pulp stimulation; Reflex modulation; Hypnotic anesthesia; Electromyography; Trigeminal nerve (Sharav, Y.) **479,** 247

Plaque
Cholinesterase; Tangle; Cholinesterase inhibitor; Alzheimer's disease (Geula, C.) **498,** 185

Plasma
Cortisol; Glucocorticoid; Brain region; Adrenocorticotropic hormone; β-Endorphin (Bagdy, G.) **489,** 216

Plasma catecholamine
Arterial blood pressure; Insular ortex (Cechetto, D.F.) **502,** 296

Plasma membrane
Estradiol; Cerebral cortex; Freeze-fracture; Neuronal membrane; Development; Cell culture (Garcia-Segura, L.M.) **498,** 339

Plasminogen receptor
Glioma; Proteinase (Hall, S.W.) **495,** 373

Plasticity
Accommodation; Calcium; Calcium-dependent potassium conductance; Dentate gyrus; Epilepsy; Hippocampus; Long-term potentiation; Kindling; Noradrenaline (Stanton, P.K.) **476,** 367

Axotomy; Hypoglossal nucleus; Palmitate; Regeneration; Degeneration; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Rat; LTP; Visual cortex; Tetanus; Brain slice (Berry, R.L.) **481,** 221

Visual system; Enucleation; Local cerebral glucose utilization; Rat (Zilles, K.) **488,** 14

Cat spinal α-motoneuron; Chronic deafferentation; Monosynaptic reflex (Hellgren, J.) **488,** 149

Barrel; Lectin; Glia; Boundary; Critical period substrate; Somatosensory cortex; Development (Cooper, N.G.F.) **489,** 167

Associative long-term potentiation/depression; CA3; Hippocampus; Long-term potentiation; Mossy fiber; *N*-Methyl-D-aspartate; Pyramidal neuron (Chattarji, S.) **495,** 145

Hippocampus; Temporal lobe epilepsy; Neuronal loss (De Lanerolle, N.C.) **495,** 387

Plasticy
Norepinephrine-induced long-lasting potentiation; Long-term potentiation; *N*-Methyl-D-aspartate; Dentate gyrus; 2-Amino-5-phosphonovaleric acid; 3-[(±)-2-Carboxypiperazin-4-yl]propyl-1-phosphonic acid; Hippocampal formation (Burgard, E.C.) **482,** 351

Plateau potential
Prepositus hypoglossi nucleus; Persistent sodium conductance; Oscillation; Slice preparation; Intracellular recording (Rekling, J.C.) **500,** 276

Platelet [^{3}H]imipramine binding
Serotonin system; Dopamine system; Electroretinogram b-wave amplitude (Castrogiovanni, P.) **504,** 129

Pneumotaxic mechanism
N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Excitatory amino acid; Respiration; Vagus nerve; Apneusis; Rhythmogenesis (Foutz, A.S.) **500,** 199

(+)-[^{3}H]PN 200-110
Calcium channel; Calcium channel antagonist; Ethanol; Alcoholism; Alzheimer's disease (Marks, S.S.) **478,** 196

Polyamine
Ornithine decarboxylase; Putrescine; α-Difluoromethylornithine; Blood–brain barrier breakdown; α-Aminoisobutyrate; Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

Polyclonal antibody
Protein phosphatase 2A; Subcellular fractionation; Regional distribution; Immunohistochemistry; Rat brain (Saitoh, Y.) **489,** 291

Polydipsia
Neurotensin; Water intake; Drinking; Neuropeptide; Structure–activity study (Hawkins, M.F.) **487,** 188

Polyethylene glycol
Erythrocyte ghost fusion injection; Primary cultured neuronal cell; Phytohaemagglutinin (Hikawa, N.) **481,** 162

Catecholamine histofluorescence; Developing brain; Magnesium perfusion technique; Formaldehyde–glutaraldehyde perfusion technique (Woerly, S.) **495,** 377

Polymerase chain reaction
Medulloblastoma; N-ras oncogene; Differentiation; Cerebellum; Neuroectodermal tumor (Fults, D.) **503,** 281

Polymodal receptor
Nociceptor; Morphine; Opioid; Naloxone; Peripheral analgesia; Bradykinin; Inflammation (Kumazawa, T.) **497,** 231

Polymorphonuclear leukocyte
Pain; Hyperalgesia; Nociception; Prostaglandin; Arachidonic acid; Cyclooxygenase; Sympathetic nervous system (Taiwo, Y.O.) **492,** 397

Polypeptide
Nucleus preopticus medianus; Monoamine; Immunohistochemistry; Rat (Kawano, H.) **492,** 139

Somatostatin; Adenylate cyclase; Brain; Norepinephrine; Dopamine; Vasointestinal; Forskolin (Schettini, G.) **492,** 65

Polyphosphoinositide hydrolysis
Kindling; Seizure susceptibility; Amygdala; Excitatory amino acid; Ibotenate (Akiyama, K.) **485,** 95

Hippocampal kindling; Excitatory amino acid; Ibotenate (Yamada, N.) **490,** 126

Polysensory interaction
Dorsal column; Cochlear neuron; Dorsal column nucleus; Cat (Saadé, N.E.) **486,** 399

Cuneate nucleus; Cochlear nucleus; Cat (Saadé, N.E.) **486,** 403

Polysome runoff
β-Amyloid precursor protein; Alzheimer's disease; Cell-free translation; Messenger ribonucleic acid; Immunoblot; Processing (Anderson, J.) **478,** 391

Pons
Adrenaline; Immunocytochemistry; Electron microscopy (Milner, T.A.) **478,** 1

Respiratory neuron; Lung inflation; Lung afferent; High-frequency oscillation (Shaw, C.-F.) **485,** 179

Parabrachial nucleus; Blood volume; Blood pressure; Fluid balance (Ward, D.G.) **491,** 80

Brainstem; Mapping; Moveable electrode; Reward; Self-stimulation (Rompré, P.-P.) **496,** 295

Pontine lesion
REM sleep; Electroconvulsive shock; Systemic penicillin epilepsy; Atropine;

Cat (Shouse, M.N.) **505,** 271

Pontine micturition center
Laterodorsal tegmental nucleus; Periaqueductal gray; Bladder; Electrical stimulation; Blood pressure; Bladder postganglionic nerve (Noto, H.) **492,** 99

Pontine nucleus
Eye movement; Frontal eye field; Reticular formation; Superior colliculus; Thalamus (Miyashita, E.) **502,** 75

Pontine tegmentum
Locus ceruleus; Kölliker-Fuse; Norepinephrine; Spinal cord; Horseradish peroxidase; Cat (Reddy, V.K.) **491,** 144

Ponto-geniculo-occipital activity
Lateral geniculate nucleus; Maturation; Kitten; Extraretinal factor (Davenne, D.) **485,** 267

Ponto-geniculo-occipital spike
Rapid eye movement sleep; Sensory stimulation; Kainate; Medial pontine reticular formation (Arankowsky-Sandoval, G.) **494,** 396

Sleep; Rapid eye movement sleep; Startle; Arousal; Audition; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Pontomedullary reticular formation
Ibotenic acid; Head movement; Vestibular nystagmus; Electrical stimulation (Suzuki, S.S.) **484,** 78

Pontomesencephalic reticular formation
Antinociception; Nucleus cuneiformis; Nucleus parabrachialis; Single unit recording; Rat (Haws, C.M.) **483,** 272

Population response
Dentate gyrus; Hippocampus; Serotonin; 5-Hydroxytryptophan; 8-Hydroxy-2-(di-*n*-propyl-amino)tetralin; Rat (Klancnik, J.M.) **505,** 145

Porcine cerebral artery
Prostaglandin E_1; Eicosanoid; Cyclooxygenase inhibitor; Indomethacin; Aspirin (Fukuda, S.) **496,** 397

Portal vein
Glucose; Insulin; Pancreas; Vagus nerve (Yamazaki, M.) **484,** 357

Positron emission tomography
Somatosensory system; Cerebral asymmetry; Cerebral dominance; Handedness; Cerebral glucose utilization; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Blood–brain barrier; Cerebral metabolism; Nuclear magnetic resonance; Delayed radiation injury; Heavy charged particle (Lo, E.H.) **504,** 168

Post-seizure excitation
Kindling; Hippocampus; Low-frequency stimulation; Post-seizure inhibition (Minabe, Y.) **486,** 201

Post-seizure inhibition
Kindling; Hippocampus; Low-frequency stimulation; Post-seizure excitation (Minabe, Y.) **486,** 201

Postembedding immunocytochemistry
Gamma-aminobutyric acid; Pallidum; Basal ganglia; *Phaseolus-Vulgaris* leucoagglutinin; Immunocytochemistry (Smith, Y.) **493,** 160

Posterior hypothalamus
Waking center; Cat; Muscimol; Microinjection (Lin, J.-S.) **479,** 225

Median eminence; Histamine; Retrograde transport; Double labeling; Cat (Yoshimoto, Y.) **504,** 149

Posterior parietal cortex
Prefrontal cortex; Monkey; Visuomotor delay task; Cooling; Prefrontal units (Quintana, J.) **503,** 100

Postictal phase
Local cerebral glucose utilization; 2-Deoxyglucose; Brain metabolism; Kindling; Epilepsy (Namba, H.) **486,** 221

Postmortem
γ-Aminobutyric acid; L-Glutamic acid; Neurotransmitter; Amino acid; Uptake; Human central nervous system; Synaptosome (Dodd, P.R.) **490,** 320

Postmortem brain
Down's syndrome; D-Aspartate binding; *N*-(1-[2-Thienyl]cyclohexyl)-piperidine binding (Simpson, M.D.C.) **484,** 273

Postmortem human brain
Serotonin; Serotonin turnover; Suicide; Depression; Antidepressant drug (Cheetham, S.C.) **502,** 332

Postnatal development
Primary afferent; Rat spinal cord; Substantia gelatinosa (Pignatelli, D.) **491,** 33

Gunn rat; Cerebellum; Synaptogenesis; Purkinje cell (Takagishi, Y.) **492,** 116

Postnatal ontogenesis
Marmoset monkey; Primary visual cortex; Ocular dominance column (Spatz, W.B.) **488,** 376

Postpartum blues
$GABA_A$ receptor; Pregnancy; Steroid (Majewska, M.D.) **482,** 397

Postreceptor mechanisms
Acetylcholine; Neuronal depolarization; Receptor subtypes; GTP-binding proteins (Simantov, R.) **505,** 160

Postspike axonal excitability
Rubrospinal tract; Cat; Superimposed antidromic spike (Canedo, A.) **502,** 28

Postural asymmetry
Opioid; Flexion reflex; Left/right flexion ratio (Bakalkin, G.Y.) **480,** 277

Postural atonia
Dorsal tegmental field; Diaphragm; External intercostal muscle (Kawahara, K.) **491,** 180

Posture
Sigma receptor; Di-*o*-tolylguanidine; Movement; Age (Matsumoto, R.R.) **504,** 145

Freely moving cat; Locomotion; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Potable
Lateral hypothalamic neuron; Smell; Taste; Licking; Cue signal (Nakamura, K.) **491,** 15

Potassium
Low calcium; Epilepsy; CA1; Dentate gyrus; Spatial buffering (Albrecht, D.) **480,** 393

Lithium; Toxicity; Hamster; Circadian rhythm; Affective disorder (Klemfuss, H.) **492,** 300

Age; Senescence; Aging; Oxygen consumption; Hippocampal slice; Brain (Martin, F.R.) **492,** 392

Cholecystokinin; Caudate nucleus; Nucleus accumbens; Dopamine; In vivo electrochemistry (Gerhardt, G.A.) **499,** 157

Neuronal survival; Depolarization; Calcium; Voltage-gated calcium channel; Dihydropyridine (Collins, F.) **502,** 99

Potassium channel
Sodium channel; Calcium channel; Imipramine; Chlorpromazine; Haloperidol; Neuroblastoma (Ogata, N.) **476,** 140

Muscarinic receptor; Supersensitivity; Hippocampus; Denervation (Benson, D.M.) **478,** 399

Inward rectification; Glial cell; Malignant glioma; Potassium homeostasis; Human (Brismar, T.) **480,** 249

Astrocyte; Patch-clamp; Primary cell culture; Voltage dependence (Jalonen, T.) **484,** 177

Forskolin; Cyclic adenosine monophosphate; Stomatogastric ganglion; Transient potassium current; Lobster (Harris-Warrick, R.M.) **489,** 59

Dendrotoxin; Mast cell degranulating peptide; Epilepsy; Histolocalization; Rat brain (Bidard, J.-N.) **495,** 45

Optic tract; 4-Aminopyridine;

Tetraethylammonium; Action potential repolarization; Frequency-following; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Schwann cell; Patch clamp; Whole-cell recording; Tetraethylammonium; Quinine (Konishi, T.) **499,** 273

Potassium channel blocker
Mast-cell degranulating peptide; Dendrotoxin; 4-Aminopyridine; Potassium channel opener; Seizure; Epilepsy (Gandolfo, G.) **495,** 189

Potassium channel opener
Mast-cell degranulating peptide; Dendrotoxin; 4-Aminopyridine; Potassium channel blocker; Seizure; Epilepsy (Gandolfo, G.) **495,** 189

Potassium conductance
Desensitization; *Aplysia*; Acetylcholine (Salánki, J.) **495,** 298

Somatostatin; γ-Aminobutyric acid; Septal slice; Electrophysiology; Rat (Twery, M.J.) **497,** 315

Müller cell; Glial cell; Retina; Barium; Tiger salamander (Newman, E.A.) **498,** 308

Potassium current
Molluscan photoreceptor; Action spectrum; Generator potential (Gotow, T.) **479,** 120

Superior cervical ganglion; Voltage clamp; Patch clamp (Schofield, G.G.) **485,** 205

Facial motoneuron; Electrical property; Repetitive firing; Subthreshold response; Afterhyperpolarization; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Potassium homeostasis
Potassium channel; Inward rectification; Glial cell; Malignant glioma; Human (Brismar, T.) **480,** 249

Potassium, extracellular
Hypoxia; Ischemia; Spreading depression; Leão's depression; Calcium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

Potentiation
17β-Estradiol; *N*-Methyl-D-aspartate; Quisqualate; Purkinje cell response (Smith, S.S.) **503,** 354

Prairie vole
Estrogen receptor; Brain; Social environment; Female; Reproduction (Cohen-Parsons, M.) **476,** 363

Prazosin
Androgen receptor; Hypothalamus; Preoptic area; Idazoxin; Yohimbine; R1881 (Handa, R.J.) **483,** 312

Locus ceruleus; Noradrenaline; Serotonin; Methysergide; Spinal Cord; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

α_1 Receptor; Chlorethylclonidine; Dog; Rat; Subtype; WB-4101 (Mignot, E.) **486,** 56

Prazosin binding
Mianserin; Protryptiline; Adrenoceptor, α_1; Phosphoinositide hydrolysis; Cerebral cortex (Sallés, J.) **498,** 366

Precursor
Choline; Acetylcholine; Phospholipid; Phosphatidylcholine; Striatum (Ulus, I.H.) **484,** 217

Prediction of stroke
Gerbil; Stroke-prone gerbil; Temporary ligation; Cerebral ischemia; Brain vasculature (Kitagawa, K.) **479,** 263

Preference of odor
Behavioral recovery; Lesion; Accessory olfactory bulb; T-maze test; Rat (Ichikawa, M.) **498,** 45

Prefrontal
Middle-latency auditory evoked potential; Gating; Inhibition; Attention; Pa (Knight, R.T.) **504,** 338

Prefrontal cortex
Dopamine receptor; Stress; Rat; Dopamine agonist (MacLennan, A.J.) **477,** 300

Electrical stimulation; Cortical field potential; Visual discrimination task; Suppression; Monkey (Sasaki, K.) **495,** 100

Dopaminergic neuron; Nucleus raphe dorsalis; Immunocytochemistry; Horseradish peroxidase; Fluoro-gold (Yoshida, M.) **496,** 373

1-(2,5-Dimethoxy-4-iodophenyl)-2-aminopropane; Serotonin$_2$ antagonist (Ashby, C.R.) **498,** 393

2-(β-4-Hydroxyphenylethylamino-ethyltetralone); α_1-Adrenergic receptor; Human brain; Aging; Alzheimer's disease (Kalaria, R.N.) **501,** 287

Posterior parietal cortex; Monkey; Visuomotor delay task; Cooling; Prefrontal units (Quintana, J.) **503,** 100

Prefrontal units
Posterior parietal cortex; Prefrontal cortex; Monkey; Visuomotor delay task; Cooling (Quintana, J.) **503,** 100

Preganglionic
Ventrolateral medulla; Noradrenergic; Adrenergic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Pregnancy
$GABA_A$ receptor; Steroid; Post-partum blues (Majewska, M.D.) **482,** 397

Estrogen receptor; Immunocytochemistry; Lactation; Limbic system; Mouse brain; Reproductive behavior (Koch, M.) **489,** 101

Pregnenolone sulfate
γ-Aminobutyric acid A-receptor; Chloride ionophore; Steroid; Steroid metabolite (Gee, K.W.) **482,** 169

Picrotoxin; Pentobarbital; γ-Aminobutyric acid; Chloride current; Steroid; Patch-clamp (Mienville, J.-M.) **489,** 190

Prelimbic area
Medial prefrontal cortex; Hippocampus; Field CA1; Prosubiculum; Rat; Fluoro-gold (Jay, T.M.) **505,** 337

Prelunate gyrus
Monkey; Area DP; Eye movement; Attention (Li, C.-Y.) **496,** 307

Premotor interneuron
Skin reflex pathway; Laminae V–VI; Excitatory interneuron; Inhibitory interneuron; Cat spinal cord; Spike triggered averaging (Hongo, T.) **505,** 167

Premotor neuron
Skin reflex pathway; Interneuron; Cervical spinal cord; Laminae V–VII; Lateral funiculus; Cat (Hongo, T.) **505,** 163

Premovement activity
Primary somatosensory cortex; Primate; Single-unit recording; Neuronal response (Nelson, R.J.) **484,** 43

Preoptic area
Aromatase; Estrogen; Androgen; Enzyme induction; Ring dove; Male sexual behavior (Steimer, T.) **480,** 335

Androgen receptor; Hypothalamus; Idazoxin; Yohimbine; Prazosin; R1881 (Handa, R.J.) **483,** 312

Sleep mechanism; Arousal; Reticular formation; Basal forebrain; Anterior hypothalamus (Szymusiak, R.) **498,** 355

Viscerosomatic reflex; Anterior hypothalamus (Lumb, B.M.) **500,** 400

Estrogen receptor; Brain; Japanese quail; Reproduction; Preoptic medial nucleus (Balthazart, J.) **501,** 205

Preoptic electrochemical stimulation
Chloral hydrate; Ether; Urethane; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary (Hartman, R.D.) **476,** 35

Preoptic medial nucleus
Estrogen receptor; Brain; Japanese quail; Reproduction; Preoptic area (Balthazart, J.) **501,** 205

Prepiriform cortex

Odor discrimination; Exploratory sniffing; Olfactory bulb; Entorhinal cortex; Electroencephalogram; Beta activity; FFT; Bispectral analysis (Boeijinga, P.H.) **478,** 257

Prepositus hypoglossi nucleus
Persistent sodium conductance; Oscillation; Plateau potential; Slice preparation; Intracellular recording (Rekling, J.C.) **500,** 276

Prepulse inhibition
Sleep; Rapid eye movement sleep; Startle; Arousal; Audition; Ponto-geniculo-occipital spike; Motor inhibition (Wu, M.-F.) **499,** 7

Pressor area
Blood pressure; Depressor area; Heart rate; Substance P; Wistar rats (Urbanski, R.W.) **491,** 383

Pressure application
γ-Aminobutyric acid; Somatostatin; Hippocampal slice; Inhibitory postsynaptic potential; Excitatory postsynaptic potential (Scharfman, H.E.) **493,** 205

Presubiculum
Alzheimer's disease; Amyloid; Neuritic plaque; Neurofibrillary tangle; Neuropil thread; Allocortex (Kalus, P.) **494,** 198

Presynaptic
Hippocampus; Mossy fiber expansion; Glutamate; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Synaptosome; Calcium (Gannon, R.L.) **495,** 151

Presynaptic autoreceptor
Immunoelectron microscopy; β-Adrenergic receptor; Hypothalamus (Wanaka, A.) **479,** 190

Presynaptic inhibition
Somatostatin; Transmitter release; Parasympathetic ganglion; Ciliary ganglion (Katayama, Y.) **487,** 62

Presynaptic mechanism
Calcium; Transmitter release; Facilitation; 4-Aminopyridine (Muller, D.) **479,** 290

Presynaptic nerve terminal
Ca current; Ca channel; Transmitter release; Vertebrate nerve terminal; Nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

Presynaptic regulation
Neurohypophysis; Vasopressin secretion; Forskolin; Cyclic adenosine monophosphate (Treiman, M.) **488,** 260

Presynaptic terminal
Uncoupling ligand from receptor (CURL) (Stieber, A.) **495,** 131

Protein phosphorylation; Protein kinase C; Calcium/calmodulin-dependent kinase; Long-term potentiation; Vesicle-associated phosphoprotein (Nelson, R.B.) **497,** 30

Presynaptic α_2-adrenoceptor
Noradrenaline; Hippocampus; Pyramidal neuron; Locus ceruleus; Noradrenergic neurotransmission; Autoreceptor (Curet, O.) **499,** 18

Pretectal complex
Antinociception; Pain; Anterior pretectal nucleus; Stimulation-produced analgesia; 5-Hydroxytryptamine; Morphine-induced analgesia (Prado, W.A.) **493,** 147

Pretectum
Dorsal column; Ventrolateral thalamus; Intracellular recording (Mackel, R.) **476,** 135

Prevertebral ganglion
Dynorphin; Guinea pig; Immunocytochemistry; Electron microscopy (Elfvin, L.-G.) **502,** 341

Prey-catching behavior
Tongue muscle-controlling motoneuron; Hypoglossal motoneuron; Thalamus; Visually guided behavior; Avoiding behavior; Toad (Satou, M.) **481,** 39

Primary afferent
Cat muscle spindle; Dynamic γ; Static γ; Maintained fusimotor stimulation; Re-afferent γ-effect; Interspike interval function (Awiszus, F.) **489,** 41

Postnatal development; Rat spinal cord; Substantia gelatinosa (Pignatelli, D.) **491,** 33

Pain; Hyperalgesia; Nociception; Cyclic adenosine monophosphate; Guanine nucleotide regulatory protein; Prostaglandin (Taiwo, Y.O.) **492,** 400

Calcitonin gene-related peptide; Dynorphin A; Primate; Spinal cord; Immunohistochemistry; Immunogold; Pain (Carlton, S.M.) **504,** 124

Primary afferent fiber
Aspartate; Immunocytochemistry (Westlund, K.N.) **489,** 347

Skin; Calcitonin gene-related peptide; Immunoelectron microscopy; Merkel cell; Immunohistochemistry; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Calcitonin gene-related peptide; Substance P; Dorsal column; Rat (Tamatani, M.) **495,** 122

Primary afferent neuron
Tooth pulp; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Retrograde transport; Horseradish peroxidase; Cell body size; Cat (Yoshino, K.) **503,** 152

Carbonic anhydrase; Tooth pulp (Sugimoto, T.) **505,** 354

Primary afferent transmission
Bombesin; Neuromedin; Gastrin-releasing peptide; Inhibition; Depression; Substance P; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Primary astrocyte
Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Carbachol; Dioctanoylglycerol; 12-Tetradecanoylphorbol myristateacetate (Kristian Enkvist, M.O.) **500,** 46

Primary cell culture
Astrocyte; Patch-clamp; Potassium channel; Voltage dependence (Jalonen, T.) **484,** 177

Primary culture
Calbindin D_{28K}; Immunocytochemistry; Neuronal marker; Neuronal subpopulation (Pfeiffer, B.) **476,** 120

Hippocampus; Excitatory amino acid; γ-Aminobutyric acid release; Cation (Harris, K.M.) **482,** 23

Quisqualate receptor; γ-Aminobutyric acid release; Inositol monophosphate formation; Striatal neuron (Weiss, S.) **491,** 189

Sodium influx; Veratridine; Carotid body glomus cell; Superior cervical ganglion neuronal cell; Tetrodotoxin-sensitive voltage-dependent sodium channel; Newborn rabbit (Sato, M.) **504,** 132

Primary cultured neuronal cell
Erythrocyte ghost fusion injection; Phytohaemagglutinin; Polyethylene glycol (Hikawa, N.) **481,** 162

Primary sensory neuron
Peripheral nerve transection; Dorsal root ganglion neuronal loss (Ygge, J.) **478,** 193

Primary somatosensory cortex
Primate; Single-unit recording; Premovement activity; Neuronal response (Nelson, R.J.) **484,** 43

Primary spindle afferent
Cruciate ligament; Joint afferent; Fusimotor neuron; Motor control; Muscle spindle; Spinal cord; Reflex (Sojka, P.) **483,** 177

Primary visual cortex
Marmoset monkey; Ocular dominance column; Postnatal ontogenesis (Spatz, W.B.) **488,** 376

Primate
Basal ganglia; Superior colliculus; Cytoarchitecture; Saccade (Ma, T.P.) **480,** 305

Basal ganglia; Striatum; Globus pallidus; Retrograde double-labeling method; Tyroxine hydroxylase immunohistochemistry (Smith, Y.) **482,** 381

Primary somatosensory cortex; Single-unit recording; Premovement activity; Neuronal response

(Nelson, R.J.) **484,** 43

Cold pressor pain; Tonic pain; Pain tolerance; Diffuse noxious inhibitory control; Counterirritation (Marchand, S.) **487,** 388

Serotonin; Neurotoxicity; 3,4-Methylenedioxymethamphetamine (Kleven, M.S.) **488,** 121

Visual system; Hypothalamus; Suprachiasmatic nucleus; Retinal projection; Comparative anatomy (Magnin, M.) **488,** 390

Substantia nigra; Striatum; Dopaminergic neuron; Putamen; Caudate nucleus; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Androgen; Testosterone; Dihydrotestosterone; Hypothalamus; Amygdala; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

Calcitonin gene-related peptide; Dynorphin A; Spinal cord; Immunohistochemistry; Immunogold; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Priming
Dopamine; D_1-receptor; C-*fos* proto-oncogene (Robertson, H.A.) **503,** 346

Principal component analysis
Focal epilepsy; Direct cortical response; Current source–density; Source modeling; Penicillin spike; Electrophysiology (Barth, D.S.) **484,** 13

Principal optic nuclei
Accessory optic; Tectum; Avian; Cholera toxin B-chain–horseradish peroxidase (Wild, J.M.) **479,** 130

Probst's bundle
Corpus callosum; Acallosal brain; Corticocortical projection; Association fiber; Mouse, ddN strain (Ozaki, H.S.) **493,** 66

Procaine
Subpallidal area; Pedunculopontine nucleus; Mediodorsal nucleus of thalamus; Spontaneous locomotor activity (Mogenson, G.J.) **485,** 396

Processing
β-Amyloid precursor protein; Alzheimer's disease; Cell-free translation; Polysome runoff; Messenger ribonucleic acid; Immunoblot (Anderson, J.) **478,** 391

Prodynorphin
α-Neoendorphin; Leu-enkephalin; *Xenopus laevis* (Sei, C.A.) **479,** 162

Progesterone
Treadmill locomotion; Estrogen; Sex steroid; Sensorimotor evoked discharge; Cerebellar Purkinje cell (Smith, S.S.) **476,** 307

Corpus striatum; Female rat; In vitro dopamine release; Tetrodotoxin; Interneuron (Dluzen, D.E.) **476,** 332

Estradiol; 2-Hydroxyestradiol; Dopamine receptor; Striatum (Fernández-Ruiz, J.J.) **476,** 388

Estradiol; γ-Aminobutyric acid; Receptor, $GABA_A$; Hippocampus; Autoradiography (Schumacher, M.) **487,** 178

Axotomy; Neuron loss; Lactation (Yu, W.-H.A.) **491,** 379

Dopamine; Caudate nucleus; L-Dihydroxyphenylalanine; Push–pull perfusion; Female rat (Dluzen, D.E.) **494,** 122

Promegestone; Androgen receptor; Copulatory behavior; Neural receptor (Connolly, P.B.) **503,** 312

Progesterone receptor
Estradiol receptor; Coexistence; Hypothalamus; Monoclonal antibody; Immunohistochemistry; Guinea pig (Warembourg, M.) **480,** 1

Progestin receptor
Lordosis; Estrogen receptor; Puberty; Sex behavior (Olster, D.H.) **484,** 168

Sex difference; Guinea pig (Thornton, J.E.) **503,** 253

Proglumide
Cholecystokinin-octapeptide (CCK-8); Periaqueductal gray; Morphine analgesia (Li, Y.) **480,** 105

Progressive change
Somatosensory cortex; Mapping; Development; Cat (McKinley, P.A.) **484,** 378

Progressive supranuclear palsy
Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease (Iadarola, M.J.) **479,** 397

Alzheimer's disease; Neostriatum; Basal nucleus of Meynert; Large neuron; Cholinergic neuron; Morphometry; Nerve growth factor (Oyanagi, K.) **504,** 354

Projection
Zebra finch; Androgen; Song system; Autoradiography (Sohrabji, F.) **488,** 253

Prolactin
Luteinizing hormone; Serotonin; Estradiol; Ovariectomy; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Cerebral lateralization; Neocortical ablation; Neuroimmunology; Lymphoproliferation; Concanavalin A; Lipopolysaccharide; Female rat (LaHoste, G.J.) **483,** 123

Hyperprolactinemia; Vasoactive intestinal peptide; Estradiol-17β; Central nervous system; Pituitary gland; Autoradiography (Montagne, M.-N.) **485,** 258

Vasoactive intestinal peptide; Peptide histidine isoleucine/peptide histidine methionine; Rapid eye movement sleep; Brain temperature; Non-rapid eye movement sleep (Obal, F.) **490,** 292

Opioid; Enkephalin precursor processing; Guanidinoethyl-mercaptosuccinic acid; Enkephalin convertase; Luteinizing hormone; Luteinizing hormone-releasing hormone; Hypothalamus (Bommer, M.) **492,** 305

Suckling-induced release; Vasopressin-neurophysin precursor; Brattleboro rat (Nagy, G.) **504,** 165

Aging; Dopamine; Striatum; Muscarinic; Motor behavior; Estrogen (Joseph, J.A.) **505,** 195

Prolactin receptor
Ring dove; *Streptopelia risoria*; Hypothalamus; Quantitative autoradiography; Telencephalon; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Proliferation
Gliosis; Astrocyte; S-100; Thymidine; Cell number; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Proline
Neuron–glia interaction; Axonal transport (Contos, N.) **479,** 172

Prolonged darkness
Cyclic adenosine monophosphate; Horizontal cell; Dopamine (Young, L.H.Y.) **504,** 57

Promegestone
Progesterone; Androgen receptor; Copulatory behavior; Neural receptor (Connolly, P.B.) **503,** 312

Proopiomelanocortin
Lead; Opioid; Gene expression (Rosen, H.) **493,** 380

γ-Aminobutyric acid; Melanocyte-stimulating hormone; Hypothalamus; Perifusion (Delbende, C.) **497,** 86

Propagation
Hippocampal slice; Current source density analysis; Electrode; Array; Epileptiform (Novak, J.L.) **497,** 223

Propidium iodide
Fluorescent tracer; Dopaminergic neuron; Lateral cerebral ventricle; Rat (Chen, S.) **483,** 379

Propionic acid
Olfaction; Olfactory coding; Olfactory adaptation; Deoxyglucose (Slotnick, B.M.) **500,** 161

Propolse

γ-Aminobutyric acid; Neuron; Cetacea; Visual cortex; Immunocytochemistry (Garey, L.J.) **485,** 278

Propranolol
Amygdala; Naloxone; Inhibitory avoidance; Discrimination learning; Memory; Caudate putamen; Cortex (Introini-Collison, I.B.) **476,** 94

Kindling; Epilepsy; Noradrenaline; 6-Hydroxydopamine; Idazoxan; Microdialysis (Kokaia, M.) **491,** 398

Propriospinal
Neuropeptide; Immunocytochemistry; Retrograde tracing; Rat (Leah, J.) **495,** 173

(+)-4-Propyl-9-hydroxy-naphthoxazine
Ageing; Apomorphine; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; Locomotion; Stereotypy; Yawning (Stoessl, A.J.) **495,** 20

***N*-Propylnorapomorphine**
Stereotypy; Intrastriatal infusion; Dopamine receptor; Co-activation; Sniffing; Oral activity; Paw nibbling (Bordi, F.) **504,** 276

***R*-(−)-*N*-n-Propylnorapomorphine**
Stereotypy; Intracerebral injection; Striatum; Nucleus accumbens; Sniffing; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Prostacyclin
Nerve graft; Noradrenaline; Malondialdehyde; Blood–nerve barrier; Electrophysiology (Shupeck, M.) **493,** 225

Prostaglandin
Binding site; Monkey; Brain; In vitro labeling; Autoradiography (Watanabe, Y.) **478,** 143

Pain; Hyperalgesia; Nociception; Arachidonic acid; Cyclooxygenase; Sympathetic nervous system; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Pain; Hyperalgesia; Nociception; Cyclic adenosine monophosphate; Guanine nucleotide regulatory protein; Primary afferent (Taiwo, Y.O.) **492,** 400

Astrocyte; Arachidonic acid; Cyclooxygenase; Lipoxygenase; C_6 glioma cell; Leukotriene (Ishizaki, Y.) **494,** 138

Substance P; Inflammation; Skin; Histamine; Rat (Khalil, Z.) **500,** 256

Prostaglandin E_1
Porcine cerebral artery; Eicosanoid; Cyclooxygenase inhibitor; Indomethacin; Aspirin (Fukuda, S.) **496,** 397

Prostaglandin E_1 hyperthermia
Indomethacin; Vasopressin V_1 receptor (Fyda, D.M.) **494,** 307

Prostaglandin E_2
Interleukin-1; Adrenocorticotropic hormone; Fever; Rat; Indomethacin (Murakami, N.) **478,** 171

Intraventricular infusion; Slow wave sleep; Paradoxical sleep; Wakefulness; Circadian sleep–wake cycle; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Prostaglandin $F_{2\alpha}$
Isolated, perfused brain; Spontaneously hypertensive rats; Perfusion flow rate; Phenylephrine; Serotonin (Gong, D.) **482,** 122

Prosubiculum
Medial prefrontal cortex; Prelimbic area; Hippocampus; Field CA1; Rat; Fluoro-gold (Jay, T.M.) **505,** 337

Protease
Axonal transport; Axon terminal; Cross-bridge; Vesicle (Martz, D.) **476,** 199

Aging; Alzheimer's disease; Paired helical filament; τ-Immunoreactivity; Ubiquitin immunoreactivity (Ivy, G.) **498,** 360

Protein
Serotonin; Hypothalamus; Feeding behavior; Macronutrient; Carbohydrate; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

Protein kinase
Phenothiazine; Cerebral ischemia; Spinal cord ischemia; Stroke; Rabbit (Zivin, J.A.) **482,** 189

Circadian rhythm; H-8; Phosphoprotein; *Bulla gouldiana*; Mollusc (Roberts, M.H.) **504,** 211

Protein kinase C
Cerebral artery; Noradrenaline release; α_2-Adrenoceptor agonist; α_2-Adrenoceptor antagonists; Phorbol ester; Ionophore A23187 (Balfagon, G.) **477,** 196

Autoradiography; Cerebral ischemia; Hippocampus; Phorbol ester; Selective vulnerability; Synaptic plasticity (Onodera, H.) **481,** 1

Phorbol ester; γ-Aminobutyric acid release; Ouabain; Deep cerebellar nucleus; Enteric neuron (Shuntoh, H.) **483,** 384

Interleukin-1; Astrocyte; Eicosanoid; Immune response; Inflammation; Rat (Hartung, H.-P.) **489,** 113

Brain edema; Cerebral endothelium; Blood–brain barrier; 1,5(Isoquinolinylsulfonyl)-2-methylpiperazine; Tight junction (Joó, F.) **490,** 141

Astrocyte; Cell culture; Cell morphology; Cyclic adenosine monophosphate; Protein kinase inhibitor; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Phorbol ester; Hippocampus; Long-term potentiation (Colley, P.A.) **495,** 205

Protein phosphorylation; Calcium/calmodulin-dependent kinase; Long-term potentiation; Vesicle-associated phosphoprotein; Presynaptic terminal (Nelson, R.B.) **497,** 30

Tetrodotoxin; Sodium channel; Sea anemone toxin; Antibody to synthetic peptides; 4-Aminopyridine; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

cis-Fatty acid; F_1-phosphorylation; Spatial memory; Long-term potentiation; GAP 43 (Wong, K.L.) **505,** 302

Protein kinase inhibitor
Astrocyte; Cell culture; Cell morphology; Cyclic adenosine monophosphate; Protein kinase C; Protein phosphorylation (Bedoy, C.A.) **490,** 243

Adenosine-3′,5′-monophosphate (cAMP); Pituitary gonadotroph; Phosphorylation; Patch clamp; Ion channel; Ca^{2+}-activated K^+ channel; Catalytic subunit of cAMP (Sikdar, S.K.) **496,** 113

Protein phosphatase 2A
Polyclonal antibody; Subcellular fractionation; Regional distribution; Immunohistochemistry; Rat brain (Saitoh, Y.) **489,** 291

Protein phosphorylation
Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Tau; Ubiquitin (Bancher, C.) **477,** 90

Astrocyte; Calcium; Diazepam; Epilepsy; Anticonvulsant; Calmodulin kinase (Babcock-Atkinson, E.) **484,** 399

Astrocyte; Cell culture; Cell morphology; Cyclic adenosine monophosphate; Protein kinase C; Protein kinase inhibitor (Bedoy, C.A.) **490,** 243

Hexanedione; Neurotoxicity; Axonopathy; Nerve injury; Sciatic nerve (Horan, K.L.) **491,** 366

Protein kinase C; Calcium/calmodulin-dependent kinase; Long-term potentiation; Vesicle-associated phosphoprotein; Presynaptic terminal (Nelson, R.B.) **497,** 30

Protein synthesis
Cycloheximide; Circadian rhythm; Phase response curve; Hamster (Wollnik, F.) **496,** 82

Proteinase
Plasminogen receptor; Glioma (Hall, S.W.) **495,** 373

Proteoglycan
Axonal transport; Regenerating nerve; Goldfish optic nerve; Glycosaminoglycan; Heparan sulfate (Coughlin, C.) **493,** 326

Proto-oncogene
c-Fos; Cerebral ischemia; Brain damage; Spreading depression; *N*-Methyl-D-aspartate (Herrera, D.G.) **503,** 205

Proton
Astrocyte; Cell culture; Ischemia; Lactacidosis; Membrane potential (Walz, W.) **504,** 82

Proton-induced X-ray emission analysis
Ischemia; Calcium; Zinc; Nickel; Rat hippocampus (Tsuda, T.) **484,** 228

Protoplasmic astrocyte
Horseradish peroxidase; Microinjection; Fibrous astrocyte; Endfoot; Reconstruction (Sasaki, H.) **501,** 339

Protryptiline
Mianserin; Adrenoceptor, α_1; Prazosin binding; Phosphoinositide hydrolysis; Cerebral cortex (Sallés, J.) **498,** 366

Pseudorabies virus
A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Psychoneuroimmunology
Vasopressin; Brattleboro; Natural killer cell; Stress; Morphine (Yirmiya, R.) **479,** 16

Psychosine
Twitcher mouse; Globoid cell leukodystrophy; Galactosylsphingosine; Myelination (Tanaka, K.) **482,** 347

Psychosurgery
Depressive illness; Human brain; γ-Aminobutyric acid; Glutamic acid; Homocysteic acid (Francis, P.T.) **494,** 315

Psychotomimetic
Hallucinogen; Quantitative autoradiography; Serotonin-2 receptor; Lysergic acid diethylamide; Phenylisopropylamine (McKenna, D.J.) **476,** 45

Pterygopalatine ganglion
Sympathetic innervation; Superior cervical ganglion; Trigeminal ganglion; Ciliary ganglion; Anterior eye segment; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Trigeminal ganglion; Ciliary ganglion; Superior cervical ganglion; Nodose ganglion; Sensory innervation; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Puberty
Lordosis; Estrogen receptor; Progestin receptor; Sex behavior (Olster, D.H.) **484,** 168

Pubococcygeus muscle
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Pudendal motoneuron
Serotonin; Enkephalin; Substance P; Onuf's nucleus; Spinal cord; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Pudendal nerve
Sacral parasympathetic nucleus; Pelvic nerve; Spinal cord projection; Strain difference; Rat; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Pelvic nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Pulmonary afferent
Cat; Phrenic nerve; Superior laryngeal nerve; Nucleus tractus solitarii; Inspiratory neuron (Donnelly, D.F.) **491,** 243

Pulpal afferent
Trigeminal principal nucleus; Oral nucleus; Horseradish peroxidase staining; Structure–function relationship; Periodontal afferent (Tsuru, K.) **485,** 29

Pulsed electromagnetic field
Nerve regeneration; Crush lesion; Conditioning effect (Sisken, B.F.) **485,** 309

Pulvinar lateral posterior complex
Behaving monkey; Extracellular recording; Motor programming; Reaching movement; Reaching cells (Cudeiro, J.) **484,** 367

Pupil
Extrastriate cortex; Lateral suprasylvian area; Area 20; Wheatgerm agglutinin-horseradish peroxidase; Cat (Bando, T.) **494,** 369

Pure reward
Medial prefrontal cortex; Brain stimulation; Reward-escape (Miserendino, M.J.D.) **483,** 226

Puridine
Dopamine release; Microdialysis; 1-Methyl-1,4-phenylpyridinium ion; Adenosine; Striatum (Ballarin, M.) **483,** 184

Purified oligodendrocyte
Cerebellar explant culture; Myelination; Myelin-like membrane; Myelin spherule; Transplantation; Cytosine arabinoside (Seil, F.J.) **503,** 111

Purine
Adenosine; Glutamate; *N*-Methyl-D-aspartate; Cortex; Excitatory amino acid (Hoehn, K.) **478,** 149

Adenosine uptake; Release; Dipyridamole; Soluflazine; Cerebral cortex (Phillis, J.W.) **481,** 309

Purinergic receptor
Adenosine; A_2-adenosine receptor; Retinal pigment epithelium; Cyclic adenosine monophosphate; Adenylate cyclase (Friedman, Z.) **492,** 29

Purkinje cell
Nucleolus; Cerebellar cortex; Hedgehog; Active period; Hibernation (Giacometti, S.) **488,** 365

Inositol 1,4,5-trisphosphate; Cerebellum; Granule cell; Glutamate; Dominantly inherited olivopontocerebellar atrophy; Ataxia (Kish, S.J.) **489,** 373

Gunn rat; Cerebellum; Synaptogenesis; Postnatal development (Takagishi, Y.) **492,** 116

Serotonin; Cerebellum; Excitatory amino acid; In vitro; Intracellular recording (Hicks, T.P.) **492,** 371

Australoid race; Neuron; Growth; Development (Riedel, A.) **499,** 333

Gamma aminobutyric acidergic neuron; Developing cerebellum; Migrating neuron; Neurotransmitter; Anti-gamma aminobutyric acid antibody; Golgi cell; Basket cell (Aoki, E.) **502,** 245

Immunotoxin; Saporin; Cerebellar degeneration; OX7; Thy-1 (Davis, T.L.) **504,** 216

Purkinje cell response
17β-Estradiol; *N*-Methyl-D-aspartate; Quisqualate; Potentiation (Smith, S.S.) **503,** 354

Push-pull
Scorpion toxin; Sodium channel; Tetrodotoxin; Calcium; EGTA; Dopamine; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Push–pull cannula
Guinea-pig; Substantia nigra; Acetylcholinesterase; Peripheral nerve stimulation; Evoked release (Taylor, S.J.) **482,** 356

Acetylcholinesterase; Striatal

stimulation; Chemiluminiscent assay (Taylor, S.J.) **505,** 153

Push–pull perfusion
Dopamine; Caudate nucleus; Substantia nigra; 6-Hydroxydopamine (Chang, G.D.) **481,** 265

Progesterone; Dopamine; Caudate nucleus; L-Dihydroxyphenylalanine; Female rat (Dluzen, D.E.) **494,** 122

Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Serotonin; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Monensin; Ouabain; Sheep; Sodium appetite; Thirst (Tarjan, E.) **500,** 352

Putamen
Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Globus pallidus; Substantia nigra; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Globus pallidus; Striatum; Caudate nucleus; Nucleus basalis; Unit activity; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Substantia nigra; Striatum; Dopaminergic neuron; Primate; Caudate nucleus; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Putrescine
Ornithine decarboxylase; Polyamine; α-Difluoromethylornithine; Blood–brain barrier breakdown; α-Aminoisobutyrate; Intracarotid infusion of hyperosmolal mannitol (Koenig, H.) **483,** 110

Pyramidal cell
Hippocampus; Perforant pathway stimulation; Glutamate; Learning; Memory (Rogers, B.C.) **493,** 41

Pyramidal neuron
Calcium; Dendritic outgrowth; Diazepam; γ-Aminobutyric acid; Glutamate; Hippocampus; Neurodegeneration (Mattson, M.P.) **478,** 337

Hippocampus; CA3; Golgi stain; Dendrite; Thorny excrescence (Fitch, J.M.) **479,** 105

Dentate gyrus; Excitatory amino acid; Glutamate; γ-Aminobutyric acid; Hippocampus; Neurodegeneration; *N*-Methyl-D-aspartic acid (Mattson, M.P.) **490,** 110

Associative long-term potentiation/depression; CA3; Hippocampus; Long-term potentiation; Mossy fiber; *N*-Methyl-D-aspartate; Plasticity (Chattarji, S.) **495,** 145

Noradrenaline; Hippocampus; Locus ceruleus; Noradrenergic neurotransmission; Autoreceptor; Presynaptic α_2-adrenoceptor (Curet, O.) **499,** 18

Pyramidal tract neuron
Corticostriatal cell; Motor cortex; Behaving monkey; Antidromic identification; Single-unit recording (Bauswein, E.) **493,** 198

Pyrethroid
Cismethrin; Deltamethrin; Fenvalerate; Dentate gyrus; Hippocampus; Recurrent inhibition (Gilbert, M.E.) **477,** 314

Voltage clamp; Sodium depletion; Sodium channel; Inactivation; Spinal ganglion; Node of Ranvier (De Weille, J.R.) **482,** 324

Sodium channel; Inositol; Phosphate; Synaptoneurosome (Gusovsky, F.) **492,** 72

1-(2-Pyrimidinyl)piperazine
γ-Aminobutyric acid; Glycine; Chloride channel; Buspirone; Benzodiazepine; Spinal cord; Neuron (Smith, S.M.) **493,** 366

Pyriform
Kindling; Afterdischarge; Seizure; Amygdala; Vasopressin; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

Pyruvate dehydrogenase
Glucose transporter; Immunocytochemistry; Rat brain (Bagley, P.R.) **499,** 214

Q

Quantal content
Frog neuromuscular junction; Synaptic strength; Seasonality; Identified junction; Miniature endplate potential frequency (Pawson, P.A.) **495,** 182

Quantification
Neuron; Cerebral cortex; Cortical thickness; Environment (Beaulieu, C.) **495,** 382

Quantitative
γ-Motoneuron; Axotomy; Ultrastructure; Horseradish peroxidase; Cat (Johnson, I.P.) **489,** 400

Quantitative autoradiography
Hallucinogen; Psychotomimetic; Serotonin-2 receptor; Lysergic acid diethylamide; Phenylisopropylamine (McKenna, D.J.) **476,** 45

Opioid receptor; Neutral endopeptidase; Rat spinal cord; Dorsal rhizotomy (Zajac, J.-M.) **477,** 400

Naloxone binding, [^{3}H]-; Opiates; Domestic chick; Avian brain (Csillag, A.) **479,** 391

Hemicholinium-3; Tritium tissue quenching; Cholinergic nerve terminal; Interpeduncular nucleus (Bekenstein, J.W.) **481,** 97

Prolactin receptor; Ring dove; *Streptopelia risoria*; Hypothalamus; Telencephalon; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Experimental epilepsy; Hippocampus; Kindling; Receptor binding; γ-Aminobutyric acid complex; Benzodiazepine (Nobrega, J.N.) **498,** 315

Brain; Insulin receptor; Arcuate nucleus; Catecholamine; 6-Hydroxydopamine (Wilcox, B.J.) **500,** 149

Estradiol; GABA receptor; $GABA_B$ binding site; Suprachiasmatic nucleus; Rat (François-Bellan, A.-M.) **503,** 144

Insulin-like growth factor-1; Human brain; Large cryosection; Brain hemisphere; Receptor; Image analysis (Adem, A.) **503,** 299

Quantitative immunoelectron microscopy
Peptide release by exocytosis; Neurohemal and non-synaptic release; Tannic acid; Caudodorsal cell; *Lymnaea stagnalis* (Schmidt, E.D.) **489,** 325

Quantitative morphometry
Methamphetamine; Serotonin; Rat forebrain; Immunocytochemistry (Fukui, K.) **482,** 198

Quantitative neuroanatomy
Vision; Corticocortical connection; Neurodegenerative disorder; Human brain (Hof, P.R.) **493,** 368

Quantitative radioautography
Hypothalamus; Receptor multiplicity; Somatostatin; SMS 201-995 (Krantic, S.) **498,** 267

Quinine
Schwann cell; Potassium channel; Patch clamp; Whole-cell recording; Tetraethylammonium (Konishi, T.) **499,** 273

Quinolinic acid
L-Tryptophan; Striatum; Microdialysis; Neurotoxicity; Extracellular fluid; Mass spectroscopy (During, M.J.) **476,** 384

Cultured hippocampal neuron; Patch-clamp technique; Single-channel recording; Current–voltage relation; Magnesium ion; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

MK-801; Huntington's disease; Kynurenate; Glycine; Dextrorphan; 4-Acetylpyridine (Zhu, S.G.) **481,** 356

Basal ganglia; Excitotoxin; Glia; Huntington's disease;

Neurodegenerative disorder (Schwarcz, R.) **490,** 103

Quinoxaline derivative
Glycine binding; *N*-Methyl-D-aspartate receptor; Antagonist; *N*-(1-(2-Thienyl)cyclohexyl)piperidine binding; 6-Cyano-7-nitro-quinoxaline-2,3-dione; 6,7-Dinitroquinoxaline-2,3-dione (Kessler, M.) **489,** 377

Quinpirole
CY208 243; Dopamine D_1 receptor; Dopamine D_2 receptor; Locomotor activity; Nucleus accumbens; SKF38393 (Dreher, J.K.) **487,** 267

Dopamine; Receptor, D_2; Open field behavior; Movement organization (Eilam, D.) **490,** 255

Quinuclidinyl benzilate binding
Stress; Muscarinic cholinergic receptor; Autoradiography in vitro; Hippocampus (Mizukawa, K.) **478,** 187

Quisqualate
Excitatory amino acid; *N*-Methyl-D-aspartic acid; Phencyclidine; Autoradiography; Visual plasticity; Frog; Tectum (McDonald, J.W.) **482,** 155

Lateral superior olivary; Neurotransmitter; Excitant amino acid; *N*-Methyl-D-aspartate; D,L-2-Amino-5-phosphonovaleric acid; Cis-2,3-Piperidine-dicarboxylic acid (Caspary, D.M.) **503,** 83

N-Methyl-D-aspartate; Glutamate; Blood pressure; Nucleus tractus solitarii (Le Galloudec, E.) **503,** 322

17β-Estradiol; *N*-Methyl-D-aspartate; Potentiation; Purkinje cell response (Smith, S.S.) **503,** 354

Quisqualate receptor
γ-Aminobutyric acid release; Inositol monophosphate formation; Striatal neuron; Primary culture (Weiss, S.) **491,** 189

L-Quisqualate
L-2-Amino-4-phosphonobutanoate; Sensitization; Excitatory amino acid; Uptake; Second messenger; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

R

R1881
Androgen receptor; Hypothalamus; Preoptic area; Idazoxin; Yohimbine; Prazosin (Handa, R.J.) **483,** 312

Rabbit
Muramyl dipeptide; Slow-wave sleep; Rapid eye movement sleep; Fever; Hyperthermia; Hypothalamus; Electroencephalogram (Shoham, S.) **476,** 396

Auditory cortex; Bradycardia; Differential Pavlovian conditioning; Extinction; Heart rate (Teich, A.H.) **480,** 210

Adenosine; Hypoxia; Cerebral blood flow; Mass spectrometry; Theophylline (Pinard, E.) **481,** 124

Phenothiazine; Cerebral ischemia; Spinal cord ischemia; Protein kinase; Stroke (Zivin, J.A.) **482,** 189

Atrial natriuretic peptide; Arterial baroreflex; Central nervous system; Renal nerve; Blood pressure; Sinoaortic denervation; Aortic nerve (Suzuki, S.) **485,** 109

Auditory system; Two-dimensional gel; Glial fibrillary acidic protein; Calcium binding protein (Winsky, L.) **493,** 136

Abducens internuclear neuron; Abducens motoneuron; Lateral rectus; Eye movement; Oculomotor system (Labandeira-Garcia, J.L.) **497,** 305

Spinal cord; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Baroreflex; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Radial glial cell
Glial fibrillary acidic protein; Immunohistochemistry; Adult salamander; Vascular endfoot; Mammalian astrocyte (Naujoks-Manteuffel, C.) **487,** 397

Radial maze
Transplantation; AF64A; Hippocampus; Cholinergic neuron; Spatial memory; Acetylcholinesterase (Ikegami, S.) **496,** 321

Radial-arm maze
Nucleus accumbens; Hippocampus; Kynurenic acid; Glutamate; Movement initiation; Memory (Schacter, G.B.) **494,** 339

Radioautography
Neostriatum; Serotonin innervation; Ultrastructure; Immunocytochemistry (Soghomonian, J.-J.) **481,** 67

Radioimmunoassay
Neurophysin; Arginine vasopressin; 1-Deamino[8-D-arginine] vasopressin; Negative feedback; Sodium chloride (Cheng, S.W.T.) **479,** 35

Neurotensin; Stellate ganglion; Superior cervical ganglion; Non-cholinergic transmission; Sympathetic preganglionic neuron (Caverson, M.M.) **482,** 365

Calmodulin; Calcium-chelating agent; Subcellular distribution; Spinal cord; Frog (Adachi, S.) **487,** 196

Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenyl-alanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Neuromedin N; Neuromedin N-like immunoreactivity; Characterization; Regional distribution; Rat brain; Neurotensin (De Nadai, F.) **500,** 193

Radioimmunohistochemistry
Substance P; Receptor autoradiography; Human spinal cord; Amyotrophic lateral sclerosis (Dietl, M.M.) **483,** 39

Radioiodinated ligand
Human brain; Neurohypophysial hormone; Oxytocin; Receptor distribution; Triniated ligand (Loup, F.) **500,** 223

Radioligand binding
β-Adrenergic receptor; Morphine dependence; Withdrawal; Hippocampal slice; Electrophysiological responsiveness (Moises, H.C.) **485,** 67

Ramified microglia
Brain macrophage; Facial nucleus explant; Cell culture (Rieske, E.) **492,** 1

Rana pipiens
Antinociception; Intraspinal; Dynorphin; Morphine; Hibernation; Opioid; Stress (Stevens, C.W.) **494,** 227

Raphe
Graft; Hippocampus; Spatial memory; Acetylcholine (Richter-Levin, G.) **478,** 184

Raphe nuclei
Ammon's horn; Hippocampus; Dentate gyrus; Brainstem; Cat; Wheat germ agglutinin-horseradish peroxidase conjugate (Ino, T.) **479,** 157

Raphe nucleus
Neurokinin; Hyperactivity; 5,7-Dihydroxytryptamine; 5-Hydroxytryptamine neuron (Paris, J.M.) **476,** 183

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Raphe obscurus
Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus (Strack, A.M.) **491,** 274

Raphe pallidus
Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe obscurus (Strack, A.M.) **491,** 274

Raphe-spinal axon
Serotonin; Stimulation-produced analgesia; Nucleus raphe magnus; Substantia gelatinosa; Dorsal horn (Cho, H.J.) **477,** 344

Raphe-spinal projection
Rexed's lamina X; Rostroventral medulla; Retrograde tracing; Antinociception (Du, H.-J.) **505,** 135

Rapid adaptation
Sensory transduction; Mechanoreceptor; Sensory encoding; Threshold; Sodium pump; Ouabain (French, A.S.) **504,** 112

Rapid eye movement sleep
Carbachol; Acetylcholine; Brainstem reticular formation; Conductance; Inward rectification (Greene, R.W.) **476,** 154

Muramyl dipeptide; Slow-wave sleep; Fever; Hyperthermia; Hypothalamus; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Receptor, α_1-; Receptor subtype; Narcolepsy; Cataplexy (Mignot, E.) **490,** 186

Prolactin; Vasoactive intestinal peptide; Peptide histidine isoleucine/peptide histidine methionine; Brain temperature; Non-rapid eye movement sleep (Obal, F.) **490,** 292

Sensory stimulation; Kainate; Ponto-geniculo-occipital spike; Medial pontine reticular formation (Arankowsky-Sandoval, G.) **494,** 396

Sleep; Startle; Arousal; Audition; Ponto-geniculo-occipital spike; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Brainstem; Muscarinic receptor (Velazquez-Moctezuma, J.) **503,** 128

Rat
Stapedius muscle; Middle ear; Acoustic reflex; Transneuronal tracing; Retrograde horseradish peroxidase tracing; Superior olivary complex (Rouiller, E.M.) **476,** 21

Tryptamine binding site/receptor; Nigral lesion; Caudate nucleus/striatum (Van Nguyen, T.) **476,** 85

Basal ganglia; Striatum; Entopeduncular nucleus; Horseradish peroxidase (Fink-Jensen, A.) **476,** 194

Neural grafting; Neostriatum; Substantia nigra; Connectivity; Huntington's disease; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

Neuropeptide Y; Dopamine; Striatum; Immunocytochemistry; Electron microscopy (Vuillet, J.) **477,** 241

Prefrontal cortex; Dopamine receptor; Stress; Dopamine agonist (MacLennan, A.J.) **477,** 300

Bombesin; Satiety; Sleep; Ischymetry (De Saint Hilaire-Kafi, Z.) **478,** 152

Interleukin-1; Adrenocorticotropic hormone; Prostaglandin E_2; Fever; Indomethacin (Murakami, N.) **478,** 171

Morphine; Atropine; Phentolamine; Methysergide; Analgesia; Tail-flick; Hot-plate (Chiang, C.-Y.) **478,** 293

Ambiguous motoneuron; Axonal branching; Laryngeal nerve; Unitary discharge; Antidromic activation (Yajima, Y.) **478,** 309

Thyrotropin-releasing hormone; Thermoregulation; Brown adipose tissue (Amir, S.) **478,** 361

Ovarian innervation; Viscero-visceral reflex pathway; Nerve stimulation (Klein, C.M.) **479,** 194

Pain; Behavior; Morphine; Cocaine; Dopamine (Lin, Y.) **479,** 306

Hypoglycemia; Hypoxia; Neocortex explant; Culture; GABAergic neuron (Romijn, H.J.) **480,** 58

Commissural inhibition; Dentate-hilar neuron; Intracellular recording; *Phaseolus vulgaris* leucoagglutinin; In vivo (Isokawa-Akesson, M.) **480,** 92

Cholecystokinin; Neurotensin; Haloperidol; Dopamine (Radke, J.M.) **480,** 178

Intracellular; Kynurenic acid; Neostriatum; Brain slice (Walsh, J.P.) **480,** 290

Insulin; Ventromedial nucleus of the hypothalamus; Brown adipose tissue; Thermogenesis (Amir, S.) **480,** 340

Substantia nigra; Perfusion; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Aspartate; Glutamate; Taurine (Farrant, M.) **480,** 344

Seizure; Convulsion; γ-Aminobutyric acid; Muscimol; Bicuculline; Baclofen; Substantia nigra (Sperber, E.F.) **480,** 378

Sacral parasympathetic nucleus; Pelvic nerve; Pudendal nerve; Spinal cord projection; Strain difference; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Angiotensin II; Immunocytochemistry; Thalamus; Cell body; Neuropeptide (Coveñas, R.) **481,** 185

LTP; Visual cortex; Tetanus; Brain slice; Plasticity (Berry, R.L.) **481,** 221

Vasopressin; Osmotic stimulus; Dopamine; Noradrenaline; Haloperidol; Phenoxybenzamine (Yamaguchi, K.) **481,** 388

Thalamic reticular neuron; Intracellular recording; Burst discharge; Excitatory postsynaptic potential; Spindle rhythm (Sumitomo, I.) **482,** 34

Gonadotropin-releasing hormone; Immunohistochemistry; Development; Brain (Jennes, L.) **482,** 97

Dextromethorphan; Cerebral ischemia; Cerebral blood flow; Electroencephalography (Tortella, F.C.) **482,** 179

Aging; Glycine; Strychnine binding, [^{3}H]; Seizure; Amino acid (Hunter, C.) **482,** 247

Magnesium; Central nervous system trauma; Brain injury; Treatment (McIntosh, T.K.) **482,** 252

Head injury; Neuronal injury; Gliosis; Barrier breakdown (Cortez, S.C.) **482,** 271

Neuronal death; Trophic factor; Peripheral nervous system; In vitro; Bioassay (Eichler, M.E.) **482,** 340

Kainic acid; Ventral lateral geniculate nucleus lesion; Geniculotectal pathway; Superior colliculus; Field response; Electron micrograph (Nagata, T.) **483,** 50

Dopamine; Mesencephalon; Diencephalon; Dissociation culture; Development (Engele, J.) **483,** 98

Antinociception; Nucleus cuneiformis; Nucleus parabrachialis; Pontomesencephalic reticular formation; Single unit recording (Haws, C.M.) **483,** 272

Fluorescent tracer; Propidium iodide; Dopaminergic neuron; Lateral cerebral ventricle (Chen, S.) **483,** 379

Basal ganglia; Dopamine; γ-Aminobutyric acid; Reaction time (Amalric, M.) **483,** 389

Immunohistochemistry; Guinea pig; Pig; Tuberomammillary nucleus; Spinal cord (Panula, P.) **484,** 234

Calbindin-D_{28K}; Calcium-binding protein; Hippocampal formation; Development; Thyroid state; Undernutrition (Rami, A.) **485,** 20

Castration; Cremaster muscle; Indolamine; Motoneuron; Peptide; Spinal cord; Testes (Newton, B.W.) **485,** 149

Brain injury; Reactive astrocyte proliferation; Autoradiography; Immunocytochemistry (Janeczko, K.) **485,** 236

Serotonin-2 antagonists; ICI 169,369; ICI 170,809; Electroencephalogram; Sleep study (Tortella, F.C.) **485,** 294

Tail-flick reflex; Antinociception; Pain; Stimulation-produced analgesia; Naloxone; Midbrain (Guinan, M.J.) **485,** 333

Entopeduncular nucleus; Substance P; Glutamic acid decarboxylase; Coexistence; Immunohistochemistry (Murakami, S.) **485,** 403

α_1 Receptor; Chlorethylclonidine; Dog; Prazosin; Subtype; WB-4101 (Mignot, E.) **486,** 56

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Somatotopy; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Adenosine triphosphate-sensitive K^+ channel; Autoradiography; Intracellular recording (Mourre, C.) **486,** 159

Calbindin-D 28K; Roller-tube technique; Immunocytochemical method; Hippocampus; Organotypic culture (Bousez-Dumesnil, N.) **486,** 165

α-Adrenergic receptor; γ-Aminobutyric acid; Hypothalamic slice; Medial preoptic area; Noradrenaline; Estrogen; Phenoxybenzamine (Herbison, A.E.) **486,** 195

Neuropeptide Y; Arginine vasopressin; Salt-loading; Brattleboro rat (Hooi, S.C.) **486,** 214

Inferior colliculus; Brain slice; Epilepsy; *N*-Methyl-D-aspartate; Audiogenic seizure (Pierson, M.G.) **486,** 381

Somatomedin; Growth factor; Insulin-like growth factor I; Nerve regeneration; Sciatic nerve; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Calcitonin gene-related peptide; Sympathetic preganglionic neuron; Superior cervical ganglion (Yamamoto, K.) **487,** 158

Transplant; Axon guidance; Mouse; Rhodamine microsphere (Jaeger, C.B.) **487,** 225

Acetylcholine; Aging; Arecoline; Brain metabolism; Deoxyglucose (Soncrant, T.T.) **487,** 255

Corticotropin-releasing factor; Enkephalin; Co-localization; Immuno-β-galactosidase staining; Peroxidase–antiperoxidase method; Hypothalamus (Sakanaka, M.) **487,** 357

Tryptophan; Amino acid; Brain; Serotonin; Human (Hernández-R., J.) **488,** 1

Visual system; Enucleation; Plasticity; Local cerebral glucose utilization (Zilles, K.) **488,** 14

Spinal cord; Ventral horn neuron; Dorsal horn neuron; Organotypic explant culture; Roller tube; Acetylcholinesterase (Delfs, J.) **488,** 31

Retinal ganglion cell; Bifurcating axon; Ipsilateral projection; Lateral geniculate; Superior colliculus; Fluorescent tracer; Double-labeling method (Yamadori, T.) **488,** 143

CCK-8; Anoxia; Sleep; EEG; Spectral analysis (De Saint Hilaire-Kafi, Z.) **488,** 304

Interleukin-1; Astrocyte; Eicosanoid; Protein kinase C; Immune response; Inflammation (Hartung, H.-P.) **489,** 113

Somatostatin; Intracellular calcium concentration; Cultured neuron; Hippocampus (Miyoshi, R.) **489,** 361

Scorpion toxin; Sodium channel; Tetrodotoxin; Calcium; EGTA; Dopamine; Push-pull; Neostriatum (Sirinathsinghji, D.J.S.) **489,** 369

Cholinergic basal forebrain lesion; Somatostatin; Neuropeptide Y; Neocortex (Gaykema, R.P.A.) **489,** 392

Long-term potentiation; Kindling; Inositol 1-phosphate; Hippocampus (Stelzer, A.) **490,** 41

Cerebral metabolism; 2-Deoxyglucose; Locus coeruleus; Norepinephrine; Stress (Justice, A.) **490,** 73

Thalamus; Ventrolateral nucleus; Cholecystokinin; Vasoactive intestinal polypeptide; Immunohistochemistry; Wheat germ agglutinin–horseradish peroxidase (Ogawa, R.) **490,** 152

Cerebral ischemia; Repeated ischemia; Transient ischemic attack; Hippocampus (Nakano, S.) **490,** 178

Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Striatum; Globus pallidus; In vitro release; In vivo (push-pull) release (Sirinathsinghji, D.J.S.) **490,** 276

L-Dihydroxyphenylalanine; Dopamine; 3-Methoxytyrosine; In vivo voltammetry; Behavior; Dihydroxyphenylalanine-induced dyskinesia (Nakazato, T.) **490,** 332

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Sciatic nerve; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Experimental autoimmune encephalomyelitis; Spinal cord; Brainstem; High performance liquid chromatography; Neurotransmitter; Degeneration (Krenger, W.) **491,** 374

Peripheral nervous system; Muscle spindle; Golgi tenson organ; Histochemistry; Carbonic anhydrase (Szabolcs, M.J.) **492,** 129

Nucleus preopticus medianus; Polypeptide; Monoamine; Immunohistochemistry (Kawano, H.) **492,** 139

Corticonuclear projection; Corticovestibular projection; Uvula; Cerebellum (Tabuchi, T.) **492,** 176

Co-concentration; Exercise; Locomotion; Reciprocal inhibition; Step cycle (Hutton, R.S.) **492,** 230

Mouse; Striatum; γ-Aminobutyric acid; Messenger RNA; In situ hybridization; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Blood vessel; Collateral sprouting; Nerve growth factor; Osmotic minipump; Sympathetic (Saffran, B.N.) **492,** 245

Cerebral ischemia; Hippocampal formation; CA1 region; Calbinding-D_{28K}; Parvalbumin; Immunohistochemistry (Mudrick, L.A.) **493,** 179

Insulin-induced hypoglycemia; Somatostatin; Cerebral cortex; Hippocampus (Rodriguez-Sanchez, M.N.) **494,** 36

Kainate; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Horseradish peroxidase; Cytochrome oxidase; Electron microscopy; Visual cortex (Woodward, W.R.) **494,** 42

Indirect immunofluorescence; Immunoelectron microscopy; Met^5-Enkephalin-Arg^6-Gly^7-Leu^8; Small intensely fluorescent cell; Superior cervical ganglion (Kanagawa-Terayama, Y.) **494,** 75

Naloxone; Neuropathy; Analgesia; Hyperalgesia (Attal, N.) **494,** 276

Dorsal lateral geniculate nucleus; Acetylcholine; Sleep–wake cycle; State dependency; Microiontophoresis (Marks, G.A.) **494,** 294

Pineal; *N*-Acetyltransferase; Circadian rhythm; Entrainment; Light–dark cycle (Illnerová, H.) **494,** 365

Pertussis toxin; G-protein; Electrophysiology; Adenylate cyclase; Cautate-putamen (Boyajian, C.L.)

495, 66

Calcitonin gene-related peptide; Substance P; Dorsal column; Primary afferent fiber (Tamatani, M.) **495,** 122

Neuropeptide; Immunocytochemistry; Propriospinal; Retrograde tracing (Leah, J.) **495,** 173

Gastric corpus; Manometry; Thyrotropin-releasing hormone; L-Glutamic acid; Vagus; Microinjection; Dorsal vagal complex (Raybould, H.E.) **495,** 319

Imipramine; Tricyclic antidepressant; Castration; Testosterone; Binding site; Brain (Sandrini, M.) **496,** 29

Diabetes; Insulin; Insulin-like growth factor-I; Nerve regeneration; Sciatic nerve; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Arteriovenous malformation; Autoradiography; Cerebral blood flow; Hyperemia (Morgan, M.K.) **496,** 241

Vasopressin; Angiotensin II; Osmotic stimulus; Cholinoceptor; Carbachol; Hexamethonium; Atropine; Cerebral ventricle (Yamaguchi, K.) **496,** 345

ω Conotoxin GVIA; Histamine release; Nilvadipine; Hypothalamus (Takemura, M.) **496,** 351

Multi-unit recording; Cross-correlation; Peristimulus histogram; Dorsal cochlear nucleus; Neuronal interaction (Gochin, P.M.) **497,** 1

Tumour necrosis factor-α; Lymphotoxin; Sympathetic efferent activity; Brown adipose tissue; Central nervous system (Holt, S.J.) **497,** 183

Amygdala; Isolated neuron; Calcium current; Calcium blocker (Kaneda, M.) **497,** 187

Somatostatin; γ-Aminobutyric acid; Septal slice; Electrophysiology; Potassium conductance (Twery, M.J.) **497,** 315

Anterior pretectal nucleus; Jaw-opening reflex; Descending modulation; Trigeminal; Tooth pulp (Chiang, C.Y.) **497,** 325

Monocular angular difference threshold; Ocular neglect; Anteromedial cortex (Christie, D.) **497,** 378

Axonal transport; Lectin tracing; *Lens culinaris* agglutinin; Leucoagglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Wheat germ agglutinin (Trudrung, P.) **497,** 399

Behavioral recovery; Lesion; Accessory olfactory bulb; Preference of odor; T-maze test (Ichikawa, M.) **498,** 45

γ-Aminobutyric acid; Muscimol; Intracerebral injection; Epilepsy; Electroencephalogram; Substantia nigra; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Thalamus; Nociceptive neuron; Pain; Tail; Extracellular single unit recording (Yen, C.-T.) **498,** 118

Suprachiasmatic nucleus; Ventromedial hypothalamic nucleus; Glutamate; Brown adipose tissue; Thermogenesis (Amir, S.) **498,** 140

Kindling, L-Glutamate; L-Aspartate; Electrical stimulation; Amygdala (Mori, N.) **498,** 163

Nerve growth factor; Choline acetyltransferase; Cholinergic neuron; Basal forebrain; Infusion pump (Williams, L.R.) **498,** 243

Neural grafting; Serotonin release; Intracerebral microdialysis; Hippocampus (Daszuta, A.) **498,** 323

Transient forebrain ischemia; Striatum; Dopamine receptor; Adenylate cyclase; DARPP-32; Autoradiography; Immunocytochemistry (Benfenati, F.) **498,** 376

Flexor reflex; Medial hypothalamus; Stimulation produced analgesia; Medial thalamus (Duysens, J.) **499,** 131

Centralis lateralis nucleus; Medial prefrontal cortex; Dorsal raphe nucleus; Ascending pathway (Condés-Lara, M.) **499,** 141

Nociception; Medial prefrontal cortex; Centralis lateralis nucleus; Dorsal raphe nucleus; Ascending pain modulation pathway (Condés-Lara, M.) **499,** 145

β-Adrenergic receptor; Vasopressin neuron; Paraventricular nucleus; Supraoptic nucleus; Immunocytochemistry (Takano, T.) **499,** 174

Serotonin; Dialysis; Hypothalamus; Release; High-performance liquid chromatography-electrochemical detection (Auerbach, S.B.) **499,** 281

Tyrosine hydroxylation; Retina; Tyrosine; Phenylalanine; *p*-Chlorophenylalanine (Fernstrom, M.H.) **499,** 291

Sensory nerve; Neuroma; Spontaneous activity; Capsaicin (Hartung, M.) **499,** 363

Cerebellum; Cerebral blood flow; Cerebral glucose utilization; Brain lesion; Excitatory amino acid (Chida, K.) **500,** 177

Substance P; Inflammation; Skin; Prostaglandin; Histamine (Khalil, Z.) **500,** 256

Dopamine; Sexual behavior; Penile reflex; Seminal emission; Medial preoptic area; Paraventricular nucleus; Male (Pehek, E.A.) **500,** 325

Cerebral microvessel; Alkaline phosphatase; Brain lesion; Ibotenic acid (Iadecola, C.) **501,** 188

Sensitization; Carrageenin; 5-Hydroxytryptamine; Ventrobasal thalamus complex (Guilbaud, G.) **502,** 187

Dopamine receptor; Receptor proliferation; Denervation; Metoclopramide; Autoradiography; Spiroperidol, [^{3}H]-; Chronic neuroleptic treatment (LaHoste, G.J.) **502,** 223

Neurotensin; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Apomorphine; Microdialysis; Striatum (Tanganelli, S.) **502,** 319

Acetylcholine; Traumatic brain injury; Morphine (Robinson, S.E.) **503,** 32

Estradiol; GABA receptor; $GABA_B$ binding site; Quantitative autoradiography; Suprachiasmatic nucleus (François-Bellan, A.-M.) **503,** 144

Retinohypothalamic tract; Suprachiasmatic nucleus; Electrical stimulation; Glutamate antagonist; Brown adipose tissue; Thermogenesis (Amir, S.) **503,** 163

Adrenal steroid receptors; Brain; Lymphoid tissue; Corticosterone; Pituitary; Adrenalectomy (Lowy, M.T.) **503,** 191

α-Melanocyte-stimulating hormone; Serotonin; Dopamine; Hypothalamus; Superfusion (Tiligada, E.) **503,** 225

Striatum; 6-Hydroxydopamine; Spine; Golgi; Structural change (Ingham, C.A.) **503,** 334

Calcitonin gene-related peptide; Retrograde tracer; Immunohistochemistry; Vestibular efferent system (Tanaka, M.) **504,** 31

Autoradiography; μ-Opiate receptor; Neostriatum; 1-Methyl-4-phenyl-pyridinium ion; Nigrostriatal dopamine pathway; Neural transplantation; Embryonic substantia nigra (Sirinathsinghji, D.J.S.) **504,** 115

Confocal laser microscopy; Brain microcirculation; Pial arteriole; In vivo (Villringer, A.) **504,** 159

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Neocortex; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 181

Cyclic guanosine monophosphate; Immunohistochemistry; Cerebellum (De Vente, J.) **504,** 332

2-Deoxy-D-glucose; Neuroglycopenia; Sympathetic nervous system;

Hyperglycemia; Liver glucose output; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

Adenosine receptor; Triazolam; Striatum (Hawkins, M.) **505,** 141

Dentate gyrus; Hippocampus; Serotonin; 5-Hydroxytryptophan; 8-Hydroxy-2-(di-*n*-propylamino)-tetralin; Population response (Klancnik, J.M.) **505,** 145

Cysteamine; Morris water task; Passive avoidance; Locomotor activity; Somatostatin-like immunoreactivity (Fitzgerald, L.W.) **505,** 246

Equilibrium; Cerebellum; Maturation; Learning (Auvray, N.) **505,** 291

Medial prefrontal cortex; Prelimbic area; Hippocampus; Field CA1; Prosubiculum; Fluoro-gold (Jay, T.M.) **505,** 337

Rat amygdala
Neuroplasticity; Sprouting; Somatostatin; Ultrastructure; Immunohistochemistry; Central nervous system; Autonomic (Gotow, T.) **492,** 325

Rat brain
Central nervous system; L-2-Oxothiazolidine-4-carboxylate; Glutathione (Mesina, J.E.) **478,** 181

Enkephalin; Lateral septum; Immunohistochemistry; Afferent connection; Combined HRP and immuno-β-galactosidase method; Immunoelectronmicroscopy (Sakanaka, M.) **479,** 205

Glutamate; Glutaraldehyde; Monoclonal antibody; Specificity; Hybridization; Immunocytochemistry; Cortex; Hippocampus (Chagnaud, J.-L.) **481,** 175

Hypoxia; Muscarinic cholinergic receptor; Phosphoinositide turnover (Ninomiya, H.) **482,** 109

Magnetic resonance imaging; Kainic acid; Huntington's disease; Neural transplant; Striatum (Norman, A.B.) **483,** 188

Adrenergic receptor; Immunocytochemistry (Wanaka, A.) **485,** 125

Naltrexone; Cell proliferation (Schmahl, W.) **486,** 297

Protein phosphatase 2A; Polyclonal antibody; Subcellular fractionation; Regional distribution; Immunohistochemistry (Saitoh, Y.) **489,** 291

FMRF-NH_2-like peptide; Spinal cord; Pituitary; Distribution (Majane, E.A.) **494,** 1

Potassium channel; Dendrotoxin; Mast cell degranulating peptide; Epilepsy; Histolocalization (Bidard, J.-N.) **495,** 45

Glucose transporter; Pyruvate dehydrogenase; Immunocytochemistry (Bagley, P.R.) **499,** 214

Uric acid; Ischemia; Liquid chromatography; Allopurinol; Electrochemical detection (Kanemitsu, H.) **499,** 367

Neuromedin N; Radioimmunoassay; Neuromedin N-like immunoreactivity; Characterization; Regional distribution; Neurotensin (De Nadai, F.) **500,** 193

Cerebral cortex; Acetylcholine; Nicotinic acetylcholine receptor; Immunocytochemistry; Human brain (Schröder, H.) **502,** 287

Magnetic resonance imaging; Gadolinium diethylenetriamine pentaacetic acid; Blood–brain barrier; Neural transplant; Rat C6 glioma (Norman, A.B.) **503,** 156

Rat brainstem
Choline acetyltransferase; Immunohistochemistry; Cholinergic structure (Tago, H.) **495,** 271

Rat brainstem slice
Acetylcholine; Dorsal motor nucleus of the vagus; Intracellular recording; Depolarization; Nicotinic receptor (Ito, C.) **503,** 44

Rat C6 glioma
Magnetic resonance imaging; Rat brain; Gadolinium diethylenetriamine pentaacetic acid; Blood–brain barrier; Neural transplant (Norman, A.B.) **503,** 156

Rat cerebral cortex
Muscarinic autoreceptor; [11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzo-diazepin-6-on] (AF-DX 116); Heterogeneity; Rat hippocampus; Rat striatum (Lapchak, P.A.) **496,** 285

Rat cortical slice
Paroxysmal discharge; Baclofen; $GABA_B$-receptor agonist; $GABA_B$-receptor antagonist; Partial agonist; Phaclofen; Phosphono-γ-aminobutyric acid analogue (Kerr, D.I.B.) **480,** 312

Rat forebrain
Methamphetamine; Serotonin; Immunocytochemistry; Quantitative morphometry (Fukui, K.) **482,** 198

Rat hippocampal pyramidal neuron
Scorpion toxin; Voltage-dependent sodium current; Sodium current inactivation (Kaneda, M.) **487,** 192

Rat hippocampal slice
Cerebral vasospasm; Arg-vasopressin; Microvessel (Cach, R.) **483,** 221

Rat hippocampus
Proton-induced X-ray emission analysis; Ischemia; Calcium; Zinc; Nickel (Tsuda, T.) **484,** 228

CA1 pyramidal neuron; Concentration-clamp technique; Voltage-dependent sodium current; Tetrodotoxin; Lidocaine (Kaneda, M.) **484,** 348

Fimbria/fornix lesion; Muscarinic receptor subtype; Nicotinic receptor; Phosphoinositide hydrolysis; Carbachol (Smith, C.J.) **485,** 317

Muscarinic autoreceptor; [11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzo-diazepin-6-on] (AF-DX 116); Heterogeneity; Rat cerebral cortex; Rat striatum (Lapchak, P.A.) **496,** 285

Aluminum; Neurotoxicity; Choline; Norepinephrine (Zubenko, G.S.) **498,** 381

Rat hypothalamus
Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Rat liver
Neuropeptide Y; Immunohistochemistry; Celiac ganglion; Electron microscopy (Inoue, N.) **493,** 87

Rat sciatic nerve
Nerve regeneration; Thymidine; Schwann cell; Somatomedin; Insulin-like growth factor; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Rat spinal cord
Opioid receptor; Neutral endopeptidase; Dorsal rhizotomy; Quantitative autoradiography (Zajac, J.-M.) **477,** 400

Glutamate; *N*-Methyl-D-aspartate; L-α-(carboxycyclopropyl)glycine; Excitatory amino acid; Conformational variation; Electrophysiology (Shinozaki, H.) **480,** 355

Postnatal development; Primary afferent; Substantia gelatinosa (Pignatelli, D.) **491,** 33

Rat striatum
Kainic acid; Dopamine release; Dopamine autoreceptor; Slice (Bonanno, G.) **480,** 242

Muscarinic autoreceptor; [11-({2-[(Diethylamino)-methyl]-1-piperidinyl} acetyl)-5,11-dihydro-6H-pyrido(2,3-b) (1,4)benzo-diazepin-6-on] (AF-DX 116); Heterogeneity; Rat hippocampus; Rat cerebral cortex (Lapchak, P.A.) **496,** 285

D_2 dopamine receptor; Chronic drug treatment; Inositol phosphate; Muscarinic receptor; Antipsychotic drug; Haloperidol; Clozapine (Rubinstein, J.E.) **496,** 385

Rat visual cortex
Cortical slice; γ-Aminobutyric acid-like immunocytochemistry; Intracellular recording; Inhibitory synaptic potential (Chun, M.H.) **494,** 401

Raynaud's phenomenon
β-Estradiol; Hyperalgesia; Pain; Cyclooxygenase; Arachidonic acid; Sympathetic postganglionic neuron; α-Adrenergic (Levine, J.D.) **487,** 143

Re-afferent γ-effect
Cat muscle spindle; Primary afferent; Dynamic γ; Static γ; Maintained fusimotor stimulation; Interspike interval function (Awiszus, F.) **489,** 41

Re-uptake
Nomifensine; Mazindol; Dopamine; Striatum; Voltammetry (Glynn, G.E.) **481,** 235

Reaching cells
Pulvinar lateral posterior complex; Behaving monkey; Extracellular recording; Motor programming; Reaching movement (Cudeiro, J.) **484,** 367

Reaching movement
Pulvinar lateral posterior complex; Behaving monkey; Extracellular recording; Motor programming; Reaching cells (Cudeiro, J.) **484,** 367

Reaction product
Contusive injury; Horseradish peroxidase; Spinal cord (Noble, L.J.) **482,** 57

Reaction time
Basal ganglia; Dopamine; γ-Aminobutyric acid; Rat (Amalric, M.) **483,** 389

Reactive astrocyte proliferation
Brain injury; Autoradiography; Immunocytochemistry; Rat (Janeczko, K.) **485,** 236

Reactive microglia
6-Hydroxydopamine; Substantia nigra; Major histocompatibility (MHC) antigen (Akiyama, H.) **489,** 247

Reactive synaptogenesis
Halothane neurotoxicity; Dentate gyrus; Entorhinal lesion (Uemura, E.) **496,** 317

Rearing
Dynorphin A(1–13); Apomorphine; (−)-(1R,5R,9R)-5,9-diethyl-2-(3-furylmethyl)-2′-hydroxy-6,7-benzomorphan; Locomotor activity; Mouse (Ukai, M.) **499,** 299

Rebound
Prostaglandin E_2; Intraventricular infusion; Slow wave sleep; Paradoxical sleep; Wakefulness; Circadian sleep–wake cycle; Brain temperature (Matsumura, H.) **481,** 242

Rebound activation
Motion-sensitive neuron; Optic tectum; Toad; Center-surround receptive field; Background motion; Motion after-effect (Satou, M.) **504,** 320

Recall
Neuropeptide; Neuropeptide Y; Memory; Mouse; Retention; Localization; Forebrain (Flood, J.F.) **503,** 73

Receiver operating characteristic curve
Geniculate body; Neural transmission; γ-Aminobutyric acid; Neural inhibition; Attention; Tree shrew (Holdefer, R.N.) **488,** 341

Receptive field
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Sheep; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Auditory cortex; Acetylcholine; Neuromodulator; Single neuron; Neuronal plasticity (Metherate, R.) **480,** 372

Receptor
Somatostatin; Retina; Mouse (Kossut, M.) **476,** 78

Vasopressin; Phosphoinositide hydrolysis; Brattleboro rat; Septum (Shewey, L.M.) **478,** 95

Sympathetic; Sensory; Survival; Nerve growth factor; Antibody (Johnson, E.M.) **478,** 166

γ-Aminobutyric acid; Melanotroph; Pituitary; In vitro (Williams, P.J.) **483,** 130

Cholinergic; Muscarinic; Nicotine; Lesion; Nucleus basalis magnocellularis (Atack, J.R.) **483,** 367

Adenosine; Autoradiography; Striatum; 5′-*N*-Ethylcarboxamidoadenosine; N^6-Cyclopentyladenosine (Jarvis, M.F.) **484,** 111

Dopamine; μ-Opioid; Neurotensin; Nucleus accumbens; Mesencephalon (Dilts, R.P.) **488,** 311

Human brain; Excitatory amino acid; *N*-Methyl-D-aspartate; MK-801; Regional distribution (Kornhuber, J.) **489,** 397

Neostriatal cell culture; Inhibitory synapse; Development (Misgeld, U.) **492,** 149

Aplysia; Desensitization; Chloride; Acetylcholine (Evans, M.L.) **495,** 309

Retina; Forskolin; Phorbol ester; Autoradiography (Zarbin, M.A.) **497,** 334

Aging; Striatum; Neuron (Han, Z.) **498,** 299

γ-Aminobutyric acid; Seizure; Ethanol; Colliculus; Long sleep mouse; Short sleep mouse (Peris, J.) **503,** 288

Insulin-like growth factor-1; Quantitative autoradiography; Human brain; Large cryosection; Brain hemisphere; Image analysis (Adem, A.) **503,** 299

Pirenzepine; Muscarinic; Human neuroblastoma cell; Sh-SY5Y; Inositol lipid; Cyclic AMP (Mei, L.) **504,** 7

Calcitonin gene-related peptide (CGRP); Muscle; Neuromuscular junction (Jennings, C.G.B.) **504,** 199

Receptor antibody
γ-Aminobutyric acid-A receptor/benzodiazepine receptor/Cl^- channel complex; γ-Aminobutyric acid-A receptor complex; Immunohistochemistry; γ-Aminobutyric acidergic neuron; Cerebral distribution (Taguchi, J.-I.) **483,** 395

Receptor autoradiography
Kindling; *N*-Methyl-D-aspartate receptor; Hippocampus; Epilepsy (Okazaki, M.M.) **482,** 159

Substance P; Radioimmunohistochemistry; Human spinal cord; Amyotrophic lateral sclerosis (Dietl, M.M.) **483,** 39

Immunohistochemistry; Calcitonin gene-related peptide; Calcitonin gene-related peptide receptor; Neuromuscular junction; Striated muscle (Popper, P.) **496,** 180

α-Bungarotoxin; Ontogeny; Neocortex; Cortical development; Acetylcholine system (Fuchs, J.L.) **501,** 223

Opioid receptor; Mesolimbic dopamine; Nucleus accumbens; Lesion; Cellular localization (Unterwald, E.M.) **505,** 111

Receptor binding
Experimental epilepsy; Hippocampus; Kindling; Quantitative autoradiography; γ-Aminobutyric acid complex; Benzodiazepine (Nobrega, J.N.) **498,** 315

Receptor distribution
Human brain; Neurohypophysial hormone; Oxytocin; Radioiodinated ligand; Triniated ligand (Loup, F.) **500,** 223

Receptor heterogeneity
Cochlear nucleus; Neurotransmitter receptor; γ-Aminobutyric acid A-receptor; Benzodiazepine receptor; Immunocytochemistry (Juiz, J.M.) **504,** 173

Receptor multiplicity
Hypothalamus; Somatostatin; SMS 201-995; Quantitative radioautography (Krantic, S.) **498,** 267

Receptor neuron
Olfaction; Epithelium; Deprivation; Naris closure; Nasal cavity (Maruniak, J.A.) **490,** 212

Receptor occupancy
Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ion flux; In vivo binding; Shuttlebox active avoidance; Anxiety; Depression (Drugan, R.C.) **487,** 45

Receptor proliferation
Dopamine receptor; Denervation; Metoclopramide; Autoradiography; Spiroperidol, [^{3}H]-; Chronic neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Receptor stability
Adrenocorticosteroid receptor; Mineralocorticoid; Glucocorticoid; Steroid binding; Type I receptor; Type II receptor (Luttge, W.G.) **493,** 190

Receptor subtype
Receptor, α_1-; Rapid eye movement sleep; Narcolepsy; Cataplexy (Mignot, E.) **490,** 186

Acetylcholine; Neuronal depolarization; Postreceptor mechanisms; GTP-binding proteins (Simantov, R.) **505,** 160

Receptor upregulation
Autoradiography; D-Ala^2-*N*-methyl-Phe^4,Gly-ol^5-enkephalin; Morphine tolerance; μ-Opiate receptor (Brady, L.S.) **477,** 382

Thyrotropin-releasing hormone; 5-Hydroxytryptamine; Transmitter coexistence; Peptide; TRH receptor; 5-HT receptor (Sharif, N.A.) **480,** 365

Receptor, D_1-
Adenylate cyclase; Receptor, D_2-; Supersensitivity; Caudate-putamen; Autoradiography; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Dopamine; Receptor, D_2-; Nucleus accumbens; Dopamine uptake (Allin, R.) **501,** 389

Receptor, D_2-
Dopamine; Quinpirole; Open field behavior; Movement organization (Eilam, D.) **490,** 255

Receptor, D_1-; Adenylate cyclase; Supersensitivity; Caudate-putamen; Autoradiography; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Dopamine; Receptor, D_1-; Nucleus accumbens; Dopamine uptake (Allin, R.) **501,** 389

Receptor, $GABA_A$
Estradiol; Progesterone; γ-Aminobutyric acid; Hippocampus; Autoradiography (Schumacher, M.) **487,** 178

Butylbicyclophosphorothionate binding; Substantia nigra; Striato-nigral pathway; γ-Aminobutyric acid; Diazepam; Bicuculline (Sanna, E.) **501,** 144

Receptor, 5-HT_{1A}
Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propyl-amino-^{3}H]tetralin; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Receptor, 5-HT_2
Stress-induced analgesia; Methysergide; Pirenpirone; Ketanserin (Kiefel, J.M.) **500,** 231

Receptor, α_1-
Receptor subtype; Rapid eye movement sleep; Narcolepsy; Cataplexy (Mignot, E.) **490,** 186

Receptor, σ
2-Deoxyglucose; Brain metabolism; Glucose utilization; Antipsychotic; Pentazocine (Della Puppa, A.) **505,** 283

Receptor-mediated uptake
Muscle spindle; Spindle capsule; Endocytosis; Transcytosis; Pinocytosis (Fukami, Y.) **499,** 249

Receptor–effector coupling
Signal transduction; Guanosine triphosphate-binding protein; β-Adrenergic receptor; Photoaffinity labeling; Cyclic nucleotide; C6 glioma cell (Rasenick, M.M.) **488,** 105

α_1-Receptor
Chlorethylclonidine; Dog; Prazosin; Rat; Subtype; WB-4101 (Mignot, E.) **486,** 56

α_2-Receptor
[^{3}H]Yohimbine binding; Narcolepsy; Dog; Locus ceruleus; Noradrenaline; Autoinhibition (Fruhstorfer, B.) **500,** 209

μ-Receptor
Periaqueductal gray; Opioid; Coupling; Guanine nucleotide binding protein; Analgesia (Fedynyshyn, J.P.) **476,** 103

σ-Receptor
Haloperidol-sensitive; Ditolylguanidine; Hippocampus; Neurotransmitter release; Schizophrenia (Neumaier, J.F.) **500,** 215

Reciprocal inhibition
Co-concentration; Exercise; Locomotion; Rat; Step cycle (Hutton, R.S.) **492,** 230

Reconstruction
Horseradish peroxidase; Microinjection; Fibrous astrocyte; Protoplasmic astrocyte; Endfoot (Sasaki, H.) **501,** 339

Recovery from brain damage
Medial septal lesion; Ganglioside; Body weight; Activity; Stereotypy (Poplawsky, A.) **495,** 396

Recovery of function
Anteromedial cortex lesion; Diazepam; Ro 15-1788; Somatosensory asymmetry; Spontaneous activity; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Recruiting response
Ethosuximide; Spindle wave; Thalamocortical synchronization; Nucleus reticularis thalami (Pellegrini, A.) **497,** 344

Recruitment
Electromyography; Locomotion; Swimming; Motor control; Skeletal muscle (Hutchison, D.L.) **502,** 233

Respiration; Cat; Firing property; Phrenic motoneuron; Aspiration reflex (Jodkowski, J.S.) **505,** 187

Recurrent collateral
Axon morphology; Jaw motoneuron (Moore, J.A.) **489,** 383

Recurrent inhibition
Pyrethroid; Cismethrin; Deltamethrin; Fenvalerate; Dentate gyrus; Hippocampus (Gilbert, M.E.) **477,** 314

Hippocampus; Dentate field potential; Paired-pulse depression; Antidromic depression; Long-term potentiation (Maru, E.) **478,** 112

Reduced excitation
Aging; Striatum; Intracellular recording; Elevated excitatory threshold (Cepeda, C.) **494,** 215

Reflex
Cruciate ligament; Joint afferent; Fusimotor neuron; Motor control; Muscle spindle; Primary spindle afferent; Spinal cord (Sojka, P.) **483,** 177

Muscle; Electromyogram; Muscle spindle; Stiffness; Contraction (Jahnke, M.T.) **493,** 103

Lip; Muscle; Electromyogram; Cutaneous; Human (McClean, M.D.) **503,** 16

Reflex development
Tooth-pulp stimulation; Sensation development; Trigeminal nerve (Tal, M.) **497,** 138

Reflex modulation
Tooth-pulp stimulation; Hypnotic anesthesia; Placebo effect; Electromyography; Trigeminal nerve (Sharav, Y.) **479,** 247

Reflex, spinal
Monosynaptic reflex; Dorsal root potential; Divalent cation (Czéh, G.) **486,** 274

Refractory period
Startle reflex; Cochlear nucleus; Reticulospinal path; Temporal summation; Facial nerve (Yeomans, J.S.) **486,** 147

Regenerating axon

Axonal protein synthesis; Tubulin synthesis; Actin synthesis; Retinal ganglion cell axon (Koenig, E.) **481,** 119

Regenerating nerve
Axonal transport; Goldfish optic nerve; Glycosaminoglycan; Heparan sulfate; Proteoglycan (Coughlin, C.) **493,** 326

Regeneration
Axotomy; Hypoglossal nucleus; Palmitate; Degeneration; Plasticity; Lipid metabolism; Autoradiography (Yamazaki, S.) **477,** 19

Sprouting; Frog sympathetic ganglia; Axotomy (Kelly, M.E.M.) **477,** 363

Optic nerve; *Vipera aspis*; Unmyelinated axon (Rio, J.P.) **479,** 151

Neural transplant; Hypothalamus; Vasopressin; Trophic factor (Marciano, F.F.) **483,** 135

Astrocyte; Graft; Spinal cord; Neuronal rescue; Neuronal maintenance (Bernstein, J.J.) **488,** 180

Transplantation; Graft; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Spinal cord injury (Bernstein, J.J.) **491,** 205

Lamprey spinal cord; Cord transection (Cohen, A.H.) **496,** 368

Peripheral nerve lesion; Microneurography; Microstimulation; Clinical evaluation (Ochs, G.) **496,** 228

Growth-associated protein; Trigeminal system; Infraorbital nerve (Erzurumlu, R.S.) **498,** 135

Peripheral nerve; Crush; Multiple crush; Graft; Morphometry; Neuropathology (Giannini, C.) **500,** 131

Regional cerebral blood flow
Locus ceruleus; Vasoconstriction; Low frequency (Goadsby, P.J.) **476,** 71

Regional distribution
M_2 receptor; AF-DX 116; Central nervous system (Wang, J.-X.) **477,** 322

Protein phosphatase 2A; Polyclonal antibody; Subcellular fractionation; Immunohistochemistry; Rat brain (Saitoh, Y.) **489,** 291

Human brain; Excitatory amino acid; *N*-Methyl-D-aspartate; MK-801; Receptor (Kornhuber, J.) **489,** 397

Neuromedin N; Radioimmunoassay; Neuromedin N-like immunoreactivity; Characterization; Rat brain; Neurotensin (De Nadai, F.) **500,** 193

Regulation
Choline acetyltransferase; Retinoic acid; Butyrate; Neuroblastoma (Casper, D.) **478,** 74

Choline acetyltransferase; Mechanism; Retinoic acid; Butyrate; Neuroblastoma (Casper, D.) **478,** 85

Adrenocorticotropin; β-Endorphin; Brain; Cell culture; Hypothalamus; Synthesis; Immunoreactive (Kapcala, L.P.) **491,** 253

Reinforcement
Naloxone; Naltrexone; Self-stimulation; Extinction; Endorphin (Trujillo, K.A.) **492,** 15

Cocaine; Opioid peptide, endogenous; Conditioned place preference; Locomotor activity (Houdi, A.A.) **497,** 195

Reinforcement threshold
Self-stimulation; Peduncular-pontine nucleus; Lateral hypothalamus; Lesion; Lateralized effect (Buscher, W.) **487,** 321

Reinnervation
Nerve regeneration; Lingual nerve; Chorda tympani; Tongue; Taste; Salivary gland (Robinson, P.P.) **483,** 259

Rejection
Retinal transplant; Glia; Superior colliculus (Rao, K.) **488,** 332

Relay neuron
Lateral geniculate nucleus; Dorsal raphe nucleus; Serotonin; Ascending reticular system; Electroencephalography (Kayama, Y.) **489,** 1

Release
Dopamine; γ-Aminobutyric acid; In vitro; Slice; Striatum; Uptake (Bernath, S.) **476,** 373

Adenosine uptake; Purine; Dipyridamole; Soluflazine; Cerebral cortex (Phillis, J.W.) **481,** 309

N-Acetylaspartylglutamate; Uptake; Aspartate; Glutamate; Cerebellum (Sekiguchi, M.) **482,** 78

Adenosine triphosphate; Electrical stimulation; Hippocampal slice (Wieraszko, A.) **485,** 244

Noradrenaline; Neuropeptide Y; Calcium; Exocytosis; Sympathetic neuron (Saxena, V.K.) **486,** 310

Exogenous; Endogenous; Serotonin; Calcium-dependency; *Hymenolepis diminuta* (Gordon, B.) **486,** 376

Enkephalin; Retina; Chick; Amacrine cell (Boelen, M.K.) **488,** 43

Serotonin; Microdialysis; Habenula; Dorsal raphe nucleus; Striatum (Kalén, P.) **492,** 187

Dopamine; Compartment; Caudate nucleus; Reserpine; α-Methyl-*p*-tyrosine (Leviel, V.) **499,** 205

Serotonin; Dialysis; Hypothalamus; Rat; High-performance liquid chromatography-electrochemical detection (Auerbach, S.B.) **499,** 281

γ-Aminobutyric acid; Glycine; Cerebrospinal fluid; Cerebral cortex (Phillis, J.W.) **504,** 121

Cholecystokinin; Dopamine; Brain dialysis (Butcher, S.P.) **505,** 119

REM sleep
Electroconvulsive shock; Systemic penicillin epilepsy; Atropine; Pontine lesion; Cat (Shouse, M.N.) **505,** 271

Remyelination
Oligodendrocyte; Maturation; Mouse; Lymphokine; Demyelination; Multiple sclerosis (Suzumura, A.) **480,** 51

Renal afferent
Renal pain; Spinothalamic tract; Ureteral occlusion; Viscerosomatic convergence (Ammons, W.S.) **496,** 124

Renal nerve
Atrial natriuretic peptide; Arterial baroreflex; Central nervous system; Blood pressure; Sinoaortic denervation; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Renal pain
Renal afferent; Spinothalamic tract; Ureteral occlusion; Viscerosomatic convergence (Ammons, W.S.) **496,** 124

Repeated ischemia
Cerebral ischemia; Transient ischemic attack; Selective vulnerability; Calcium accumulation; Gerbil (Kato, H.) **479,** 366

Cerebral ischemia; Transient ischemic attack; Rat; Hippocampus (Nakano, S.) **490,** 178

Cerebral ischemia; Naftidrofuryl; Serotonin S_2 antagonist; Gerbil (Fujikura, H.) **494,** 387

Repetitive firing
Facial motoneuron; Electrical property; Subthreshold response; Afterhyperpolarization; Potassium current; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Reproduction
Prairie vole; Estrogen receptor; Brain; Social environment; Female (Cohen-Parsons, M.) **476,** 363

Nervus terminalis; Septum; Transient connection; Amphibian; Tadpole; Ontogeny; Parcellation theory (Hofmann, M.H.) **498,** 167

Estrogen receptor; Brain; Japanese quail; Preoptic area; Preoptic medial nucleus (Balthazart, J.) **501,** 205

Gonadotropin-releasing hormone; Immunocytochemistry; Fluorogold; Transplant; Median eminence (Silverman, R.C.) **501,** 260

Reproductive
Olfactory; Vomeronasal; Photoperiod; Testicular; Gonadotropin; Hamster (Pieper, D.R.) **485,** 382

Reproductive axis
Nicotine; Sexual behavior; Testosterone; Eye opening; Levator anus; Development (Segarra, A.C.) **480,** 151

Reproductive behavior
Estrogen receptor; Immunocytochemistry; Lactation; Limbic system; Mouse brain; Pregnancy (Koch, M.) **489,** 101

α_2-Adrenergic; *p*-Amino-clonidine; Sex difference; Nucleus intercollicularis; Japanese quail; Autoradiography (Ball, G.F.) **491,** 68

Reptile
Serotonin; 5-Hydroxytryptamine; Immunocytochemistry; Cerebral cortex; Lizard (Guirado, S.) **488,** 213

Horseradish peroxidase; Corticospinal tract; Efferent pathway; Amygdalospinal tract (Follett, K.A.) **496,** 89

Dorsal column nucleus; Glutamic acid decarboxylase; Intrinsic neuron; Local circuit neuron; Somatosensation (Pritz, M.B.) **503,** 175

Reserpine
Adenylate cyclase; D_1 receptor; Supersensitivity; Striatum; [^{3}H]SCH 23390 binding (Missale, C.) **483,** 117

Dopamine; Compartment; Caudate nucleus; Release; *a*-Methyl-*p*-tyrosine (Leviel, V.) **499,** 205

Nicotine; Synaptic vesicle; Transport; Dopamine; [^{3}H]-Accumulation (Kramer, H.K.) **503,** 296

Amphetamine; Dopamine; Dialysis; Stereotypy; Striatum (Callaway, C.W.) **505,** 83

Resiniferatoxin
Dorsal root ganglion; Capsaicin analog; Desensitization (Szallasi, A.) **503,** 68

Respiration
γ-Motoneuron; Muscle spindle; Intercostal muscle (Greer, J.J.) **477,** 369

In vitro; Newborn rat; Norepinephrine; α_2-Adrenoceptor; A_5 cell group (Hilaire, G.) **485,** 325

Vasopressin; Oxytocin; Respiratory neuron; Nucleus tractus solitarii; Brainstem; Sensory physiology (Henry, J.L.) **491,** 150

γ-Aminobutyric acid; Ventrolateral nucleus of the solitary tract; Bötzinger complex; Dorsal respiratory group; Ventrolateral medulla (Livingston, C.A.) **494,** 143

N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Excitatory amino acid; Vagus nerve; Apneusis; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

Brain; Mitochondria; Chronic ethanol ingestion; Calcium uptake (Farrar, R.P.) **500,** 374

Recruitment; Cat; Firing property; Phrenic motoneuron; Aspiration reflex (Jodkowski, J.S.) **505,** 187

Respiratory control
Adenosine; Nucleus tractus solitarius; 5′-Ethylcarboxamidoadenosine (Barraco, R.A.) **480,** 360

Brainstem; Electrolytic lesion; Medulla; Phrenic nerve (Speck, D.F.) **482,** 387

Respiratory control ratio
Brain mitochondria; Chronic hypoglycemia; Diabetes; Insulin; State 3 respiration; State 4 respiration (Pellegrino, D.A.) **479,** 241

Respiratory neuron
Brainstem; Gravitational representation; Spike train analysis (Lindsey, B.G.) **483,** 373

Pons; Lung inflation; Lung afferent; High-frequency oscillation (Shaw, C.-F.) **485,** 179

Vasopressin; Oxytocin; Nucleus tractus solitarii; Brainstem; Sensory physiology; Respiration (Henry, J.L.) **491,** 150

Respiratory nuclei
Angiotensin II; Brainstem; Immunocytochemistry; Cat; Colchicine (Aguirre, J.A.) **489,** 311

Respiratory rhythm
Phrenic activity; Oscillation; Spectral analysis; Inhibitory amino acid neurotransmitter; Strychnine; Bicuculine (Schmid, K.) **485,** 193

Superior laryngeal nerve; Phrenic nerve; Upper airway receptor; Apnea (Donnelly, D.F.) **505,** 149

Response latency
Visual cortex; V1 area; V2 area; V5 area; Visual unit (Raiguel, S.E.) **493,** 155

Retention
Neuropeptide; Neuropeptide Y; Memory; Mouse; Recall; Localization; Forebrain (Flood, J.F.) **503,** 73

Reticular formation
Hypothalamic locomotor region; Muscular contraction; Ventral root stimulation; Cardiopulmonary inhibition; Cat; Phrenic activity (Richard, C.A.) **482,** 49

Iminodipropionitrile; Head movement; Circling; Cerebral glucose metabolism; Substantia nigra; Superior colliculus; Nigrotectal pathway; Disinhibition (Cadet, J.L.) **484,** 57

Sleep mechanism; Arousal; Basal forebrain; Preoptic area; Anterior hypothalamus (Szymusiak, R.) **498,** 355

Eye movement; Frontal eye field; Superior colliculus; Pontine nucleus; Thalamus (Miyashita, E.) **502,** 75

Reticular thalamic nucleus
Basal forebrain; Mesopontine tegmentum; Cerebral cortex; Axonal collateralization; Cholinergic neuron; Parvalbumin (Jourdain, A.) **505,** 55

Reticulospinal neuron
Antidromic activation; Medulla; Lateral reticular nucleus (Liu, R.H.) **481,** 350

Lamprey; In vitro preparation; Locomotion; Swimming; Spinal input; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Phasic modulation; Locomotion; Brainstem; Spinal cord; Lamprey (Kasicki, S.) **484,** 203

Reticulospinal path
Startle reflex; Cochlear nucleus; Refractory period; Temporal summation; Facial nerve (Yeomans, J.S.) **486,** 147

Retina
Somatostatin; Receptor; Mouse (Kossut, M.) **476,** 78

γ-Aminobutyric acid; Ganglion cell; Superior colliculus (Caruso, D.M.) **476,** 129

Rod horizontal cell; Voltage-clamp; Excitatory amino acid; Kainic acid (O'Dell, T.J.) **477,** 118

Benzodiazepine; Benzodiazepine receptor; Benzodiazepine antagonist; Autoradiography; Electroretinogram (Robbins, J.) **479,** 313

Herpes simplex virus; Superior colliculus; Suprachiasmatic nucleus; Transneuronal labeling; Hamster (Norgren, R.B.) **479,** 374

Horizontal cell; Kainate; Cyclic AMP-dependent protein kinase (Liman, E.R.) **481,** 399

Dopamine; Light-adaptation; *Xenopus laevis* (Boatright, J.H.) **482,** 164

Suprachiasmatic nucleus; Circadian rhythm; Visual system; Hypothalamus (Murakami, D.M.) **482,** 283

Electroretinogram; DL-2-Amino-4-phosphonobutyric acid; ON-pathway; Goldfish (DeMarco, P.J.) **482,** 317

Microtubule-associated proteins (1A and 2); Immunohistochemistry; Neuron (Okabe, S.) **483,** 335

Horizontal cell; L-Glutamate; Kainate (Perlman, I.) **487,** 16

Enkephalin; Release; Chick; Amacrine cell (Boelen, M.K.) **488,** 43

Lamprey; Centrifugal innervation (Vesselkin, N.P.) **493,** 51

Amacrine cell; Cell matrix; Neuropeptide Y; Anura (Hiscock, J.)

494, 55

Somatostatin; Glycine; Colocalize; Interplexiform; Neuropeptide; Neurotransmitter (Smiley, J.F.) **495,** 31

Calmodulin; Calcium; Calmodulin kinase II; Light adaptation; Dark adaptation (Bronstein, J.) **495,** 83

Receptor; Forskolin; Phorbol ester; Autoradiography (Zarbin, M.A.) **497,** 334

Dopamine; Magnetic field; Pigmentation; Rodent (Olcese, J.) **498,** 145

Müller cell; Glial cell; Barium; Potassium conductance; Tiger salamander (Newman, E.A.) **498,** 308

Tyrosine hydroxylation; Tyrosine; Phenylalanine; *p*-Chlorophenylalanine; Rat (Fernstrom, M.H.) **499,** 291

Biplexiform ganglion cell; Cobaltic-lysine complex; Horseradish peroxidase; Anura (Tóth, P.) **499,** 378

Atrial natriuretic peptide; Immunohistochemistry (Palm, D.E.) **504,** 142

Retinal ganglion cell
Benzodiazepine; Benzodiazepine antagonist; Endogenous benzodiazepine receptor ligand; γ-Aminobutyric acid (Robbins, J.) **479,** 323

Benzodiazepine; Benzodiazepine antagonist; Development (postnatal) (Robbins, J.) **479,** 334

Peripheral nerve graft; Optic nerve crush; Axon-like process; Hamster (Cho, E.Y.P.) **484,** 371

Bifurcating axon; Ipsilateral projection; Lateral geniculate; Superior colliculus; Fluorescent tracer; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Selective degeneration; Squirrel monkey; Parallel visual pathway; Visual system; Acrylamide; Cytochrome oxidase; Neurotoxicity (Lynch III, J.L.) **499,** 325

Alzheimer's disease; Human retina; Histopathology; Degeneration (Blanks, J.C.) **501,** 364

Glutamate; Immunohistochemistry; Optic terminal; Retinotectal system (Kageyama, G.H.) **503,** 118

Retinal ganglion cell axon
Axonal protein synthesis; Tubulin synthesis; Actin synthesis; Regenerating axon (Koenig, E.) **481,** 119

Retinal pigment epithelium
Adenosine; A_2-adenosine receptor; Purinergic receptor; Cyclic adenosine monophosphate; Adenylate cyclase (Friedman, Z.) **492,** 29

Retinal projection
Visual system; Olfactory tubercle; Basal telencephalon; Anterograde tracing; Mammal (Cooper, H.M.) **477,** 350

Visual system; Hypothalamus; Suprachiasmatic nucleus; Comparative anatomy; Primate (Magnin, M.) **488,** 390

Superior colliculus; Ground squirrel; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase (Petry, H.M.) **489,** 199

Retinal terminal
Marsupial; Lateral geniculate nucleus; Acetylcholinesterase; Horseradish peroxidase; Cytoarchitecture (Wilson, P.M.) **486,** 236

Retinal transplant
Rejection; Glia; Superior colliculus (Rao, K.) **488,** 332

Retinal transplantation
Graft/host relationship (Laedtke, T.W.) **500,** 61

Retinoblastoma
D_1 receptor; D_2 receptor; Neuroblastoma; Clonal cell line; SCH 23390; Methylspiperone (Monsma, F.J.) **492,** 314

Retinohypothalamic projection
Suprachiasmatic nucleus; Nerve growth factor receptor; Basal forebrain cholinergic neuron (Sofroniew, M.V.) **476,** 358

Retinohypothalamic tract
Suprachiasmatic nucleus; Hypothalamic slice; Field potential; Unit response (Cahill, G.M.) **479,** 65

Suprachiasmatic nucleus; Hypothalamic slice; Synaptic pharmacology; Excitatory amino acid (Cahill, G.M.) **479,** 76

Suprachiasmatic nucleus; Electrical stimulation; Glutamate antagonist; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **503,** 163

Retinoic acid
Choline acetyltransferase; Regulation; Butyrate; Neuroblastoma (Casper, D.) **478,** 74

Choline acetyltransferase; Regulation; Mechanism; Butyrate; Neuroblastoma (Casper, D.) **478,** 85

PC12 cell; Neuronotrophic factor; Choline acetyltransferase; Tyrosine hydroxylase; Neuronal differentiation (Matsuoka, I.) **502,** 53

Retinotectal system
Glutamate; Immunohistochemistry; Optic terminal; Retinal ganglion cell (Kageyama, G.H.) **503,** 118

Retrieval
[Arg^8]Vasopressin; Anti-vasopressin serum; Dorsal hippocampus; Appetitive discrimination (Alescio-Lautier, B.) **500,** 287

Retrograde axonal tracing
Entorhinal cortex; Anterograde axonal tracing (Christesen, H.B.T.) **505,** 75

Retrograde axonal transport
Acrylamide; Neuropathy; Neurotoxicity (Sabri, M.I.) **483,** 1

Electric organ; Electric eel; Electrical synapse; Morphologically mixed synapse; Horseradish peroxidase (Bennett, M.V.L.) **488,** 22

Kainate; Dorsal lateral geniculate nucleus; Horseradish peroxidase; Cytochrome oxidase; Electron microscopy; Visual cortex; Rat (Woodward, W.R.) **494,** 42

Retrograde double-labeling
Anterior pretectal nucleus; Central lateral nucleus; Dorsal accessory olivary nucleus; Anterior interpositus nucleus; Motor cortex; Electron microscopy (Kitao, Y.) **484,** 304

Retrograde double-labeling method
Basal ganglia; Striatum; Globus pallidus; Tyroxine hydroxylase immunohistochemistry; Primate (Smith, Y.) **482,** 381

Retrograde horseradish peroxidase tracing
Stapedius muscle; Middle ear; Acoustic reflex; Transneuronal tracing; Rat; Superior olivary complex (Rouiller, E.M.) **476,** 21

Retrograde tracer
Axonal transport; Trigeminal nerve; Pathway tracing; Peripheral nervous system (Colin, W.) **486,** 334

Calcitonin gene-related peptide; Immunohistochemistry; Vestibular efferent system; Rat (Tanaka, M.) **504,** 31

Retrograde tracing
Parabrachial nucleus; Thalamus; Zona incerta; Hypothalamus; Anterograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

Neuropeptide; Immunocytochemistry; Propriospinal; Rat (Leah, J.) **495,** 173

Rexed's lamina X; Rostroventral medulla; Raphe-spinal projection; Antinociception (Du, H.-J.) **505,** 135

Retrograde transport
Nucleus accumbens; Septal nucleus; Spinal cord; Nociception; Fluoro-gold (Burstein, R.) **497,** 149

Tooth pulp; Primary afferent neuron; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Horseradish peroxidase; Cell body size; Cat (Yoshino, K.) **503,** 152

Median eminence; Histamine; Posterior hypothalamus; Double labeling; Cat (Yoshimoto, Y.) **504,** 149

Retroinsular cortex

Area 7b; γ-Aminobutyric acid; Immunocytochemistry; Somatosensory system; Monkey (Chudler, E.H.) **481,** 383

Reward
Dopamine; Accumbens; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Self-stimulation; Motor effect (Stellar, J.R.) **477,** 126

Brainstem; Midbrain; Dopamine; Pimozide; Morphine (Rompré, P.-P.) **477,** 144

Dopamine; Depolarization inactivation; Pimozide; Morphine; Muscimol (Rompré, P.-P.) **477,** 152

Aversion; Benzodiazepine; Diazepam; Escape; Lateral hypothalamus; Self-stimulation (Carden, S.E.) **483,** 327

Brainstem; Mapping; Moveable electrode; Pons; Self-stimulation (Rompré, P.-P.) **496,** 295

Reward-escape
Medial prefrontal cortex; Brain stimulation; Pure reward (Miserendino, M.J.D.) **483,** 226

Rexed's lamina X
Rostroventral medulla; Retrograde tracing; Raphe-spinal projection; Antinociception (Du, H.-J.) **505,** 135

Rhesus monkey
Methamphetamine; Neurotoxicity; Dopamine; Serotonin; Brain (Woolverton, W.L.) **486,** 73

Shock titration; Pain; Analgesia; Morphine; Meperidine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

Rhodamine microsphere
Transplant; Axon guidance; Rat; Mouse (Jaeger, C.B.) **487,** 225

Rhythm
Syrian hamster; Pineal; Electrical activity; Iontophoresis; Sympathomimetics (Stehle, J.) **488,** 275

Rhythmic behavior
Swallowing; Swallow volume; Feeding microstructure; Ingestion rate; Ingestive behavior; Licking (Kaplan, J.M.) **499,** 63

Rhythmic cell
Medial septum; Acetylcholine; γ-Aminobutyric acid (Stewart, M.) **500,** 55

Rhythmogenesis
N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Excitatory amino acid; Respiration; Vagus nerve; Apneusis; Pneumotaxic mechanism (Foutz, A.S.) **500,** 199

θ Rhythm
Long-term potentiation; Hippocampus (Pacelli, G.J.) **486,** 26

Xenotransplantation; Hippocampus; Septum; Neuronal activity; Integration (Kitchigina, V.F.) **502,** 39

Ricinus communis agglutinin (RCA 120)
Central degeneration; Inappropriate area (Rivero-Melian, C.) **496,** 131

Ring dove
Aromatase; Estrogen; Androgen; Enzyme induction; Preoptic area; Male sexual behavior (Steimer, T.) **480,** 335

Prolactin receptor; *Streptopelia risoria*; Hypothalamus; Quantitative autoradiography; Telencephalon; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Ritanserin
Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

RNAse A
Spinal cord; Hippocampus; Glucocorticoid receptor; Mineralocorticoid receptor; Dexamethasone; Corticosterone; Aldosterone (Moses, D.F.) **481,** 317

Ro 15-1788
Anteromedial cortex lesion; Diazepam; Recovery of function; Somatosensory asymmetry; Spontaneous activity; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Ro 15-4513; Benzodiazepine receptor; In vivo binding (Sadzot, B.) **491,** 128

Benzodiazepine; FG 7142; Ro 15-4513; Palatability; Saccharin; Food intake (Cooper, S.J.) **494,** 172

Ro 15-4513
Ethanol; Pentylenetetrazol; Convulsion; FG 7142; Benzodiazepine–γ-aminobutyric acid receptor–ionophore complex (Mehta, A.K.) **489,** 93

Ro 15-1788; Benzodiazepine receptor; In vivo binding (Sadzot, B.) **491,** 128

Benzodiazepine; FG 7142; Ro 15-1788; Palatability; Saccharin; Food intake (Cooper, S.J.) **494,** 172

Ro 19-4603
Benzodiazepine receptor; Ethanol; Imidazodiazepine; Convulsion; Intoxication; Mouse (Lister, R.G.) **482,** 141

Rocket immunoelectrophoresis
Blood–brain barrier; Epileptic seizure; Bicuculline; Endogenous albumin (Sokrab, T.-E.O.) **489,** 231

Rod horizontal cell
Retina; Voltage-clamp; Excitatory amino acid; Kainic acid (O'Dell, T.J.) **477,** 118

Rod precursor
Cell proliferation; Goldfish retina; Optic nerve crush; Photoreceptor (Henken, D.B.) **501,** 247

Rodent
Acetylcholinesterase; Butyrylcholinesterase; Cerebral microvessel; Carnivore; Blood–brain barrier (Trancard, J.) **476,** 213

Dopamine; Magnetic field; Pigmentation; Retina (Olcese, J.) **498,** 145

Role of polyamines
Joro spider toxin (JSTX); 2,4-Dihydroxyphenylacetylasparagine (2,4-DHPA-ASN); Glutamate uptake by synaptosomes; Sodium-dependent glutamate binding (Pan-Hou, H.) **476,** 354

Rolipram
Cyclic adenosine monophosphate; Phosphodiesterase; Antidepressant; Autoradiography; Limbic system (Kaulen, P.) **503,** 229

Roller tube
Spinal cord; Ventral horn neuron; Dorsal horn neuron; Organotypic explant culture; Rat; Acetylcholinesterase (Delfs, J.) **488,** 31

Roller-tube technique
Calbindin-D 28K; Immunocytochemical method; Hippocampus; Organotypic culture; Rat (Bousez-Dumesnil, N.) **486,** 165

Rostral ventrolateral medulla
A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Neuroactive peptide; Arterial pressure; Brain slice (Sun, M.-K.) **492,** 261

Viscerotopy; Blood pressure; Hypertension; Midbrain periaqueductal gray; Defense reaction; Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Sympathetic preganglionic neuron; Astrocytic glia; Sympathetic nerve discharge; Immunocytochemistry; Spinal cord (Morrison, S.F.) **503,** 5

Rostroventral medulla
Rexed's lamina X; Retrograde tracing; Raphe-spinal projection; Antinociception (Du, H.-J.) **505,** 135

Rotation
α-Tocopherol; 6-Hydroxydopamine; Striatum; Parkinson's disease; Free radical; Antioxidant (Cadet, J.L.) **476,** 10

Adrenal medulla; Parkinsonism; Catecholamine; Transplant; Amphetamine; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Conditioned circling; Striatum; Medical prefrontal cortex; Dopamine; Cerebral asymmetry (Glick, S.D.) **504,** 231

Rubrospinal tract
Cat; Superimposed antidromic spike; Postspike axonal excitability (Canedo, A.) **502,** 28

S

S-100
Gliosis; Astrocyte; Thymidine; Proliferation; Cell number; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Hypothyroidism; Gliosis; Astrocyte; Glial fibrillary acidic protein; Immunohistochemistry; Autoradiography (Miyake, T.) **493,** 376

S-100 immunoreactivity
Enteric glia; Dye coupling; Myenteric plexus; Guinea pig; Lucifer yellow; Horseradish peroxidase (Hanini, M.) **497,** 245

Saccade
Basal ganglia; Superior colliculus; Cytoarchitecture; Primate (Ma, T.P.) **480,** 305

Saccharin
Benzodiazepine; FG 7142; Ro 15-1788; Ro 15-4513; Palatability; Food intake (Cooper, S.J.) **494,** 172

Saccular macula
Hair cell; Electrophoresis; Marker protein (Drescher, D.G.) **485,** 225

Sacral parasympathetic nucleus
Pelvic nerve; Pudendal nerve; Spinal cord projection; Strain difference; Rat; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Saffan
Chloral hydrate; Ether; Urethane; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Saline
Intracerebroventricular infusion; Hyperosmotic solution; Hypo-osmotic solution; Mannitol; Sucrose; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Salivary gland
Nerve regeneration; Reinnervation; Lingual nerve; Chorda tympani; Tongue; Taste (Robinson, P.P.) **483,** 259

Salt
Neuronal response; Food; Water; Sodium appetite; Zona incerta; Sheep (Kendrick, K.M.) **492,** 211

Salt intake
Deoxycorticosterone; (Na+K)-ATPase; Mineralocorticoid receptor (Grillo, C.) **499,** 225

Salt-loading
Neuropeptide Y; Arginine vasopressin; Brattleboro rat; Rat (Hooi, S.C.) **486,** 214

Saporin
Immunotoxin; Purkinje cell; Cerebellar degeneration; OX7; Thy-1 (Davis, T.L.) **504,** 216

Thy 1; Monoclonal antibody; Suicide transport; Vagus nerve; Caudate nucleus; Neurotoxicity (Wiley, R.G.) **505,** 44

Saralasin
Angiotensin II; Brain; Natriuresis (Unger, T.) **486,** 33

Angiotensin II immunoreactivity; Subfornical organ; Supraoptic neuron; Electrophysiology (Jhamandas, J.H.) **487,** 52

Sarcosine^1,isoleucine^8-angiotensin II
Angiotensin II; Nucleus tractus solitarii; Dorsal vagal nucleus; Sinoaortic denervation; Nodose ganglionectomy; Baroreceptor reflex (Healy, D.P.) **484,** 1

Sarthran
Amastatin; Bestatin; Blood pressure; Intracerebroventricular infusion; Jugular infusion; Spontaneously hypertensive rat (Jensen, L.L.) **490,** 48

Satiety
Bombesin; Sleep; Ischymetry; Rat (De Saint Hilaire-Kafi, Z.) **478,** 152

Feeding; N-0437; Dopamine D_2 receptor; Microstructural analysis; Locomotion; Grooming; Stereotyped behavior (Rusk, I.N.) **494,** 350

Vagus nerve; Cholecystokinin receptor; Nucleus tractus solitarii; Area postrema; Human brainstem (Hyde, T.M.) **495,** 198

Serotonin; Hypothalamus; Feeding behavior; Macronutrient; Carbohydrate; Protein; Paraventricular nucleus; Circadian rhythm (Leibowitz, S.F.) **503,** 132

SCH 23390
Dopamine receptor; Striatum; Striosome; Development; Ontogeny (Murrin, L.C.) **480,** 170

D_1 receptor; D_2 receptor; Neuroblastoma; Retinoblastoma; Clonal cell line; Methylspiperone (Monsma, F.J.) **492,** 314

Receptor, D_1-; Adenylate cyclase; Receptor, D_2-; Supersensitivity; Caudate-putamen; Autoradiography; Dopamine (Marshall, J.F.) **493,** 247

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Drug discrimination; Pentazocine; Sulpiride; Dopamine; Dopamine D_1 receptor (Ukai, M.) **496,** 377

Ventral tegmental area; Substantia nigra; Locomotion; Amphetamine (Stewart, J.) **495,** 401

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

[^{3}H]SCH 23390 binding
Reserpine; Adenylate cyclase; D_1 receptor; Supersensitivity; Striatum (Missale, C.) **483,** 117

Schild plot
Glycine; Kynurenic acid; *N*-Methyl-D-aspartate; Excitatory amino acid (Pullan, L.M.) **497,** 59

Schizophrenia
Haloperidol-sensitive; σ-Receptor; Ditolylguanidine; Hippocampus; Neurotransmitter release (Neumaier, J.F.) **500,** 215

Neuropathology; Neuroimmunology; Monoclonal antibody (Honer, W.G.) **500,** 379

Schwann cell
Acetylcholine receptor channel; Denervation; End-plate; Miniature end-plate current (Reiser, G.) **479,** 83

Nerve regeneration; Rat sciatic nerve; Thymidine; Somatomedin; Insulin-like growth factor; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Thiamine pyrophosphatase (TPPase); Myelin sheath; Major dense line; Oligodendrocyte; Cytochemistry (Castellano, B.) **492,** 203

Dorsal root ganglion neuron; Cell culture; Freeze-fracture; Node of

Ranvier; Non-myelinated axon (Bigbee, J.W.) **494,** 182

Peripheral nerve regeneration; Angiogenesis; Matrigel; Extracellular matrix; Trophic factor (Humphrey, M.F.) **497,** 132

Potassium channel; Patch clamp; Whole-cell recording; Tetraethylammonium; Quinine (Konishi, T.) **499,** 273

Twitcher mouse; Globoid cell leukodystrophy; Unmyelinated fiber (Tanaka, K.) **503,** 160

Sciatic nerve
Rat; Somatomedin; Growth factor; Insulin-like growth factor I; Nerve regeneration; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Conditioning lesion; Axonal regeneration; Nerve transection; Nerve freeze; Rat; Electrical stimulation; Denervated muscle; Neurotrophic factor (Bondoux-Jahan, M.) **490,** 350

Hexanedione; Neurotoxicity; Axonopathy; Protein phosphorylation; Nerve injury (Horan, K.L.) **491,** 366

Blood–nerve barrier; Capillary; Compound action potential; Perineurium; Tibial nerve (Wadhwani, K.C.) **493,** 231

Albumin; Blood–nerve barrier; Capillary permeability; Endoneurial capillary; Endoneurium; Perineurium (Weerasuriya, A.) **494,** 114

Diabetes; Insulin; Insulin-like growth factor-I; Nerve regeneration; Rat; Somatomedin; Streptozotocin (Ekström, P.A.R.) **496,** 141

Sciatic nerve crush
Org 2766; Binding; Spinal cord; Adrenocorticotropic hormone; Melanocyte stimulating hormone (Dekker, A.J.A.M.) **477,** 327

Scintigraphy
Thallium-201; Membrane potential; Astrocyte; Glioma; Human (Brismar, T.) **500,** 30

Scopolamine
Acetylcholine; Norepinephrine; Inhibitory avoidance; Spatial learning; DSP-4; Mouse (Decker, M.W.) **477,** 29

Long-term potentiation; CA1 area; Hippocampal slice (Hirotsu, I.) **482,** 194

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Wistar rats (Sundaram, K.) **503,** 22

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Neocortex; Rat; Serotonin (Vanderwolf, C.H.) **504,** 181

Avoidance behavior; Circadian rhythm; 5,7-Dihydroxytryptamine; Open field; Serotonin; Social behavior (Vanderwolf, C.H.) **504,** 192

Scorpion toxin
Rat hippocampal pyramidal neuron; Voltage-dependent sodium current; Sodium current inactivation (Kaneda, M.) **487,** 192

Sodium channel; Tetrodotoxin; Calcium; EGTA; Dopamine; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Scrapie
Intraocular infection; Spongiosis; Enucleation; Mouse (Scott, J.R.) **504,** 301

Scratch reflex
Flexion reflex; *N*-Methyl-D-aspartate; Amino acid antagonist
D(−)-2-Amino-5-phosphonovalerate (Stein, P.S.G.) **479,** 379

Sea anemone toxin
Protein kinase C; Tetrodotoxin; Sodium channel; Antibody to synthetic peptides; 4-Aminopyridine; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

Seasonality
Frog neuromuscular junction; Synaptic strength; Identified junction; Quantal content; Miniature endplate potential frequency (Pawson, P.A.) **495,** 182

Second messenger
L-Quisqualate;
L-2-Amino-4-phosphonobutanoate; Sensitization; Excitatory amino acid; Uptake; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

Second somatosensory cortex
Cortical area 7b; Nociceptive specific neuron; Trigeminal somatosensory system; Noxious mechanical stimulation; Stimulus habituated monkey (Dong, W.K.) **484,** 314

Motor cortex; Cortico-cortical connection; Cortical microstimulation; Intracortical microstimulation; Cat (Mori, A.) **504,** 206

Secondary ischemia
Concussion; Delayed neuronal necrosis; Selective vulnerability; Axonal injury; Hippocampal hyperactivity (Jenkins, L.W.) **477,** 211

Secondary spindle sensory ending
Neuromuscular spindle; Group I and group II afferent fibre; Sympathetic nervous system; Lumbar sympathetic chain; Antidromic collision (Petit, J.) **503,** 181

Sedative
Benzodiazepine; Diazepam; [^{14}C]Deoxyglucose technique; Glucose utilization; Tolerance; Anxiolytic; Corticosterone (Laurie, D.J.) **504,** 101

Seizure
Ischemia; Hippocampus; Striatum; Gerbil; Brain damage (Armstrong, D.R.) **476,** 174

Picrotoxin; Estrogen; Testosterone; Sex difference (Schwartz-Giblin, S.) **476,** 240

Hippocampus; Opiate receptor; Colchicine; Kainic acid; Mossy fiber path (Perry, D.C.) **477,** 100

Kindling; Hippocampus; Epilepsy; Immunocytochemistry; Parvalbumin; Calcium-binding protein; γ-Aminobutyric acid; Co-localization (Kamphuis, W.) **479,** 23

Homocysteic acid; NMDA antagonist; NMDA receptor (Turski, W.A.) **479,** 371

Epilepsy; Hippocampus; Neurological mutant; Timm's stain (Stanfield, B.B.) **480,** 294

Zinc; Epilepsy; Limbic system; Kainic acid; Neuron death; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Kainic acid; Adrenalectomy; Dexamethasone; Wet dog shake (Lee, P.H.K.) **480,** 322

Convulsion; γ-Aminobutyric acid; Muscimol; Bicuculline; Baclofen; Substantia nigra; Rat (Sperber, E.F.) **480,** 378

Aging; Glycine; Strychnine binding, [^{3}H]; Rat; Amino acid (Hunter, C.) **482,** 247

Kainic acid; Hippocampus; κ-Opioid receptor; U-50,488H; Ischemia (Lason, W.) **482,** 333

Kindling; Locus coeruleus; α_2-Adrenergic receptor; Epilepsy (Jimenez-Rivera, C.A.) **485,** 363

Epilepsy; Gerbil; γ-Aminobutyric acid; Intracerebral injection; Thalamus; Muscimol (Lee, R.J.) **487,** 363

Benzodiazepines; Substantia nigra pars reticulata; γ-Aminobutyric acid (GABA); Muscimol; Flurazepam; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

Kindling; Afterdischarge; Amygdala; Pyriform; Vasopressin; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

γ-Aminobutyric acid; *N*-Methyl-D-aspartate; Divalent cation (Czéh, G.) **495,** 89

Mast-cell degranulating peptide; Dendrotoxin; 4-Aminopyridine; Potassium channel blocker; Potassium channel opener; Epilepsy (Gandolfo, G.) **495,** 189

Single potassium channel; Patch clamp; Pentylenetetrazole; Cultured neuron (Sugaya, E.) **497,** 239

Dentate gyrus; Hippocampus; Endoplasmic reticulum; Ultrastructural plasticity (Pico, R.M.) **497,** 387

Epilepsy; Hippocampus; Neocortex; Osmolality; Hypernatremia; Hyponatremia (Andrew, R.D.) **498,** 175

Glutamate; Aspartate; Excitatory amino acid; Kindling; Epilepsy (Croucher, M.J.) **501,** 58

Substantia nigra pars reticulata; Dopaminergic dendrite; Weaver mutant mouse; Homozygote; Heterozygote (Triarhou, L.C.) **501,** 373

γ-Aminobutyric acid; Ethanol; Colliculus; Long sleep mouse; Short sleep mouse; Receptor (Peris, J.) **503,** 288

Epilepsy; Substantia nigra; 1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine; Mongolian gerbil; Mouse (Van Ness, P.C.) **504,** 289

Kindling; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Epilepsy; Seizure resistance; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

Seizure resistance
Kindling; Seizure; *N*-Acetyl-aspartylglutamate; *N*-Acetylated-α-linked acidic dipeptidase; Glutamate; Aspartate; Epilepsy; Electroconvulsive therapy (Meyerhoff, J.L.) **505,** 130

Seizure suppression
Amygdala; Kindling; *N*-Methyl-D-aspartate receptor antagonist; Substantia innominata; 2-Amino-7-phosphonoheptanoic acid; Elevation of seizure threshold (Mori, N.) **486,** 141

Seizure susceptibility
Kindling; Amygdala; Excitatory amino acid; Ibotenate; Polyphosphoinositide hydrolysis (Akiyama, K.) **485,** 95

Seizure threshold
α-Mouse; Submissive mouse; Behavioral 'despair'; Exploration; Anxiety; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Seizure-sensitive mice
γ-Aminobutyric acid receptor; Chloride ion channel; Synaptoneurosome; Barbiturate; Picrotoxinin; Picrotoxin (Schwartz, R.D.) **481,** 169

Selective cell death
Development; Excitotoxicity; Hippocampus; Muscarinic receptor; Neuroarchitecture (Mattson, M.P.) **497,** 402

Selective degeneration
Squirrel monkey; Retinal ganglion cell; Parallel visual pathway; Visual system; Acrylamide; Cytochrome oxidase; Neurotoxicity (Lynch III, J.L.) **499,** 325

Selective dopaminergic lesion
Parkinsonian; 6-Hydroxydopamine; A9 cell group; A10 cell group; Nucleus accumbens olfactory tubercle (Perese, D.A.) **494,** 285

Selective neuronal vulnerability
Phenytoin; Ischemia; Cerebral protection; Cell death (Taft, W.C.) **483,** 143

Selective vulnerability
Concussion; Secondary ischemia; Delayed neuronal necrosis; Axonal injury; Hippocampal hyperactivity (Jenkins, L.W.) **477,** 211

Cerebral ischemia; Repeated ischemia; Transient ischemic attack; Calcium accumulation; Gerbil (Kato, H.) **479,** 366

Autoradiography; Cerebral ischemia; Hippocampus; Phorbol ester; Protein kinase C; Synaptic plasticity (Onodera, H.) **481,** 1

Hippocampus; Ischemia; Excitatory amino acid; Calcium; Chloride; Sodium; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus (Ashton, D.) **487,** 402

Self-injurious behavior
Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Self-stimulation
Dopamine; Accumbens; Caudate; Medial frontal cortex; *cis*-Flupenthixol; Reward; Motor effect (Stellar, J.R.) **477,** 126

Aversion; Benzodiazepine; Diazepam; Escape; Lateral hypothalamus; Reward (Carden, S.E.) **483,** 327

Peduncular-pontine nucleus; Lateral hypothalamus; Reinforcement threshold; Lesion; Lateralized effect (Buscher, W.) **487,** 321

Medial prefrontal cortex; Lateral hypothalamus; Ventral tegmental area; Stress; Learned helplessness; Dopamine (McGregor, I.S.) **490,** 397

Naloxone; Naltrexone; Reinforcement; Extinction; Endorphin (Trujillo, K.A.) **492,** 15

Microdialysis; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; 5-Hydroxyindoleacetic acid; Nucleus accumbens; Medial forebrain bundle (Nakahara, D.) **495,** 178

Brainstem; Mapping; Moveable electrode; Pons; Reward (Rompré, P.-P.) **496,** 295

Brain stimulation reward; Single-unit recording; Ventral tegmental area; Lateral hypothalamus; Basal forebrain (Shizgal, P.) **499,** 234

Semicarbazide
Periaqueductal gray; γ-Aminobutyric acid; Muscimol; Microinjection; Aversion; Conditioned place preference (Di Scala, G.) **483,** 91

Semicircular canal
Vestibular afferent; Natural stimulation; Auditory (freeze) startle reflex (Blanks, R.H.I.) **487,** 278

Semidifferential voltammetry
Graphite stearate electrode; Dopamine; Serotonin (Broderick, P.A.) **495,** 115

Seminal emission
Dopamine; Sexual behavior; Penile reflex; Medial preoptic area; Paraventricular nucleus; Male; Rat (Pehek, E.A.) **500,** 325

Semitendinosus
Motor control; Compartmentalization; Intramuscular electromyography; Paw shake; Jumping; Treadmill locomotion (Hutchison, D.L.) **479,** 56

Senescence
Age; Aging; Oxygen consumption; Hippocampal slice; Brain; Potassium (Martin, F.R.) **492,** 392

Senescence accelerated mouse
Animal model; Learning deficit; Memory deficit; Sidman active avoidance (Ohta, A.) **498,** 195

Senile plaque
Alzheimer's disease; Dystrophic neurite; Neuromediator system; Paired helical filament; Amyloid substance (Lenders, M.-B.) **481,** 344

Corticotropin-releasing factor; Immunocytochemistry; Hypothalamus; Cerebellum; Hippocampus; Alzheimer's disease (Kelley, M.) **501,** 392

Senile plaques
Alzheimer's disease; Paired helical filament; Superoxide dismutase; Free radical; Neurodegenerative disorder (Zemlan, F.P.) **476,** 160

Sensation development
Tooth-pulp stimulation; Reflex development; Trigeminal nerve (Tal, M.) **497,** 138

Sensation of movement
Magnetic coil; Human motor cortex (Amassian, V.E.) **479,** 355

Sensitization
L-Quisqualate; L-2-Amino-4-phosphonobutanoate;

Excitatory amino acid; Uptake; Second messenger; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

Amphetamine; Glucocorticoid receptor; Stress; Dopamine; Noradrenaline (Rivet, J.-M.) **498,** 149

Carrageenin; 5-Hydroxytryptamine; Ventrobasal thalamus complex; Rat (Guilbaud, G.) **502,** 187

Vasopressin; Blood pressure; Intracerebroventricular administration; Conscious rat (Lebrun, C.J.) **505,** 39

Sensorimotor
Trigeminocerebellar; Bird; Jaw; Wheat germ-agglutinin conjugated horseradish peroxidase; Inferior olive (Arends, J.J.A.) **487,** 69

Motor potential; Parietal lobe; Movement-related cortical potential; Movement (Knight, R.T.) **498,** 190

Sensorimotor evoked discharge
Treadmill locomotion; Estrogen; Progesterone; Sex steroid; Cerebellar Purkinje cell (Smith, S.S.) **476,** 307

Sensory
Sympathetic; Survival; Nerve growth factor; Receptor; Antibody (Johnson, E.M.) **478,** 166

Sensory cortex
Learning; Motor cortex; Association fiber; Motor learning; Sensory input; Cortical lesion (Sakamoto, T.) **503,** 258

Sensory encoding
Sensory transduction; Mechanoreceptor; Rapid adaptation; Threshold; Sodium pump; Ouabain (French, A.S.) **504,** 112

Sensory innervation
Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Superior cervical ganglion; Nodose ganglion; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Sensory input
Cerebral cortical transplant; Newborn host; Thalamic stimulation; Peripheral stimulation; Electrophysiology (Neafsey, E.J.) **493,** 33

Learning; Motor cortex; Association fiber; Sensory cortex; Motor learning; Cortical lesion (Sakamoto, T.) **503,** 258

Sensory nerve
Neuroma; Spontaneous activity; Capsaicin; Rat (Hartung, M.) **499,** 363

Sensory neuron
Maintenance of the neuron; Perikaryonal protein synthesis; Perikaryonal volume; Morphometry of axon (Von Bernhardi, R.) **478,** 301

Tachykinin; Vasoactive intestinal peptide; Nerve injury; Gene expression; Actin (Nielsch, U.) **481,** 25

Glutamate; Neural crest; Neurofilament; Neuronal differentiation; Substance P; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

Parvalbumin; Calbinding D28k; Calcitonin gene-related peptide; Dorsal root ganglia (Carr, P.A.) **497,** 163

α-Chloralose; Chloride channel; Frog; Noise analysis (Ishizuka, S.) **498,** 181

Benzodiazepine receptor; Ca^{2+}; Diazepam; GABA receptor; Voltage clamp (Akaike, N.) **504,** 293

Sensory physiology
Vasopressin; Oxytocin; Respiratory neuron; Nucleus tractus solitarii; Brainstem; Respiration (Henry, J.L.) **491,** 150

Sensory receptor
Brush cell; Horseradish peroxidase; Microvillar cell; Neuron; Olfaction; Olfactory epithelium; Smell (Rowley III, J.C.) **502,** 387

Sensory stimulation
Rapid eye movement sleep; Kainate; Ponto-geniculo-occipital spike; Medial pontine reticular formation (Arankowsky-Sandoval, G.) **494,** 396

Sensory threshold
Geniculate body; Physiology; *γ*-Aminobutyric acid; Neural inhibition; Vision; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Sensory transduction
Mechanoreceptor; Rapid adaptation; Sensory encoding; Threshold; Sodium pump; Ouabain (French, A.S.) **504,** 112

Septal
Cell; Theta-on; Theta-off; Hippocampal; Electroencephalogram (Ford, R.D.) **493,** 269

Septal lesion
Nerve growth factor; Sprouting; Hippocampal slice; Bioassay; Conditioned medium (Collins, F.) **490,** 355

Septal nucleus
Nucleus accumbens; Retrograde transport; Spinal cord; Nociception; Fluoro-gold (Burstein, R.) **497,** 149

Septal slice
Somatostatin; *γ*-Aminobutyric acid; Electrophysiology; Potassium conductance; Rat (Twery, M.J.) **497,** 315

Septal slice in vitro
[^{3}H]Dopamine release; [^{3}H]Noradrenaline release; Adrenocorticotropic hormone-(1–24); Dopamine D_2 receptor (Florijn, W.J.) **494,** 247

Septohippocampal
Medial septum; Diagonal band; *γ*-Aminobutyric acid; Parvalbumin (Freund, T.F.) **478,** 375

Septohippocampal neuron
Acetylcholine synthesis; Septum; Hippocampus; Hemicholinium-3; Choline transport; Single unit recording (Jobert, A.) **476,** 220

Septohippocampal system
Alzheimer's disease; Axotomy; Cholinergic neuron; Cytoskeleton (Koliatsos, V.E.) **482,** 205

Septum
Acetylcholine synthesis; Hippocampus; Septo-hippocampal neuron; Hemicholinium-3; Choline transport; Single unit recording (Jobert, A.) **476,** 220

Vasopressin; Receptor; Phosphoinositide hydrolysis; Brattleboro rat (Shewey, L.M.) **478,** 95

Nerve growth factor receptor; Aging; Nucleus basalis; Diagonal band; Immunohistochemistry (Gómez-Pinilla, F.) **479,** 255

Nervus terminalis; Transient connection; Amphibian; Tadpole; Ontogeny; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

Hippocampus; Graft; Acetylcholine (Segal, M.) **500,** 139

Xenotransplantation; Hippocampus; Neuronal activity; *θ*-Rhythm; Integration (Kitchigina, V.F.) **502,** 39

Serine
N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine; Thalamus; Somatosensory system (Salt, T.E.) **481,** 403

Serotonergic receptor
Imipramine; *β*-Adrenergic receptor; Hippocampal slice in vitro; CA1 pyramidal cell; Antidepressant; Intracellular recording (Beck, S.G.) **504,** 72

Serotonin
Luteinizing hormone; Prolactin; Estradiol; Ovariectomy; Median eminence; Medial preoptic nucleus; Suprachiasmatic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Stimulation-produced analgesia; Raphe-spinal axon; Nucleus raphe magnus; Substantia gelatinosa; Dorsal horn (Cho, H.J.) **477,** 344

Acetylcholine; Spatial memory (Richter-Levin, G.) **477,** 404

(Asu^{1,7})eel-Calcitonin; Inositol phospholipid; Cortex; Hippocampus; Cyclic adenosine monophosphate; Norepinephrine (Clementi, G.) **478,** 138

Neuropeptide; Tachykinin; Co-transmitter; Ion transport; Neuroblastoma × glioma hybrid cell (Reiser, G.) **479,** 40

Dopamine; Noradrenaline; Metabolism (Kalsbeek, A.) **479,** 339

Feeding; 5-Hydroxyindoleacetic acid; Lateral hypothalamus; Microdialysis (Schwartz, D.H.) **479,** 349

(Na^+,K^+)ATPase; Kindling (Hernández-R., J.) **480,** 403

Enkephalin; Substance P; Pudendal motoneuron; Onuf's nucleus; Spinal cord; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Isolated, perfused brain; Spontaneously hypertensive rats; Perfusion flow rate; Prostaglandin $F_{2\alpha}$; Phenylephrine (Gong, D.) **482,** 122

Methamphetamine; Rat forebrain; Immunocytochemistry; Quantitative morphometry (Fukui, K.) **482,** 198

Excitatory amino acid; Median raphe nucleus; Locomotor activity; Dopamine; Dorsal raphe nucleus; Ventral tegmental area; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

D-Fenfluramine; Perifornical lateral hypothalamus; Microdialysis (Schwartz, D.) **482,** 261

Locus ceruleus; Noradrenaline; Prazosin; Methysergide; Spinal Cord; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

Substance P; Met-enkephalin; Spinal cord; Periaqueductal gray matter; Pain; Blood pressure (De Felipe, M.C.) **485,** 301

ω-Conotoxin GVIA; Bay K 8644; Nifedipine; Calcium-dependent plateau; Action potential; Afterhyperpolarization (Scroggs, R.S.) **485,** 391

Methamphetamine; Neurotoxicity; Dopamine; Rhesus monkey; Brain (Woolverton, W.L.) **486,** 73

Exogenous; Endogenous; Release; Calcium-dependency; *Hymenolepis diminuta* (Gordon, B.) **486,** 376

Cholinergic neurotoxin; Ethylcholine aziridinium; *bis* 4-Methylpiperidine; Hemicholinium; High affinity choline transport; Norepinephrine; Acetylcholine (Potter, P.E.) **487,** 238

Hippocampus; Ventrobasal complex; Single unit activity; *p*-Chlorophenylalanine; 5-Methoxy-*N*,*N*-dimethyltryptamine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

Tryptophan; Amino acid; Brain; Human; Rat (Hernández-R., J.) **488,** 1

Neurotoxicity; 3,4-Methylenedioxymethamphetamine; Primate (Kleven, M.S.) **488,** 121

Opioid receptor; Nucleus raphe dorsalis; Apomorphine-induced aggression (Giraud, O.) **488,** 174

5-Hydroxytryptamine; Immunocytochemistry; Cerebral cortex; Lizard; Reptile (Guirado, S.) **488,** 213

Lateral geniculate nucleus; Relay neuron; Dorsal raphe nucleus; Ascending reticular system; Electroencephalography (Kayama, Y.) **489,** 1

Obesity; Norepinephrine; Dopamine; Goldthioglucose; Mouse (Silva, E.) **490,** 192

Neurotoxicity; Methamphetamine; Dopamine; Drug abuse (Ricaurte, G.A.) **490,** 301

Enkephalin; Substance P; Trigemino-thalamic tract; Medullary dorsal horn; Thalamus; Immunocytochemistry (Tashiro, T.) **491,** 360

Microdialysis; Habenula; Dorsal raphe nucleus; Striatum; Release (Kalén, P.) **492,** 187

Purkinje cell; Cerebellum; Excitatory amino acid; In vitro; Intracellular recording (Hicks, T.P.) **492,** 371

Trigeminal nerve; Mesencephalic trigeminal nucleus; Enkephalin; Substance P; Immunocytochemistry; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

Hypothalamic nucleus; Dorsal raphe nucleus; Median raphe nucleus; Locus ceruleus; Electrical and electrochemical stimulation; Luteinizing hormone; Push–pull perfusion; 5-Hydroxytryptophan; 5-Hydroxyindoleacetic acid (Petersen, S.L.) **495,** 9

Graphite stearate electrode; Semidifferential voltammetry; Dopamine (Broderick, P.A.) **495,** 115

Morphine; Dorsal raphe nucleus; Nucleus raphe magnus; Spinal cord; Medullary dorsal horn; Voltammetry (Rivot, J.P.) **495,** 140

Paraventricular nucleus; Adrenal gland; Hypothalamus; Pituitary; Corticosterone; Norepinephrine; Dopamine (Leibowitz, S.F.) **496,** 219

5,7-Dihydroxytryptamine; Norepinephrine; Monoamine oxidase; Parkinson's disease; Aging; Neurotoxin (Finnegan, K.T.) **496,** 251

Serotonin receptor; Neuronal development; Astroglial cell; 8-Hydroxy-2-(di-n-propylamino)tetralin (Whitaker-Azmitia, P.M.) **497,** 80

Substance P; Enkephalin; Immunohistochemistry; Onuf's nucleus; Spinal cord; Cat (Tashiro, T.) **497,** 177

Monoamine oxidase-A; Monoamine oxidase-B; Human brain; Frontal cortex; Ontogenesis; Aging; β-Phenylethylamine; Clorgyline; Deprenyl (Kornhuber, J.) **499,** 81

Dialysis; Hypothalamus; Rat; Release; High-performance liquid chromatography-electrochemical detection (Auerbach, S.B.) **499,** 281

Coexistence; Calcitonin gene-related peptide; Substance P; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Cholecystokinin; Opiate; Tryptophan hydroxylase; Vagotomy; 5-Hydroxyindole acetic acid (Johannessen, J.N.) **499,** 357

Cerebral cortex; Hibernation; Arousal; Feeding; Dopamine; Bat (Bauman, W.A.) **500,** 156

8-OH DPAT; Sympathetic neuron; Serotonin agonist (McCall, R.B.) **501,** 73

Spinal cord; Dialysis; Monosynaptic response (Samathanam, G.) **501,** 179

5-Hydroxytryptamine; Motoneuron; Afterhyperpolarization; Spinal cord (White, S.R.) **502,** 205

Nucleus tractus solitarius; Substance P; Neuropeptide; Colocalization of neurotransmitter; Brainstem; Slice (Jacquin, T.) **502,** 214

Serotonin turnover; Suicide; Depression; Postmortem human brain; Antidepressant drug (Cheetham, S.C.) **502,** 332

Hypothalamus; Feeding behavior; Macronutrient; Carbohydrate; Protein; Paraventricular nucleus; Circadian rhythm; Satiety (Leibowitz, S.F.) **503,** 132

α-Melanocyte-stimulating hormone; Rat; Dopamine; Hypothalamus; Superfusion (Tiligada, E.) **503,** 225

Transplant; Development; Neostriatum; Dopamine; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Behavior; Electrocorticogram; 5,7-Dihydroxytryptamine; High-performance liquid chromatography; Hippocampus; Neocortex; Rat; Scopolamine (Vanderwolf, C.H.) **504,** 181

Avoidance behavior; Circadian rhythm; 5,7-Dihydroxytryptamine; Open field; Social behavior; Scopolamine (Vanderwolf, C.H.) **504,** 192

Neurotoxin; Limbic system; Alzheimer's disease (Crino, P.B.) **504,** 247

D-Fenfluramine; In vivo microdialysis (Laferrere, B.) **504,** 258

Dentate gyrus; Hippocampus; 5-Hydroxytryptophan; 8-Hydroxy-2-(di-*n*-propylamino)-tetralin; Population response; Rat (Klancnik, J.M.) **505,** 145

Fenfluramine; Stereoisomer; Neurotoxicity (Kleven, M.S.) **505,** 351

Serotonin agonist
8-OH DPAT; Serotonin; Sympathetic neuron (McCall, R.B.) **501,** 73

Serotonin cell
Monosynaptic connection; *Helix* (Vehovszky, A.) **484,** 404

Serotonin innervation
Neostriatum; Ultrastructure; Radioautography; Immunocytochemistry (Soghomonian, J.-J.) **481,** 67

Subcommissural organ; γ-Aminobutyric acid uptake; Ependymocyte (Didier-Bazes, M.) **489,** 137

Serotonin receptor
Antipsychotic; Neuroleptic; Haloperidol; Clozapine; Dopamine receptor; Striatum; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Serotonin; Neuronal development; Astroglial cell; 8-Hydroxy-2-(di-n-propylamino)tetralin (Whitaker-Azmitia, P.M.) **497,** 80

Serotonin release
Neural grafting; Intracerebral microdialysis; Hippocampus; Rat (Daszuta, A.) **498,** 323

Serotonin S_2 antagonist
Cerebral ischemia; Repeated ischemia; Naftidrofuryl; Gerbil (Fujikura, H.) **494,** 387

Serotonin system
Dopamine system; Platelet [^{3}H]-imipramine binding; Electroretinogram b-wave amplitude (Castrogiovanni, P.) **504,** 129

Serotonin turnover
Serotonin; Suicide; Depression; Postmortem human brain; Antidepressant drug (Cheetham, S.C.) **502,** 332

Serotonin uptake site
Methamphetamine; Neurotoxicity; Autoradiography, quantitative (Kovachich, G.B.) **505,** 123

Serotonin-2
Ex vivo; Dopamine D_2; α_1-Adrenoceptor; Autoradiography (Schotte, A.) **500,** 295

Serotonin-2 antagonists
ICI 169,369; ICI 170,809; Electroencephalogram; Sleep study; Rat (Tortella, F.C.) **485,** 294

Serotonin-2 receptor
Hallucinogen; Psychotomimetic; Quantitative autoradiography; Lysergic acid diethylamide; Phenylisopropylamine (McKenna, D.J.) **476,** 45

Serotonin$_{1D}$ receptor
p-Chloroamphetamine; Paroxetine-labeled serotonin uptake site; Autoradiography (Herrick-Davis, K.) **483,** 155

Serotonin$_2$ antagonist
1-(2,5-Dimethoxy-4-iodophenyl)-2-aminopropane; Prefrontal cortex (Ashby, C.R.) **498,** 393

Sex behavior
Lordosis; Estrogen receptor; Progestin receptor; Puberty (Olster, D.H.) **484,** 168

Sex difference
Seizure; Picrotoxin; Estrogen; Testosterone (Schwartz-Giblin, S.) **476,** 240

Asymmetry; Chicken; Thalamofugal pathway; True blue; Visual Wulst (Adret, P.) **478,** 59

Hippocampus; CA3; Dendrite; Differential environment (Juraska, J.M.) **479,** 115

Auditory pathway; Brain slice; Electrophysiology; V_1-receptor; Immunocytochemistry; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Prolactin receptor; Ring dove; *Streptopelia risoria*; Hypothalamus; Quantitative autoradiography; Telencephalon; Choroid plexus (Fechner, J.H.) **487,** 245

α_2-Adrenergic; *p*-Amino-clonidine; Nucleus intercollicularis; Reproductive behavior; Japanese quail; Autoradiography (Ball, G.F.) **491,** 68

Brainstem; Guinea pig; Immunocytochemistry; Vasopressin (Dubois-Dauphin, M.) **496,** 45

Corpus callosum; Factor analysis; Age; Early experience (Denenberg, V.H.) **497,** 271

Progestin receptor; Guinea pig (Thornton, J.E.) **503,** 253

Sex steroid
Treadmill locomotion; Estrogen; Progesterone; Sensorimotor evoked discharge; Cerebellar Purkinje cell (Smith, S.S.) **476,** 307

Sexual arousal
Sexual behavior; Castration; Mesolimbic dopamine system; Nucleus accumbens (Mitchell, J.B.) **491,** 116

Sexual behavior
Nicotine; Testosterone; Eye opening; Reproductive axis; Levator anus; Development (Segarra, A.C.) **480,** 151

Sexual arousal; Castration; Mesolimbic dopamine system; Nucleus accumbens (Mitchell, J.B.) **491,** 116

Neurotoxin; *N*-(2-Chlorethyl)-*N*-ethyl-2-bromobenzylamine (DSP-4); Luteinizing hormone; Aromatase; Noradrenergic; Norepinephrine (Balthazart, J.) **492,** 163

Dopamine; Penile reflex; Seminal emission; Medial preoptic area; Paraventricular nucleus; Male; Rat (Pehek, E.A.) **500,** 325

Photoperiod; Amygdala; Opiate; Naloxone; Hamster; Luteinizing hormone (Tubbiola, M.L.) **503,** 91

Sexually dimorphic
Lumbar spinal cord; Motoneuron; Perineal muscle; House mouse; Dendritic pattern (Wagner, C.K.) **499,** 93

Sheep
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Thermosensitive; Tongue (Sweazey, R.D.) **480,** 133

Neuronal response; Food; Water; Salt; Sodium appetite; Zona incerta (Kendrick, K.M.) **492,** 211

Monensin; Ouabain; Push–pull perfusion; Sodium appetite; Thirst (Tarjan, E.) **500,** 352

Swallowing; Tongue extrinsic muscle; Muscular swallow synergy; Electromyographic recording (Amri, M.) **503,** 141

Maternal behavior; Naltrexone; Oxytocin; Phentolamine; Vaginocervical stimulation (Kendrick, K.M.) **505,** 329

Shock avoidance
Ependymin; Classical conditioning; Goldfish training; Extracellular proteins; Enzyme-linked immunoassay; Long-term memory; Memory consolidation; Associative learning; Extracellular fluid change protein change; Brain glycoprotein; Learning (Shashoua, V.E.) **484,** 333

Shock titration
Pain; Analgesia; Rhesus monkey; Morphine; Meperidine; Pentazocine; Diazepam (Bloss, J.L.) **499,** 344

Short sleep mouse
γ-Aminobutyric acid; Seizure; Ethanol; Colliculus; Long sleep mouse; Receptor (Peris, J.) **503,** 288

Short-term potentiation
Hippocampal slice; Long-term potentiation; Excitatory postsynaptic potential; *N*-Methyl-D-aspartate (Anwyl, R.) **503,** 148

Shuttlebox active avoidance
Benzodiazepine receptor; γ-Aminobutyric acid; Chloride ion flux; In vivo binding; Receptor occupancy; Anxiety; Depression (Drugan, R.C.)

487, 45

Sialosyl cholesterol
Glycolipid; Astroglia; Growth inhibition; Differentiation (Ito, J.-I.) **481,** 335

Sidman active avoidance
Animal model; Learning deficit; Memory deficit; Senescence accelerated mouse (Ohta, A.) **498,** 195

Sigma receptor
Di-*o*-tolylguanidine; Movement; Posture; Age (Matsumoto, R.R.) **504,** 145

Signal transduction
Guanosine triphosphate-binding protein; β-Adrenergic receptor; Receptor–effector coupling; Photoaffinity labeling; Cyclic nucleotide; C6 glioma cell (Rasenick, M.M.) **488,** 105

Single channel
Calcium-activated potassium channel; Leech (Pellegrini, M.) **483,** 294

Single channel recording
Cultured hippocampal neuron; Patch-clamp technique; Current–voltage relation; Quinolinic acid; Magnesium ion; *N*-Methyl-D-aspartate receptor (Tsuzuki, K.) **481,** 258

Single neuron
Auditory cortex; Acetylcholine; Receptive field; Neuromodulator; Neuronal plasticity (Metherate, R.) **480,** 372

Auditory cortex; Tone sequence; Cat (McKenna, T.M.) **481,** 142

Single potassium channel
Patch clamp; Pentylenetetrazole; Seizure; Cultured neuron (Sugaya, E.) **497,** 239

Single unit activity
Hippocampus; Ventrobasal complex; Serotonin; *p*-Chlorophenylalanine; 5-Methoxy-*N,N*-dimethyltryptamine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

Amphetamine; Freely moving rat; Neostriatum (Haracz, J.L.) **489,** 365

Lidocaine; Medial septum; Hippocampus (Mizumori, S.J.Y.) **500,** 99

γ-Aminobutyric acid; Huntington's disease; Basal ganglia; Globus pallidus; Entopeduncular nucleus; Partial deafferentation (Sachdev, R.N.S.) **501,** 295

Histamine; H_1-receptor antagonist; H_2-receptor antagonist; Substance P; Estrogen; Arcuate nucleus; Hypothalamic slice (Jorgenson, K.L.) **502,** 171

Single unit electromyogram
Tonic vibration reflex; Barbiturate; Cross-correlation (Hori, Y.) **497,** 291

Single unit recording
Acetylcholine synthesis; Septum; Hippocampus; Septo-hippocampal neuron; Hemicholinium-3; Choline transport (Jobert, A.) **476,** 220

Antinociception; Nucleus cuneiformis; Nucleus parabrachialis; Pontomesencephalic reticular formation; Rat (Haws, C.M.) **483,** 272

D-Amphetamine infusion; Dopamine; Synthesis; Autoreceptor (Lee, T.H.) **483,** 17

Primary somatosensory cortex; Primate; Premovement activity; Neuronal response (Nelson, R.J.) **484,** 43

Pain; Ventromedial medulla; Freely moving rat (Oliveras, J.-L.) **486,** 1

Corticostriatal cell; Motor cortex; Pyramidal tract neuron; Behaving monkey; Antidromic identification (Bauswein, E.) **493,** 198

Brain stimulation reward; Self-stimulation; Ventral tegmental area; Lateral hypothalamus; Basal forebrain (Shizgal, P.) **499,** 234

Corticotropin-releasing factor; Trigeminal; Wide dynamic range; Nociception; Heat; Gold (Poree, L.R.) **502,** 349

Sinoaortic denervation
Angiotensin II; Sarcosine^1,isoleucine^8-angiotensin II; Nucleus tractus solitarii; Dorsal vagal nucleus; Nodose ganglionectomy; Baroreceptor reflex (Healy, D.P.) **484,** 1

Atrial natriuretic peptide; Arterial baroreflex; Central nervous system; Renal nerve; Blood pressure; Aortic nerve; Rabbit (Suzuki, S.) **485,** 109

Sinusoidal light cycle
Intergeniculate leaflet; Entrainment (Pickard, G.E.) **494,** 151

Skeletal muscle
Major histocompatibility complex antigen; Nerve regeneration; Axonal transport; Neuroimmunology (Maehlen, J.) **481,** 368

Sodium channel; Action potential; Skeletal myotube; Tissue culture (Brodie, C.) **488,** 186

Recruitment; Electromyography; Locomotion; Swimming; Motor control (Hutchison, D.L.) **502,** 233

Skeletal muscle vasodilation
Defense reaction; Arterial pressure; Emotion; Midbrain periaqueductal gray; Excitatory amino acid; Cat (Carrive, P.) **483,** 251

Skeletal myotube
Sodium channel; Action potential; Skeletal muscle; Tissue culture (Brodie, C.) **488,** 186

SKF38393
CY208 243; Dopamine D_1 receptor; Dopamine D_2 receptor; Locomotor activity; Nucleus accumbens; Quinpirole (Dreher, J.K.) **487,** 267

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Skin
Calcitonin gene-related peptide; Immunoelectron microscopy; Primary afferent fiber; Merkel cell; Immunohistochemistry; Substance P; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Substance P; Inflammation; Prostaglandin; Histamine; Rat (Khalil, Z.) **500,** 256

Skin reflex pathway
Premotor neuron; Interneuron; Cervical spinal cord; Laminae V–VII; Lateral funiculus; Cat (Hongo, T.) **505,** 163

Premotor interneuron; Laminae V–VI; Excitatory interneuron; Inhibitory interneuron; Cat spinal cord; Spike triggered averaging (Hongo, T.) **505,** 167

Skin temperature
Luteinizing hormone-releasing hormone; Morphine dependence; Animal model; Hot flush; Luteinizing hormone (Katovich, M.J.) **494,** 85

Sleep
Bombesin; Satiety; Ischymetry; Rat (De Saint Hilaire-Kafi, Z.) **478,** 152

Chronic pain; Experimental pain; Adjuvant arthritis; Analgesic (Landis, C.A.) **488,** 195

CCK-8; Anoxia; EEG; Spectral analysis; Rat (De Saint Hilaire-Kafi, Z.) **488,** 304

Long-term potentiation; Long-term depression; Behavioral state; Dentate gyrus; Perforant path; Freely moving rat (Bramham, C.R.) **493,** 74

Rapid eye movement sleep; Startle; Arousal; Audition; Ponto-geniculo-occipital spike; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Thalamus; Medialis dorsalis; Ibotenic acid; Electroencephalographic spindle; Spectral analysis (Marini, G.) **500,** 395

Sleep mechanism
Arousal; Reticular formation; Basal forebrain; Preoptic area; Anterior hypothalamus (Szymusiak, R.) **498,** 355

Sleep study

Serotonin-2 antagonists; ICI 169,369; ICI 170,809; Electroencephalogram; Rat (Tortella, F.C.) **485,** 294

Sleep–wake cycle
Dorsal lateral geniculate nucleus; Acetylcholine; State dependency; Microiontophoresis; Rat (Marks, G.A.) **494,** 294

Sleep–wakefulness
Hippocampus; Ventrobasal complex; Spontaneous discharge; 1/*f* Fluctuation (Kodama, T.) **487,** 26

Slice
Dopamine; γ-Aminobutyric acid; In vitro; Release; Striatum; Uptake (Bernath, S.) **476,** 373

Kainic acid; Dopamine release; Dopamine autoreceptor; Rat striatum (Bonanno, G.) **480,** 242

Glutamate receptor; Joro spider toxin; Hippocampus; Long-term potentiation; *N*-Methyl-D-aspartate; 2-Amino-5-phosphonovaleric acid (Saito, M.) **481,** 16

Nucleus tractus solitarius; Substance P; Neuropeptide; Serotonin; Colocalization of neurotransmitter; Brainstem (Jacquin, T.) **502,** 214

Slice preparation
Prepositus hypoglossi nucleus; Persistent sodium conductance; Oscillation; Plateau potential; Intracellular recording (Rekling, J.C.) **500,** 276

Slow component
Axonal transport; Cytoskeleton; Transport kinetics; Clathrin; Actin (Paggi, P.) **504,** 223

Slow excitatory response
Calcitonin gene-related peptide; Sympathetic ganglion; Fast excitatory response (Dun, N.J.) **476,** 256

Muramyl dipeptide; Rapid eye movement sleep; Fever; Hyperthermia; Hypothalamus; Rabbit; Electroencephalogram (Shoham, S.) **476,** 396

Slow wave sleep
Prostaglandin E_2; Intraventricular infusion; Paradoxical sleep; Wakefulness; Circadian sleep–wake cycle; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Pain; Spinal cord injury; Human thalamus; Calcium; Action potential burst; Nervous system plasticity (Lenz, F.A.) **496,** 357

Small intensely fluorescent cell
Indirect immunofluorescence; Immunoelectron microscopy; Met^5-Enkephalin-Arg^6-Gly^7-Leu^8; Superior cervical ganglion; Rat (Kanagawa-Terayama, Y.) **494,** 75

Smell
Lateral hypothalamic neuron; Taste; Potable; Licking; Cue signal (Nakamura, K.) **491,** 15

Brush cell; Horseradish peroxidase; Microvillar cell; Neuron; Olfaction; Olfactory epithelium; Sensory receptor (Rowley III, J.C.) **502,** 387

SMS 201-995
Hypothalamus; Receptor multiplicity; Somatostatin; Quantitative radioautography (Krantic, S.) **498,** 267

Snake venom
Striatum; Fasciculin; Cholinergic; Toxin; Circling behavior (Bolioli, B.) **504,** 1

Sniffing
Stereotypy; Intracerebral injection; Striatum; Nucleus accumbens; *R*-(−)-*N*-n-Propylnorapomorphine; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Stereotypy; Intrastriatal infusion; Dopamine receptor; Co-activation; Oral activity; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Social behavior
Avoidance behavior; Circadian rhythm; 5,7-Dihydroxytryptamine; Open field; Serotonin; Scopolamine (Vanderwolf, C.H.) **504,** 192

Social environment
Prairie vole; Estrogen receptor; Brain; Female; Reproduction (Cohen-Parsons, M.) **476,** 363

Sodium
Insect; Locust; Neurosecretion; Corpus cardiacum; Adipokinetic hormone; Octopamine; Calcium (Pannabecker, T.) **477,** 38

Hippocampus; Ischemia; Excitatory amino acid; Calcium; Chloride; CA1 hippocampal region; CA3 hippocampal region; Dentate gyrus; Selective vulnerability (Ashton, D.) **487,** 402

Sodium appetite
Neuronal response; Food; Water; Salt; Zona incerta; Sheep (Kendrick, K.M.) **492,** 211

Monensin; Ouabain; Push–pull perfusion; Sheep; Thirst (Tarjan, E.) **500,** 352

Sodium channel
Potassium channel; Calcium channel; Imipramine; Chlorpromazine; Haloperidol; Neuroblastoma (Ogata, N.) **476,** 140

Calcium-activated potassium-channel; Big conductance channel; Glial cell; Malignant glioma; Human (Brismar, T.) **480,** 259

Voltage clamp; Sodium depletion; Pyrethroid; Inactivation; Spinal ganglion; Node of Ranvier (De Weille, J.R.) **482,** 324

Axon; Demyelination; Multiple sclerosis (Shrager, P.) **483,** 149

Action potential; Skeletal myotube; Skeletal muscle; Tissue culture (Brodie, C.) **488,** 186

Scorpion toxin; Tetrodotoxin; Calcium; EGTA; Dopamine; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

Pyrethroid; Inositol; Phosphate; Synaptoneurosome (Gusovsky, F.) **492,** 72

Chlorpromazine; Hippocampal pyramidal neuron; Concentration-clamp (Wakamori, M.) **494,** 374

G-protein; *Xenopus* oocyte (Cohen-Armon, M.) **496,** 107

Protein kinase C; Tetrodotoxin; Sea anemone toxin; Antibody to synthetic peptides; 4-Aminopyridine; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

Sodium chloride
Neurophysin; Arginine vasopressin; 1-Deamino[8-D-arginine] vasopressin; Negative feedback; Radioimmunoassay (Cheng, S.W.T.) **479,** 35

Sodium current
Facial motoneuron; Electrical property; Repetitive firing; Subthreshold response; Afterhyperpolarization; Potassium current; Brain slice (Nishimura, Y.) **502,** 127

Sodium current inactivation
Rat hippocampal pyramidal neuron; Scorpion toxin; Voltage-dependent sodium current (Kaneda, M.) **487,** 192

Sodium depletion
Voltage clamp; Sodium channel; Pyrethroid; Inactivation; Spinal ganglion; Node of Ranvier (De Weille, J.R.) **482,** 324

Sodium dodecylsulphate
Blood–brain barrier; West Nile virus variant (Kobiler, D.) **496,** 314

Sodium influx
Veratridine; Carotid body glomus cell; Superior cervical ganglion neuronal cell; Primary culture; Tetrodotoxin-sensitive voltage-dependent sodium channel; Newborn rabbit (Sato, M.) **504,** 132

Sodium pump
Sensory transduction; Mechanoreceptor; Rapid adaptation; Sensory encoding; Threshold; Ouabain (French, A.S.) **504,** 112

Sodium valproate
Angiotensin II; Arginine vasopressin; Adrenocorticotropic hormone (Coiro, V.) **491,** 169

Sodium-dependent glutamate binding
Joro spider toxin (JSTX);

2,4-Dihydroxyphenylacetylasparagine (2,4-DHPA-ASN); Glutamate uptake by synaptosomes; Role of polyamines (Pan-Hou, H.) **476,** 354

Solitary nucleus
Adrenergic neuron; Substance P afferent; Synaptic interaction (Kawai, Y.) **479,** 344

Soluflazine
Adenosine uptake; Release; Purine; Dipyridamole; Cerebral cortex (Phillis, J.W.) **481,** 309

Somatomedin
Nerve regeneration; Rat sciatic nerve; Thymidine; Schwann cell; Insulin-like growth factor; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Rat; Growth factor; Insulin-like growth factor I; Nerve regeneration; Sciatic nerve; Nerve growth factor; Local administration (Kanje, M.) **486,** 396

Diabetes; Insulin; Insulin-like growth factor-I; Nerve regeneration; Rat; Sciatic nerve; Streptozotocin (Ekström, P.A.R.) **496,** 141

Somatosensation
Dorsal column nucleus; Glutamic acid decarboxylase; Intrinsic neuron; Local circuit neuron; Reptile (Pritz, M.B.) **503,** 175

Somatosensory
Trigeminal; Subnucleus oralis; Nucleus raphe magnus; Descending modulation; Cat (Chiang, C.Y.) **485,** 371

Somatosensory asymmetry
Anteromedial cortex lesion; Diazepam; Ro 15-1788; Recovery of function; Spontaneous activity; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Somatosensory cortex
Mapping; Progressive change; Development; Cat (McKinley, P.A.) **484,** 378

Barrel; Lectin; Glia; Boundary; Plasticity; Critical period substrate; Development (Cooper, N.G.F.) **489,** 167

Barrel; Cortical circuitry; γ-Aminobutyric acid; Inhibition; Neural network (Keller, A.) **496,** 105

Somatosensory evoked potential
Cutaneous stimulation; Muscle stretch; Voluntary movement; Human (Dimitrov, B.) **496,** 211

Somatosensory relay neuron
Spinothalamic tract; Trigeminothalamic tract; Fluorescent latex microsphere; Pain; Nociception; Immature rat (Huang, L.-Y.M.) **495,** 108

Somatosensory system
Retroinsular cortex; Area 7b; γ-Aminobutyric acid; Immunocytochemistry; Monkey (Chudler, E.H.) **481,** 383

N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine; Serine; Thalamus (Salt, T.E.) **481,** 403

Cerebral asymmetry; Cerebral dominance; Handedness; Positron emission tomography; Cerebral glucose utilization; Fluorodeoxyglucose; Human (Yoshii, F.) **483,** 355

Thalamus; Spinal cord; Anatomy; Pigeon (Schneider, A.) **484,** 139

Somatostatin
Growth hormone releasing factor; Anterior pituitary cell; Extracellular Na^+; *bis*-Oxonol; Fura 2 (Kato, M.) **476,** 145

Retina; Receptor; Mouse (Kossut, M.) **476,** 78

Growth hormone-releasing hormone; Immunocytochemistry; Electron microscopy; Hypothalamic periventricular nucleus; Arcuate nucleus (Horváth, S.) **481,** 8

Cysteamine; Behavior; Learning; Memory; Alzheimer's disease (DeNoble, V.J.) **482,** 42

Immunohistochemistry; Hypothalamus; Infant (Najimi, M.) **483,** 205

Adrenal medulla; Catecholamine secretion; Inositol phosphate; Chromaffin cell; Catecholamine (Moeller, I.) **484,** 192

Transmitter release; Parasympathetic ganglion; Ciliary ganglion; Presynaptic inhibition (Katayama, Y.) **487,** 62

Antibody microprobe; Thermal nociception (Morton, C.R.) **488,** 89

Electroencephalogram; Motor dysfunction; Neurotoxicity; Substance P analogue (Grabow, T.S.) **489,** 223

Coexistence; Enkephalin; Amacrine cell; Immunocytochemistry (Hamano, K.) **489,** 254

Intracellular calcium concentration; Cultured neuron; Rat; Hippocampus (Miyoshi, R.) **489,** 361

Cholinergic basal forebrain lesion; Neuropeptide Y; Neocortex; Rat (Gaykema, R.P.A.) **489,** 392

Alzheimer's disease; Neuropeptide Y; Co-localization; Cortex; Bed nucleus of stria terminalis (Gaspar, P.) **490,** 1

Adenylate cyclase; Brain; Norepinephrine; Dopamine; Vasointestinal; Polypeptide; Forskolin (Schettini, G.) **492,** 65

Rat; Mouse; Striatum; γ-Aminobutyric acid; Messenger RNA; In situ hybridization; Glutamic acid decarboxylase (Chesselet, M.-F.) **492,** 237

Neuroplasticity; Sprouting; Rat amygdala; Ultrastructure; Immunohistochemistry; Central nervous system; Autonomic (Gotow, T.) **492,** 325

γ-Aminobutyric acid; Hippocampal slice; Inhibitory postsynaptic potential; Excitatory postsynaptic potential; Pressure application (Scharfman, H.E.) **493,** 205

Dwarf rat; Growth hormone-releasing factor; Hypothalamus; Immunocytochemistry (Sakuma, S.) **493,** 402

Insulin-induced hypoglycemia; Cerebral cortex; Hippocampus; Rat (Rodriguez-Sanchez, M.N.) **494,** 36

Glycine; Colocalize; Interplexiform; Retina; Neuropeptide; Neurotransmitter (Smiley, J.F.) **495,** 31

Cysteamine; Acetylcholine; Physostigmine; Nucleus basalis of Meynert; Memory (Haroutunian, V.) **496,** 98

Acetylcholine receptor; Substance P; Caudate nucleus; Autoradiography (Ariano, M.A.) **497,** 51

γ-Aminobutyric acid; Septal slice; Electrophysiology; Potassium conductance; Rat (Twery, M.J.) **497,** 315

Hypothalamus; Receptor multiplicity; SMS 201-995; Quantitative radioautography (Krantic, S.) **498,** 267

Neuropeptide; Neuropeptide Y; Vasoactive intestinal peptide; Cholecystokinin; Amygdala; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Calcium-current; Somatotroph; Pituitary cell; Growth hormone (Nussinovitch, I.) **504,** 136

Somatostatin-like immunoreactivity
Cysteamine; Morris water task; Passive avoidance; Locomotor activity; Rat (Fitzgerald, L.W.) **505,** 246

Somatotopy
Tooth pulp afferent; Trigeminal ganglion; Trigeminal nuclei; Horseradish peroxidase–wheat germ agglutinin gel (Shigenaga, Y.) **477,** 66

Defense reaction; Periaqueductal gray; Kainic acid; Excitatory amino acid; Aggression; Midbrain; Rat; Autoradiography; Intracerebral injection; Electroencephalography (Depaulis, A.) **486,** 121

Somatotroph
Somatostatin; Calcium-current; Pituitary cell; Growth hormone (Nussinovitch, I.) **504,** 136

Song system
Zebra finch; Androgen; Projection; Autoradiography (Sohrabji, F.) **488,** 253

Sound stress
Tryptophan hydroxylase; Enzyme

activation; Enzyme induction (Boadle-Biber, M.C.) **482,** 306

Source modeling
Focal epilepsy; Direct cortical response; Current source–density; Principal component analysis; Penicillin spike; Electrophysiology (Barth, D.S.) **484,** 13

Spastic paraplegia
Excitotoxin; Kainic acid; Acromelic acid; Spinal cord (Shinozaki, H.) **503,** 330

Spatial buffering
Low calcium; Epilepsy; CA1; Dentate gyrus; Potassium (Albrecht, D.) **480,** 393

Spatial learning
Acetylcholine; Norepinephrine; Inhibitory avoidance; DSP-4; Scopolamine; Mouse (Decker, M.W.) **477,** 29

Spatial memory
Serotonin; Acetylcholine (Richter-Levin, G.) **477,** 404

Raphe; Graft; Hippocampus; Acetylcholine (Richter-Levin, G.) **478,** 184

Transplantation; AF64A; Hippocampus; Cholinergic neuron; Radial maze; Acetylcholinesterase (Ikegami, S.) **496,** 321

Aging; Nerve growth factor receptor; Basal forebrain (Koh, S.) **498,** 397

cis-Fatty acid; F_1-phosphorylation; Protein kinase C; Long-term potentiation; GAP 43 (Wong, K.L.) **505,** 302

Species difference
Cerebrospinal fluid; Dorsal motor nucleus of the vagus; Guinea pig; Immunocytochemistry; Oxytocin (Dubois-Dauphin, M.) **496,** 66

Specific anosmia
Isovaleric acid; Olfactory glomerular layer; AKR/J mouse; C57BL/6J mouse (Sicard, G.) **481,** 325

Specificity
Glutamate; Glutaraldehyde; Monoclonal antibody; Hybridization; Immunocytochemistry; Cortex; Hippocampus; Rat brain (Chagnaud, J.-L.) **481,** 175

Spectral analysis
Medullary inspiratory neuron; Inspiratory nerve; Time course of rhythms; Lung afferent input (Christakos, C.N.) **482,** 376

Phrenic activity; Respiratory rhythm; Oscillation; Inhibitory amino acid neurotransmitter; Strychnine; Bicuculine (Schmid, K.) **485,** 193

CCK-8; Anoxia; Sleep; EEG; Rat (De Saint Hilaire-Kafi, Z.) **488,** 304

Thalamus; Medialis dorsalis; Ibotenic acid; Electroencephalographic spindle; Sleep (Marini, G.) **500,** 395

Spectrin
Calpain; MK-801; Excitotoxicity; Neuropathology; Calcium (Seubert, P.) **492,** 366

Spermine
N-Methyl-D-aspartate; Glycine; 2-Amino-5-phosphonovalerate; Long-term potentiation (Thibault, O.) **476,** 170

Spike duration
Action potential duration; Temperature; Hibernation; Information processing; Biophysical properties of neurons; Central nervous system (Krilowicz, B.L.) **498,** 73

Spike train analysis
Brainstem; Respiratory neuron; Gravitational representation (Lindsey, B.G.) **483,** 373

Spike triggered averaging
Premotor interneuron; Skin reflex pathway; Laminae V–VI; Excitatory interneuron; Inhibitory interneuron; Cat spinal cord (Hongo, T.) **505,** 167

Spinal
Morphine; Behavioral tolerance; Dose–response relationship; Habituation; Bulbospinal (Milne, R.J.) **491,** 316

Spinal analgesia
Opioid; Naltrexone; Up-regulation; Supersensitivity; Opioid peptide; Opioid receptor (Yoburn, B.C.) **485,** 176

Spinal cord
Chronic pain; Dorsal horn neuron; Naloxone (Lombard, M.-C.) **477,** 48

Org 2766; Binding; Sciatic nerve crush; Adrenocorticotropic hormone; Melanocyte stimulating hormone (Dekker, A.J.A.M.) **477,** 327

κ-Agonist; U-50,488H; Glucose utilization; Limbic brain structure; Pituitary (Ableitner, A.) **478,** 326

Spinal root; Magnesium; 2-Amino-5-phosphonovalerate; *N*-Methyl-D-aspartic acid (Bagust, J.) **479,** 138

Parabrachial nucleus; Anterograde degeneration; Anterograde transport; Nociception (Blomqvist, A.) **480,** 29

Axonal transport; Cholinergic enzyme; Ischemia (Malatová, Z.) **481,** 31

Hippocampus; Glucocorticoid receptor; Mineralocorticoid receptor; Dexamethasone; Corticosterone; Aldosterone; RNAse A (Moses, D.F.) **481,** 317

Serotonin; Enkephalin; Substance P; Pudendal motoneuron; Onuf's nucleus; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Contusive injury; Horseradish peroxidase; Reaction product (Noble, L.J.) **482,** 57

Morphine-6-glucuronide; Normorphine; μ-Opioid; Analgesia (Sullivan, A.F.) **482,** 219

Cruciate ligament; Joint afferent; Fusimotor neuron; Motor control; Muscle spindle; Primary spindle afferent; Reflex (Sojka, P.) **483,** 177

Somatosensory system; Thalamus; Anatomy; Pigeon (Schneider, A.) **484,** 139

Reticulospinal neuron; Phasic modulation; Locomotion; Brainstem; Lamprey (Kasicki, S.) **484,** 203

Immunohistochemistry; Rat; Guinea pig; Pig; Tuberomammillary nucleus (Panula, P.) **484,** 234

Organophosphorus-induced delayed neurotoxicity; Tri-*ortho*-tolyl phosphate; Degeneration; Medulla; Cerebellum; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Spinal cord
Locus ceruleus; Noradrenaline; Serotonin; Prazosin; Methysergide; Monosynaptic reflex; Descending control (Lai, Y.-Y.) **484,** 268

Pain; Met-enkephalin release (Cesselin, F.) **484,** 71

Superior cervical ganglion; Lumbar sympathetic ganglion; Neurospecificity; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **485,** 115

Castration; Cremaster muscle; Indolamine; Motoneuron; Peptide; Rat; Testes (Newton, B.W.) **485,** 149

Substance P; Met-enkephalin; Serotonin; Periaqueductal gray matter; Pain; Blood pressure (De Felipe, M.C.) **485,** 301

Cat; Motoneuron pool; Central activation; Electromyography (Kandou, T.W.A.) **486,** 340

Calmodulin; Calcium-chelating agent; Subcellular distribution; Radioimmunoassay; Frog (Adachi, S.) **487,** 196

Ventral horn neuron; Dorsal horn neuron; Organotypic explant culture; Roller tube; Rat; Acetylcholinesterase (Delfs, J.) **488,** 31

Thyrotropin-releasing hormone (TRH); Motoneurone; Voltage clamp; Excitatory postsynaptic potential; Glutamate; Frog (Lacey, G.) **488,** 80

Regeneration; Astrocyte; Graft; Neuronal rescue; Neuronal maintenance (Bernstein, J.J.) **488,** 180

Neuropeptide; Flexor reflex; Nerve section; Vasoactive intestinal

polypeptide; Substance P; Calcitonin gene-related peptide; Afferent, C- (Wiesenfeld-Hallin, Z.) **489,** 129

Calcitonin gene-related peptide; Motoneuron; Immunohistochemistry; Central nervous system lesion; Cat (Arvidsson, U.) **489,** 387

Locus ceruleus; Pontine tegmentum; Kölliker-Fuse; Norepinephrine; Horseradish peroxidase; Cat (Reddy, V.K.) **491,** 144

4-Aminopyridine; Antidromic discharge; Dorsal root; Cat; Autocorrelation; Cross-correlation; Autospectrogram (Dubuc, R.) **491,** 335

Amidation; Peptidylglycine; Dorsal root ganglia; Copper-dependency; Ascorbate-dependency (Graham, L.) **491,** 371

Experimental autoimmune encephalomyelitis; Rat; Brainstem; High performance liquid chromatography; Neurotransmitter; Degeneration (Krenger, W.) **491,** 374

γ-Aminobutyric acid; Glycine; Chloride channel; Buspirone; 1-(2-Pyrimidinyl)piperazine; Benzodiazepine; Neuron (Smith, S.M.) **493,** 366

FMRF-NH_2-like peptide; Rat brain; Pituitary; Distribution (Majane, E.A.) **494,** 1

Blood–brain barrier; Horseradish peroxidase; Central nervous system regeneration; Cat (Risling, M.) **494,** 13

Morphine; Dorsal raphe nucleus; Nucleus raphe magnus; Medullary dorsal horn; Serotonin; Voltammetry (Rivot, J.P.) **495,** 140

Nucleus accumbens; Septal nucleus; Retrograde transport; Nociception; Fluoro-gold (Burstein, R.) **497,** 149

Substance P; Serotonin; Enkephalin; Immunohistochemistry; Onuf's nucleus; Cat (Tashiro, T.) **497,** 177

Calcitonin gene-related peptide; Antiserum; Antinociception; Intrathecal; Noxious stimulus; Hyperalgesia (Kawamura, M.) **497,** 199

Rabbit; Catecholamine pathway; 6-Hydroxydopamine; Blood pressure; Baroreflex; Nasopharyngeal reflex; Clonidine; α-Methyldopa (Elghozi, J.-L.) **499,** 39

Strychnine; Tonic inhibition; Heart rate; Arterial pressure (Hong, Y.) **499,** 169

N-Methyl-D-aspartate receptor; Calcium; Afterhyperpolarization; Locomotion (Hill, R.H.) **499,** 388

FLFQPQRFamide; FMRFamide; Morphine; Binding site (Allard, M.) **500,** 169

Serotonin; Dialysis; Monosynaptic response (Samathanam, G.) **501,** 179

Neural implants; Chromaffin cell; Nociception; Opioid peptide; Adrenal medulla; Analgesia; Neural graft (Sagen, J.) **502,** 1

Analgesia; Arylacetamide; Autoradiography; Binding site; Electrophysiology; κ Opioid; Ontogeny (Allerton, C.A.) **502,** 149

Serotonin; 5-Hydroxytryptamine; Motoneuron; Afterhyperpolarization (White, S.R.) **502,** 205

Sympathetic preganglionic neuron; Rostral ventrolateral medulla; Astrocytic glia; Sympathetic nerve discharge; Immunocytochemistry (Morrison, S.F.) **503,** 5

Excitotoxin; Kainic acid; Acromelic acid; Spastic paraplegia (Shinozaki, H.) **503,** 330

Calcitonin gene-related peptide; Dynorphin A; Primate; Immunohistochemistry; Immunogold; Pain; Primary afferent (Carlton, S.M.) **504,** 124

Glutamic acid; Kainic acid; Frog; Binding experiment; Acromelic acid A (Maruyama, M.) **504,** 328

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Spinal cord injury
Magnesium; Magnetic resonance (Vink, R.) **490,** 144

Transplantation; Graft; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration (Bernstein, J.J.) **491,** 205

Pain; Human thalamus; Calcium; Action potential burst; Nervous system plasticity; Slow wave sleep (Lenz, F.A.) **496,** 357

Opioid; Paralysis; Ischemia (Long, J.B.) **497,** 155

Spinal cord ischemia
Phenothiazine; Cerebral ischemia; Protein kinase; Stroke; Rabbit (Zivin, J.A.) **482,** 189

Spinal cord neuron
γ-Aminobutyric acid (GABA); Picrotoxinin; *t*-Butylbicyclo-phosphorothionate (TBPS); Voltage–clamp; Patch–clamp (Zorumski, C.F.) **484,** 102

GABA receptor complex; Chloride channel; Benzodiazepine receptor; γ-Aminobutyric acid synaptic pharmacology (Lehoullier, P.F.) **487,** 205

Spinal cord projection
Sacral parasympathetic nucleus; Pelvic nerve; Pudendal nerve; Strain difference; Rat; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Spinal ganglion
Voltage clamp; Sodium depletion; Sodium channel; Pyrethroid; Inactivation; Node of Ranvier (De Weille, J.R.) **482,** 324

Spinal input
Lamprey; In vitro preparation; Locomotion; Swimming; Reticulospinal neuron; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Spinal nerve
Peripheral nerve sprouting; Peripheral nerve injury; Unmyelinated fiber; Compound action potential; Ventral root afferent (Oh, U.T.) **501,** 90

Spinal neuron
Visceral pain; Superficial dorsal horn; Colorectal distension; Nociception (Ness, T.J.) **486,** 301

Spinal noradrenergic system
Delta-sleep-inducing peptide; Antinociceptive effect; Descending inhibitory system; Spinal serotonergic system; Tail-pinch test; Hot plate test (Nakamura, A.) **480,** 82

Spinal reflex
Pelvic nerve; Pudendal nerve; Inhibition; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle; Vagina (Pacheco, P.) **490,** 85

Endogenous opioid; Noradrenaline; High intensity stimulation (Clarke, R.W.) **505,** 1

Spinal root
Spinal cord; Magnesium; 2-Amino-5-phosphonovalerate; *N*-Methyl-D-aspartic acid (Bagust, J.) **479,** 138

Spinal serotonergic system
Delta-sleep-inducing peptide; Antinociceptive effect; Descending inhibitory system; Spinal noradrenergic system; Tail-pinch test; Hot plate test (Nakamura, A.) **480,** 82

Spinal trigeminal nucleus
Area postrema; Nucleus tractus solitarii; Dorsal motor nucleus of the vagus nerve; Deoxyglucose; Autoradiography; Dehydration; Angiotensin II; Atriopeptin (Shaver, S.W.) **505,** 316

Spindle
Kitten; Threshold; Dynamic sensitivity (Jami, L.) **478,** 34

Spindle capsule
Muscle spindle; Endocytosis; Transcytosis; Pinocytosis; Receptor-mediated uptake

(Fukami, Y.) **499,** 249

Spindle rhythm
Thalamic reticular neuron; Intracellular recording; Burst discharge; Excitatory postsynaptic potential; Rat (Sumitomo, I.) **482,** 34

Spindle wave
Ethosuximide; Recruiting response; Thalamocortical synchronization; Nucleus reticularis thalami (Pellegrini, A.) **497,** 344

Spine
Striatum; 6-Hydroxydopamine; Golgi; Rat; Structural change (Ingham, C.A.) **503,** 334

Spinothalamic tract
Somatosensory relay neuron; Trigeminothalamic tract; Fluorescent latex microsphere; Pain; Nociception; Immature rat (Huang, L.-Y.M.) **495,** 108

Renal pain; Renal afferent; Ureteral occlusion; Viscerosomatic convergence (Ammons, W.S.) **496,** 124

Spiroperidol, [^{3}H]-
Dopamine receptor; Receptor proliferation; Denervation; Metoclopramide; Autoradiography; Chronic neuroleptic treatment; Rat (LaHoste, G.J.) **502,** 223

Splanchnic nerve
Gastric; Ventral vagus; Dorsal vagus; Brainstem; Nucleus tractus solitarii (Barber, W.D.) **487,** 1

Spongiosis
Scrapie; Intraocular infection; Enucleation; Mouse (Scott, J.R.) **504,** 301

Spontaneous activity
Anteromedial cortex lesion; Diazepam; Ro 15-1788; Recovery of function; Somatosensory asymmetry; Benzodiazepine antagonist (Hernandez, T.D.) **487,** 89

Sensory nerve; Neuroma; Capsaicin; Rat (Hartung, M.) **499,** 363

Spontaneous discharge
Hippocampus; Ventrobasal complex; Sleep–wakefulness; 1/*f* Fluctuation (Kodama, T.) **487,** 26

Spontaneous field discharge
Extracellular pH; Synaptic transmission; Ion-sensitive microelectrode; Hippocampal slice (Jarolimek, W.) **505,** 225

Spontaneous glutamate release
Tetrapentylammonium; 4-Aminopyridine; Cerebellar slice; Calcium (Barnes, S.) **486,** 89

Spontaneous hypertension
Development; Hexokinase; Metabolic activity; Arterial pressure; Histochemistry (Krukoff, T.L.) **499,** 1

Spontaneous locomotor activity
Subpallidal area; Pedunculopontine nucleus; Mediodorsal nucleus of thalamus; Procaine (Mogenson, G.J.) **485,** 396

Spontaneously hypertensive rat
Amastatin; Bestatin; Sarthran; Blood pressure; Intracerebroventricular infusion; Jugular infusion (Jensen, L.L.) **490,** 48

Kindling; Afterdischarge; Seizure; Amygdala; Pyriform; Vasopressin (Greenwood, R.S.) **495,** 58

Neurokinin B; Substance P; Cardiovascular; Tachykinin peptide (Nagashima, A.) **499,** 198

Spontaneously hypertensive rats
Isolated, perfused brain; Perfusion flow rate; Prostaglandin $F_{2\alpha}$; Phenylephrine; Serotonin (Gong, D.) **482,** 122

Spreading depression
Hypoxia; Ischemia; Leão's depression; Potassium, extracellular; Calcium, extracellular; Hippocampus (Balestrino, M.) **497,** 102

c-Fos; Proto-oncogene; Cerebral ischemia; Brain damage; *N*-Methyl-D-aspartate (Herrera, D.G.) **503,** 205

Sprouting
Regeneration; Frog sympathetic ganglia; Axotomy (Kelly, M.E.M.) **477,** 363

Nerve growth factor; Hippocampal slice; Bioassay; Conditioned medium; Septal lesion (Collins, F.) **490,** 355

Neuroplasticity; Somatostatin; Rat amygdala; Ultrastructure; Immunohistochemistry; Central nervous system; Autonomic (Gotow, T.) **492,** 325

Acetylcholinesterase; Granule cell; Hilar interneuron (McKeon, R.J.) **503,** 317

Galanin; Immunocytochemistry; Human; Hypothalamus; Hippocampus; Alzheimer's disease (Gentleman, S.M.) **505,** 311

Squid
Electrical coupling; Statocyst; Hair cell; Vestibular system (Williamson, R.) **486,** 67

Squirrel monkey
Selective degeneration; Retinal ganglion cell; Parallel visual pathway; Visual system; Acrylamide; Cytochrome oxidase; Neurotoxicity (Lynch III, J.L.) **499,** 325

Standing movement
Execution process; H-reflex; Anticipatory electromyographic activity; Electromyographic reaction time (Yamashita, N.) **490,** 148

Stapedius muscle
Middle ear; Acoustic reflex; Transneuronal tracing; Retrograde horseradish peroxidase tracing; Rat; Superior olivary complex (Rouiller, E.M.) **476,** 21

Vocalization; Electrical stapedius muscle response; Different threshold; Field potential (Grassi, S.) **490,** 345

Startle
Sleep; Rapid eye movement sleep; Arousal; Audition; Ponto-geniculo-occipital spike; Prepulse inhibition; Motor inhibition (Wu, M.-F.) **499,** 7

Startle reflex
Cochlear nucleus; Reticulospinal path; Refractory period; Temporal summation; Facial nerve (Yeomans, J.S.) **486,** 147

State 3 respiration
Brain mitochondria; Chronic hypoglycemia; Diabetes; Insulin; Respiratory control ratio; State 4 respiration (Pellegrino, D.A.) **479,** 241

State 4 respiration
Brain mitochondria; Chronic hypoglycemia; Diabetes; Insulin; Respiratory control ratio; State 3 respiration (Pellegrino, D.A.) **479,** 241

State dependency
Dorsal lateral geniculate nucleus; Acetylcholine; Sleep–wake cycle; Microiontophoresis; Rat (Marks, G.A.) **494,** 294

Static γ
Cat muscle spindle; Primary afferent; Dynamic γ; Maintained fusimotor stimulation; Re-afferent γ-effect; Interspike interval function (Awiszus, F.) **489,** 41

Statocyst
Electrical coupling; Hair cell; Squid; Vestibular system (Williamson, R.) **486,** 67

Status lacunaris
Dopamine receptor, D_1; Dopamine receptor, D_2; Parkinson's disease; Striatum; Substantia nigra (Cortés, R.) **483,** 30

Steady magnetic field
Caffeine; Mollusc isolated neuron; Calcium/potassium kinetics; CAN current; Calcium-dependent K^+-conductance (Azanza, M.J.) **489,** 195

Stellate ganglion
Neurotensin; Radioimmunoassay; Superior cervical ganglion; Non-cholinergic transmission; Sympathetic preganglionic neuron (Caverson, M.M.) **482,** 365

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Superior cervical

ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Step cycle
Co-concentration; Exercise; Locomotion; Rat; Reciprocal inhibition (Hutton, R.S.) **492,** 230

Stereoisomer
Fenfluramine; Neurotoxicity; Serotonin (Kleven, M.S.) **505,** 351

Stereotyped behavior
Substantia nigra; Opioid receptor; μ-Opioid; δ-Opioid; Dopamine (Morelli, M.) **487,** 120

Feeding; N-0437; Dopamine D_2 receptor; Satiety; Microstructural analysis; Locomotion; Grooming (Rusk, I.N.) **494,** 350

Stereotypy
Intracerebral injection; Striatum; Nucleus accumbens; *R*-(−)-*N*-n-Propylnorapomorphine; Sniffing; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Ageing; Apomorphine; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxy-naphthoxazine; Yawning (Stoessl, A.J.) **495,** 20

Medial septal lesion; Ganglioside; Recovery from brain damage; Body weight; Activity (Poplawsky, A.) **495,** 396

Intrastriatal infusion; Dopamine receptor; Co-activation; Sniffing; Oral activity; Paw nibbling; *N*-Propylnorapomorphine (Bordi, F.) **504,** 276

Amphetamine; Dopamine; Dialysis; Reserpine; Striatum (Callaway, C.W.) **505,** 83

Steroid
Pregnenolone sulfate; γ-Aminobutyric acid A-receptor; Chloride ionophore; Steroid metabolite (Gee, K.W.) **482,** 169

$GABA_A$ receptor; Pregnancy; Post-partum blues (Majewska, M.D.) **482,** 397

Pregnenolone sulfate; Picrotoxin; Pentobarbital; γ-Aminobutyric acid; Chloride current; Patch-clamp (Mienville, J.-M.) **489,** 190

Steroid binding
Adrenocorticosteroid receptor; Mineralocorticoid; Glucocorticoid; Receptor stability; Type I receptor; Type II receptor (Luttge, W.G.) **493,** 190

Steroid metabolite
Pregnenolone sulfate; γ-Aminobutyric acid A-receptor; Chloride ionophore; Steroid (Gee, K.W.) **482,** 169

Steroid receptor
Estrogen receptor; Hypothalamus; Immunocytochemistry (Blaustein, J.D.) **495,** 75

Stiffness
Muscle; Electromyogram; Reflex; Muscle spindle; Contraction (Jahnke, M.T.) **493,** 103

Stimulant
Carotid body; Glomus cell; Depressant (Eyzaguirre, C.) **477,** 265

Stimulated release
Neuroma; Substance P; Calcitonin gene-related peptide; Basal release; Localization (White, D.M.) **503,** 198

Stimulation
Glial fibrillary acidic protein; Astrocyte; Axotomy; Hypoglossal (Hall, L.L.) **490,** 157

Jitter; Motor tract; Motoneuron; Evoked potential; Motor unit (Zarola, F.) **495,** 217

Stimulation produced analgesia
Flexor reflex; Medial hypothalamus; Rat; Medial thalamus (Duysens, J.) **499,** 131

Stimulation-produced analgesia
Serotonin; Raphe-spinal axon; Nucleus raphe magnus; Substantia gelatinosa; Dorsal horn (Cho, H.J.) **477,** 344

Rat; Tail-flick reflex; Antinociception; Pain; Naloxone; Midbrain (Guinan, M.J.) **485,** 333

Swim-induced analgesia; Genetic difference; Periaqueductal gray matter; Naloxone (Marek, P.) **489,** 182

Antinociception; Pain; Pretectal complex; Anterior pretectal nucleus; 5-Hydroxytryptamine; Morphine-induced analgesia (Prado, W.A.) **493,** 147

Periaqueductal gray; Descending pain modulation; Ascending pain modulation; Tail-flick test; Hot-plate test; Antinociception (Morgan, M.M.) **502,** 61

Stimulus generalization
Feeding response; Appetitive learning; Discriminative learning; Generalization of extinction; *Lymnaea* (Kemenes, G.) **489,** 163

Stimulus habituated monkey
Second somatosensory cortex; Cortical area 7b; Nociceptive specific neuron; Trigeminal somatosensory system; Noxious mechanical stimulation (Dong, W.K.) **484,** 314

Stimulus intensity
Central auditory system; 2-Deoxyglucose; Central nervous system metabolism (Ryan, A.F.) **483,** 283

Stomatogastric ganglion
Forskolin; Cyclic adenosine monophosphate; Potassium channel; Transient potassium current; Lobster (Harris-Warrick, R.M.) **489,** 59

Strain difference
Sacral parasympathetic nucleus; Pelvic nerve; Pudendal nerve; Spinal cord projection; Rat; Wheatgerm agglutinin-horseradish peroxidase (Pascual, J.I.) **480,** 397

Stratum lacunosum–moleculare
1,1,2-Trichloroethylene; Myelin; Hippocampus (Isaacson, L.G.) **488,** 403

Streptopelia risoria
Prolactin receptor; Ring dove; Hypothalamus; Quantitative autoradiography; Telencephalon; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Streptozotocin
Diabetes; Insulin; Insulin-like growth factor-I; Nerve regeneration; Rat; Sciatic nerve; Somatomedin (Ekström, P.A.R.) **496,** 141

Stress
Opiate receptor; Analgesia (Stuckey, J.) **476,** 167

Prefrontal cortex; Dopamine receptor; Rat; Dopamine agonist (MacLennan, A.J.) **477,** 300

Muscarinic cholinergic receptor; Quinuclidinyl benzilate binding; Autoradiography in vitro; Hippocampus (Mizukawa, K.) **478,** 187

Vasopressin; Brattleboro; Natural killer cell; Morphine; Psychoneuro-immunology (Yirmiya, R.) **479,** 16

Cerebral metabolism; 2-Deoxyglucose; Locus coeruleus; Norepinephrine; Rat (Justice, A.) **490,** 73

Medial prefrontal cortex; Lateral hypothalamus; Ventral tegmental area; Learned helplessness; Self-stimulation; Dopamine (McGregor, I.S.) **490,** 397

CA1; Long-term potentiation; Neuronal plasticity; Adrenalectomy; Learning; Hippocampus; Corticosterone (Diamond, D.M.) **492,** 356

Antinociception; Intraspinal; Dynorphin; Morphine; Hibernation; Opioid; *Rana pipiens* (Stevens, C.W.) **494,** 227

Sensitization; Amphetamine; Glucocorticoid receptor; Dopamine; Noradrenaline (Rivet, J.-M.) **498,** 149

Hyperglycemia; Adrenal demedullation; Brain norepinephrine depletion (Bialik, R.J.) **502,** 88

Opioid; κ Agonists; U50488; Corticotropin releasing factor; Cortisol; Dog (Gué, M.) **502,** 143

Neuropeptide-Y; Corticotropin releasing factor; Hypothalamus; Norepinephrine; Adrenoceptor

(Tsagarakis, S.) **502,** 167

Corticotropin-releasing hormone; Opioid; Antinociception; Tolerance (Ayesta, F.J.) **503,** 219

Stress-induced analgesia
Receptor, 5-HT_2; Methysergide; Pirenpirone; Ketanserin (Kiefel, J.M.) **500,** 231

Anticipation stress; Tail flick latency; Endogenous opioid; Stress-sensitive organ; Corticosterone (Sumová, A.) **503,** 273

Stress-sensitive organ
Anticipation stress; Stress-induced analgesia; Tail flick latency; Endogenous opioid; Corticosterone (Sumová, A.) **503,** 273

Stretch reflex
Microneurography; Muscle spindle; Load compensation; Cross-bridge (Jahnke, M.T.) **501,** 324

Stria medullaris
Brain stimulation reward; Anterior hypothalamic area; Medial forebrain bundle (Blander, A.) **483,** 12

Striatal dopamine release
Brain dialysis; Muscarinic receptor; AF102B; Oxotremorine; Pirenzepine; AF-DX116 (Xu, M.) **495,** 232

Striatal neuron
Quisqualate receptor; γ-Aminobutyric acid release; Inositol monophosphate formation; Primary culture (Weiss, S.) **491,** 189

Striatal stimulation
Acetylcholinesterase; Push–pull cannula; Chemiluminiscent assay (Taylor, S.J.) **505,** 153

Striatal synaptosome
Tetrahydroaminoacridine; 4-Aminopyridine; Choline uptake; Hippocampal synaptosome (Buyukuysal, R.L.) **482,** 371

Striate
Monkey; Vision; Cortex; Orientation; Correlation (Krüger, J.) **477,** 57

Striated muscle
Receptor autoradiography; Immunohistochemistry; Calcitonin gene-related peptide; Calcitonin gene-related peptide receptor; Neuromuscular junction (Popper, P.) **496,** 180

Striato-nigral pathway
Butylbicyclophosphorothionate binding; Substantia nigra; Receptor, $GABA_A$; γ-Aminobutyric acid; Diazepam; Bicuculline (Sanna, E.) **501,** 144

Striatum
α-Tocopherol; 6-Hydroxydopamine; Rotation; Parkinson's disease; Free radical; Antioxidant (Cadet, J.L.) **476,** 10

Ischemia; Hippocampus; Gerbil; Seizure; Brain damage (Armstrong, D.R.) **476,** 174

Basal ganglia; Entopeduncular nucleus; Horseradish peroxidase; Rat (Fink-Jensen, A.) **476,** 194

Dopamine; γ-Aminobutyric acid; In vitro; Release; Slice; Uptake (Bernath, S.) **476,** 373

Quinolinic acid; L-Tryptophan; Microdialysis; Neurotoxicity; Extracellular fluid; Mass spectroscopy (During, M.J.) **476,** 384

Estradiol; 2-Hydroxyestradiol; Progesterone; Dopamine receptor (Fernández-Ruiz, J.J.) **476,** 388

Neuropeptide Y; Dopamine; Immunocytochemistry; Electron microscopy; Rat (Vuillet, J.) **477,** 241

Tyrosine hydroxylase; Synaptosome; Phosphorylation; Cyclic nucleotide (Colby, K.A.) **478,** 103

Dopamine receptor; Striosome; Development; Ontogeny; SCH 23390 (Murrin, L.C.) **480,** 170

Dopamine; Dopamine receptor; Weaver mouse; Mutation; Substantia nigra (Pullara, J.M.) **480,** 225

Nomifensine; Mazindol; Dopamine; Re-uptake; Voltammetry (Glynn, G.E.) **481,** 235

Basal ganglia; Globus pallidus; Retrograde double-labeling method; Tyroxine hydroxylase immunohistochemistry; Primate (Smith, Y.) **482,** 381

Dopamine receptor, D_1; Dopamine receptor, D_2; Parkinson's disease; Status lacunaris; Substantia nigra (Cortés, R.) **483,** 30

Reserpine; Adenylate cyclase; D_1 receptor; Supersensitivity; [^{3}H]SCH 23390 binding (Missale, C.) **483,** 117

Dopamine release; Microdialysis; 1-Methyl-1,4-phenylpyridinium ion; Adenosine; Puridine (Ballarin, M.) **483,** 184

Magnetic resonance imaging; Rat brain; Kainic acid; Huntington's disease; Neural transplant (Norman, A.B.) **483,** 188

D_2 dopamine receptor; Human brain; Pituitary lobe, Globus pallidus; Corticostriatal terminal; Guanine nucleotide effect (De Keyser, J.) **484,** 36

Adenosine; Receptor; Autoradiography; 5′-*N*-Ethylcarboxamido-adenosine; N^6-Cyclopentyladenosine (Jarvis, M.F.) **484,** 111

Choline; Acetylcholine; Phospholipid; Phosphatidylcholine; Precursor

(Ulus, I.H.) **484,** 217

Dopamine; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Substantia nigra; Tyrosine hydroxylase immunoreactivity; GM_1 ganglioside (Hadjiconstantinou, M.) **484,** 297

Haloperidol; Dopamine release; Microdialysis (Zhang, W.) **484,** 389

Dopamine; Homovanillic acid; Dihydroxyphenylacetic acid; In vivo dialysis; Haloperidol; Motor activity; Motivation (Salamone, J.D.) **487,** 215

Antipsychotic; Neuroleptic; Haloperidol; Clozapine; Dopamine receptor; Serotonin receptor; Nucleus accumbens; Frontal cortex (Wilmot, C.A.) **487,** 288

Dopamine; In vivo voltammetry; Uptake rate; Overflow rate (May, L.J.) **487,** 311

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase activity; Neurotoxicity; Total biopterin; Mouse (Nishi, K.) **489,** 157

Stereotypy; Intracerebral injection; Nucleus accumbens; *R*-(−)-*N*-n-Propylnorapomorphine; Sniffing; Oral activity; *N*-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (Bordi, F.) **489,** 205

Corticotropin-releasing factor; Met-enkephalin; Dynorphin; Corticotropin-releasing factor antagonist analogue (α-helical CRF_{9-41}); Globus pallidus; In vitro release; In vivo (push-pull) release; Rat (Sirinathsinghji, D.J.S.) **490,** 276

Cocaine; Behavioral sensitization; Dopamine uptake site; Intracerebral dialysis (Akimoto, K.) **490,** 339

1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine; Midbrain dopaminergic neuron; Nucleus accumbens; Tyrosine hydroxylase; Mouse (Manaye, K.F.) **491,** 307

Serotonin; Microdialysis; Habenula; Dorsal raphe nucleus; Release (Kalén, P.) **492,** 187

Rat; Mouse; γ-Aminobutyric acid; Messenger RNA; In situ hybridization; Glutamic acid decarboxylase; Somatostatin (Chesselet, M.-F.) **492,** 237

Cerulein; Cholecystokinin; Acetylcholine; Intracerebral dialysis; Vagotomy (Shimoyama, M.) **492,** 381

γ-Aminobutyric acid; Glutamic acid decarboxylase; Dopamine; Transplant; Substantia nigra (Segovia, J.) **493,** 185

Aging; Reduced excitation; Intracellular recording; Elevated excitatory threshold (Cepeda, C.) **494,** 215

N-Acetylaspartylglutamate;

Extrapyramidal system; Immunohistochemistry; Carbodiimide; Pallidum; Substantia nigra (Moffett, J.R.) **494,** 255

Benzodiazepine; Dopamine; Tyrosine hydroxylase; Anxiety; γ-Aminobutyric acid (Knorr, A.M.) **495,** 355

Synaptoneurosome; Synaptosome; Membrane sac; Glutamate; Kainate; Aspartate (Heinonen, E.) **496,** 187

Insulin; Lateral hypothalamus; Ventromedial hypothalamus; Monoamine; Gas chromatography/mass spectrometry (Holmes, L.J.) **496,** 204

D_1 dopamine receptor; Huntington's disease; Guanine nucleotide binding protein; Amygdala; Frontal cortex (De Keyser, J.) **496,** 327

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Diethyldithiocarbamate; Dopamine; Substantia nigra; Parkinson's disease; Behavior; Mouse (Yurek, D.M.) **497,** 250

Globus pallidus; Caudate nucleus; Putamen; Nucleus basalis; Unit activity; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Parkinson's disease; Globus pallidus; Nucleus basalis; Unit activity; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Aging; Receptor; Neuron (Han, Z.) **498,** 299

Substantia nigra; Dopaminergic neuron; Primate; Putamen; Caudate nucleus; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Transient forebrain ischemia; Dopamine receptor; Adenylate cyclase; DARPP-32; Autoradiography; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

N-(1-[2-Thienyl]cyclohexyl)[^{3}H]-piperidine binding; Phencyclidine receptor; Glutamate; Corticostriatal projection; Frontal decortication (Yoshida, Y.) **499,** 179

Neurotensin; Dopamine receptor, D_2; Neuroleptics; LY 171555; Sulpiride; Nucleus accumbens (Merchant, K.M.) **500,** 21

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Dopaminergic neuron; Cell culture; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; 1-Methyl-4-phenylpyridinium ion; Ethanol; Acetaldehyde (Zuddas, A.) **501,** 11

Neurotensin; Dopamine; 3,4-Dihydroxyphenylacetic acid; Homovanillic acid; Apomorphine; Microdialysis; Rat (Tanganelli, S.) **502,** 319

6-Hydroxydopamine; Spine; Golgi; Rat; Structural change (Ingham, C.A.) **503,** 334

Fasciculin; Cholinergic; Toxin; Snake venom; Circling behavior (Bolioli, B.) **504,** 1

Rotation; Conditioned circling; Medical prefrontal cortex; Dopamine; Cerebral asymmetry (Glick, S.D.) **504,** 231

Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propylamino-^{3}H]tetralin; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Interpeduncular nucleus; Superior colliculus; Substantia nigra (Przedborski, S.) **504,** 311

Amphetamine; Dopamine; Dialysis; Reserpine; Stereotypy (Callaway, C.W.) **505,** 83

Adenosine receptor; Triazolam; Rat (Hawkins, M.) **505,** 141

Aging; Dopamine; Muscarinic; Motor behavior; Estrogen; Prolactin (Joseph, J.A.) **505,** 195

Striosome
Dopamine receptor; Striatum; Development; Ontogeny; SCH 23390 (Murrin, L.C.) **480,** 170

Substantia nigra; Striatum; Dopaminergic neuron; Primate; Putamen; Caudate nucleus; Nigrostriatal (Langer, L.F.) **498,** 344

Stroke
Phenothiazine; Cerebral ischemia; Spinal cord ischemia; Protein kinase; Rabbit (Zivin, J.A.) **482,** 189

Stroke-prone gerbil
Gerbil; Temporary ligation; Prediction of stroke; Cerebral ischemia; Brain vasculature (Kitagawa, K.) **479,** 263

Structural change
Striatum; 6-Hydroxydopamine; Spine; Golgi; Rat (Ingham, C.A.) **503,** 334

Structure–activity relationship
Adenosine triphosphate; Chemoreceptor; Antagonism; Lobster; Nucleotide; Ectonucleotidase; Magnesium (Gleeson, R.A.) **497,** 12

Substance P; Blood pressure; Nucleus tractus solitarius; Substance P metabolism (Hall, M.E.) **497,** 280

Structure–activity study
Neurotensin; Water intake; Drinking; Neuropeptide; Polydipsia (Hawkins, M.F.) **487,** 188

Structure–function relationship
Trigeminal principal nucleus; Oral nucleus; Horseradish peroxidase staining; Periodontal afferent; Pulpal afferent (Tsuru, K.) **485,** 29

Strychnine
Phrenic activity; Respiratory rhythm; Oscillation; Spectral analysis; Inhibitory amino acid neurotransmitter; Bicuculine (Schmid, K.) **485,** 193

Tonic inhibition; Spinal cord; Heart rate; Arterial pressure (Hong, Y.) **499,** 169

Inferior colliculus; γ-Aminobutyric acid; Binaural inhibition; Bicuculline; Benzodiazepine; Glycine; Nipecotic acid (Faingold, C.L.) **500,** 302

Strychnine binding, [^{3}H]
Aging; Glycine; Seizure; Rat; Amino acid (Hunter, C.) **482,** 247

Subcellular
Inhibitory; Synapse; Immunochemistry; Central nervous system (Meinecke, D.L.) **493,** 303

Subcellular distribution
Calmodulin; Calcium-chelating agent; Radioimmunoassay; Spinal cord; Frog (Adachi, S.) **487,** 196

Subcellular fractionation
Protein phosphatase 2A; Polyclonal antibody; Regional distribution; Immunohistochemistry; Rat brain (Saitoh, Y.) **489,** 291

Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Subchronic drug treatment
Dopamine receptor subtype; Cholecystokinin; Haloperidol; Clozapine; Supersensitivity; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

Subcommissural organ
γ-Aminobutyric acid uptake; Ependymocyte; Serotonin innervation (Didier-Bazes, M.) **489,** 137

Subcortical visual pathway
Visually evoked potential; Multiunit activity; Oscillatory potential; Alert monkey (Schroeder, C.E.) **477,** 183

Subdivision
Immunohistochemistry; Neurotransmitter; Lateral geniculate body; Double staining (Takatsuji, K.) **480,** 198

Subependymal cell
Olfactory nerve; Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter expression; Neurotransmitter plasticity; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Subfornical organ
Tractus nucleus solitarii; Paraventricular

nucleus; Neural connection; Baroreceptor (Shioya, M.) **483,** 192

Angiotensin II immunoreactivity; Supraoptic neuron; Saralasin; Electrophysiology (Jhamandas, J.H.) **487,** 52

Luteinizing hormone; Luteinizing hormone-releasing hormone (Donevan, S.D.) **488,** 398

Subjective pain sensation
Flexion reflex; Visual analog scale (Chan, C.W.Y.) **479,** 145

Submissive mouse
α-Mouse; Behavioral 'despair'; Exploration; Anxiety; Seizure threshold; Monoamine; Corticosterone; Testosterone (Hilakivi, L.A.) **502,** 158

Subnucleus oralis
Trigeminal; Somatosensory; Nucleus raphe magnus; Descending modulation; Cat (Chiang, C.Y.) **485,** 371

Subpallidal area
Pedunculopontine nucleus; Mediodorsal nucleus of thalamus; Spontaneous locomotor activity; Procaine (Mogenson, G.J.) **485,** 396

Subpallidal output neuron
Basolateral nucleus of amygdala; Ventral subiculum of hippocampus; Pedunculopontine nucleus; Electrophysiological recording (Tsai, C.T.) **494,** 22

Subplate
Cortical plate; Alzheimer's disease; Down's syndrome; Differentiation (Al-Ghoul, W.M.) **481,** 361

Subretrofacial nucleus
Viscerotopy; Blood pressure; Hypertension; Midbrain periaqueductal gray; Defense reaction; Rostral ventrolateral medulla; Excitatory amino acid (Carrive, P.) **493,** 385

Substance P
Vagus nerve; Nodose ganglion; Calcitonin gene-related peptide; Nerve growth factor; Tissue culture (MacLean, D.B.) **478,** 349

Neurokinin A; Desensitization; Tachykinin; Parotid (McMillian, M.K.) **480,** 330

Tachykinin; Neurokinin A; Hypoxia; Carotid body; Chemoreceptor (Prabhakar, N.R.) **481,** 205

Serotonin; Enkephalin; Pudendal motoneuron; Onuf's nucleus; Spinal cord; Immunocytochemistry; Cat (Tashiro, T.) **481,** 392

Receptor autoradiography; Radioimmunohistochemistry; Human spinal cord; Amyotrophic lateral sclerosis (Dietl, M.M.) **483,** 39

Met-enkephalin; Serotonin; Spinal cord; Periaqueductal gray matter; Pain; Blood pressure (De Felipe, M.C.) **485,** 301

Entopeduncular nucleus; Glutamic acid decarboxylase; Coexistence; Immunohistochemistry; Rat (Murakami, S.) **485,** 403

Galanin; Calcitonin gene-related peptide; Naloxone; Bicuculline; Flexor-reflex; Monosynaptic reflex; Unmyelinated afferent; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Dopamine; Mesolimbic dopamine system; Mesocortical dopamine system; Ventral tegmental area; Neurotensin; Enkephalin (Cador, M.) **486,** 357

Immunohistochemistry; Median eminence; Arcuate nucleus; Hypothalamic lesion (Palkovits, M.) **486,** 364

Tachykinin peptide; Nucleus tractus solitarii; Cardiovascular; Neurokinin B (Nagashima, A.) **487,** 392

Neurokinin A; Neurokinin B; Eledoisin; Tachykinin receptor; Uridine incorporation; Guanine nucleotide (Lee, C.-M.) **488,** 328

Neuropeptide; Flexor reflex; Nerve section; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Tachykining receptor; Neurokinin A; Neurokinin B; Sympathetic ganglia (Konishi, S.) **490,** 162

Adrenal secretion; Adrenocorticotropin; Adrenaline; γ-Amino-butyric acid; Nociception; Noradrenaline; Trigeminal subnucleus caudalis (Bereiter, D.A.) **490,** 307

Serotonin; Enkephalin; Trigemino-thalamic tract; Medullary dorsal horn; Thalamus; Immunocytochemistry (Tashiro, T.) **491,** 360

Skin; Calcitonin gene-related peptide; Immunoelectron microscopy; Primary afferent fiber; Merkel cell; Immunohistochemistry; Dorsal root ganglion (Ishida-Yamamoto, A.) **491,** 93

Blood pressure; Depressor area; Heart rate; Pressor area; Wistar rats (Urbanski, R.W.) **491,** 383

Olfactory epithelium; Nerve terminal; Peptidergic innervation; Frog (Zielinski, B.S.) **492,** 361

Trigeminal nerve; Mesencephalic trigeminal nucleus; Enkephalin; Serotonin; Immunocytochemistry; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

Calcitonin gene-related peptide; Dorsal column; Primary afferent fiber; Rat (Tamatani, M.) **495,** 122

Dynorphin; Leumorphin; Colocalization; Hamster; Mating behavior; Opiate (Neal, C.R.) **496,** 1

Glutamate; Neural crest; Neurofilament; Neuronal differentiation; Sensory neuron; Tyrosine hydroxylase (Rachel, R.A.) **497,** 43

Acetylcholine receptor; Somatostatin; Caudate nucleus; Autoradiography (Ariano, M.A.) **497,** 51

Serotonin; Enkephalin; Immunohistochemistry; Onuf's nucleus; Spinal cord; Cat (Tashiro, T.) **497,** 177

Blood pressure; Nucleus tractus solitarius; Structure–activity relationship; Substance P metabolism (Hall, M.E.) **497,** 280

Bombesin; Neuromedin; Gastrin-releasing peptide; Inhibition; Depression; Primary afferent transmission; Dorsal horn; Nociception (De Koninck, Y.) **498,** 105

Neurokinin B; Spontaneously hypertensive rat; Cardiovascular; Tachykinin peptide (Nagashima, A.) **499,** 198

Coexistence; Calcitonin gene-related peptide; Serotonin; Subcellular fractionation; Synaptosome; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Acetylcholine; Dorsal horn neuron (Urban, L.) **500,** 12

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; L-Dihydroxyphenylalanine; LY-171555; SKF38393; SCH-23390; Striatum; Substantia nigra; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

Inflammation; Skin; Prostaglandin; Histamine; Rat (Khalil, Z.) **500,** 256

Histamine; H_1-receptor antagonist; H_2-receptor antagonist; Estrogen; Arcuate nucleus; Hypothalamic slice; Single unit activity (Jorgenson, K.L.) **502,** 171

Nucleus tractus solitarius; Neuropeptide; Serotonin; Colocalization of neurotransmitter; Brainstem; Slice (Jacquin, T.) **502,** 214

Neuroma; Calcitonin gene-related peptide; Stimulated release; Basal release; Localization (White, D.M.) **503,** 198

Transplant; Development; Neostriatum; Serotonin; Dopamine; Choline; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Multiple sclerosis; Astrocyte (Kostyk, S.K.) **504,** 284

Substance P afferent
Adrenergic neuron; Solitary nucleus; Synaptic interaction (Kawai, Y.) **479,** 344

Substance P analogue
Electroencephalogram; Motor dysfunction; Neurotoxicity; Somatostatin (Grabow, T.S.) **489,** 223

Substance P metabolism
Substance P; Blood pressure; Nucleus tractus solitarius; Structure–activity relationship (Hall, M.E.) **497,** 280

Substantia gelatinosa
Serotonin; Stimulation-produced analgesia; Raphe-spinal axon; Nucleus raphe magnus; Dorsal horn (Cho, H.J.) **477,** 344

Postnatal development; Primary afferent; Rat spinal cord (Pignatelli, D.) **491,** 33

Substantia innominata
Amygdala; Kindling; *N*-Methyl-D-aspartate receptor antagonist; 2-Amino-7-phosphono-heptanoic acid; Seizure suppression; Elevation of seizure threshold (Mori, N.) **486,** 141

Calcitonin gene-related peptide; Globus pallidus; Extended amygdala (Chang, H.T.) **495,** 167

Adrenaline; Noradrenaline; Catecholamine; Extended amygdala (Chang, H.T.) **503,** 350

Substantia nigra
Neural grafting; Neostriatum; Connectivity; Huntington's disease; Rat; Horseradish peroxidase (McAllister II, J.P.) **476,** 345

Epilepsy; Anticonvulsant; Superior colliculus; Nigrotectal; Bicuculline, γ-Aminobutyric acid (Dean, P.) **477,** 391

Met^5-Enkephalin-Arg-Gly-Leu; Caudate; Putamen; Globus pallidus; Basal ganglia; Neuropeptide; Opioid peptide; Neuroleptic drug; Huntington's disease; Progressive supranuclear palsy (Iadarola, M.J.) **479,** 397

Neurotensin; Dopamine; Tyrosine hydroxylase; Ventral tegmental area; Immunocytochemistry; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Striatum; Dopamine; Dopamine receptor; Weaver mouse; Mutation (Pullara, J.M.) **480,** 225

Perfusion; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Aspartate; Glutamate; Taurine; Rat (Farrant, M.) **480,** 344

Seizure; Convulsion; γ-Aminobutyric acid; Muscimol; Bicuculline; Baclofen; Rat (Sperber, E.F.) **480,** 378

γ-Aminobutyric acid; Pedunculopontine nucleus; Pentylenetetrazol-induced seizure (Okada, R.) **480,** 383

Dopamine; Caudate nucleus; Push–pull perfusion; 6-Hydroxydopamine (Chang, G.D.) **481,** 265

Guinea-pig; Push–pull cannula; Acetylcholinesterase; Peripheral nerve stimulation; Evoked release (Taylor, S.J.) **482,** 356

Dopamine receptor, D_1; Dopamine receptor, D_2; Parkinson's disease; Status lacunaris; Striatum (Cortés, R.) **483,** 30

Dopamine; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Striatum; Tyrosine hydroxylase immunoreactivity; GM_1 ganglioside (Hadjiconstantinou, M.) **484,** 297

Iminodipropionitrile; Head movement; Circling; Cerebral glucose metabolism; Superior colliculus; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Caudate nucleus; Nucleus tegmenti pedunculopontinus pars compacta (TPC); Horseradish peroxidase (HRP); Ibotenic acid; Electron microscopy; Cat (Tokuno, H.) **485,** 189

Dopamine; Flow cytometry; Transplant; Cell culture (Lopez Lozano, J.J.) **486,** 351

Opioid receptor; μ-Opioid; δ-Opioid; Dopamine; Stereotyped behavior (Morelli, M.) **487,** 120

Glutamic acid decarboxylase immunoreactivity; Subthalamic nucleus; Tegmentum; Basal ganglia (Schmued, L.) **487,** 131

6-Hydroxydopamine; Reactive microglia; Major histocompatibility (MHC) antigen (Akiyama, H.) **489,** 247

B3 area; Periaqueductal gray matter; Zona incerta; Hypothalamus; Central nucleus of the amygdala; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Neostriatum; Medical forebrain bundle; Immunohistochemistry; Basal forebrain; Phosphoprotein (Gustafson, E.L.) **491,** 297

γ-Aminobutyric acid; Glutamic acid decarboxylase; Dopamine; Transplant; Striatum (Segovia, J.) **493,** 185

N-Acetylaspartylglutamate; Extrapyramidal system; Immunohistochemistry; Carbodiimide; Striatum; Pallidum (Moffett, J.R.) **494,** 255

Sch-23390; Ventral tegmental area; Locomotion; Amphetamine (Stewart, J.) **495,** 401

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Diethyldithiocarbamate; Dopamine; Striatum; Parkinson's disease; Behavior; Mouse (Yurek, D.M.) **497,** 250

γ-Aminobutyric acid; Muscimol; Intracerebral injection; Epilepsy; Electroencephalogram; Rat; Petit mal; γ-Hydroxybutyrate (Depaulis, A.) **498,** 64

Kainic acid; Ibotenic acid; Limbic seizure (Tanaka, T.) **498,** 215

Striatum; Dopaminergic neuron; Primate; Putamen; Caudate nucleus; Nigrostriatal; Striosome (Langer, L.F.) **498,** 344

Dopamine deficiency; 6-Hydroxydopamine; Met^5-enkephalin; Substance P; L-Dihydroxyphenyl-alanine; LY-171555; SKF38393; SCH-23390; Striatum; High-performance liquid chromatography; Radioimmunoassay; Self-injurious behavior; Lesch–Nyhan syndrome (Sivam, S.P.) **500,** 119

1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Ethanol; Acetaldehyde; Neurotoxicity; Dopamine (Zuddas, A.) **501,** 1

Butylbicyclophosphorothionate binding; Striato-nigral pathway; Receptor, $GABA_A$; γ-Aminobutyric acid; Diazepam; Bicuculline (Sanna, E.) **501,** 144

γ-Aminobutyric acid; Valproate; Epilepsy (Löscher, W.) **501,** 198

Lateralization; Dopamine; Activity; Cortex (McMahon, F.J.) **503,** 185

Valproate; γ-Aminobutyric acid; Aspartate; Synaptic inhibition (Farrant, M.) **504,** 49

Epilepsy; Seizure; 1-Methyl-4-phenyl-1,2,5,6-tetra-hydropyridine; Mongolian gerbil; Mouse (Van Ness, P.C.) **504,** 289

Iminodipropionitrile; Dyskinesia; 8-Hydroxy-2-[di-*n*-propylamino-^{3}H]-tetralin; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Superior colliculus (Przedborski, S.) **504,** 311

Substantia nigra pars reticulata
Benzodiazepines; Seizure; γ-Aminobutyric acid (GABA); Muscimol; Flurazepam; Midazolam; Pentylenetetrazol (Zhang, H.) **488,** 73

Dopaminergic dendrite; Weaver mutant mouse; Homozygote; Heterozygote; Seizure (Triarhou, L.C.) **501,** 373

Subthalamic locomotor region
Freely moving cat; Locomotion; Posture; Microstimulation;

Mesencephalic locomotor region; Dorsal tegmental field; Ventral tegmental field; Arousal reaction (Mori, S.) **505,** 66

Subthalamic nucleus
Kynurenate; Dyskinesia; Globus pallidus; Intracerebral injection; Excitatory amino acid (Robertson, R.G.) **476,** 317

Glutamic acid decarboxylase immunoreactivity; Substantia nigra; Tegmentum; Basal ganglia (Schmued, L.) **487,** 131

Pedunculopontine nucleus; Intracellular recording; Intracellular labeling; Antidromic activation (Granata, A.R.) **488,** 57

Glutamate; γ-Aminobutyric acid; Glycine; Immunohistochemistry (Albin, R.L.) **491,** 185

Subthreshold response
Facial motoneuron; Electrical property; Repetitive firing; Afterhyperpolarization; Potassium current; Sodium current; Brain slice (Nishimura, Y.) **502,** 127

Subtype
α_1 Receptor; Chlorethylclonidine; Dog; Prazosin; Rat; WB-4101 (Mignot, E.) **486,** 56

Suckling-induced release
Prolactin; Vasopressin-neurophysin precursor; Brattleboro rat (Nagy, G.) **504,** 165

Sucrose
Intracerebroventricular infusion; Hyperosmotic solution; Hypo-osmotic solution; Saline; Mannitol; Natriuresis; Diuresis (Osborne, P.G.) **499,** 101

Sucrose gradient
Vesicle; Zonal centrifugation; Acetylcholine; *Torpedo* electric organ; Morphometric analysis (Fox, G.Q.) **498,** 279

Sugar
Drinking behavior; Hypertonic sodium-chloride; Water intake; Intracarotid; Intracerebroventricular (Park, R.) **493,** 123

Suicide
Serotonin; Serotonin turnover; Depression; Postmortem human brain; Antidepressant drug (Cheetham, S.C.) **502,** 332

Suicide transport
Thy 1; Monoclonal antibody; Saporin; Vagus nerve; Caudate nucleus; Neurotoxicity (Wiley, R.G.) **505,** 44

Sulpiride
Drug discrimination; Pentazocine; SCH 23390; Dopamine; Dopamine D_1 receptor (Ukai, M.) **496,** 377

Neurotensin; Dopamine receptor, D_2; Neuroleptics; LY 171555; Striatum; Nucleus accumbens (Merchant, K.M.) **500,** 21

Superficial dorsal horn
Visceral pain; Colorectal distension; Nociception; Spinal neuron (Ness, T.J.) **486,** 301

Superfusion
α-Melanocyte-stimulating hormone; Rat; Serotonin; Dopamine; Hypothalamus (Tiligada, E.) **503,** 225

Superimposed antidromic spike
Rubrospinal tract; Cat; Postspike axonal excitability (Canedo, A.) **502,** 28

Superior cervical ganglion
Neurotensin; Radioimmunoassay; Stellate ganglion; Non-cholinergic transmission; Sympathetic preganglionic neuron (Caverson, M.M.) **482,** 365

Spinal cord; Lumbar sympathetic ganglion; Neurospecificity; Choline acetyltransferase; Tissue culture (Chalazonitis, A.) **485,** 115

Potassium current; Voltage clamp; Patch clamp (Schofield, G.G.) **485,** 205

Calcitonin gene-related peptide; Sympathetic preganglionic neuron; Rat (Yamamoto, K.) **487,** 158

Autonomic nervous system; Trigeminal ganglion; Intercellular junction; Horseradish peroxidase; Blood–brain barrier (Ten Tusscher, M.P.M.) **490,** 95

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Sympathetic innervation; Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Anterior eye segment; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Indirect immunofluorescence; Immunoelectron microscopy; Met^5-Enkephalin-Arg^6-Gly^7-Leu^8; Small intensely fluorescent cell; Rat (Kanagawa-Terayama, Y.) **494,** 75

Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Nodose ganglion; Sensory innervation; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Cerebral cortex; Cerebellum; Noradrenaline; Nerve regeneration; Catecholamine receptor; Desmethylimipramine; Iondopindolol; Locus ceruleus (Levin, B.E.) **494,** 325

Acetylcholine; Noradrenaline; Calcium channel; Guanosine triphosphate-binding protein; Sympathetic neuron (Song, S.-Y.) **494,** 383

Muscarinic receptor; Neuropeptide; Autoradiography; Immunocytochemistry; Cell culture (James, S.) **498,** 205

Superior cervical ganglion neuronal cell
Sodium influx; Veratridine; Carotid body glomus cell; Primary culture; Tetrodotoxin-sensitive voltage-dependent sodium channel; Newborn rabbit (Sato, M.) **504,** 132

Superior colliculus
γ-Aminobutyric acid; Ganglion cell; Retina (Caruso, D.M.) **476,** 129

Cholinergic input; Choline acetyltransferase immunocytochemistry; Electron microscopy (Henderson, Z.) **476,** 149

Lateral posterior nucleus; Adenosine deaminase; Horseradish peroxidase tracing; Immunohistochemistry (Miguel-Hidalgo, J.-J.) **476,** 189

Epilepsy; Anticonvulsant; Substantia nigra; Nigrotectal; Bicuculline, γ-Aminobutyric acid (Dean, P.) **477,** 391

Herpes simplex virus; Retina; Suprachiasmatic nucleus; Transneuronal labeling; Hamster (Norgren, R.B.) **479,** 374

Basal ganglia; Cytoarchitecture; Primate; Saccade (Ma, T.P.) **480,** 305

Kainic acid; Ventral lateral geniculate nucleus lesion; Geniculotectal pathway; Field response; Electron micrograph; Rat (Nagata, T.) **483,** 50

Iminodipropionitrile; Head movement; Circling; Cerebral glucose metabolism; Substantia nigra; Nigrotectal pathway; Reticular formation; Disinhibition (Cadet, J.L.) **484,** 57

Retinal ganglion cell; Bifurcating axon; Ipsilateral projection; Lateral geniculate; Fluorescent tracer; Double-labeling method; Rat (Yamadori, T.) **488,** 143

Retinal transplant; Rejection; Glia (Rao, K.) **488,** 332

Ground squirrel; Horseradish peroxidase; Wheat germ-agglutinated horseradish peroxidase; Retinal projection (Petry, H.M.) **489,** 199

Cat; Direction selectivity; Apparent motion; Visual–auditory interaction (Rauschecker, J.P.) **490,** 56

Bat; Inferior colliculus; Inhibition; Facilitation (Sun, X.) **497,** 214

Eye movement; Frontal eye field; Reticular formation; Pontine nucleus; Thalamus (Miyashita, E.) **502,** 75

Iminodipropionitrile; Dyskinesia;

8-Hydroxy-2-[di-*n*-propyl-amino-^{3}H]tetralin; Receptor, 5-HT_{1A}; Autoradiography; Frontal cortex; Striatum; Interpeduncular nucleus; Substantia nigra (Przedborski, S.) **504,** 311

Superior laryngeal nerve
Phrenic motoneuron; Intracellular recording; Inhibitory postsynaptic potential; Cat (Bellingham, M.C.) **486,** 391

Cat; Phrenic nerve; Nucleus tractus solitarii; Pulmonary afferent; Inspiratory neuron (Donnelly, D.F.) **491,** 243

Respiratory rhythm; Phrenic nerve; Upper airway receptor; Apnea (Donnelly, D.F.) **505,** 149

Superior olivary complex
Stapedius muscle; Middle ear; Acoustic reflex; Transneuronal tracing; Retrograde horseradish peroxidase tracing; Rat (Rouiller, E.M.) **476,** 21

Superior temporal sulcus
Macaque monkey; Visual cortex; Accessory optic system; Autoradiography (Maioli, M.G.) **498,** 389

Superoxide dismutase
Alzheimer's disease; Paired helical filament; Free radical; Senile plaques; Neurodegenerative disorder (Zemlan, F.P.) **476,** 160

Brain edema; Brain injury (Ando, Y.) **477,** 286

Down syndrome; Whole cell; Patch recording; Action potential (Ault, B.) **497,** 191

6-Hydroxydopamine; Free radical; Catalase; Glutathione; Glutathione peroxidase; Parkinson's disease (Perumal, A.S.) **504,** 139

Supersensitivity
Muscarinic receptor; Hippocampus; Denervation; Potassium channel (Benson, D.M.) **478,** 399

Reserpine; Adenylate cyclase; D_1 receptor; Striatum; [^{3}H]SCH 23390 binding (Missale, C.) **483,** 117

Opioid; Naltrexone; Up-regulation; Opioid peptide; Spinal analgesia; Opioid receptor (Yoburn, B.C.) **485,** 176

Dopamine receptor subtype; Cholecystokinin; Subchronic drug treatment; Haloperidol; Clozapine; Caudate putamen; Antipsychotic drug (Hu, X.-T.) **486,** 325

γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Globus pallidus; Chronic haloperidol; Microiontophoresis; Glycine (Frey, J.M.) **491,** 57

Dopamine receptor subtype; Haloperidol; Clozapine; Neostriatum; Antipsychotic drug; Cyclic adenosine monophosphate; Chronic drug treatment (Ashby, C.R.) **493,** 194

Receptor, D_1-; Adenylate cyclase; Receptor, D_2-; Caudate-putamen; Autoradiography; SCH 23390; Dopamine (Marshall, J.F.) **493,** 247

Supersensitivity CNS
Cordotomy; Central pain; Dysesthesia; Hyperexcitability CNS (Levitt, M.) **481,** 47

Suppression
Prefrontal cortex; Electrical stimulation; Cortical field potential; Visual discrimination task; Monkey (Sasaki, K.) **495,** 100

Suprachiasmatic nuclei
Circadian system; Photic responsiveness; Entrainment; Neurophysiology (Meijer, J.H.) **501,** 315

Suprachiasmatic nucleus
Nerve growth factor receptor; Basal forebrain cholinergic neuron; Retinohypothalamic projection (Sofroniew, M.V.) **476,** 358

Luteinizing hormone; Prolactin; Serotonin; Estradiol; Ovariectomy; Median eminence; Medial preoptic nucleus; Arcuate nucleus (Cohen, I.R.) **476,** 400

Arginine-vasopressin; Brain slice; Circadian rhythm (Liou, S.Y.) **477,** 336

Retinohypothalamic tract; Hypothalamic slice; Field potential; Unit response (Cahill, G.M.) **479,** 65

Retinohypothalamic tract; Hypothalamic slice; Synaptic pharmacology; Excitatory amino acid (Cahill, G.M.) **479,** 76

Herpes simplex virus; Retina; Superior colliculus; Transneuronal labeling; Hamster (Norgren, R.B.) **479,** 374

Circadian rhythm; Retina; Visual system; Hypothalamus (Murakami, D.M.) **482,** 283

Lateral geniculate nucleus; Neuropeptide Y; Hypothalamus; Circadian rhythm (Moore, R.Y.) **486,** 190

Vasopressin; Oxytocin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Paraventricular nucleus (Carter, D.A.) **487,** 350

Visual system; Hypothalamus; Retinal projection; Comparative anatomy; Primate (Magnin, M.) **488,** 390

Lateral geniculate nucleus; Intergeniculate leaflet; Circadian system; Visual system; Entrainment; Electrical stimulation (Rusak, B.) **493,** 283

Circadian rhythm; Paraventricular nucleus; Brain protein synthesis; Neutral amino acid; Autoradiography, [^{14}C]leucine (Scammell, T.E.) **494,** 155

Vasoactive intestinal peptide; Diurnal variation (Takahashi, Y.) **497,** 374

Ventromedial hypothalamic nucleus; Glutamate; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **498,** 140

Circadian rhythm; Pacemaker; Neural transplant; Hypothalamus; Parvocellular neuron; Hypothalamic neuropeptide (DeCoursey, P.J.) **500,** 263

Estradiol; GABA receptor; $GABA_B$ binding site; Quantitative autoradiography; Rat (François-Bellan, A.-M.) **503,** 144

Retinohypothalamic tract; Electrical stimulation; Glutamate antagonist; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **503,** 163

Intergeniculate leaflet; Photic response; Neurophysiology; Antidromic activation; Circadian rhythm entrainment (Zhang, D.X.) **504,** 161

Supraependymal neuron
Pituitary gland; Neuroendocrine regulation; Cerebrospinal fluid alteration therapy (Michael, D.B.) **478,** 227

Supraoptic neuron
Angiotensin II immunoreactivity; Subfornical organ; Saralasin; Electrophysiology (Jhamandas, J.H.) **487,** 52

Supraoptic nucleus
γ_2-Melanocyte stimulating hormone; Vasopressin; Magnocellular neuron (Mitchell, L.D.) **480,** 388

Vasopressin; Oxytocin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Paraventricular nucleus; Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Morphine dependence; Oxytocin mRNA; In situ hybridization histochemistry; Opiate (Summer, B.E.H.) **489,** 283

Neuropeptide Y; Noradrenaline; Neurosecretory cell; Vasopressin cell (Sibbald, J.R.) **499,** 164

β-Adrenergic receptor; Vasopressin neuron; Paraventricular nucleus; Rat; Immunocytochemistry (Takano, T.) **499,** 174

Surface antigen
Dorsal root ganglion; Ganglioside; Glycolipid; Immunohistochemistry; Tumor marker (Kusunoki, S.) **494,** 391

Surface potential
Frog; Gustatory response (Sugawara, M.) **486,** 269

Surgical sympathectomy
Immunohistochemistry; Cerebral artery; 5-Hydroxytryptamine; Sympathetic nerve; Neurotoxic denervation; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Survival
Sympathetic; Sensory; Nerve growth factor; Receptor; Antibody (Johnson, E.M.) **478,** 166

Swallow volume
Swallowing; Feeding microstructure; Ingestion rate; Ingestive behavior; Licking; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Swallowing
Swallow volume; Feeding microstructure; Ingestion rate; Ingestive behavior; Licking; Rhythmic behavior (Kaplan, J.M.) **499,** 63

Tongue extrinsic muscle; Muscular swallow synergy; Electromyographic recording; Sheep (Amri, M.) **503,** 141

Swim-induced analgesia
Genetic difference; Stimulation-produced analgesia; Periaqueductal gray matter; Naloxone (Marek, P.) **489,** 182

Swimming
Lamprey; In vitro preparation; Locomotion; Reticulospinal neuron; Spinal input; Brainstem; Phasic membrane potential oscillation (Dubuc, R.) **483,** 196

Recruitment; Electromyography; Locomotion; Motor control; Skeletal muscle (Hutchison, D.L.) **502,** 233

Sh-SY5Y
Pirenzepine; Receptor; Muscarinic; Human neuroblastoma cell; Inositol lipid; Cyclic AMP (Mei, L.) **504,** 7

Symmetric synapse
Ventral striatum; Ventral tegmental area; Wheat germ agglutinin-horseradish peroxidase; Vesicle; Axoplasm (Zahm, D.S.) **482,** 145

Sympathectomy
Cervical sympathetic trunk; Unmyelinated fiber; Guanethidine (Zochodne, D.W.) **498,** 221

Sympathetic
Sensory; Survival; Nerve growth factor; Receptor; Antibody (Johnson, E.M.) **478,** 166

Blood vessel; Collateral sprouting; Nerve growth factor; Osmotic minipump; Rat (Saffran, B.N.) **492,** 245

Target-specific neuron; Neuropeptide; Adult rat; Gender difference (Wright, L.L.) **494,** 267

Sympathetic activity
Medullary serotonin neuron; Blood pressure; 8-Hydroxy-dipropylamino-tetralin; Electrophysiology (McCall, R.B.) **477,** 172

Glucagon; Nucleus tractus solitarii (Krzeski, R.) **504,** 297

Sympathetic efferent activity
Tumour necrosis factor-α; Lymphotoxin; Brown adipose tissue; Rat; Central nervous system (Holt, S.J.) **497,** 183

Sympathetic ganglia
Tachykining receptor; Substance P; Neurokinin A; Neurokinin B (Konishi, S.) **490,** 162

Sympathetic ganglion
Calcitonin gene-related peptide; Fast excitatory response; Slow excitatory response (Dun, N.J.) **476,** 256

Sympathetic innervation
Superior cervical ganglion; Trigeminal ganglion; Ciliary ganglion; Pterygopalatine ganglion; Anterior eye segment; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Sympathetic nerve
Immunohistochemistry; Cerebral artery; 5-Hydroxytryptamine; Neurotoxic denervation; Surgical sympathectomy; Electrical nerve stimulation; 5-Hydroxytryptamine release (Chang, J.-Y.) **492,** 79

Sympathetic nerve discharge
Sympathetic preganglionic neuron; Rostral ventrolateral medulla; Astrocytic glia; Immunocytochemistry; Spinal cord (Morrison, S.F.) **503,** 5

Sympathetic nerve terminal
Monoamine oxidase; Cerebral circulation; Cerebral artery; Nerve growth factor; Immunosympathectomy; Ultrastructure (Shigematsu, K.) **497,** 21

Sympathetic nervous system
Ventromedial hypothalamic nucleus; Lateral hypothalamic area; Paraventricular hypothalamic nucleus; Norepinephrine turnover; Hypothalamic obesity (Saito, M.) **481,** 298

Food intake; Diet-induced obesity; Norepinephrine; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

Corticotropin-releasing factor; Dynorphin-related peptide; Central nervous system; Arterial pressure; Heart rate (Overton, J.M.) **488,** 233

Adrenal gland; Central nervous system viral infection; Pseudorabies virus; Transneuronal cell body labeling; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Pain; Hyperalgesia; Nociception; Prostaglandin; Arachidonic acid; Cyclooxygenase; Polymorphonuclear leukocyte (Taiwo, Y.O.) **492,** 397

Angiotensin II; Atrial natriuretic polypeptide; Catecholamine; Blood pressure; Adrenocorticotropic hormone (Makino, S.) **501,** 84

Neuromuscular spindle; Secondary spindle sensory ending; Group I and group II afferent fibre; Lumbar sympathetic chain; Antidromic collision (Petit, J.) **503,** 181

Rat; 2-Deoxy-D-glucose; Neuroglycopenia; Hyperglycemia; Liver glucose output; Guanethidine; Hypothalamus (Pascoe, W.S.) **505,** 23

Sympathetic neuron
Release; Noradrenaline; Neuropeptide Y; Calcium; Exocytosis (Saxena, V.K.) **486,** 310

Acetylcholine; Noradrenaline; Calcium channel; Guanosine triphosphate-binding protein; Superior cervical ganglion (Song, S.-Y.) **494,** 383

8-OH DPAT; Serotonin; Serotonin agonist (McCall, R.B.) **501,** 73

Sympathetic neuropathy
Diabetes; Pancreatic islet transplantation (Schmidt, R.E.) **497,** 393

Sympathetic postganglionic neuron
β-Estradiol; Hyperalgesia; Raynaud's phenomenon; Pain; Cyclooxygenase; Arachidonic acid; α-Adrenergic (Levine, J.D.) **487,** 143

Sympathetic preganglionic neuron
Neurotensin; Radioimmunoassay; Stellate ganglion; Superior cervical ganglion; Non-cholinergic transmission (Caverson, M.M.) **482,** 365

Calcitonin gene-related peptide; Superior cervical ganglion; Rat (Yamamoto, K.) **487,** 158

Adrenaline; Adrenergic α_1 receptor; Adrenergic α_2 receptor; Excitation; Inhibition (Miyazaki, T.) **497,** 108

Rostral ventrolateral medulla; Astrocytic glia; Sympathetic nerve discharge; Immunocytochemistry; Spinal cord (Morrison, S.F.) **503,** 5

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Ultrastructure; Horseradish peroxidase (Bogan, N.) **505,** 257

Sympathomimetics
Syrian hamster; Pineal; Electrical activity; Iontophoresis; Rhythm (Stehle, J.) **488,** 275

Synapse
Dense-cored vesicle; Non-synaptic release; Ultrastructure; Neuropile;

Crayfish (Cuadras, J.) **477,** 332

Cable theory; Computer simulation; Dendrite; Electrotonic; Excitatory postsynaptic potential (Holmes, W.R.) **478,** 127

Hypothalamic paraventricular nucleus; Oxytocin; Immunochemistry; Ultrastructure; Neuronal plasticity; Neuroglia; Lactation (Theodosis, D.T.) **484,** 361

Bombesin; Vasoactive intestinal polypeptide; Cholecystokinin; Celiac ganglion; Guinea pig (Hamaji, M.) **488,** 283

Subcellular; Inhibitory; Immunochemistry; Central nervous system (Meinecke, D.L.) **493,** 303

β-Adrenergic receptor; Medial nucleus of the solitary tract; Membrane biogenesis; Autonomic; Catecholamine; Autoreceptor; Immunohistochemistry; Immunoautoradiography (Aoki, C.) **493,** 331

Synaptic degeneration
1-Methyl-4-phenyl-1,2,3,6-tetra-hydropyridine; Caudate nucleus; Gliosis; Monoamine oxidase inhibition (Hess, A.) **499,** 393

Synaptic excitability
Adrenoceptor; Autonomic; Brain slice; Clonidine; Nucleus tractus solitarii (Feldman, P.D.) **480,** 190

Synaptic inhibition
Valproate; Substantia nigra; γ-Aminobutyric acid; Aspartate (Farrant, M.) **504,** 49

Synaptic interaction
Adrenergic neuron; Substance P afferent; Solitary nucleus (Kawai, Y.) **479,** 344

Synaptic junction
L-Glutamate receptor; *N*-Methyl-D-aspartate receptor; L-β-Methylaminoalanine (Richter, K.E.) **492,** 385

Synaptic localization
Leech; Inhibition; Axotomy; Fluorescent dye irradiation; Development (Lytton, W.W.) **504,** 43

Synaptic organization
Pedunculopontine tegmental nucleus; Electron microscopy (Moriizumi, T.) **478,** 315

Synaptic pharmacology
Suprachiasmatic nucleus; Retinohypothalamic tract; Hypothalamic slice; Excitatory amino acid (Cahill, G.M.) **479,** 76

Synaptic plasticity
N-Methyl-D-aspartate; Hippocampus (Muller, D.) **477,** 396

Autoradiography; Cerebral ischemia; Hippocampus; Phorbol ester; Protein kinase C; Selective vulnerability (Onodera, H.) **481,** 1

Long-term potentiation; Theta rhythm; Hippocampus; CA1; *N*-Methyl-D-aspartate receptor (Larson, J.) **489,** 49

Synaptic strength
Frog neuromuscular junction; Seasonality; Identified junction; Quantal content; Miniature endplate potential frequency (Pawson, P.A.) **495,** 182

Synaptic transmission
Co-localization; *Aplysia*; Identified neuron; Buccal ganglia; Cholecystokinin/gastrin peptide; Cholinergic transmission (Ono, J.K.) **493,** 212

Extracellular pH; Spontaneous field discharge; Ion-sensitive microelectrode; Hippocampal slice (Jarolimek, W.) **505,** 225

Synaptic vesicle
Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptosome; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Nicotine; Transport; Dopamine; [^{3}H]-Accumulation; Reserpine (Kramer, H.K.) **503,** 296

Synaptogenesis
Gunn rat; Cerebellum; Purkinje cell; Postnatal development (Takagishi, Y.) **492,** 116

Synaptoneurosome
γ-Aminobutyric acid receptor; Chloride ion channel; Barbiturate; Picrotoxinin; Picrotoxin; Seizure-sensitive mice (Schwartz, R.D.) **481,** 169

Pyrethroid; Sodium channel; Inositol; Phosphate (Gusovsky, F.) **492,** 72

Striatum; Synaptosome; Membrane sac; Glutamate; Kainate; Aspartate (Heinonen, E.) **496,** 187

Synaptosomal plasma membrane
Monoclonal antibody; Choline acetyltransferase; Inhibition (Eder-Colli, L.) **500,** 90

Synaptosome
Glutaminase-inhibition; Amino acid pool; Evoked release of amino acid neurotransmitter (Bradford, H.F.) **476,** 29

Tyrosine hydroxylase; Phosphorylation; Cyclic nucleotide; Striatum (Colby, K.A.) **478,** 103

G protein; *Aplysia*; Pertussis toxin; Cholera toxin; Adenylate cyclase (Vogel, S.S.) **478,** 281

γ-Aminobutyric acid; L-Glutamic acid; Neurotransmitter; Amino acid; Uptake; Human central nervous system; Postmortem (Dodd, P.R.) **490,** 320

Hippocampus; Mossy fiber expansion; Glutamate; Dynorphin; L(+)-2-Amino-4-phosphonobutyrate; Presynaptic; Calcium (Gannon, R.L.) **495,** 151

Striatum; Synaptoneurosome; Membrane sac; Glutamate; Kainate; Aspartate (Heinonen, E.) **496,** 187

Coexistence; Calcitonin gene-related peptide; Substance P; Serotonin; Subcellular fractionation; Synaptic vesicle; Radioimmunoassay; High-performance liquid chromatography; Electron microscopy (Fried, G.) **499,** 315

Calcium; Cyclic adenosine monophosphate; α_2-Adrenoceptor; Clonidine; Yohimbine; Isoproterenol; Hypoxia (Okada, M.) **501,** 23

Synchronization
Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Epilepsy (Dalkara, T.) **498,** 123

Synthesis
D-Amphetamine infusion; Dopamine; Single-unit recording; Autoreceptor (Lee, T.H.) **483,** 17

Adrenocorticotropin; β-Endorphin; Brain; Cell culture; Regulation; Hypothalamus; Immunoreactive (Kapcala, L.P.) **491,** 253

Syrian hamster
Pineal; Electrical activity; Iontophoresis; Sympathomimetics; Rhythm (Stehle, J.) **488,** 275

Systemic lupus erythematosus
Neuroimmunology; Brain asymmetry; New Zealand black mouse; Auto-antibody (Neveu, P.J.) **498,** 159

Systemic penicillin epilepsy
REM sleep; Electroconvulsive shock; Atropine; Pontine lesion; Cat (Shouse, M.N.) **505,** 271

T

T-maze test
Behavioral recovery; Lesion; Accessory olfactory bulb; Preference of odor; Rat (Ichikawa, M.) **498,** 45

Tachykinin
Neuropeptide; Serotonin; Co-transmitter; Ion transport; Neuroblastoma × glioma hybrid cell (Reiser, G.) **479,** 40

Neurokinin A; Substance P; Desensitization; Parotid

(McMillian, M.K.) **480,** 330

Vasoactive intestinal peptide; Sensory neuron; Nerve injury; Gene expression; Actin (Nielsch, U.) **481,** 25

Substance P; Neurokinin A; Hypoxia; Carotid body; Chemoreceptor (Prabhakar, N.R.) **481,** 205

Dementia; Neuropeptide (Clevens, R.A.) **486,** 387

Tachykinin peptide
Substance P; Nucleus tractus solitarii; Cardiovascular; Neurokinin B (Nagashima, A.) **487,** 392

Neurokinin B; Substance P; Spontaneously hypertensive rat; Cardiovascular (Nagashima, A.) **499,** 198

Tachykinin receptor
Substance P; Neurokinin A; Neurokinin B; Eledoisin; Uridine incorporation; Guanine nucleotide (Lee, C.-M.) **488,** 328

Substance P; Neurokinin A; Neurokinin B; Sympathetic ganglia (Konishi, S.) **490,** 162

Tadpole
Nervus terminalis; Septum; Transient connection; Amphibian; Ontogeny; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

Tail
Thalamus; Nociceptive neuron; Pain; Rat; Extracellular single unit recording (Yen, C.-T.) **498,** 118

Tail-flick
Morphine; Atropine; Phentolamine; Methysergide; Analgesia; Hot-plate; Rat (Chiang, C.-Y.) **478,** 293

Tail-flick latency
Anticipation stress; Stress-induced analgesia; Endogenous opioid; Stress-sensitive organ; Corticosterone (Sumová, A.) **503,** 273

Tail-flick reflex
Rat; Antinociception; Pain; Stimulation-produced analgesia; Naloxone; Midbrain (Guinan, M.J.) **485,** 333

Tail-flick test
Nucleus tractus solitarius; Antinociception; Pain modulation; Pentobarbital; Glutamate; Morphine; Descending inhibition (Morgan, M.M.) **486,** 175

Stimulation-produced analgesia; Periaqueductal gray; Descending pain modulation; Ascending pain modulation; Hot-plate test; Antinociception (Morgan, M.M.) **502,** 61

Tail-pinch test
Delta-sleep-inducing peptide; Antinociceptive effect; Descending inhibitory system; Spinal noradrenergic system; Spinal serotonergic system; Hot plate test (Nakamura, A.) **480,** 82

Tangle
Cholinesterase; Plaque; Cholinesterase inhibitor; Alzheimer's disease (Geula, C.) **498,** 185

Tannic acid
Peptide release by exocytosis; Neurohemal and non-synaptic release; Quantitative immunoelectron microscopy; Caudodorsal cell; *Lymnaea stagnalis* (Schmidt, E.D.) **489,** 325

Tardive dyskinesia
Electron microscopy; Caudate; Nucleus accumbens; Perforated postsynaptic density; Neuroleptic drug (Meshul, C.K.) **489,** 338

Target recognition
Olfactory neuron; Olfactory bulb; Olfactory marker protein; Transplantation (Monti-Graziadei, A.G.) **484,** 157

Target-specific neuron
Sympathetic; Neuropeptide; Adult rat; Gender difference (Wright, L.L.) **494,** 267

Taste
Lateral hypothalamus; Unit recording; Licking; Learning; Freely moving rat (Yamamoto, T.) **481,** 286

Nerve regeneration; Reinnervation; Lingual nerve; Chorda tympani; Tongue; Salivary gland (Robinson, P.P.) **483,** 259

Chemosensory receptor; Chemical sense; Peripheral mechanism; Transduction (Kalinoski, D.L.) **488,** 163

Lateral hypothalamic neuron; Smell; Potable; Licking; Cue signal (Nakamura, K.) **491,** 15

Taste cell
Bitter; Denatonium benzoate; Whole-cell voltage-clamp (Spielman, A.I.) **503,** 326

Tau
Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Protein phosphorylation; Ubiquitin (Bancher, C.) **477,** 90

Taurine
Substantia nigra; Perfusion; Intra-/extracellular concentration ratio; γ-Aminobutyric acid; Aspartate; Glutamate; Rat (Farrant, M.) **480,** 344

Frog spinal cord; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; Taurine antagonist; β-Alanine; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

Taurine antagonist
Taurine; Frog spinal cord; Dorsal root potential; 6-Aminomethyl-3-methyl-4H,1,2,4-benzothiadiazine-1,1-dioxide; β-Alanine; Hypotaurine; Kojic amine (Padjen, A.L.) **488,** 288

Tectum
Principal optic nuclei; Accessory optic; Avian; Cholera toxin B-chain–horseradish peroxidase (Wild, J.M.) **479,** 130

Nucleus isthmi ventralis; Visual system; Isthmus; Bird (Martínez, S.) **481,** 181

Excitatory amino acid; *N*-Methyl-D-aspartic acid; Quisqualate; Phencyclidine; Autoradiography; Visual plasticity; Frog (McDonald, J.W.) **482,** 155

Tegmentum
Glutamic acid decarboxylase immunoreactivity; Subthalamic nucleus; Substantia nigra; Basal ganglia (Schmued, L.) **487,** 131

Telencephalon
Prolactin receptor; Ring dove; *Streptopelia risoria*; Hypothalamus; Quantitative autoradiography; Choroid plexus; Sex difference (Fechner, J.H.) **487,** 245

Teleost
Vasoactive intestinal polypeptide; Olfactory bulb; Immunocytochemistry (Alonso, J.R.) **490,** 385

Temperature
Action potential duration; Spike duration; Hibernation; Information processing; Biophysical properties of neurons; Central nervous system (Krilowicz, B.L.) **498,** 73

Analgesia; Nociception; Pain; Behavior (Casey, K.L.) **501,** 150

Temporal lobe epilepsy
Kainate; Limbic seizure; Chronic cannula (Berger, M.L.) **489,** 261

Hippocampus; Plasticity; Neuronal loss (De Lanerolle, N.C.) **495,** 387

Temporal summation
Startle reflex; Cochlear nucleus; Reticulospinal path; Refractory period; Facial nerve (Yeomans, J.S.) **486,** 147

Temporal–parietal
P3; Orientation; Attention; Area Tpt; Area cSTP; Memory (Knight, R.T.) **502,** 109

Temporary ligation
Gerbil; Stroke-prone gerbil; Prediction of stroke; Cerebral ischemia; Brain vasculature (Kitagawa, K.) **479,** 263

Terminal
Photoreceptor; Gap junction; Inner segment; Fovea (Cohen, A.I.) **490,** 200

Testes
Castration; Cremaster muscle; Indolamine; Motoneuron; Peptide; Rat; Spinal cord (Newton, B.W.) **485,** 149

Testicular

Olfactory; Vomeronasal; Photoperiod; Reproductive; Gonadotropin; Hamster (Pieper, D.R.) **485,** 382

Testosterone
Seizure; Picrotoxin; Estrogen; Sex difference (Schwartz-Giblin, S.) **476,** 240

Lateralization; Frontal cortex; Behavior; Locomotion (Starkstein, S.E.) **478,** 16

Nicotine; Sexual behavior; Eye opening; Reproductive axis; Levator anus; Development (Segarra, A.C.) **480,** 151

Neuronal organization; Hypogastric ganglion; Tyrosine hydroxylase; Choline acetyltransferase (Melvin, J.E.) **485,** 1

Hypogastric ganglion; Tyrosine hydroxylase; Androgen receptor; Development (Melvin, J.E.) **485,** 11

Developing spinal cord; Organotypic culture; Neuromotrophic factor; Cell death (Hauser, K.F.) **485,** 157

Gap junction; Motoneuron; Dendritic bundling (Matsumoto, A.) **495,** 362

Imipramine; Tricyclic antidepressant; Castration; Binding site; Brain; Rat (Sandrini, M.) **496,** 29

Androgen; Dihydrotestosterone; Primate; Hypothalamus; Amygdala; Pituitary gland; Autoradiography (Michael, R.P.) **502,** 11

α-Mouse; Submissive mouse; Behavioral 'despair'; Exploration; Anxiety; Seizure threshold; Monoamine; Corticosterone (Hilakivi, L.A.) **502,** 158

Tetanus
Rat; LTP; Visual cortex; Brain slice; Plasticity (Berry, R.L.) **481,** 221

Tetraethylammonium
Optic tract; 4-Aminopyridine; Potassium channel; Action potential repolarization; Frequency-following; Paranodal axoglial junction (Fox, D.A.) **498,** 229

Schwann cell; Potassium channel; Patch clamp; Whole-cell recording; Quinine (Konishi, T.) **499,** 273

Optic nerve; Ion channel; 4-Aminopyridine; Afterhyperpolarization; Apamin (Gordon, T.R.) **502,** 252

Protein kinase C; Tetrodotoxin; Sodium channel; Sea anemone toxin; Antibody to synthetic peptides; 4-Aminopyridine (Meiri, H.) **502,** 401

Tetrahydroaminoacridine
4-Aminopyridine; Choline uptake; Striatal synaptosome; Hippocampal synaptosome (Buyukuysal, R.L.) **482,** 371

Tetrapentylammonium
4-Aminopyridine; Cerebellar slice; Spontaneous glutamate release; Calcium (Barnes, S.) **486,** 89

12-Tetradecanoylphorbol myristateacetate
Primary astrocyte; Fura-2 acetoxymethylester; Intracellular Ca^{2+}; 3,3-Diethylthiadicarboxyamineiodide; Membrane potential; Phenylephrine; Carbachol; Dioctanoylglycerol (Kristian Enkvist, M.O.) **500,** 46

Tetrodotoxin
Progesterone; Corpus striatum; Female rat; In vitro dopamine release; Interneuron (Dluzen, D.E.) **476,** 332

Immobilized progesterone; Corpus striatum; Female rat; In vitro dopamine release; Interneuron; Albumin (Dluzen, D.E.) **476,** 338

Rat hippocampus; CA1 pyramidal neuron; Concentration-clamp technique; Voltage-dependent sodium current; Lidocaine (Kaneda, M.) **484,** 348

Scorpion toxin; Sodium channel; Calcium; EGTA; Dopamine; Push-pull; Neostriatum; Rat (Sirinathsinghji, D.J.S.) **489,** 369

BAY K 8644; Nimodipine; Calcium current; Calcium action potential; Electrical activity; Melanotroph; Mouse (Taraskevich, P.S.) **491,** 102

Protein kinase C; Sodium channel; Sea anemone toxin; Antibody to synthetic peptides; 4-Aminopyridine; Tetra-ethyl ammonium (Meiri, H.) **502,** 401

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Verapamil; Dexamethasone; Carbamazepine (Calogero, A.E.) **505,** 7

Tetrodotoxin-sensitive voltage-dependent sodium channel
Sodium influx; Veratridine; Carotid body glomus cell; Superior cervical ganglion neuronal cell; Primary culture; Newborn rabbit (Sato, M.) **504,** 132

Thalamic mediodorsal nuclei
Alzheimer's disease; Cholinergic hypothesis; Thalamic reticular nuclei; Neuritic plaque (Masliah, E.) **493,** 240

Thalamic reticular neuron
Intracellular recording; Burst discharge; Excitatory postsynaptic potential; Spindle rhythm; Rat (Sumitomo, I.) **482,** 34

Thalamic reticular nuclei
Alzheimer's disease; Cholinergic hypothesis; Thalamic mediodorsal nuclei; Neuritic plaque (Masliah, E.) **493,** 240

Thalamic reticular nucleus
Kainic acid; Autoradiography, ^{45}Ca; Hippocampus; Neuronal cell death (Tanaka, S.) **478,** 385

Intracranial pressure; Cerebral ischemia; Excitotoxicity (Ross, D.T.) **501,** 129

Thalamic stimulation
Cerebral cortical transplant; Newborn host; Peripheral stimulation; Electrophysiology; Sensory input (Neafsey, E.J.) **493,** 33

Thalamocortical
Anterograde degeneration; Electron microscopy; Neural pathway; Neuroanatomical technique; Visual cortex (Dashe, J.F.) **505,** 203

Thalamocortical synapse
Monkey; Auditory cortex; Double-labeling immunocytochemistry; γ-Aminobutyric acid; Peptide (Cipolloni, P.B.) **492,** 347

Thalamocortical synchronization
Ethosuximide; Spindle wave; Recruiting response; Nucleus reticularis thalami (Pellegrini, A.) **497,** 344

Thalamofugal pathway
Asymmetry; Sex difference; Chicken; True blue; Visual Wulst (Adret, P.) **478,** 59

Thalamus
Tyrosine hydroxylase; Cat; Immunohistochemistry (Kitahama, K.) **478,** 156

Parabrachial nucleus; Zona incerta; Hypothalamus; Anterograde tracing; Retrograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

Tongue muscle-controlling motoneuron; Hypoglossal motoneuron; Visually guided behavior; Avoiding behavior; Prey-catching behavior; Toad (Satou, M.) **481,** 39

Angiotensin II; Immunocytochemistry; Rat; Cell body; Neuropeptide (Coveñas, R.) **481,** 185

N-Methyl-D-aspartic acid; Excitatory amino acid; Glycine; Serine; Somatosensory system (Salt, T.E.) **481,** 403

Somatosensory system; Spinal cord; Anatomy; Pigeon (Schneider, A.) **484,** 139

Ventrobasal neuron; Arthritic rat; Pain (Guilbaud, G.) **484,** 383

Brain; Australoid race; Basal ganglia; Cerebellum; Corpus striatum; Amygdaloid body (Klekamp, J.) **485,** 79

Epilepsy; Gerbil; γ-Aminobutyric acid; Intracerebral injection; Muscimol; Seizure (Lee, R.J.) **487,** 363

Hypogastric nerve; Pelvic pain; Nucleus ventralis posterolateralis; Cat

(Asato, F.) **488,** 135

Ventrolateral nucleus; Cholecystokinin; Vasoactive intestinal polypeptide; Immunohistochemistry; Wheat germ agglutinin–horseradish peroxidase; Rat (Ogawa, R.) **490,** 152

Serotonin; Enkephalin; Substance P; Trigemino-thalamic tract; Medullary dorsal horn; Immunocytochemistry (Tashiro, T.) **491,** 360

C-*fos*; Dorsal horn; Immunohistochemistry; Pain (Bullitt, E.) **493,** 391

Nociceptive neuron; Pain; Tail; Rat; Extracellular single unit recording (Yen, C.-T.) **498,** 118

Medialis dorsalis; Ibotenic acid; Electroencephalographic spindle; Sleep; Spectral analysis (Marini, G.) **500,** 395

Eye movement; Frontal eye field; Reticular formation; Superior colliculus; Pontine nucleus (Miyashita, E.) **502,** 75

Thallium-201
Membrane potential; Astrocyte; Glioma; Scintigraphy; Human (Brismar, T.) **500,** 30

Theophylline
Adenosine; Hypoxia; Cerebral blood flow; Mass spectrometry; Rabbit (Pinard, E.) **481,** 124

Adenosine; Hippocampus; Hypoxia; 8-Phenyltheophylline (Fowler, J.C.) **490,** 378

Thermal nociception
Somatostatin; Antibody microprobe (Morton, C.R.) **488,** 89

Thermogenesis
Insulin; Ventromedial nucleus of the hypothalamus; Brown adipose tissue; Rat (Amir, S.) **480,** 340

Suprachiasmatic nucleus; Ventromedial hypothalamic nucleus; Glutamate; Brown adipose tissue; Rat (Amir, S.) **498,** 140

Retinohypothalamic tract; Suprachiasmatic nucleus; Electrical stimulation; Glutamate antagonist; Brown adipose tissue; Rat (Amir, S.) **503,** 163

Thermoregulation
Thyrotropin-releasing hormone; Brown adipose tissue; Rat (Amir, S.) **478,** 361

Thermosensitive
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Tongue (Sweazey, R.D.) **480,** 133

Theta rhythm
Long-term potentiation; Hippocampus; CA1; Synaptic plasticity; *N*-Methyl-D-aspartate receptor (Larson, J.) **489,** 49

Theta-off
Septal; Cell; Theta-on; Hippocampal; Electroencephalogram (Ford, R.D.) **493,** 269

Theta-on
Septal; Cell; Theta-off; Hippocampal; Electroencephalogram (Ford, R.D.) **493,** 269

Thiamine pyrophosphatase
Myelin sheath; Major dense line; Oligodendrocyte; Schwann cell; Cytochemistry (Castellano, B.) **492,** 203

Thirst
Median preoptic nucleus; Blood pressure regulation; Cardiovascular reflex pathway (Gutman, M.B.) **488,** 49

Arcuate nucleus; Drinking; Ingestive behavior; Mouse; Monosodium glutamate; Neuropeptide Y (Morley, J.E.) **494,** 129

Monensin; Ouabain; Push–pull perfusion; Sheep; Sodium appetite (Tarjan, E.) **500,** 352

Thoracic cord
Blood pressure; Carbachol; Contractility; Heart rate; Glutamate; Intermediolateral column (IML); Wistar rat (Sundaram, K.) **482,** 12

Thorny excrescence
Hippocampus; CA3; Pyramidal neuron; Golgi stain; Dendrite (Fitch, J.M.) **479,** 105

Threshold
Kitten; Spindle; Dynamic sensitivity (Jami, L.) **478,** 34

Sensory transduction; Mechanoreceptor; Rapid adaptation; Sensory encoding; Sodium pump; Ouabain (French, A.S.) **504,** 112

Thy-1
Immunotoxin; Purkinje cell; Saporin; Cerebellar degeneration; OX7 (Davis, T.L.) **504,** 216

Monoclonal antibody; Suicide transport; Saporin; Vagus nerve; Caudate nucleus; Neurotoxicity (Wiley, R.G.) **505,** 44

Thymidine
Nerve regeneration; Rat sciatic nerve; Schwann cell; Somatomedin; Insulin-like growth factor; Local administration; Mitosis; Immunocytochemistry (Sjöberg, J.) **485,** 102

Gliosis; Astrocyte; S-100; Proliferation; Cell number; Ultrastructure; Mouse; Autoradiography (Miyake, T.) **489,** 31

Thyroid state
Calbindin-D_{28K}; Calcium-binding protein; Hippocampal formation; Rat; Development; Undernutrition (Rami, A.) **485,** 20

Thyrotropin-releasing hormone
Thermoregulation; Brown adipose tissue; Rat (Amir, S.) **478,** 361

GH_3 cell; Diacylglycerol; Inositol phosphate; Phorbol ester; Action potential frequency (Gammon, C.M.) **479,** 217

5-Hydroxytryptamine; Transmitter coexistence; Peptide; Receptor up-regulation; TRH receptor; 5-HT receptor (Sharif, N.A.) **480,** 365

Thyrotropin-releasing hormone analog; Traumatic brain injury; Neurological outcome; Mean arterial pressure; Traumatic spinal cord injury (Faden, A.I.) **486,** 228

Motoneurone; Voltage clamp; Excitatory postsynaptic potential; Spinal cord; Glutamate; Frog (Lacey, G.) **488,** 80

Gastric corpus; Manometry; L-Glutamic acid; Vagus; Microinjection; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Endothelial cell; Neuropeptide; Aminopeptidase (Rozental, J.M.) **499,** 397

Thyrotropin-releasing hormone analog
Thyrotropin-releasing hormone; Traumatic brain injury; Neurological outcome; Mean arterial pressure; Traumatic spinal cord injury (Faden, A.I.) **486,** 228

Thyroxine
Visual system; Optic tectum; Neuronal sprouting; Neuronal plasticity; Amphibian (Hofmann, M.H.) **492,** 389

Tibial nerve
Blood–nerve barrier; Capillary; Compound action potential; Perineurium; Sciatic nerve (Wadhwani, K.C.) **493,** 231

Tiger salamander
Müller cell; Glial cell; Retina; Barium; Potassium conductance (Newman, E.A.) **498,** 308

Tight junction
Brain edema; Protein kinase C; Cerebral endothelium; Blood–brain barrier; 1,5(Isoquinolinylsulfonyl)-2-methylpiperazine (Joó, F.) **490,** 141

Time course of rhythms
Medullary inspiratory neuron; Inspiratory nerve; Spectral analysis; Lung afferent input (Christakos, C.N.) **482,** 376

Timm's stain
Epilepsy; Hippocampus; Neurological mutant; Seizure (Stanfield, B.B.) **480,** 294

Tissue culture
Cell membrane expansion; Mouse;

Dorsal root ganglion; Osmolarity; Aging; Adaptation; Action potential (Horie, H.) **477,** 233

Ganglioside antibody; Demyelination; Myelination inhibition; Anti-axon antibody (Bourdette, D.N.) **478,** 175

Vagus nerve; Nodose ganglion; Substance P; Calcitonin gene-related peptide; Nerve growth factor (MacLean, D.B.) **478,** 349

Bromodeoxyuridine; Human adult astrocyte; Immunofluorescence; Deoxyribonucleic acid synthesis (Grenier, Y.) **480,** 87

Spinal cord; Superior cervical ganglion; Lumbar sympathetic ganglion; Neurospecificity; Choline acetyltransferase (Chalazonitis, A.) **485,** 115

Sodium channel; Action potential; Skeletal myotube; Skeletal muscle (Brodie, C.) **488,** 186

Tyrosine hydroxylase; Dopamine; Immunochemistry; Medical basal hypothalamus (Bennett, B.A.) **491,** 109

Tissue gas change
Innominato-cortical pathway; Electrical stimulation; Physostigmine; Cortical blood flow; Unanesthetized rat (Lacombe, P.) **491,** 1

Toad
Tongue muscle-controlling motoneuron; Hypoglossal motoneuron; Thalamus; Visually guided behavior; Avoiding behavior; Prey-catching behavior (Satou, M.) **481,** 39

Motion-sensitive neuron; Optic tectum; Rebound activation; Center-surround receptive field; Background motion; Motion after-effe... (Satou, M.) **504,** 320

α-Tocopherol
6-Hydroxydopamine; Rotation; Striatum; Parkinson's disease; Free radical; Antioxidant (Cadet, J.L.) **476,** 10

Tolbutamide
Hypoxia; Hippocampus; Glubenclamide; D-Glucose; Hyperpolarization; Hypoxic survival (Grigg, J.J.) **489,** 302

Tolerance
Corticotropin-releasing hormone; Opioid; Antinociception; Stress (Ayesta, F.J.) **503,** 219

Benzodiazepine; Diazepam; [^{14}C]Deoxyglucose technique; Glucose utilization; Anxiolytic; Sedative; Corticosterone (Laurie, D.J.) **504,** 101

Tolerance and dependence
Opiate addiction; Pertussis toxin; Adenosine diphosphate ribosylation; Adenosine monophosphate, cyclic (Nestler, E.J.) **476,** 230

Tone sequence
Auditory cortex; Single neuron; Cat (McKenna, T.M.) **481,** 142

Tongue
Chemosensitive; Epiglottis; Multimodal; Mechanosensitive; Nucleus tractus solitarius; Oral cavity; Palate; Receptive field; Sheep; Thermosensitive (Sweazey, R.D.) **480,** 133

Nerve regeneration; Reinnervation; Lingual nerve; Chorda tympani; Taste; Salivary gland (Robinson, P.P.) **483,** 259

Tongue extrinsic muscle
Swallowing; Muscular swallow synergy; Electromyographic recording; Sheep (Amri, M.) **503,** 141

Tongue muscle-controlling motoneuron
Hypoglossal motoneuron; Thalamus; Visually guided behavior; Avoiding behavior; Prey-catching behavior; Toad (Satou, M.) **481,** 39

Tonic inhibition
Strychnine; Spinal cord; Heart rate; Arterial pressure (Hong, Y.) **499,** 169

Tonic pain
Primate; Cold pressor pain; Pain tolerance; Diffuse noxious inhibitory control; Counterirritation (Marchand, S.) **487,** 388

Tonic vibration reflex
Barbiturate; Cross-correlation; Single unit electromyogram (Hori, Y.) **497,** 291

Tooth pulp
Anterior pretectal nucleus; Jaw-opening reflex; Descending modulation; Trigeminal; Rat (Chiang, C.Y.) **497,** 325

Primary afferent neuron; Mesencephalic trigeminal nucleus; Trigeminal ganglion; Retrograde transport; Horseradish peroxidase; Cell body size; Cat (Yoshino, K.) **503,** 152

Carbonic anhydrase; Primary afferent neuron (Sugimoto, T.) **505,** 354

Tooth pulp afferent
Trigeminal ganglion; Trigeminal nuclei; Somatotopy; Horseradish peroxidase–wheat germ agglutinin gel (Shigenaga, Y.) **477,** 66

Tooth-pulp stimulation
Reflex modulation; Hypnotic anesthesia; Placebo effect; Electromyography; Trigeminal nerve (Sharav, Y.) **479,** 247

Sensation development; Reflex development; Trigeminal nerve (Tal, M.) **497,** 138

Topographical map
Cerebellum; Climbing fiber response; Vibrissa (Thomson, M.A.) **488,** 241

Topography
Trigeminal ganglion; Horseradish peroxidase (Oyagi, S.) **476,** 382

***Torpedo* electric organ**
Vesicle; Sucrose gradient; Zonal centrifugation; Acetylcholine; Morphometric analysis (Fox, G.Q.) **498,** 279

Total biopterin
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Tyrosine hydroxylase activity; Neurotoxicity; Striatum; Mouse (Nishi, K.) **489,** 157

Toxicity
Potassium; Lithium; Hamster; Circadian rhythm; Affective disorder (Klemfuss, H.) **492,** 300

Toxin
Striatum; Fasciculin; Cholinergic; Snake venom; Circling behavior (Bolioli, B.) **504,** 1

Tracer microsphere technique
Angiotensin II; Drinking; Hemodynamics; Organ blood flow (Rettig, R.) **505,** 251

Tractus nucleus solitarii
Subfornical organ; Paraventricular nucleus; Neural connection; Baroreceptor (Shioya, M.) **483,** 192

Transcription
Myelin basic protein gene; Genomic organization; Mouse, *mld* (Roch, J.-M.) **477,** 292

Transcytosis
Muscle spindle; Spindle capsule; Endocytosis; Pinocytosis; Receptor-mediated uptake (Fukami, Y.) **499,** 249

Transducer process
Pigeon; Cold receptor; Discharge pattern; Cyclic activity; Calcium dependence (Schäfer, K.) **501,** 66

Transduction
Chemosensory receptor; Chemical sense; Peripheral mechanism; Taste (Kalinoski, D.L.) **488,** 163

Transection
Blood–spinal cord barrier; Horseradish peroxidase; Morphometry (Noble, L.J.) **487,** 299

Transfer of chemical to electrial kindling
Cyclic adenosine monophosphate (cAMP); Amygdala; Chemical kindling; Electrical kindling (Yokoyama, N.) **492,** 158

Transgenic mice
Lesch-Nyhan disease; Hypoxanthine-guanine phosphoribosyl transferase salvage pathway; Catecholamine biochemistry; Tyrosine hydroxylase immunocytochemistry (Dunnett, S.B.) **501,** 401

Transient connection
Nervus terminalis; Septum;

Amphibian; Tadpole; Ontogeny; Reproduction; Parcellation theory (Hofmann, M.H.) **498,** 167

Transient forebrain ischemia
Striatum; Dopamine receptor; Adenylate cyclase; DARPP-32; Autoradiography; Immunocytochemistry; Rat (Benfenati, F.) **498,** 376

Transient ischemic attack
Cerebral ischemia; Repeated ischemia; Selective vulnerability; Calcium accumulation; Gerbil (Kato, H.) **479,** 366

Cerebral ischemia; Repeated ischemia; Rat; Hippocampus (Nakano, S.) **490,** 178

Transient potassium current
Forskolin; Cyclic adenosine monophosphate; Potassium channel; Stomatogastric ganglion; Lobster (Harris-Warrick, R.M.) **489,** 59

Transmedian innervation
Nerve growth factor; Collateral reinnervation; Inferior alveolar nerve; Jaw opening reflex (Owen, D.J.) **476,** 248

Transmembrane Ca^{2+} entry
N-Methyl-D-aspartate; Neurotrophic action of excitatory amino acids; Cerebellar granule cell; Astrocyte; 2-Amino-5-phosphonovaleric acid; Cerebellar development (Moran, J.) **486,** 15

Transmitter coexistence
Thyrotropin-releasing hormone; 5-Hydroxytryptamine; Peptide; Receptor up-regulation; TRH receptor; 5-HT receptor (Sharif, N.A.) **480,** 365

Transmitter phenotype
Olfactory nerve; Olfactory bulbectomy; Tyrosine hydroxylase; Neurotransmitter expression; Neurotransmitter plasticity; Subependymal cell; Forebrain neuron (Guthrie, K.M.) **497,** 117

Transmitter release
Calcium; Facilitation; 4-Aminopyridine; Presynaptic mechanism (Muller, D.) **479,** 290

Somatostatin; Parasympathetic ganglion; Ciliary ganglion; Presynaptic inhibition (Katayama, Y.) **487,** 62

Hypoglycemia; Glutamate; Aspartate; Hippocampus; Glucose (Burke, S.P.) **500,** 333

Ca current; Ca channel; Presynaptic nerve terminal; Vertebrate nerve terminal; Nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

Transneuronal cell body labeling
Adrenal gland; Central nervous system viral infection; Sympathetic nervous system; Pseudorabies virus; Paraventricular hypothalamic nucleus; A5 cell group; Rostral ventrolateral medulla; Raphe pallidus; Raphe obscurus (Strack, A.M.) **491,** 274

Transneuronal labeling
Herpes simplex virus; Retina; Superior colliculus; Suprachiasmatic nucleus; Hamster (Norgren, R.B.) **479,** 374

Transneuronal tracing
Stapedius muscle; Middle ear; Acoustic reflex; Retrograde horseradish peroxidase tracing; Rat; Superior olivary complex (Rouiller, E.M.) **476,** 21

Transneuronal viral cell body labeling
A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Vasopressin; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Transplant
Adrenal medulla; Parkinsonism; Catecholamine; Rotation; Amphetamine; Nigrostriatal (Fitzgerald, L.R.) **481,** 373

Dopamine; Flow cytometry; Substantia nigra; Cell culture (Lopez Lozano, J.J.) **486,** 351

Axon guidance; Rat; Mouse; Rhodamine microsphere (Jaeger, C.B.) **487,** 225

γ-Aminobutyric acid; Glutamic acid decarboxylase; Dopamine; Striatum; Substantia nigra (Segovia, J.) **493,** 185

Gonadotropin-releasing hormone; Immunocytochemistry; Fluorogold; Median eminence; Reproduction (Silverman, R.C.) **501,** 260

Development; Neostriatum; Serotonin; Dopamine; Choline; Substance P; Immunocytochemistry; *Phaseolus vulgaris* agglutinin leuca; Horseradish peroxidase (Zhou, F.C.) **504,** 15

Transplantation
Olfactory neuron; Olfactory bulb; Olfactory marker protein; Target recognition (Monti-Graziadei, A.G.) **484,** 157

Melanoma; Tumor cell; Catecholamine; Tyrosinase; Tyrosine hydroxylase; Brain graft; Immunology (Freed, W.J.) **485,** 349

Human neuroblastoma; Catecholamine; Parkinson's disease (Mena, M.A.) **486,** 286

Graft; Migration; Astrocyte; *Phaseolus vulgaris* leucoagglutin; Glial fibrillary acidic protein; Immunohistochemistry; Regeneration; Spinal cord injury (Bernstein, J.J.) **491,** 205

AF64A; Hippocampus; Cholinergic neuron; Radial maze; Spatial memory; Acetylcholinesterase (Ikegami, S.) **496,** 321

Cerebellar explant culture; Purified oligodendrocyte; Myelination; Myelin-like membrane; Myelin spherule; Cytosine arabinoside (Seil, F.J.) **503,** 111

Transport
Nicotine; Synaptic vesicle; Dopamine; [^{3}H]-Accumulation; Reserpine (Kramer, H.K.) **503,** 296

Transport kinetics
Axonal transport; Cytoskeleton; Slow component; Clathrin; Actin (Paggi, P.) **504,** 223

Traumatic brain injury
Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Neurological outcome; Mean arterial pressure; Traumatic spinal cord injury (Faden, A.I.) **486,** 228

Acetylcholine; Rat; Morphine (Robinson, S.E.) **503,** 32

Traumatic spinal cord injury
Thyrotropin-releasing hormone; Thyrotropin-releasing hormone analog; Traumatic brain injury; Neurological outcome; Mean arterial pressure (Faden, A.I.) **486,** 228

Treadmill locomotion
Estrogen; Progesterone; Sex steroid; Sensorimotor evoked discharge; Cerebellar Purkinje cell (Smith, S.S.) **476,** 307

Motor control; Compartmentalization; Intramuscular electromyography; Semitendinosus; Paw shake; Jumping (Hutchison, D.L.) **479,** 56

Intramuscular electromyography; Flexor; Extensor; Motor pool; Incline (Pierotti, D.J.) **481,** 57

Treatment
Magnesium; Central nervous system trauma; Rat; Brain injury (McIntosh, T.K.) **482,** 252

Tree shrew
Geniculate body; Neural transmission; γ-Aminobutyric acid; Neural inhibition; Receiver operating characteristic curve; Attention (Holdefer, R.N.) **488,** 341

Geniculate body; Sensory threshold; Physiology; γ-Aminobutyric acid; Neural inhibition; Vision; Drug effect; Attention (Norton, T.T.) **488,** 348

TRH receptor
Thyrotropin-releasing hormone; 5-Hydroxytryptamine; Transmitter coexistence; Peptide; Receptor up-regulation; 5-HT receptor (Sharif, N.A.) **480,** 365

Tri-*ortho*-tolyl phosphate
Organophosphorus-induced delayed neurotoxicity; Degeneration; Spinal

cord; Medulla; Cerebellum; Fink–Heimer silver impregnation method; Chicken (Tanaka, D.) **484,** 240

Triazolam
Adenosine receptor; Striatum; Rat (Hawkins, M.) **505,** 141

1,1,2-Trichloroethylene
Myelin; Hippocampus; Stratum lacunosum–moleculare (Isaacson, L.G.) **488,** 403

Tricyclic antidepressant
Imipramine; Castration; Testosterone; Binding site; Brain; Rat (Sandrini, M.) **496,** 29

Trigeminal
Cerebellum; Inferior olive; Climbing fiber response; Crura I and II; Lobulus simplex (Akaike, T.) **482,** 402

Subnucleus oralis; Somatosensory; Nucleus raphe magnus; Descending modulation; Cat (Chiang, C.Y.) **485,** 371

Anterior pretectal nucleus; Jaw-opening reflex; Descending modulation; Tooth pulp; Rat (Chiang, C.Y.) **497,** 325

Corticotropin-releasing factor; Wide dynamic range; Single unit recording; Nociception; Heat; Gold (Porec, L.R.) **502,** 349

Trigeminal ganglion
Topography; Horseradish peroxidase (Oyagi, S.) **476,** 382

Tooth pulp afferent; Trigeminal nuclei; Somatotopy; Horseradish peroxidase–wheat germ agglutinin gel (Shigenaga, Y.) **477,** 66

Mast cell; Neurogenic plasma extravasation; Dura; Compound 48/80 (Markowitz, S.) **477,** 157

Horseradish peroxidase-transport; Masseter nerve; Mesencephalic trigeminal nucleus; Central projection (Arvidsson, J.) **480,** 111

Autonomic nervous system; Superior cervical ganglion; Intercellular junction; Horseradish peroxidase; Blood–brain barrier (Ten Tusscher, M.P.M.) **490,** 95

Ciliary ganglion; Pterygopalatine ganglion; Superior cervical ganglion; Nodose ganglion; Sensory innervation; Anterior eye segment (Ten Tusscher, M.P.M.) **494,** 95

Sympathetic innervation; Superior cervical ganglion; Ciliary ganglion; Pterygopalatine ganglion; Anterior eye segment; Parsympathetic innervation (Ten Tusscher, M.P.M.) **494,** 105

Tooth pulp; Primary afferent neuron; Mesencephalic trigeminal nucleus; Retrograde transport; Horseradish peroxidase; Cell body size; Cat (Yoshino, K.) **503,** 152

Trigeminal mesencephalic nucleus
Periodontal afferent; Central projection; Intra-axonal staining; Horseradish peroxidase (Shigenaga, Y.) **505,** 91

Trigeminal nerve
Tooth-pulp stimulation; Reflex modulation; Hypnotic anesthesia; Placebo effect; Electromyography (Sharav, Y.) **479,** 247

Retrograde tracer; Axonal transport; Pathway tracing; Peripheral nervous system (Colin, W.) **486,** 334

Mesencephalic trigeminal nucleus; Enkephalin; Substance P; Serotonin; Immunocytochemistry; Horseradish peroxidase; Cat (Tashiro, T.) **494,** 162

Tooth-pulp stimulation; Sensation development; Reflex development (Tal, M.) **497,** 138

Trigeminal nuclei
Tooth pulp afferent; Trigeminal ganglion; Somatotopy; Horseradish peroxidase–wheat germ agglutinin gel (Shigenaga, Y.) **477,** 66

Trigeminal principal nucleus
Oral nucleus; Horseradish peroxidase staining; Structure–function relationship; Periodontal afferent; Pulpal afferent (Tsuru, K.) **485,** 29

Trigeminal somatosensory system
Second somatosensory cortex; Cortical area 7b; Nociceptive specific neuron; Noxious mechanical stimulation; Stimulus habituated monkey (Dong, W.K.) **484,** 314

Trigeminal subnucleus caudalis
Adrenal secretion; Adrenocorticotropin; Adrenaline; γ-Amino-butyric acid; Nociception; Noradrenaline; Substance P (Bereiter, D.A.) **490,** 307

Trigeminal system
Growth-associated protein; Regeneration; Infraorbital nerve (Erzurumlu, R.S.) **498,** 135

Trigeminocerebellar
Bird; Jaw; Wheat germ-agglutinin conjugated horseradish peroxidase; Inferior olive; Sensorimotor (Arends, J.J.A.) **487,** 69

Trigeminothalamic tract
Serotonin; Enkephalin; Substance P; Medullary dorsal horn; Thalamus; Immunocytochemistry (Tashiro, T.) **491,** 360

Somatosensory relay neuron; Spinothalamic tract; Fluorescent latex microsphere; Pain; Nociception; Immature rat (Huang, L.-Y.M.) **495,** 108

Triniated ligand
Human brain; Neurohypophysial hormone; Oxytocin; Radioiodinated ligand; Receptor distribution (Loup, F.) **500,** 223

Triple-labeling
Parabrachial nucleus; Thalamus; Zona incerta; Hypothalamus; Anterograde tracing; Retrograde tracing; Double-labeling; Nociception (Ma, W.) **480,** 37

Trisomy 16
Down syndrome; Action potential; Patch clamp (Ault, B.) **485,** 165

Tritium tissue quenching
Hemicholinium-3; Quantitative autoradiography; Cholinergic nerve terminal; Interpeduncular nucleus (Bekenstein, J.W.) **481,** 97

Triton X-100
(+)-5-Methyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine maleate, [^{3}H]-; *N*-Methyl-D-aspartate receptor; L-Glutamic acid; Glycine; Cation channel (Yoneda, Y.) **499,** 305

Trophic factor
Neuronal death; Rat; Peripheral nervous system; In vitro; Bioassay (Eichler, M.E.) **482,** 340

Neural transplant; Hypothalamus; Regeneration; Vasopressin (Marciano, F.F.) **483,** 135

Calcitonin gene-related peptide; Human neuromuscular junction; Immunocytochemistry; Neuropeptide (Mora, M.) **492,** 404

Peripheral nerve regeneration; Angiogenesis; Matrigel; Extracellular matrix; Schwann cell (Humphrey, M.F.) **497,** 132

True blue
Asymmetry; Sex difference; Chicken; Thalamofugal pathway; Visual Wulst (Adret, P.) **478,** 59

Intergeniculate leaflet; Ventral lateral geniculate nucleus; Immunocytochemistry; Fluoro-gold (Bennett-Clarke, C.) **500,** 1

Tryptamine binding site/receptor
Nigral lesion; Caudate nucleus/striatum; Rat (Van Nguyen, T.) **476,** 85

Tryptophan
Amino acid; Brain; Serotonin; Human; Rat (Hernández-R., J.) **488,** 1

L-Tryptophan
Quinolinic acid; Striatum; Microdialysis; Neurotoxicity; Extracellular fluid; Mass spectroscopy (During, M.J.) **476,** 384

Tryptophan hydroxylase
Sound stress; Enzyme activation; Enzyme induction (Boadle-Biber, M.C.) **482,** 306

Cholecystokinin; Opiate; Serotonin; Vagotomy; 5-Hydroxyindole acetic acid (Johannessen, J.N.) **499,** 357

Tuberoinfundibular dopaminergic

neuron
Barium; Calcium; Voltage-dependent Ca^{2+} channel; Dopamine release; Dihydropyridine (Taglialatela, M.) **488,** 114

Tuberomammillary nucleus
Immunohistochemistry; Rat; Guinea pig; Pig; Spinal cord (Panula, P.) **484,** 234

Tubulin
Axonal transport; Neurofilament; Cytoskeleton (Watson, D.F.) **477,** 225

Tubulin synthesis
Axonal protein synthesis; Actin synthesis; Retinal ganglion cell axon; Regenerating axon (Koenig, E.) **481,** 119

Tumor cell
Melanoma; Catecholamine; Tyrosinase; Tyrosine hydroxylase; Transplantation; Brain graft; Immunology (Freed, W.J.) **485,** 349

Tumor marker
Dorsal root ganglion; Ganglioside; Glycolipid; Surface antigen; Immunohistochemistry (Kusunoki, S.) **494,** 391

Tumor necrosis factor-alpha
Microglia; Astrocyte; Cytokine; Glia; Brain culture (Sawada, M.) **491,** 394

Lymphotoxin; Sympathetic efferent activity; Brown adipose tissue; Rat; Central nervous system (Holt, S.J.) **497,** 183

Tunicamycin
Glycosylation; High-affinity amino acid transport (Deas, J.) **483,** 84

Turtle visual cortex
Opioid receptor; Lateralization; Evoked potential; In vivo binding study (Bakalkin, G.Y.) **480,** 268

Twitcher mouse
Globoid cell leukodystrophy; Galactosylsphingosine; Psychosine; Myelination (Tanaka, K.) **482,** 347

Globoid cell leukodystrophy; Unmyelinated fiber; Schwann cell (Tanaka, K.) **503,** 160

Two-dimensional gel
Auditory system; Glial fibrillary acidic protein; Calcium binding protein; Rabbit (Winsky, L.) **493,** 136

Type I cell
Carotid body; Ca^{2+} current; K^+ current; Voltage-clamp; Patch-clamp; Hypoxia (Hescheler, J.) **486,** 79

Type I receptor
Adrenocorticosteroid receptor; Mineralocorticoid; Glucocorticoid; Steroid binding; Receptor stability; Type II receptor (Luttge, W.G.) **493,** 190

Type II receptor
Adrenocorticosteroid receptor; Mineralocorticoid; Glucocorticoid; Steroid binding; Receptor stability; Type I receptor (Luttge, W.G.) **493,** 190

Tyrosinase
Melanoma; Tumor cell; Catecholamine; Tyrosine hydroxylase; Transplantation; Brain graft; Immunology (Freed, W.J.) **485,** 349

Tyrosine
Tyrosine hydroxylation; Retina; Phenylalanine; *p*-Chlorophenylalanine; Rat (Fernstrom, M.H.) **499,** 291

Tyrosine hydroxylase
Synaptosome; Phosphorylation; Cyclic nucleotide; Striatum (Colby, K.A.) **478,** 103

Cat; Thalamus; Immunohistochemistry (Kitahama, K.) **478,** 156

Neurotensin; Dopamine; Substantia nigra; Ventral tegmental area; Immunocytochemistry; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Ventrolateral medulla; Noradrenergic; Adrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Testosterone; Neuronal organization; Hypogastric ganglion; Choline acetyltransferase (Melvin, J.E.) **485,** 1

Hypogastric ganglion; Androgen receptor; Testosterone; Development (Melvin, J.E.) **485,** 11

Melanoma; Tumor cell; Catecholamine; Tyrosinase; Transplantation; Brain graft; Immunology (Freed, W.J.) **485,** 349

Dopamine; Immunochemistry; Medical basal hypothalamus; Tissue culture (Bennett, B.A.) **491,** 109

1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine; Midbrain dopaminergic neuron; Nucleus accumbens; Striatum; Mouse (Manaye, K.F.) **491,** 307

Neurogenesis; Cell division; Deoxyribonucleic acid synthesis (DiCicco-Bloom, E.) **491,** 403

Benzodiazepine; Dopamine; Striatum; Anxiety; γ-Aminobutyric acid (Knorr, A.M.) **495,** 355

Neuropeptide; Calcium binding protein; Colocalization; Olfactory bulb; Immunohistochemistry (Seroogy, K.) **496,** 389

Glutamate; Neural crest; Neurofilament; Neuronal differentiation; Sensory neuron; Substance P (Rachel, R.A.) **497,** 43

Olfactory nerve; Olfactory bulbectomy; Neurotransmitter expression; Neurotransmitter plasticity; Subependymal cell; Transmitter phenotype; Forebrain neuron (Guthrie, K.M.) **497,** 117

Phenylethanolamine-*N*-methyltransferase; Cholinergic neuron; Endothelial cell; Adrenergic neuron; Cardiovascular regulation (Milner, T.A.) **500,** 67

Dopamine; Noradrenaline; Neocortex; Cynomolgus monkey (Noack, H.J.) **500,** 313

PC12 cell; Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Neuronal differentiation (Matsuoka, I.) **502,** 53

Tyrosine hydroxylase activity
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Neurotoxicity; Striatum; Total biopterin; Mouse (Nishi, K.) **489,** 157

Tyrosine hydroxylase immunocytochemistry
Dopamine; Incertohypothalamic A13 neuron; Iontophoresis; Autoreceptor (Sanghera, M.K.) **483,** 361

Lesch-Nyhan disease; Transgenic mice; Hypoxanthine-guanine phosphoribosyl transferase salvage pathway; Catecholamine biochemistry (Dunnett, S.B.) **501,** 401

Tyrosine hydroxylase immunoreactivity
Dopamine; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Striatum; Substantia nigra; GM_1 ganglioside (Hadjiconstantinou, M.) **484,** 297

Tyrosine hydroxylation
Retina; Tyrosine; Phenylalanine; *p*-Chlorophenylalanine; Rat (Fernstrom, M.H.) **499,** 291

Tyroxine hydroxylase immunohistochemistry
Basal ganglia; Striatum; Globus pallidus; Retrograde double-labeling method; Primate (Smith, Y.) **482,** 381

U

U-50,488H
κ-Agonist; Glucose utilization; Limbic brain structure; Pituitary; Spinal cord (Ableitner, A.) **478,** 326

Kainic acid; Hippocampus; κ-Opioid receptor; Ischemia; Seizure (Lason, W.) **482,** 333

U50488
Opioid; κ Agonists; Corticotropin releasing factor; Cortisol; Stress; Dog

(Gué, M.) **502,** 143

Ubiquitin
Alzheimer's disease; Neurofibrillary tangle; Paired helical filament; Protein phosphorylation; Tau (Bancher, C.) **477,** 90

Astrocyte; Astrocytoma; Central nervous system neoplasia; Glioblastoma multiforme; Immunocytochemistry (Galloway, P.G.) **500,** 343

Ubiquitin immunoreactivity
Aging; Alzheimer's disease; Paired helical filament; Protease; τ-Immunoreactivity (Ivy, G.) **498,** 360

Ultrastructural plasticity
Dentate gyrus; Hippocampus; Seizure; Endoplasmic reticulum (Pico, R.M.) **497,** 387

Ultrastructure
Dense-cored vesicle; Non-synaptic release; Neuropile; Crayfish; Synapse (Cuadras, J.) **477,** 332

Neostriatum; Serotonin innervation; Radioautography; Immunocytochemistry (Soghomonian, J.-J.) **481,** 67

Mitochondria; Endothelium; Blood–brain barrier; Optic nerve; Capillary (Schmidley, J.W.) **481,** 154

Hypothalamic paraventricular nucleus; Oxytocin; Immunochemistry; Neuronal plasticity; Neuroglia; Synapse; Lactation (Theodosis, D.T.) **484,** 361

Gliosis; Astrocyte; S-100; Thymidine; Proliferation; Cell number; Mouse; Autoradiography (Miyake, T.) **489,** 31

γ-Motoneuron; Axotomy; Quantitative; Horseradish peroxidase; Cat (Johnson, I.P.) **489,** 400

Neuroplasticity; Sprouting; Somatostatin; Rat amygdala; Immunohistochemistry; Central nervous system; Autonomic (Gotow, T.) **492,** 325

Monoamine oxidase; Cerebral circulation; Sympathetic nerve terminal; Cerebral artery; Nerve growth factor; Immunosympathectomy (Shigematsu, K.) **497,** 21

Intermediolateral nucleus; Autonomic nervous system; Column of Terni; Spinal cord; Interneuron; Avian; γ-Aminobutyric acid; Sympathetic preganglionic neuron; Horseradish peroxidase (Bogan, N.) **505,** 257

Unanesthetized rat
Innominato-cortical pathway; Electrical stimulation; Physostigmine; Cortical blood flow; Tissue gas change (Lacombe, P.) **491,** 1

Uncoupler
Carotid body; Chemoreceptor; Cyanide; Dopamine release; Metabolic hypothesis (Obeso, A.) **481,** 250

Uncoupling ligand from receptor (CURL)
Presynaptic terminal (Stieber, A.) **495,** 131

Undernutrition
Calbindin-D_{28K}; Calcium-binding protein; Hippocampal formation; Rat; Development; Thyroid state (Rami, A.) **485,** 20

Unit activity
Dopamine neuron; Ventromedial mesencephalic tegmentum; Noxious tail pinch (Mantz, J.) **476,** 377

Globus pallidus; Striatum; Caudate nucleus; Putamen; Nucleus basalis; Electrical stimulation; Monkey (Tremblay, L.) **498,** 1

Parkinson's disease; Globus pallidus; Striatum; Nucleus basalis; Electrical stimulation; 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine; Dopamine; Apomorphine; Monkey (Tremblay, L.) **498,** 17

Monkey; Amygdala; Feeding behavior; Microelectrophoresis; Acetylcholine; Atropine (Lénárd, L.) **500,** 359

Unit recording
Lateral hypothalamus; Taste; Licking; Learning; Freely moving rat (Yamamoto, T.) **481,** 286

Unit response
Suprachiasmatic nucleus; Retinohypothalamic tract; Hypothalamic slice; Field potential (Cahill, G.M.) **479,** 65

Unitary discharge
Ambiguous motoneuron; Axonal branching; Laryngeal nerve; Antidromic activation; Rat (Yajima, Y.) **478,** 309

4-Aminopyridine; Antidromic discharge; Dorsal root; Ventral root; Cat (Dubuc, R.) **491,** 349

Unmyelinated afferent
Galanin; Substance P; Calcitonin gene-related peptide; Naloxone; Bicuculline; Flexor-reflex; Monosynaptic reflex; Neuropeptide (Wiesenfeld-Hallin, Z.) **486,** 205

Unmyelinated axon
Optic nerve; Regeneration; *Vipera aspis* (Rio, J.P.) **479,** 151

Unmyelinated fiber
Sympathectomy; Cervical sympathetic trunk; Guanethidine (Zochodne, D.W.) **498,** 221

Peripheral nerve sprouting; Peripheral nerve injury; Compound action potential; Spinal nerve; Ventral root afferent (Oh, U.T.) **501,** 90

Twitcher mouse; Globoid cell leukodystrophy; Schwann cell (Tanaka, K.) **503,** 160

Opioid; Naltrexone; Supersensitivity; Opioid peptide; Spinal analgesia; Opioid receptor (Yoburn, B.C.) **485,** 176

Upper airway receptor
Respiratory rhythm; Superior laryngeal nerve; Phrenic nerve; Apnea (Donnelly, D.F.) **505,** 149

Upregulation
Corticosteroid receptor; Corticosterone; Hippocampus; Aging; Adrenalectomy (Eldridge, J.C.) **478,** 248

Uptake
Dopamine; γ-Aminobutyric acid; In vitro; Release; Slice; Striatum (Bernath, S.) **476,** 373

N-Acetylaspartylglutamate; Release; Aspartate; Glutamate; Cerebellum (Sekiguchi, M.) **482,** 78

N-Acetylaspartylglutamate; Climbing fiber response; MRNA; *Xenopus laevis* oocyte; Excitatory amino acid; Cerebellum (Sekiguchi, M.) **482,** 87

L-Quisqualate; L-2-Amino-4-phosphonobutanoate; Sensitization; Excitatory amino acid; Second messenger; Hippocampal slice; Extracellular recording (Whittemore, E.R.) **489,** 146

γ-Aminobutyric acid; L-Glutamic acid; Neurotransmitter; Amino acid; Human central nervous system; Synaptosome; Postmortem (Dodd, P.R.) **490,** 320

Uptake rate
Dopamine; In vivo voltammetry; Overflow rate; Striatum (May, L.J.) **487,** 311

Ureteral occlusion
Renal pain; Renal afferent; Spinothalamic tract; Viscerosomatic convergence (Ammons, W.S.) **496,** 124

Urethane
Chloral hydrate; Ether; Saffan; Ketamine; Acepromazine; Intraventricular noradrenaline; Luteinizing hormone-releasing hormone; Luteinizing hormone; Pituitary; Preoptic electrochemical stimulation (Hartman, R.D.) **476,** 35

Urethra
Decerebrate cat; Clonidine; Yohimbine; Bladder (Galeano, C.) **491,** 45

Uric acid
Amphetamine; Ascorbic acid; Voltammetry in vivo; Caudate; Nucleus accumbens (Mueller, K.) **494,** 30

Rat brain; Ischemia; Liquid chromatography; Allopurinol; Electrochemical detection (Kanemitsu, H.) **499,** 367

Uridine incorporation
Substance P; Neurokinin A; Neurokinin B; Eledoisin; Tachykinin

receptor; Guanine nucleotide (Lee, C.-M.) **488,** 328

Uvula
Corticonuclear projection; Corticovestibular projection; Cerebellum; Rat (Tabuchi, T.) **492,** 176

V

V1 area
Visual cortex; V2 area; V5 area; Visual unit; Response latency (Raiguel, S.E.) **493,** 155

V2 area
Visual cortex; V1 area; V5 area; Visual unit; Response latency (Raiguel, S.E.) **493,** 155

V5 area
Visual cortex; V1 area; V2 area; Visual unit; Response latency (Raiguel, S.E.) **493,** 155

V_1-receptor
Auditory pathway; Brain slice; Electrophysiology; Immunocytochemistry; Sex difference; Vasopressin-associated glycopeptide (Charpak, S.) **483,** 164

Vagina
Pelvic nerve; Pudendal nerve; Inhibition; Spinal reflex; Coitus; Ischiocavernosus muscle; Coccygeus muscle; Iliococcygeus muscle; Pubococcygeus muscle (Pacheco, P.) **490,** 85

Vaginocervical stimulation
Maternal behavior; Naltrexone; Oxytocin; Phentolamine; Sheep (Kendrick, K.M.) **505,** 329

Vagotomy
Ceruletide; Cholecystokinin; Dopamine; Dialysis (Hamamura, T.) **483,** 78

Cerulein; Cholecystokinin; Acetylcholine; Intracerebral dialysis; Striatum (Shimoyama, M.) **492,** 381

Cholecystokinin; Opiate; Serotonin; Tryptophan hydroxylase; 5-Hydroxyindole acetic acid (Johannessen, J.N.) **499,** 357

Vagus
Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Ventromedial hypothalamic nucleus; Area postrema; Nucleus tractus solitarii; Amygdala (Levin, B.E.) **488,** 221

Gastric corpus; Manometry; Thyrotropin-releasing hormone; L-Glutamic acid; Microinjection; Dorsal vagal complex; Rat (Raybould, H.E.) **495,** 319

Vagus nerve
Nodose ganglion; Substance P; Calcitonin gene-related peptide; Nerve growth factor; Tissue culture (MacLean, D.B.) **478,** 349

Glucose; Insulin; Pancreas; Portal vein (Yamazaki, M.) **484,** 357

Neostigmine; Brain cholinergic neuron; Insulin secretion; Adrenalectomy (Gotoh, M.) **493,** 97

Cholecystokinin receptor; Nucleus tractus solitarii; Area postrema; Satiety; Human brainstem (Hyde, T.M.) **495,** 198

N-Methyl-D-aspartate receptor; *N*-Methyl-D-aspartate antagonist; Excitatory amino acid; Respiration; Apneusis; Pneumotaxic mechanism; Rhythmogenesis (Foutz, A.S.) **500,** 199

Thy 1; Monoclonal antibody; Suicide transport; Saporin; Caudate nucleus; Neurotoxicity (Wiley, R.G.) **505,** 44

Valproate
γ-Aminobutyric acid; Substantia nigra; Epilepsy (Löscher, W.) **501,** 198

Substantia nigra; γ-Aminobutyric acid; Aspartate; Synaptic inhibition (Farrant, M.) **504,** 49

Vascular endfoot
Glial fibrillary acidic protein; Immunohistochemistry; Adult salamander; Radial glial cell; Mammalian astrocyte (Naujoks-Manteuffel, C.) **487,** 397

Vascular endothelial cell
Neural transplantation; Ia antigen; Xenograft; Class II MHC antigen; Immunological rejection (Kohsaka, S.) **484,** 340

Xenogeneic grafting; Neural transplantation; Blood vessel; Mouse endothelial surface antigen-1; Immunological rejection (Nakano, Y.) **496,** 336

Vascular smooth muscle
Cerebral microcirculation; Neurotransmitter; Amino acid; γ-Aminobutyric acid; Glycine; Glutamate; Aspartate (Takayasu, M.) **482,** 393

Neural cell adhesion molecule; Heart; Myocardium; Cardiac innervation; Development (Wharton, J.) **483,** 170

Vasoactive intestinal peptide
Tachykinin; Sensory neuron; Nerve injury; Gene expression; Actin (Nielsch, U.) **481,** 25

Hyperprolactinemia; Estradiol-17β; Prolactin; Central nervous system; Pituitary gland; Autoradiography (Montagne, M.-N.) **485,** 258

Prolactin; Peptide histidine isoleucine/peptide histidine methionine; Rapid eye movement sleep; Brain temperature; Non-rapid eye movement sleep (Obal, F.) **490,** 292

Suprachiasmatic nucleus; Diurnal variation (Takahashi, Y.) **497,** 374

Neuropeptide; Somatostatin; Neuropeptide Y; Cholecystokinin; Amygdala; Neurotransmitter colocalization (McDonald, A.J.) **500,** 37

Brain slice; Excitation; G-protein; Inward current; Locus ceruleus; Voltage clamp (Wang, Y.-Y.) **500,** 107

Hypertensive rat; In situ hybridization; Messenger RNA (Avidor, R.) **503,** 304

Vasoactive intestinal polypeptide
Bombesin; Cholecystokinin; Celiac ganglion; Guinea pig; Synapse (Hamaji, M.) **488,** 283

Neuropeptide; Flexor reflex; Nerve section; Substance P; Calcitonin gene-related peptide; Afferent, C-; Spinal cord (Wiesenfeld-Hallin, Z.) **489,** 129

Thalamus; Ventrolateral nucleus; Cholecystokinin; Immunohistochemistry; Wheat germ agglutinin–horseradish peroxidase; Rat (Ogawa, R.) **490,** 152

Olfactory bulb; Immunocytochemistry; Teleost (Alonso, J.R.) **490,** 385

Vasoconstriction
Locus ceruleus; Regional cerebral blood flow; Low frequency (Goadsby, P.J.) **476,** 71

Vasointestinal
Somatostatin; Adenylate cyclase; Brain; Norepinephrine; Dopamine; Polypeptide; Forskolin (Schettini, G.) **492,** 65

Vasopressin
Receptor; Phosphoinositide hydrolysis; Brattleboro rat; Septum (Shewey, L.M.) **478,** 95

Brattleboro; Natural killer cell; Stress; Morphine; Psychoneuroimmunology (Yirmiya, R.) **479,** 16

γ_2-Melanocyte stimulating hormone; Magnocellular neuron; Supraoptic nucleus (Mitchell, L.D.) **480,** 388

Osmotic stimulus; Dopamine; Noradrenaline; Haloperidol; Phenoxybenzamine; Rat (Yamaguchi, K.) **481,** 388

Neural transplant; Hypothalamus; Regeneration; Trophic factor (Marciano, F.F.) **483,** 135

Oxytocin; Adenosine 3′,5′-monophosphate; Guanosine 3′,5′-monophosphate; Osmotic stimulation; Supraoptic nucleus; Paraventricular nucleus;

Suprachiasmatic nucleus (Carter, D.A.) **487,** 350

Drinking; Osmoregulation; Cerebrospinal fluid sodium; Minipig (Thornton, S.N.) **488,** 297

Oxytocin; Respiratory neuron; Nucleus tractus solitarii; Brainstem; Sensory physiology; Respiration (Henry, J.L.) **491,** 150

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Ventral medulla; Viral transport (Strack, A.M.) **491,** 156

Kindling; Afterdischarge; Seizure; Amygdala; Pyriform; Spontaneous hypertensive rat (Greenwood, R.S.) **495,** 58

Paraventricular nucleus; Noradrenaline; α-Adrenoceptor; Brattleboro rat (Harland, D.) **496,** 14

Brainstem; Guinea pig; Immunocytochemistry; Sex difference (Dubois-Dauphin, M.) **496,** 45

Angiotensin II; Osmotic stimulus; Cholinoceptor; Carbachol; Hexamethonium; Atropine; Cerebral ventricle; Rat (Yamaguchi, K.) **496,** 345

Corticotropin releasing factor; Electroconvulsive shock; Hypothalamo-pituitary-adrenocortical axis; Hypothalamo-neurohypophysial system; In situ hybridization; Messenger RNA (Herman, J.P.) **501,** 235

Blood pressure; Intracerebroventricular administration; Sensitization; Conscious rat (Lebrun, C.J.) **505,** 39

Long-term potentiation; Lateral septum; Brain slice; Brattleboro rat (Van den Hooff, P.) **505,** 181

[Arg^8]Vasopressin
Anti-vasopressin serum; Dorsal hippocampus; Appetitive discrimination; Retrieval (Alescio-Lautier, B.) **500,** 287

Vasopressin cell
Neuropeptide Y; Noradrenaline; Supraoptic nucleus; Neurosecretory cell (Sibbald, J.R.) **499,** 164

Vasopressin neuron
β-Adrenergic receptor; Paraventricular nucleus; Supraoptic nucleus; Rat; Immunocytochemistry (Takano, T.) **499,** 174

Vasopressin secretion
Neurohypophysis; Forskolin; Cyclic adenosine monophosphate; Presynaptic regulation (Treiman, M.) **488,** 260

Vasopressin V_1 receptor
Indomethacin; Prostaglandin E_1 hyperthermia (Fyda, D.M.) **494,** 307

Vasopressin-associated glycopeptide
Auditory pathway; Brain slice; Electrophysiology; V_1-receptor; Immunocytochemistry; Sex difference (Charpak, S.) **483,** 164

Vasopressin-neurophysin precursor
Prolactin; Suckling-induced release; Brattleboro rat (Nagy, G.) **504,** 165

Velocity storage
Eye movement; Vestibulo-ocular reflex; Human ocular torsion (Seidman, S.H.) **504,** 264

Ventilation
Baroreflex; Arterial pressure; Pentobarbital; Nicotine; Ventral medulla (Jung, R.) **485,** 399

Ventral horn neuron
Spinal cord; Dorsal horn neuron; Organotypic explant culture; Roller tube; Rat; Acetylcholinesterase (Delfs, J.) **488,** 31

Ventral lateral geniculate nucleus
Dorsal lateral geniculate nucleus; γ-Aminobutyric acid; Baclofen; Phaclofen; $GABA_A$ inhibitory postsynaptic potential; $GABA_B$ inhibitory postsynaptic potential (Soltesz, I.) **479,** 49

Intergeniculate leaflet; Immunocytochemistry; True blue; Fluoro-gold (Bennett-Clarke, C.) **500,** 1

Ventral lateral geniculate nucleus lesion
Kainic acid; Geniculotectal pathway; Superior colliculus; Field response; Electron micrograph; Rat (Nagata, T.) **483,** 50

Ventral medulla
Baroreflex; Arterial pressure; Ventilation; Pentobarbital; Nicotine (Jung, R.) **485,** 399

A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Viral transport (Strack, A.M.) **491,** 156

Ventral pallidum
Ventral striatum; Caudate-putamen; 6-Hydroxydopamine; Neurotensin; Immunoreactivity; Globus pallidus (Zahm, D.S.) **483,** 301

Dopamine; Nucleus accumbens; Disinhibition; γ-Aminobutyric acid; Enkephalin (Yang, C.R.) **489,** 237

Ventral respiratory group
Abdominal muscle; Nucleus retroambiguus; Medial reticular formation; Horseradish peroxidase retrograde transport (Miller, A.D.) **493,** 348

Ventral root
4-Aminopyridine; Unitary discharge; Antidromic discharge; Dorsal root; Cat (Dubuc, R.) **491,** 349

Ventral root afferent
Peripheral nerve sprouting; Peripheral nerve injury; Unmyelinated fiber; Compound action potential; Spinal nerve (Oh, U.T.) **501,** 90

Ventral root potential
Frog spinal cord; *N*-Methyl-D-aspartate; Excitatory amino acid antagonist (Zhang, D.X.) **493,** 129

Ventral root stimulation
Hypothalamic locomotor region; Muscular contraction; Cardiopulmonary inhibition; Cat; Reticular formation; Phrenic activity (Richard, C.A.) **482,** 49

Ventral septal area
Bed nucleus stria terminalis; Fever; Antipyresis (Mathieson, W.B.) **486,** 49

Ventral striatum
Ventral tegmental area; Wheat germ agglutinin-horseradish peroxidase; Symmetric synapse; Vesicle; Axoplasm (Zahm, D.S.) **482,** 145

Caudate-putamen; 6-Hydroxydopamine; Neurotensin; Immunoreactivity; Globus pallidus; Ventral pallidum (Zahm, D.S.) **483,** 301

Ventral subiculum of hippocampus
Subpallidal output neuron; Basolateral nucleus of amygdala; Pedunculopontine nucleus; Electrophysiological recording (Tsai, C.T.) **494,** 22

Ventral tegmental area
Neurotensin; Dopamine; Tyrosine hydroxylase; Substantia nigra; Immunocytochemistry; Diaminobenzidine; Benzidine dihydrochloride (Woulfe, J.) **479,** 402

Ventral striatum; Wheat germ agglutinin-horseradish peroxidase; Symmetric synapse; Vesicle; Axoplasm (Zahm, D.S.) **482,** 145

Excitatory amino acid; Median raphe nucleus; Locomotor activity; Serotonin; Dopamine; Dorsal raphe nucleus; Kynurenic acid; 2-Amino-5-phosphonovaleric acid; Intracranial injection (Wirtshafter, D.) **482,** 225

Dopamine; Mesolimbic dopamine system; Mesocortical dopamine system; Substance P; Neurotensin; Enkephalin (Cador, M.) **486,** 357

Medial prefrontal cortex; Lateral hypothalamus; Stress; Learned helplessness; Self-stimulation; Dopamine (McGregor, I.S.) **490,** 397

Sch-23390; Substantia nigra; Locomotion; Amphetamine (Stewart, J.) **495,** 401

Behavioral sensitization; Amphetamine; Morphine; Dopamine receptor antagonist; D-1 and D-2; Locomotor activity (Vezina, P.) **499,** 108

Brain stimulation reward; Self-stimulation; Single-unit recording; Lateral hypothalamus; Basal forebrain (Shizgal, P.) **499,** 234

Ventral tegmental field
Freely moving cat; Locomotion; Posture; Microstimulation; Mesencephalic locomotor region; Subthalamic locomotor region; Dorsal tegmental field; Arousal reaction (Mori, S.) **505,** 66

Ventral vagus
Gastric; Dorsal vagus; Splanchnic nerve; Brainstem; Nucleus tractus solitarii (Barber, W.D.) **487,** 1

Ventrobasal complex
Homotypic grafting; Fetal neuron; Cytochrome oxidase; Acetylcholinesterase; 2-Deoxyglucose; Metabolic activity (Juliano, S.L.) **478,** 356

Hippocampus; Spontaneous discharge; Sleep–wakefulness; 1/*f* Fluctuation (Kodama, T.) **487,** 26

Hippocampus; Single unit activity; Serotonin; *p*-Chlorophenylalanine; 5-Methoxy-*N,N*-dimethyltryptamine; 1/*f* Fluctuation (Kodama, T.) **487,** 35

Ventrobasal neuron
Thalamus; Arthritic rat; Pain (Guilbaud, G.) **484,** 383

Ventrobasal thalamus complex
Sensitization; Carrageenin; 5-Hydroxytryptamine; Rat (Guilbaud, G.) **502,** 187

Ventrolateral medulla
Noradrenergic; Adrenergic; Preganglionic; Phenylethanolamine-*N*-methyltransferase; Neuropeptide Y; Tyrosine hydroxylase; Catecholamine fluorescence (McLachlan, E.M.) **481,** 274

Central chemoreceptor; Extracellular fluid pH; Control of breathing (Arita, H.) **485,** 285

γ-Aminobutyric acid; Ventrolateral nucleus of the solitary tract; Bötzinger complex; Dorsal respiratory group; Respiration (Livingston, C.A.) **494,** 143

Ventrolateral medullary pressor area
Baroreflex; Blood pressure; Glutamate; Heart rate; Lidocaine; Muscimol (Murugaian, J.) **499,** 371

Ventrolateral nucleus
Thalamus; Cholecystokinin; Vasoactive intestinal polypeptide; Immunohistochemistry; Wheat germ agglutinin–horseradish peroxidase; Rat (Ogawa, R.) **490,** 152

Ventrolateral nucleus of the solitary tract
γ-Aminobutyric acid; Bötzinger complex; Dorsal respiratory group; Respiration; Ventrolateral medulla (Livingston, C.A.) **494,** 143

Ventrolateral thalamus
Pretectum; Dorsal column; Intracellular recording (Mackel, R.) **476,** 135

Ventromedial hypothalamic nucleus
Lateral hypothalamic area; Paraventricular hypothalamic nucleus; Norepinephrine turnover; Sympathetic nervous system; Hypothalamic obesity (Saito, M.) **481,** 298

Food intake; Diet-induced obesity; Norepinephrine; Sympathetic nervous system; Cerebral metabolism; Area postrema; Nucleus tractus solitarii; Vagus; Amygdala (Levin, B.E.) **488,** 221

Suprachiasmatic nucleus; Glutamate; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **498,** 140

Ventromedial hypothalamus
Brown adipose tissue; Obesity; Efferent sympathetic nerve activity; Glucose; 2-Deoxy-D-glucose (Holt, S.J.) **481,** 106

Paraventricular nucleus; Obesity; Energy expenditure (Sakaguchi, T.) **492,** 271

Insulin; Lateral hypothalamus; Striatum; Monoamine; Gas chromatography/mass spectrometry (Holmes, L.J.) **496,** 204

Ventromedial medulla
Pain; Single-unit recording; Freely moving rat (Oliveras, J.-L.) **486,** 1

Ventromedial mesencephalic tegmentum
Dopamine neuron; Unit activity; Noxious tail pinch (Mantz, J.) **476,** 377

Ventromedial nucleus
Bombesin; Free fatty acid; Glucose; Corticosterone; Paraventricular nucleus; Lateral hypothalamus; Caudate-putamen (Gunion, M.W.) **478,** 47

Antihistamine, H_1; Histamine H_1-receptor; Feeding; Paraventricular nucleus; Microinfusion; α-Fluoromethylhistidine (Ookuma, K.) **490,** 268

Ventromedial nucleus of hypothalamus
Medial zona incerta; In vitro brain slice; Extracellular action potential; Autoregulation; Dopamine (Eaton, M.J.) **502,** 117

Ventromedial nucleus of the hypothalamus
Insulin; Brown adipose tissue; Thermogenesis; Rat (Amir, S.) **480,** 340

Verapamil
Human cerebral artery; Bay K 8644; $^{45}Ca^{2+}$ uptake; Nifedipine (Salaices, M.) **490,** 133

Corticotropin-releasing hormone; Cocaine; Atropine; Hexamethonium; Ritanserin; Phentolamine; SCH 23390; Rat hypothalamus; γ-Aminobutyric acid; Dexamethasone; Tetrodotoxin; Carbamazepine (Calogero, A.E.) **505,** 7

Veratridine
Sodium influx; Carotid body glomus cell; Superior cervical ganglion neuronal cell; Primary culture; Tetrodotoxin-sensitive voltage-dependent sodium channel; Newborn rabbit (Sato, M.) **504,** 132

Vertebrate nerve terminal
Ca current; Ca channel; Presynaptic nerve terminal; Transmitter release; Nerve terminal; Chick ciliary ganglion; Calyx synapse (Stanley, E.F.) **505,** 341

Vertical limb of the diagonal band of Broca
Acetylcholine; Learning; Marmoset (Ridley, R.M.) **502,** 306

Vesicle
Axonal transport; Axon terminal; Cross-bridge; Protease (Martz, D.) **476,** 199

Ventral striatum; Ventral tegmental area; Wheat germ agglutinin-horseradish peroxidase; Symmetric synapse; Axoplasm (Zahm, D.S.) **482,** 145

Sucrose gradient; Zonal centrifugation; Acetylcholine; *Torpedo* electric organ; Morphometric analysis (Fox, G.Q.) **498,** 279

Vesicle-associated phosphoprotein
Protein phosphorylation; Protein kinase C; Calcium/calmodulin-dependent kinase; Long-term potentiation; Presynaptic terminal (Nelson, R.B.) **497,** 30

Vestibular afferent
Semicircular canal; Natural stimulation; Auditory (freeze) startle reflex (Blanks, R.H.I.) **487,** 278

Vestibular efferent system
Calcitonin gene-related peptide; Retrograde tracer; Immunohistochemistry; Rat (Tanaka, M.) **504,** 31

Vestibular endorgan

γ-Aminobutyric acid; L-Glutamate decarboxylase; γ-Aminobutyric acid-transaminase; Immunoreactivity; Vestibular ganglion; Chicken (Usami, S.-I.) **503,** 213

Vestibular ganglion
γ-Aminobutyric acid; L-Glutamate decarboxylase; γ-Aminobutyric acid-transaminase; Immunoreactivity; Vestibular endorgan; Chicken (Usami, S.-I.) **503,** 213

Vestibular nucleus
Commissure; Fastigial nucleus (Newlands, S.D.) **487,** 152

Vestibular nystagmus
Ibotenic acid; Pontomedullary reticular formation; Head movement; Electrical stimulation (Suzuki, S.S.) **484,** 78

Vestibular system
Electrical coupling; Statocyst; Hair cell; Squid (Williamson, R.) **486,** 67

Vestibulo-cerebellum
Vestibulo-ocular reflex; Direction adaptation; Optokinetic stimulation; Optokinetic velocity; Nodulus-uvula; Lesion (Mason, C.R.) **490,** 373

Vestibulo-ocular reflex
Cervico-ocular reflex; Eye movement; Infant (Reisman, J.E.) **484,** 119

Direction adaptation; Vestibulo-cerebellum; Optokinetic stimulation; Optokinetic velocity; Nodulus-uvula; Lesion (Mason, C.R.) **490,** 373

High-acceleration stimulus; High-frequency performance; Latency; Gain (Maas, E.F.) **499,** 153

Eye movement; Human ocular torsion; Velocity storage (Seidman, S.H.) **504,** 264

Vibrissa
Topographical map; Cerebellum; Climbing fiber response (Thomson, M.A.) **488,** 241

***Vicia villosa* lectin**
Calbindin D_{28K}; Parvalbumin; Alzheimer-type dementia (Kobayashi, K.) **498,** 170

Vipera aspis
Optic nerve; Regeneration; Unmyelinated axon (Rio, J.P.) **479,** 151

Viral transport
A5 cell group; Adrenal gland; Central gray matter; Celiac ganglion; Lateral hypothalamic area; Lumbar paravertebral ganglion; Paraventricular hypothalamic nucleus; Pseudorabies virus; Raphe nucleus; Rostral ventrolateral medulla; Stellate ganglion; Superior cervical ganglion; Transneuronal viral cell body labeling; Vasopressin; Ventral medulla (Strack, A.M.) **491,** 156

Visceral
Extrathalamic ascending system; Cortico-subcortical connection; Autonomic; Limbic; Cat (Clascá, F.) **490,** 361

Visceral afferent
Connection; Chemosensory; Barosensory; Fink-Heimer; Horseradish peroxidase (Claps, A.) **489,** 80

Visceral nociception
Cardiopulmonary afferent; Bradykinin; Periaqueductal gray; Descending inhibition; Glutamate (Chandler, M.J.) **496,** 148

Visceral pain
Superficial dorsal horn; Colorectal distension; Nociception; Spinal neuron (Ness, T.J.) **486,** 301

Viscero-visceral reflex pathway
Ovarian innervation; Rat; Nerve stimulation (Klein, C.M.) **479,** 194

Viscerosomatic convergence
Renal pain; Renal afferent; Spinothalamic tract; Ureteral occlusion (Ammons, W.S.) **496,** 124

Viscerosomatic reflex
Anterior hypothalamus; Preoptic area (Lumb, B.M.) **500,** 400

Viscerotopy
Blood pressure; Hypertension; Midbrain periaqueductal gray; Defense reaction; Rostral ventrolateral medulla; Subretrofacial nucleus; Excitatory amino acid (Carrive, P.) **493,** 385

Vision
Monkey; Cortex; Striate; Orientation; Correlation (Krüger, J.) **477,** 57

Geniculate body; Sensory threshold; Physiology; γ-Aminobutyric acid; Neural inhibition; Drug effect; Attention; Tree shrew (Norton, T.T.) **488,** 348

Quantitative neuroanatomy; Corticocortical connection; Neurodegenerative disorder; Human brain (Hof, P.R.) **493,** 368

Alzheimer's disease; Visual cortex; Laminar; Immunoperoxidase; Alz-50; A68 (Beach, T.G.) **501,** 171

Visual analog scale
Flexion reflex; Subjective pain sensation (Chan, C.W.Y.) **479,** 145

Visual cortex
Rat; LTP; Tetanus; Brain slice; Plasticity (Berry, R.L.) **481,** 221

γ-Aminobutyric acid; Neuron; Cetacea; Propoise; Immunocytochemistry (Garey, L.J.) **485,** 278

Acetylcholine; Inhibition; γ-Aminobutyric acid; Arousal; Iontophoresis (Müller, C.M.) **487,** 335

V1 area; V2 area; V5 area; Visual unit; Response latency (Raiguel, S.E.) **493,** 155

Kainate; Dorsal lateral geniculate nucleus; Retrograde axonal transport; Horseradish peroxidase; Cytochrome oxidase; Electron microscopy; Rat (Woodward, W.R.) **494,** 42

Macaque monkey; Superior temporal sulcus; Accessory optic system; Autoradiography (Maioli, M.G.) **498,** 389

Alzheimer's disease; Laminar; Immunoperoxidase; Alz-50; A68; Vision (Beach, T.G.) **501,** 171

Anterograde degeneration; Electron microscopy; Neural pathway; Neuroanatomical technique; Thalamocortical (Dashe, J.F.) **505,** 203

Visual discrimination task
Prefrontal cortex; Electrical stimulation; Cortical field potential; Suppression; Monkey (Sasaki, K.) **495,** 100

Visual plasticity
Excitatory amino acid; *N*-Methyl-D-aspartic acid; Quisqualate; Phencyclidine; Autoradiography; Frog; Tectum (McDonald, J.W.) **482,** 155

Visual system
Retinal projection; Olfactory tubercle; Basal telencephalon; Anterograde tracing; Mammal (Cooper, H.M.) **477,** 350

Nucleus isthmi ventralis; Tectum; Isthmus; Bird (Martínez, S.) **481,** 181

Suprachiasmatic nucleus; Circadian rhythm; Retina; Hypothalamus (Murakami, D.M.) **482,** 283

Enucleation; Plasticity; Local cerebral glucose utilization; Rat (Zilles, K.) **488,** 14

Hypothalamus; Suprachiasmatic nucleus; Retinal projection; Comparative anatomy; Primate (Magnin, M.) **488,** 390

Thyroxine; Optic tectum; Neuronal sprouting; Neuronal plasticity; Amphibian (Hofmann, M.H.) **492,** 389

Lateral geniculate nucleus; Intergeniculate leaflet; Circadian system; Entrainment; Suprachiasmatic nucleus; Electrical stimulation (Rusak, B.) **493,** 283

Selective degeneration; Squirrel monkey; Retinal ganglion cell; Parallel visual pathway; Acrylamide; Cytochrome oxidase; Neurotoxicity (Lynch III, J.L.) **499,** 325

Visual unit
Visual cortex; V1 area; V2 area; V5 area; Response latency (Raiguel, S.E.) **493,** 155

Monkey visual cortex; Motion processing; Middle temporal visual area (Lagae, L.) **496,** 361

Visual Wulst

Asymmetry; Sex difference; Chicken; Thalamofugal pathway; True blue (Adret, P.) **478,** 59

Visual–auditory interaction
Cat; Superior colliculus; Direction selectivity; Apparent motion (Rauschecker, J.P.) **490,** 56

Visually evoked potential
Subcortical visual pathway; Multiunit activity; Oscillatory potential; Alert monkey (Schroeder, C.E.) **477,** 183

Visually guided behavior
Tongue muscle-controlling motoneuron; Hypoglossal motoneuron; Thalamus; Avoiding behavior; Prey-catching behavior; Toad (Satou, M.) **481,** 39

Visuomotor delay task
Posterior parietal cortex; Prefrontal cortex; Monkey; Cooling; Prefrontal units (Quintana, J.) **503,** 100

Vitamin B-6 deficiency
3-Hydroxykynurenine; Kynurenine; Cytotoxicity; Neuroblastoma; Oxidative stress (Eastman, C.L.) **495,** 225

Vitamin E
Hippocampus; Brain slice; Cerebral ischemia; Phenytoin (Amagasa, M.) **504,** 87

Vocal control
Bird song; Duetting bird; Estrogen (Brenowitz, E.A.) **480,** 119

Vocalization
Stapedius muscle; Electrical stapedius muscle response; Different threshold; Field potential (Grassi, S.) **490,** 345

Vocalization threshold
Inhibitor; Multiple enkephalin-degrading enzyme; Normal rat; Arthritic rat (Kayser, V.) **497,** 94

Voltage clamp
Retina; Rod horizontal cell; Excitatory amino acid; Kainic acid (O'Dell, T.J.) **477,** 118

Aging; Calcium current; Hippocampus; Dentate granule neuron (Reynolds, J.N.) **479,** 384

Sodium depletion; Sodium channel; Pyrethroid; Inactivation; Spinal ganglion; Node of Ranvier (De Weille, J.R.) **482,** 324

Superior cervical ganglion; Potassium current; Patch clamp (Schofield, G.G.) **485,** 205

Carotid body; Type-I cell; Ca^{2+} current; K^+ current; Patch-clamp; Hypoxia (Hescheler, J.) **486,** 79

Thyrotropin-releasing hormone (TRH); Motoneurone; Excitatory postsynaptic potential; Spinal cord; Glutamate; Frog (Lacey, G.) **488,** 80

Barbiturate; γ-Aminobutyric acid-mimetic action; β-Aminobutyric acid receptor–ionophore complex; Frog sensory neuron; Concentration clamp; Augmentation (Yakushiji, T.) **488,** 357

Calcium current; Cortical neuron; Nifedipine; Barium; Cadmium (Dichter, M.A.) **492,** 219

Ibotenate; Muscimol; *N*-Methyl-D-aspartate; Chloride current (Zorumski, C.F.) **494,** 193

Brain slice; Excitation; G-protein; Inward current; Locus ceruleus; Vasoactive intestinal peptide (Wang, Y.-Y.) **500,** 107

Benzodiazepine receptor; Ca^{2+}; Diazepam; GABA receptor; Sensory neuron (Akaike, N.) **504,** 293

Voltage dependence
Astrocyte; Patch-clamp; Potassium channel; Primary cell culture (Jalonen, T.) **484,** 177

Voltage-dependence of activation
Cultured hippocampal neuron; Whole-cell patch-clamp; Calcium current; Kinetics of inactivation; Calcium-channel blocker (Ozawa, S.) **495,** 329

Voltage-dependent Ca^{2+} channel
Barium; Calcium; Tuberoinfundibular dopaminergic neuron; Dopamine release; Dihydropyridine (Taglialatela, M.) **488,** 114

Voltage-dependent sodium current
Rat hippocampus; CA1 pyramidal neuron; Concentration-clamp technique; Tetrodotoxin; Lidocaine (Kaneda, M.) **484,** 348

Rat hippocampal pyramidal neuron; Scorpion toxin; Sodium current inactivation (Kaneda, M.) **487,** 192

Voltage-gated calcium channel
Neuronal survival; Potassium; Depolarization; Calcium; Dihydropyridine (Collins, F.) **502,** 99

Voltage–clamp
γ-Aminobutyric acid (GABA); Picrotoxinin; *t*-Butylbicyclophosphorothionate (TBPS); Patch–clamp; Spinal cord neuron (Zorumski, C.F.) **484,** 102

Voltammetry
Nomifensine; Mazindol; Dopamine; Re-uptake; Striatum (Glynn, G.E.) **481,** 235

Morphine; Dorsal raphe nucleus; Nucleus raphe magnus; Spinal cord; Medullary dorsal horn; Serotonin (Rivot, J.P.) **495,** 140

Voltammetry in vivo
Amphetamine; Ascorbic acid; Uric acid; Caudate; Nucleus accumbens (Mueller, K.) **494,** 30

Voluntary movement
Somatosensory evoked potential; Cutaneous stimulation; Muscle stretch; Human (Dimitrov, B.) **496,** 211

Voluntary resporatory control
Cross-reinnervation; Phrenic nerve; Motor readjustment; Forelimb; Cat (Fujito, Y.) **492,** 36

Vomeronasal
Olfactory; Photoperiod; Testicular; Reproductive; Gonadotropin; Hamster (Pieper, D.R.) **485,** 382

W

Wakefulness
Prostaglandin E_2; Intraventricular infusion; Slow wave sleep; Paradoxical sleep; Circadian sleep–wake cycle; Brain temperature; Rebound (Matsumura, H.) **481,** 242

Waking center
Posterior hypothalamus; Cat; Muscimol; Microinjection (Lin, J.-S.) **479,** 225

Water
Neuronal response; Food; Salt; Sodium appetite; Zona incerta; Sheep (Kendrick, K.M.) **492,** 211

Water intake
Neurotensin; Drinking; Neuropeptide; Polydipsia; Structure–activity study (Hawkins, M.F.) **487,** 188

Drinking behavior; Sugar; Hypertonic sodium-chloride; Intracarotid; Intracerebroventricular (Park, R.) **493,** 123

WB-4101
α_1 Receptor; Chlorethylclonidine; Dog; Prazosin; Rat; Subtype (Mignot, E.) **486,** 56

Weaver mouse
Striatum; Dopamine; Dopamine receptor; Mutation; Substantia nigra (Pullara, J.M.) **480,** 225

Weaver mutant mouse
Substantia nigra pars reticulata; Dopaminergic dendrite; Homozygote; Heterozygote; Seizure (Triarhou, L.C.) **501,** 373

West Nile virus variant
Sodium dodecylsulphate; Blood–brain barrier (Kobiler, D.) **496,** 314

Edinger-Westphal nucleus
Ciliary ganglion; Nucleus Perlia; Oculomotor nerve (Burde, R.M.) **498,** 371

Wet dog shake
Kainic acid; Adrenalectomy; Dexamethasone; Seizure (Lee, P.H.K.) **480,** 322

Wheat germ agglutinin
Axonal transport; Lectin tracing; *Lens*

culinaris agglutinin; Leucoagglutinin; Membrane glycoprotein; *Phaseolus vulgaris* agglutinin; Rat (Trudrung, P.) **497,** 399

Wheat germ agglutinin–horseradish peroxidase
Ammon's horn; Hippocampus; Dentate gyrus; Brainstem; Raphe nuclei; Cat (Ino, T.) **479,** 157

γ-Aminobutyric acid; Immunogold; Dentato-olivary projection (Angaut, P.) **479,** 361

Sacral parasympathetic nucleus; Pelvic nerve; Pudendal nerve; Spinal cord projection; Strain difference; Rat (Pascual, J.I.) **480,** 397

Ventral striatum; Ventral tegmental area; Symmetric synapse; Vesicle; Axoplasm (Zahm, D.S.) **482,** 145

Trigeminocerebellar; Bird; Jaw; Inferior olive; Sensorimotor (Arends, J.J.A.) **487,** 69

Superior colliculus; Ground squirrel; Horseradish peroxidase; Retinal projection (Petry, H.M.) **489,** 199

Thalamus; Ventrolateral nucleus; Cholecystokinin; Vasoactive intestinal polypeptide; Immunohistochemistry; Rat (Ogawa, R.) **490,** 152

B3 area; Periaqueductal gray matter; Substantia nigra; Zona incerta; Hypothalamus; Central nucleus of the amygdala (Bernard, J.F.) **490,** 181

Corticospinal tract; Dorsal funiculus; Caudal termination; Cat (Satomi, H.) **492,** 255

Extrastriate cortex; Lateral suprasylvian area; Area 20; Pupil; Cat (Bando, T.) **494,** 369

Wheel running
Nerve cross-union; Muscle coordination; Electromyography; Motoneuron; Mouse (Wernig, A.) **489,** 352

Whole cell
Down syndrome; Superoxide dismutase; Patch recording; Action potential (Ault, B.) **497,** 191

Whole-cell patch-clamp
Cultured hippocampal neuron; Calcium current; Voltage-dependence of activation; Kinetics of inactivation; Calcium-channel blocker (Ozawa, S.) **495,** 329

Whole-cell recording
Schwann cell; Potassium channel; Patch clamp; Tetraethylammonium; Quinine (Konishi, T.) **499,** 273

Whole-cell voltage-clamp
Taste cell; Bitter; Denatonium benzoate (Spielman, A.I.) **503,** 326

Wide dynamic range
Corticotropin-releasing factor; Trigeminal; Single unit recording; Nociception; Heat; Gold (Poree, L.R.) **502,** 349

Wistar rat
AFDX-116; Blood pressure; *cis*-Methyldioxolane; Heart rate; M_1 muscarinic receptor; M_2 muscarinic receptor; McN-A343; Physostigmine; Pirenzepine (Sundaram, K.) **477,** 358

Blood pressure; Carbachol; Contractility; Heart rate; Glutamate; Intermediolateral column (IML); Thoracic cord (Sundaram, K.) **482,** 12

AFDX-116; Blood pressure; *Cis*-Methyldioxolane; Heart rate; M_1 and M_2 muscarinic receptor; McN-A-343; Pirenzepine (Murugaian, J.) **501,** 355

Wistar rats
Blood pressure; Depressor area; Heart rate; Pressor area; Substance P (Urbanski, R.W.) **491,** 383

AFDX-116; Atropine; Blood pressure; Carbachol; Cis-methyldioxolane; Contractility; Heart rate; Glutamate; M_1 and M_2 muscarinic receptor; McN-A343; Nicotine; Scopolamine (Sundaram, K.) **503,** 22

Withdrawal
β-Adrenergic receptor; Morphine dependence; Hippocampal slice; Electrophysiological responsiveness; Radioligand binding (Moises, H.C.) **485,** 67

Withdrawal syndrome
γ-Aminobutyric acid; Focal epilepsy; In vitro study; Cerebral cortex (Silva-Barrat, C.) **498,** 289

Working memory
Cholinergic neurotoxin; Ethylcholine aziridinium (AF64A); Hemicholinium; High affinity choline transport; Hippocampus; Memory (Chrobak, J.J.) **504,** 269

Wriggle Mouse Sagami
Mutant mouse; Cerebellar ataxia; Involuntary movement; 5-Hydroxytryptamine; Cerebral serotonergic neuron; 5-Hydroxytryptophan accumulation; Noradrenaline; γ-Aminobutyric acid (Ikeda, M.) **495,** 337

X

Xanthine
Hypoxanthine; Basal ganglia; Hypoxia-ischemia; Fetal lamb cortex (Kjellmer, I.) **478,** 241

Xenobiotic metabolism
Human brain; Mono-oxygenase; Cytochrome *P*-450; Immunocytochemical localization (Ravindranath, V.) **496,** 331

Xenogeneic grafting
Neural transplantation; Blood vessel; Vascular endothelial cell; Mouse endothelial surface antigen-1; Immunological rejection (Nakano, Y.) **496,** 336

Xenograft
Neural transplantation; Ia antigen; Class II MHC antigen; Vascular endothelial cell; Immunological rejection (Kohsaka, S.) **484,** 340

Xenopus laevis
α-Neoendorphin; Leu-enkephalin; Prodynorphin (Sei, C.A.) **479,** 162

Dopamine; Retina; Light-adaptation (Boatright, J.H.) **482,** 164

***Xenopus laevis* oocyte**
N-Acetylaspartylglutamate; Climbing fiber response; MRNA; Excitatory amino acid; Uptake; Cerebellum (Sekiguchi, M.) **482,** 87

Xenopus
Amino acid transmitter receptor; Glutamate receptor; Nerve development (Sands, S.B.) **502,** 375

***Xenopus* oocyte**
Sodium channel; G-protein (Cohen-Armon, M.) **496,** 107

Xenotransplantation
Hippocampus; Septum; Neuronal activity; θ-Rhythm; Integration (Kitchigina, V.F.) **502,** 39

Xylazine
Cerebrospinal fluid; α_2-Agonist; Catecholamine; Noradrenaline (Mefford, I.N.) **492,** 377

Y

Yawning
Ageing; Apomorphine; Autoreceptor; Dopamine; D_1 receptor; D_2 receptor; Locomotion; (+)-4-Propyl-9-hydroxynaphthoxazine; Stereotypy (Stoessl, A.J.) **495,** 20

Yohimbine
Androgen receptor; Hypothalamus; Preoptic area; Idazoxin; Prazosin; R1881 (Handa, R.J.) **483,** 312

Decerebrate cat; Clonidine; Bladder; Urethra (Galeano, C.) **491,** 45

Calcium; Cyclic adenosine monophosphate; α_2-Adrenoceptor; Clonidine; Isoproterenol;

Synaptosome; Hypoxia (Okada, M.) **501,** 23

[^{3}H]Yohimbine binding
α_2-Receptor; Narcolepsy; Dog; Locus ceruleus; Noradrenaline; Autoinhibition (Fruhstorfer, B.) **500,** 209

Z

Zebra finch
Androgen; Song system; Projection; Autoradiography (Sohrabji, F.) **488,** 253

Zeta
Opioid receptor; Enkephalin; Growth; Cancer; Neuroblastoma (Zagon, I.S.) **482,** 297

Zinc
Epilepsy; Seizure; Limbic system; Kainic acid; Neuron death; Neurotoxin; Endotoxin; Bouton (Frederickson, C.J.) **480,** 317

Proton-induced X-ray emission analysis; Ischemia; Calcium; Nickel; Rat hippocampus (Tsuda, T.) **484,** 228

Hippocampal formation; Mossy fiber; Histofluorescence (Savage, D.D.) **496,** 257

N-Methyl-D-aspartate receptor; Glycine; Alzheimer's disease (Steele, J.E.) **500,** 369

Zinc binding protein
Hippocampus; Excitatory amino acid; L-Glutamate; Zinc release (Baba, A.) **486,** 372

Zinc release
Hippocampus; Zinc binding protein; Excitatory amino acid; L-Glutamate (Baba, A.) **486,** 372

Zona incerta
Parabrachial nucleus; Thalamus; Hypothalamus; Anterograde tracing; Retrograde tracing; Double-labeling; Triple-labeling; Nociception (Ma, W.) **480,** 37

B3 area; Periaqueductal gray matter; Substantia nigra; Hypothalamus; Central nucleus of the amygdala; Wheat germ agglutinin-horseradish peroxidase (Bernard, J.F.) **490,** 181

Neuronal response; Food; Water; Salt; Sodium appetite; Sheep (Kendrick, K.M.) **492,** 211

Zonal centrifugation
Vesicle; Sucrose gradient; Acetylcholine; *Torpedo* electric organ; Morphometric analysis (Fox, G.Q.) **498,** 279

Zucker obese rats
Insulin; Glucose; Brown adipose tissue; Efferent sympathetic nerve activity (Holt, S.J.) **500,** 384

DEVELOPMENTAL BRAIN RESEARCH
AUTHOR INDEX
1989
VOLUMES 45–50

A

Abbracchio, M.P., see Cattabeni, F., **47**, 156

Abrams, R.M., Hutchison, A.A. and Gerhardt, K.J.
Effect of high-intensity sound on local cerebral glucose utilization in fetal sheep, **48**, 1

Albrecht, D. and Heinemann, U.
Low calcium-induced epileptiform activity in hippocampal slices from infant rats, **48**, 316

Albus, K., see Lübke, J., **45**, 29

Alderson, R.F., Hua, Z.-W. and Hersh, L.B.
Nerve growth factor and phorbol esters increase the number of choline acetyltransferase-positive cells in two morphologically distinct classes of basal forebrain neurons in primary cultures, **48**, 229

Alesci, R., Raffaelli, A. and Bagnoli, P.
Developmental changes of serotonin and 5-hydroxyindoleacetic acid levels in specific regions of the pigeon central nervous system, **48**, 151

Almazan, G., Lefebvre, D.L. and Zingg, H.H.
Ontogeny of hypothalamic vasopressin, oxytocin and somatostatin gene expression, **45**, 69

Alvarado-Mallart, R.-M., see Martinez, S., **47**, 263

Ambe, R.K., see Robertson, R.T., **46**, 69

Amstyslavski, S.Y., see Naumenko, E.V., **46**, 205

Aranda,A., see Hargreaves, A.J., **45**, 291

Ard, M.D., see Johnson, M.I. **47**, 289

Arimatsu, Y., Miyamoto, M., Tsukui, H. and Hatanaka, H.
Nerve growth factor promotes survival of retrogradely labeled hippocampus-projecting neurons in the rat basal forebrain in vitro, **45**, 297

Aron, C., see Roos, J., **47**, 309

Arsénio-Nunes, L., see Cholley, B., **45**, 185

Assouline, J.G. and Pantazis, N.J.
Detection of a nerve growth factor receptor on fetal human Schwann cells in culture: absence of the receptor on fetal human astrocytes, **45**, 1

Avila, J., see Hargreaves, A.J., **45**, 291

Azmitia, E.C., see Davila-Garcia, M.I., **49**, 97

B

Bacon, E., Matsokis, N., Roujansky, P., De Barry, J. and Gombos, G.
Alteration of benzodiazepine receptors in mouse cerebellum following methylazoxymethanol treatment during development, **47**, 293

Badr, M., Marchetti, B. and Pelletier, G.
Changes in hippocampal LH-RH receptor density during maturation and aging in the rat, **45**, 179

Bagnoli, P., see Alesci, R., **48**, 151

Balázs, R., see Kiss, J., **50**, 251

Balcar, V.J. and Johnston, G.A.R.
Ontogeny of high affinity uptake of GABA studied in 'minislices' (tissue prisms) of rat cerebral cortex, **49**, 295

Baldessarini, R.J., see Gelbard, H.A., **49**, 123

Barakat, I. and Droz, B.
Calbindin-immunoreactive sensory neurons in dissociated dorsal root ganglion cell cultures of chick embryo: role of culture conditions, **50**, 205

Bartlett, W.P. and Skoff, R.P.
Expression of the jimpy gene in the spinal cords of heterozygous female mice. 2. Oligodendroglial and endothelial cell hyperplasia, **47**, 1

Bear, M.E., see Gu, Q., **47**, 281

Bear, M.F., see Dudek, S.M., **47**, 123

Beaston-Wimmer, P., see Smolen, A.J., **50**, 233

Beazley, L.D., see Coleman, L.-A., **48**, 273

Beazley, L.D., see Colemand, L.-A., **48**, 293

Becú-Villalobos, D., Lacau-Mengido, I.M. and Libertun, C.
Developmental changes in FSH secretion induced by 5-hydroxytryptophan, naloxone and haloperidol in male and female rats, **47**, 181

Beermann, M.L., see Shea, T.B., **50**, 142

Bell, G.A., see Rogers, L.J., **49**, 161

Ben-Ari, Y., see King, A.E., **46**, 1

Ben-Ari, Y., see Represa, A., **47**, 71

Ben-Ari, Y., see Rozenberg, F., **50**, 177

Beniston, D.S., see Lee, D.W., **49**, 179

Bennett, E.L., see Lee, D.W., **49**, 179

Berman, N.E.J., Pearson, H.E. and Payne, B.R.
Consequences of visual deprivation in the absence of binocular competitive mechanisms in Siamese cat area 17, **50**, 69

Bernet, E., see Ferrer, I., **45**, 303

Besson, J.M., see Dusart, I., **48**, 215

Bierer, F., see Martinou, J.-C., **47**, 251

Bissonnette, J.M., see Chao, C.R., **49**, 1

Black, I.B., see Friedman, W.J., **48**, 177

Blais, D.P., see Thor, K.B., **46**, 137

Blake, K., see Forloni, G., **48**, 73

Blexrud, M.D., see Windebank, A.J., **49**, 243

Blottner, D. and Unsicker, K.
Spatial and temporal patterns of neurotrophic activities in rat adrenal medulla and cortex, **48**, 243

Bode-Greuel, K.M. and Singer, W.
The development of *N*-methyl-D-aspartate receptors in cat visual cortex, **46**, 197

Bonhoeffer, F., see Vanselow, J., **45**, 15

Bottenstein, J.E., see Hunter, S.F., **49**, 33

Bourgeois, J.-P., see Zecevic, N., **50**, 11

Bowen, W.D., see Dudek, S.M., **47**, 123

Brachet, P., see Houlgatte, R., **47**, 171

Bradley, P.M., see Patterson, T.A., **49**, 173

Brady, D.R., Phelps, P.E. and Vaughn, J.E.
Neurogenesis of basal forebrain cholinergic neurons in rat, **47**, 81

Brady, D.R., see Phelps, P.E., **46**, 47

Bréhier, A., see Cholley, B., **45**, 185

Brown Jr., R.N., and Hitchcock, P.F.
Dendritic growth of DAPI-accumulating amacrine cells in the retina of the goldfish, **50**, 123

Bruckenstein, D., Johnson, M.I. and Higgins, D.
Age-dependent changes in the capacity of rat sympathetic neurons to form dendrites in tissue culture, **46**, 21

Brunjes, P.C.
A comparative study of prenatal development in the olfactory bulb, neocortex and hippocampal region of the precocial mouse *Acomys cahirinus* and rat, **49**, 7

Brunjes, P.C., see Frazier-Cierpial, L.L., **47**, 129

Burgunder, J.-M. and Young III, W.S.
Ontogeny of cholecystokinin gene expression in the rat thalamus — a hybridization histochemical study, **46**, 221

Busciglio, J., see Ferreira, A., **49**, 215

Bush, K.T., see Nagele, R.G., **50**, 101

Butcher, L.L., see Gould, E., **46**, 297

C

Cáceres, A., see Ferreira, A., **49**, 205 , **49**, 215

Calopa, M., see Ferrer, I., **45**, 303

Calvaruso, G., see Tesoriere, G., **47**, 19
Cameron, W.E. and Fang, H. Morphology of developing motoneurons innervating the medial gastrocnemius of the cat, **49**, 253
Carlson, C.G. and Leonard, R.J. Developmental changes in the open time and conductance of acetylcholine receptors in aneural cultured *Xenopus* myocytes treated with cycloheximide or tunicamycin, **46**, 61
Cassell, M.D., see Hamre, K.M., **46**, 213
Cattabeni, F., Abbracchio, M.P., Cimino, M., Cocchi, D., Di Luca, M., Mennuni, L., Rosi, F. and Zaratin, P. Methylazoxymethanol-induced microencephaly: persistent increase of cortical somatostatin-like immunoreactivity, **47**, 156
Caviness, V.S., see Gadisseux, J.F., **50**, 55
Celio, M.R., see Hof, P.R., **46**, 107
Chalupa, L.M., Killackey, H.P., Snider, C.J. and Lia, B. Callosal projection neurons in area 17 of the fetal rhesus monkey, **46**, 303
Chan, S.O., Chow, K.L. and Jen, L.S. Postnatal development of the ipsilaterally projecting retinal ganglion cells in normal rats and rats with neonatal lesions, **49**, 265
Chanez, C., see Represa, A., **47**, 71
Chao, C.R., Hohimer, A.R. and Bissonnette, J.M. The effect of electrocortical state on cerebral carbohydrate metabolism in fetal sheep, **49**, 1
Chao, M.V., see Escandon, E., **47**, 187
Chen, S. and Hillman, D.E. Regulation of granule cell number by a predetermined number of Purkinje cells in development, **45**, 137
Cherubini, E., see King, A.E., **46**, 1
Cholley, B., Wassef, M., Arsénio-Nunes, L., Bréhier, A. and Sotelo, C. Proximal trajectory of the brachium conjunctivum in rat fetuses and its early association with the parabrachial nucleus. A study combining in vitro HRP anterograde axonal tracing and immunocytochemistry, **45**, 185
Chow, K.L., see Chan, S.O., **49**, 265
Christen, W.G., see Mower, G.D., **45**, 211
Chuang, D.-M., see McLean, S., **45**, 283
Cimino, M., see Cattabeni, F., **47**, 156
Cocchi, D., see Cattabeni, F., **47**, 156
Cole, K.S., see Robertson, D., **47**, 197
Coleman, L.-A. and Beazley, L.D. Expanded retinofugal projections to the dorsal lateral geniculate nucleus and superior colliculus after unilateral enucleation in the wallaby *Setonix brachyurus*, quokka, **48**, 273
Coleman, L.-A. and Beazley, L.D. Retinal ganglion cell number is unchanged in the remaining eye following early unilateral eye removal in the wallaby *Setonix brachyurus*, quokka, **48**, 293
Connolly, J.A., see Krushel, L.A., **47**, 137
Connor, J.R., see Lin, H.H., **49**, 281
Consorti, D., see Pavone, F., **49**, 156
Coscia, C.J., see McLean, S., **45**, 283
Cotman, C.W., see Peterson, C., **48**, 187
Coyle, J.T., see Forloni, G., **48**, 73
Crandall, J.E., see Edwards, M.A., **49**, 185
Curran, I., see Gordon-Weeks, P.R., **49**, 305
Curtis, E.M., Stewart, M.G. and King, T.S. Quantitation of synaptic, neuronal and glial development in the intermediate and medial hyperstriatum ventrale (IMHV) of the chick *Gallus domesticus*, pre- and post-hatch, **48**, 105

D

Davila-Garcia, M.I. and Azmitia, E.C. Effects of acute and chronic administration of Leu-enkephalin on cultured serotonergic neurons: evidence for opioids as inhibitory neuronal growth factors, **49**, 97
De Barry, J., see Bacon, E., **47**, 293
De Groat, W.C., see Thor, K.B., **46**, 137
Del Rio, J.A. and Soriano, E. Immunocytochemical detection of 5′-bromodeoxyuridine incorporation in the central nervous system of the mouse, **49**, 311
De la Monte, S.M., Federoff, H.J., Ng, S.-C., Grabczyk, E. and Fishman, M.C. GAP-43 gene expression during development: persistence in a distinctive set of neurons in the mature central nervous system, **46**, 161
Delivoria-Papadopoulos, M., see Mishra, O.P., **45**, 129
Desiraju, T., see Murthy, S.K., **46**, 33
Di Luca, M., see Cattabeni, F., **47**, 156
Díaz, E., see Venable, N., **49**, 140
Dollison, A.M., see Pranzatelli, M.R., **50**, 89
Dreher, B., see Gayer, N.S., **50**, 33
Dreyfus, C.F., see Friedman, W.J., **48**, 177
Droz, B., see Barakat, I., **50**, 205
Dudek, S.M., Bowen, W.D. and Bear, M.F. Postnatal changes in glutamate stimulated phosphoinositide turnover in rat neocortical synaptoneurosomes, **47**, 123
Dunwiddie, T.V., see Mynlieff, M., **50**, 113
Duran, M.R., see Robertson, R.T., **47**, 209
Dusart, I., Nothias, F., Roudier, F., Besson, J.M. and Peschanski, M. Vascularization of fetal cell suspension grafts in the excitotoxically lesioned adult rat thalamus, **48**, 215
Dussault, J.H., see Luo, M., **46**, 131
Dygalo, N.N., see Naumenko, E.V., **46**, 205

E

Eberwine, J.H., see Tecott, L.H., **49**, 75
Edwards, M.A., Crandall, J.E., Wood, J.N., Tanaka, H. and Yamamoto, M. Early axonal differentiation in mouse CNS delineated by an antibody recognizing extracted neurofilaments, **49**, 185
Ehrlich, M.E., Evinger, M.J., Joh, T.H. and Teitelman, G. Do glucocorticoids induce adrenergic differentiation in adrenal cells of neural crest origin?, **50**, 129
Elkabes, S., see Wray, S., **46**, 309
Elkabes, S., Loh, Y.P., Nieburgs, A. and Wray, S. Prenatal ontogenesis of pro-opiomelanocortin in the mouse central nervous system and pituitary gland: an in situ hybridization and immunocytochemical study, **46**, 85
Escandon, E. and Chao, M.V. Developmental expression of the chicken nerve growth factor receptor gene during brain morphogenesis, **47**, 187
Etgen, A.M. and Faden, B.H. Ontogeny of estrogen binding sites in the brain of gray short-tailed opossums (*Monodelphis domestica*), **49**, 131
Evans, C.J., see Tecott, L.H., **49**, 75
Evinger, M.J., see Ehrlich, M.E., **50**, 129
Evrard, P., see Gadisseux, J.F., **50**, 55

F

Facci, L., see Skaper, S.D., **45**, 265
Faden, B.H., see Etgen, A.M., **49**, 131

Faedda, G., see Gelbard, H.A., **49**, 123
Fagioli, S., see Pavone, F., **49**, 156
Fang, H., see Cameron, W.E., **49**, 253
Farris, T.W., see Gould, E., **46**, 297
Favaron, M., see Skaper, S.D., **45**, 265
Federoff, H.J., see De la Monte, S.M., **46**, 161
Felix, J.M., see Laurent, F.M., **46**, 145
Fernández, V., see Venable, N., **49**, 140
Ferns, M.J., see Lamb, A.H., **45**, 149
Ferreira, A. and Cáceres, A.
The expression of acetylated microtubules during axonal and dendritic growth in cerebellar macroneurons which develop in vitro, **49**, 205
Ferreira, A., Busciglio, J. and Cáceres, A.
Microtubule formation and neurite growth in cerebellar macroneurons which develop in vitro: evidence for the involvement of the microtubule-associated proteins, MAP-1a, HWM-MAP2 and Tau, **49**, 215
Ferrer, I., Hernandez-Martí, M., Bernet, E. and Calopa, M.
Formation and growth of the cerebral convolutions. II. Cell death in the gyrus suprasylvius and adjoining sulci in the cat, **45**, 303
Ferriero, D.M. and Sagar, S.M.
Development of neuropeptide Y-immunoreactive neurons in the rat retina, **48**, 19
Fishell, G. and Van der Kooy, D.
Pattern formation in the striatum: developmental changes in the distribution of striatonigral projections, **45**, 239
Fisher, S., see O'Hara, B.F., **49**, 300
Fishman, M.C., see De la Monte, S.M., **46**, 161
Fitzgerald, L.W. and Hannigan, J.H.
Cholinergic maturation and SCH 23390-induced catalepsy in the male rat pup, **47**, 147
Flexor, M.A., see Represa, A., **47**, 71
Forloni, G., Blake, K., Hohmann, C.H. and Coyle, J.T.
The postnatal expression of acetylcholinesterase in somatostatin-positive cells of mouse hippocampus, **48**, 73
Fox, T.O., see Tobet, S.A., **46**, 253
Frazier-Cierpial, L.L. and Brunjes, P.C.
Early postnatal differentiation of granule cell dendrites in the olfactory bulbs of normal and unilaterally odor-deprived rats, **47**, 129
Friedman, W.J., Dreyfus, C.F., McEwen, B.S. and Black, I.B.
Developmental regulation of tyrosine hydroxylase in the mediobasal hypothalamus, **48**, 177
Fritzsch, B., see Wilm, C., **47**, 35
Fujiwara, K., see Ishimura, K., **50**, 225
Furuya, S., see Nakayama, T., **49**, 145
Fuse, S., see Hirano, S., **50**, 265

G

Gadisseux, J.F., Evrard, P., Misson, J.P. and Caviness, V.S.
Dynamic structure of the radial glial fiber system of the developing murine cerebral wall. An immunocytochemical analysis, **50**, 55
Gainer, H., see Szaro, B.G., **48**, 87
Gallager, D.W., see Smith, D.A., **46**, 173
Garcia-Segura, L.M., Torres-Aleman, I. and Naftolin, F.
Astrocytic shape and glial fibrillary acidic protein immunoreactivity are modified by estradiol in primary rat hypothalamic cultures, **47**, 298
Gavaret, J.M., Matricon, C., Pomerance, M., Jacquemin, C., Toru-Delbauffe, D. and Pierre, M.
Activation of S6 kinase in astroglial cells by FGFa and FGFb, **45**, 77
Gayer, N.S., Horsburgh, G.M. and Dreher, B.
Developmental changes in the pattern of retinal projections in pigmented and albino rabbits, **50**, 33
Gearhart, J.D., see O'Hara, B.F., **49**, 300
Gelbard, H.A., Teicher, M.H., Faedda, G. and Baldessarini, R.J.
Postnatal development of dopamine D_1 and D_2 receptor sites in rat striatum, **49**, 123
Gerhardt, K.J., see Abrams, R.M., **48**, 1
Gil-Loyzaga, P. and Parés-Herbute, N.
HPLC detection of dopamine and noradrenaline in the cochlea of adult and developing rats, **48**, 157
Giuliano, M., see Tesoriere, G., **47**, 19
Godement, P., see Vanselow, J., **45**, 15
Gombos, G., see Bacon, E., **47**, 293
Gómez-Pinilla, F., Guthrie, K.M., Leon, M. and Nieto-Sampedro, M.
NGF receptor increase in the olfactory bulb of the rat after early odor deprivation, **48**, 161
Gordienko, N.I., see Naumenko, E.V., **46**, 205
Gordon-Weeks, P.R., Mansfield, S.G. and Curran, I.
Direct visualisation of the soluble pool of tubulin in the neuronal growth cone: immunofluorescence studies following taxol polymerisation, **49**, 305
Gould, E., Farris, T.W. and Butcher, L.L.
Basal forebrain neurons undergo somatal and dendritic remodeling during postnatal development: a single-section Golgi and choline acetyltransferase analysis, **46**, 297
Grabczyk, E., see De la Monte, S.M., **46**, 161
Grantyn, R., Perouansky, M., Rodríguez-Tébar, A. and Lux, H.D.
Expression of depolarizing voltage- and transmitter-activated currents in neuronal precursor cells from the rat brain is preceded by a proton-activated sodium current, **49**, 150
Gu, Q., Bear, M.E. and Singer, W.
Blockade of NMDA-receptors prevents ocularity changes in kitten visual cortex after reversed monocular deprivation, **47**, 281
Guthrie, K.M., see Gómez-Pinilla, F., **48**, 161

H

Hablitz, J.J. and Heinemann, U.
Alterations in the microenvironment during spreading depression associated with epileptiform activity in the immature neocortex, **46**, 243
Hablitz, J.J., see Sutor, B., **46**, 155
Hafidi, A. and Romand, R.
First appearance of Type II neurons during ontogenesis in the spiral ganglion of the rat. An immunocytochemical study, **48**, 143
Hamill, R.W., see Newton, B.W., **47**, 227
Hamill, R.W., see Romagnano, M.A.A., **46**, 263
Hamre, K.M., Cassell, M.D. and West, J.R.
The development of laminar staining for neuron-specific enolase in the rat somatosensory cortex, **46**, 213
Hannigan, J.H., see Fitzgerald, L.W., **47**, 147
Hargreaves, A.J., Yusta, B., Avila, J., Hesketh, J.E., Aranda, A. and Pascual, A.
Sodium butyrate induces major morphological changes in C6 glioma cells that are correlated with increased synthesis of a spectrin-like protein, **45**, 291
Harrison, P.H.
Effects of an ectopic hindlimb on the brachial motoneurons in *Xenopus*, **49**, 134
Harvey, A.R., see Robertson, D., **47**, 197
Hatanaka, H., see Arimatsu, Y., **45**, 297
Hawkins, R.L. and Seeds, N.W.
Protease inhibitors influence the direction of neurite outgrowth, **45**, 203
Hayashi, M., see Yamashita, A., **45**, 103

Hazlett, J.C., see Martin, G.F., **47**, 161
Heinemann, U., see Albrecht, D., **48**, 316
Heinemann, U., see Hablitz, J.J., **46**, 243
Heller, A., see Won, L., **47**, 93
Henegar, J.R., see Maruniak, J.A., **47**, 27
Henke-Fahle, S., see Vanselow, J., **45**, 15
Hernandez-Martí, M., see Ferrer, I., **45**, 303
Hersh, L.B., see Alderson, R.F., **48**, 229
Hesketh, J.E., see Hargreaves, A.J., **45**, 291
Higgins, D., see Bruckenstein, D., **46**, 21
Higgins, D., see Johnson, M.I., **47**, 289
Hildebrand, C., Westerberg, M. and Mustafa, G.Y.
Influence of an experimental hindlimb maldevelopment on axon number and nodal spacing in the rat sciatic nerve, **50**, 169
Hillman, D.E., see Chen, S., **45**, 137
Hindelang, C., see Laurent, F.M., **46**, 145
Hinderink, J.B., see Lakke, E.A.J.F., **49**, 115
Hirano, S. and Fuse, S.
Observations on the early development of the dorsal root ganglia and ventral root in quail embryos, **50**, 265
Hitchcock, P.F., see Brown Jr., R.N., **50**, 123
Ho, R.H., see Martin, G.F., **47**, 161
Hof, P.R., Celio, M.R. and Magistretti, P.J.
Age-dependent supersensitivity to the glycogenolytic effect of K^+ in the cerebral cortex of the spontaneously epileptic *quaking* mouse mutant, **46**, 107
Hoffmann, P.C., see Won, L., **47**, 93
Hohimer, A.R., see Chao, C.R., **49**, 1
Hohmann, C.H., see Forloni, G., **48**, 73
Horsburgh, G.M., see Gayer, N.S., **50**, 33
Horton, R.W., see Jazrawi, S.P., **45**, 257
Houlgatte, R., Wion, D. and Brachet, P.
Levels of nerve growth factor secreted by rat primary fibroblasts and iris transplants are influenced by serum and glucocorticoids, **47**, 171
Hua, Z.-W., see Alderson, R.F., **48**, 229
Huang, Y.-Y., see Pranzatelli, M.R., **50**, 89
Hunter, E.T., see Nagele, R.G., **50**, 101
Hunter, S.F. and Bottenstein, J.E.
Bipotential glial progenitors are targets of neuronal cell line-derived growth factors, **49**, 33
Hutchison, A.A., see Abrams, R.M., **48**, 1
Huttenlocher, P.R. and Raichelson, R.M.
Effects of neonatal hemispherectomy on location and number of corticospinal neurons in the rat, **47**, 59

I

Ishikawa, K., see Okado, N., **50**, 217
Ishimura, K., Takeuchi, Y., Fujiwara, K., Yoshioka, H., Sawada, T. and Kusunoki, T.
Effects of undernutrition on the serotonin neuron system in the developing brain: an immunohistochemical study, **50**, 225
Itaya, S.K.
Enucleation-induced transsynaptic labeling with WGA–HRP in the developing rat visual system, **50**, 161

J

Jacquemin, C., see Gavaret, J.M., **45**, 77
Jardin, L., see Rozenberg, F., **50**, 177
Jazrawi, S.P. and Horton, R.W.
5-HT_2 receptor binding and 5-HT uptake in mouse brain: developmental changes and the relationship to audiogenic seizure susceptibility in DBA/2J mice, **45**, 257
Jeffery, G.
Shifting retinal maps in the development of the lateral geniculate nucleus, **46**, 187
Jen, L.S., see Chan, S.O., **49**, 265
Joh, T.H., see Ehrlich, M.E., **50**, 129
Johnson, M.I., Higgins, D. and Ard, M.D.
Astrocytes induce dendritic development in cultured sympathetic neurons, **47**, 289
Johnson, M.I., see Bruckenstein, D., **46**, 21
Johnston, G.A.R., see Balcar, V.J., **49**, 295
Joosten, E.A.J. and Van Eden, C.G.
An anterograde tracer study on the development of corticospinal projections from the medial prefrontal cortex in the rat, **45**, 313

K

Kachele, D.L., see Lasiter, P.S., **48**, 27
Kakarala, M.H., see Rovainen, C.M., **48**, 197
Kano, M., Wakuta, K. and Satoh, R.
Two components of calcium channel current in embryonic chick skeletal muscle cells developing in culture, **47**, 101
Kasamatsu, T., see Shirokawa, T., **47**, 303
Kawai, S., Yonetani, M., Nakamura, H. and Okada, Y.
Effects of deprivation of oxygen and glucose on the neural activity and the level of high energy phosphates in the hippocampal slices of immature and adult rat, **48**, 11
Kawamura, K., see Ono, K., **50**, 154
Kellogg, C.K. and Pleger, G.L.
GABA-stimulated chloride uptake and enhancement by diazepam in synaptoneurosomes from rat brain during prenatal and postnatal development, **49**, 87
Kentroti, S. and Vernadakis, A.
Growth hormone-releasing hormone influences neuronal expression in the developing chick brain. I. Catecholaminergic neurons, **49**, 275
Killackey, H.P., see Chalupa, L.M., **46**, 303
Kim, K.L., see Sholl, S.A., **50**, 189
King, A.E., Cherubini, E. and Ben-Ari, Y.
N-Methyl-D-aspartate induces recurrent synchronized burst activity in immature hippocampal CA3 neurones in vitro, **46**, 1
King, J.S., see Walker, J.J., **48**, 35
King, T.S., see Curtis, E.M., **48**, 105
Kiss, J., Schlumpf, M. and Balázs, R.
Selective retardation of the development of the basal forebrain cholinergic and pontine catecholaminergic nuclei in the brain of trisomy 16 mouse, an animal model of Down's syndrome, **50**, 251
Kitajiri, M., see Tohyama, Y., **45**, 309
Kiyama, H., see Tohyama, Y., **45**, 309
Kiyama, H., see Wang, Y.-Q., **47**, 53
Klein, M.J., see Laurent, F.M., **46**, 145
Klose, K., see Lamb, A.H., **45**, 149
Kosciuk, M.C., see Nagele, R.G., **50**, 101
Kostrzewa, R.M. and Saleh, M.I.
Impaired ontogeny of striatal dopamine D_1 and D_2 binding sites after postnatal treatment of rats with SCH-23390 and spiroperidol, **45**, 95
Krushel, L.A., Connolly, J.A. and Van der Kooy, D.
Pattern formation in the mammalian forebrain: patch neurons from the rat striatum selectively reassociate in vitro, **47**, 137
Kumazawa, T., see Tohyama, Y., **45**, 309

Kuo, C.-H., Watanabe, Y., Yamagata, K. and Miki, N. Developmental changes of MEKA protein and opsin in normal and rd mice, **50**, 139
Kuppermann, B.D., see Shirokawa, T., **47**, 303
Kurihara, K., see Mizuno, N., **50**, 1
Kusunoki, T., see Ishimura, K., **50**, 225

L

Lacau-Mengido, I.M., see Becú-Villalobos, D., **47**, 181
Lakke, E.A.J.F. and Hinderink, J.B. Development of the spinal projections of the nucleus paraventricularis hypothalami of the rat: an intra-uterine WGA-HRP study, **49**, 115
Lamb, A.H., Ferns, M.J. and Klose, K. Peripheral competition in the control of sensory neuron numbers in *Xenopus* frogs reared with a single bilaterally innervated hindlimb, **45**, 149
Landreth, G.E., see Steedman, J.G., **45**, 161
Lantos, P.L., see McDermott, K.W.G., **45**, 169
Lasiter, P.S. and Kachele, D.L. Postnatal development of protein P-38 ('synaptophysin') immunoreactivity in pontine and medullary gustatory zones of rat, **48**, 27
Laurent, F.M., Hindelang, C., Klein, M.J., Stoeckel, M.E. and Felix, J.M. Expression of the oxytocin and vasopressin genes in the rat hypothalamus during development: an in situ hybridization study, **46**, 145
Laxer, U., see Yanai, J., **48**, 255
Lee, D.W., Perlmutter, A.M., Beniston, D.S., Bennett, E.L. and Rosenzweig, M.R. Is anisomycin-induced amnesia for a passive avoidance task in chicks the result of state-dependent learning?, **49**, 179
Lee, H.-Y., see Nagele, R.G., **50**, 101
Lee, V.M-Y., see Szaro, B.G., **48**, 87
Lefebvre, D.L., see Almazan, G., **45**, 69
Leon, A., see Skaper, S.D., **45**, 265
Leon, M., see Gómez-Pinilla, F., **48**, 161
Leonard, R.J., see Carlson, C.G., **46**, 61
Le Van Thai, A., see Martinou, J.-C., **47**, 251
Lia, B., see Chalupa, L.M., **46**, 303
Libertun, C., see Becú-Villalobos, D., **47**, 181
Lin, H.H. and Connor, J.R. The development of the transferrin–transferrin receptor system in relation to astrocytes, MBP and galactocerebroside in normal and myelin-deficient rat optic nerves, **49**, 281
Loh, Y.P., see Elkabes, S., **46**, 85
London, E.D., see Majewska, M.D., **47**, 13
Lothman, E.W., see Michelson, H.B., **47**, 113
Lübke, J. and Albus, K. The postnatal development of layer VI pyramidal neurons in the cat's striate cortex, as visualized by intracellular Lucifer yellow injections in aldehyde-fixed tissue, **45**, 29
Luo, M., Puymirat, J. and Dussault, J.H. Immunocytochemical localization of nuclear 3,5,3'-triiodothyronine (L-T3) receptors in astrocyte cultures, **46**, 131
Lux, H.D., see Grantyn, R., **49**, 150
Lynch, G., see Muller, D., **49**, 105

M

Magistretti, P.J., see Hof, P.R., **46**, 107
Magnan, J. and Tiberi, M. Evidence for the presence of μ- and κ- but not of δ-opioid sites in the human fetal brain, **45**, 275
Majewska, M.D., Parameswaran, S., Vu, T. and London, E.D. Divergent ontogeny of sigma and phencyclidine binding sites in the rat brain, **47**, 13
Mansfield, S.G., see Gordon-Weeks, P.R., **49**, 305
Marchetti, B., see Badr, M., **45**, 179
Markel, A.L., see Naumenko, E.V., **46**, 205
Martin, G.F., Ho, R.H. and Hazlett, J.C. The early development of major projections to the dorsal striatum in the North American opossum, **47**, 161
Martinez, S. and Alvarado-Mallart, R.-M. Transplanted mesencephalic quail cells colonize selectively all primary visual nuclei of chick diencephalon: a study using heterotopic transplants, **47**, 263
Martinou, J.-C., Bierer, F., Le Van Thai, A. and Weber, M.J. Influence of the culture substratum on the expression of choline acetyltransferase activity in purified motoneurons from rat embryos, **47**, 251
Maruniak, J.A., Taylor, J.A., Henegar, J.R. and Williams, M.B. Unilateral naris closure in adult mice: atrophy of the deprived-side olfactory bulbs, **47**, 27
Maslova, L.N., see Naumenko, E.V., **46**, 205
Matricon, C., see Gavaret, J.M., **45**, 77
Matsokis, N., see Bacon, E., **47**, 293
Matsuoka, I., see Mizuno, N., **50**, 1
McDermott, K.W.G. and Lantos, P.L. The distribution of glial fibrillary acidic protein and vimentin in postnatal marmoset (*Callithrix jacchus*) brain, **45**, 169
McEwen, B.S., see Friedman, W.J., **48**, 177
McLean, S., Rothman, R.B., Chuang, D.-M., Rice, K.C., Spain, J.W., Coscia, C.J. and Roth, B.L. Cross-linking of [^{125}I]β-endorphin to μ-opioid receptors during development, **45**, 283
Meisami, E. A proposed relationship between increases in the number of olfactory receptor neurons, convergence ratio and sensitivity in the developing rat, **46**, 9
Mennuni, L., see Cattabeni, F., **47**, 156
Michelson, H.B. and Lothman, E.W. An in vivo electrophysiological study of the ontogeny of excitatory and inhibitory processes in the rat hippocampus, **47**, 113
Miki, N., see Kuo, C.-H., **50**, 139
Mikoshiba, K., see Shiota, C., **45**, 83
Mirrafati, S.J., see Robertson, R.T., **48**, 309
Mishra, O.P. and Delivoria-Papadopoulos, M. Lipid peroxidation in developing fetal guinea pig brain during normoxia and hypoxia, **45**, 129
Misson, J.P., see Gadisseux, J.F., **50**, 55
Mitskevich, M.S., see Ugrumov, M.V., **46**, 233
Miura, M., see Shiota, C., **45**, 83
Miyamoto, M., see Arimatsu, Y., **45**, 297
Mizukawa, K., see Ono, K., **50**, 154
Mizukawa, K., Tseng, I.-M. and Otsuka, N. Quantitative electron microscopic analysis of postnatal development of zinc-positive nerve endings in the rat amygdala using Timm's sulphide silver technique, **50**, 197
Mizuno, N., Matsuoka, I. and Kurihara, K. Possible involvements of intracellular Ca^{2+} and Ca^{2+}-dependent protein phosphorylation in cholinergic differentiation of clonal rat pheochromocytoma cells (PC12) induced by glioma-conditioned

medium and retinoic acid, **50**, 1
Moore, S.J. and Munger, B.L.
The early ontogeny of the afferent nerves and papillary ridges in human digital glabrous skin, **48**, 119
Moran, J. and Patel, A.J.
Effect of potassium depolarization on phosphate-activated glutaminase activity in primary cultures of cerebellar granule neurons and astroglial cells during development, **46**, 97
Morita, Y., see Wang, Y.-Q., **47**, 53
Moshé, S.L., see Sperber, E.F., **47**, 143
Mower, G.D. and Christen, W.G.
Evidence for an enhanced role of GABA inhibition in visual cortical ocular dominance of cats reared with abnormal monocular experience, **45**, 211
Muller, D., Oliver, M. and Lynch, G.
Developmental changes in synaptic properties in hippocampus of neonatal rats, **49**, 105
Munger, B.L., see Moore, S.J., **48**, 119
Muraoka, S. and Takahashi, T.
Primary dissociated cell culture of fetal rat central nervous tissue. I. Immunocytochemical and ultrastructural studies of cell development and synaptogenesis, **49**, 51
Muraoka, S. and Takahashi, T.
Primary dissociated cell culture of fetal rat central nervous tissue. II. Immunocytochemical and ultrastructural studies of myelinogenesis, **49**, 63
Murthy, S.K. and Desiraju, T.
Quantitative assessment of dendritic branching and spine densities of neurons of hippocampal embryonic tissue transplanted into juvenile neocortex, **46**, 33
Mustafa, G.Y., see Hildebrand, C., **50**, 169
Mynlieff, M., Proctor, W.R., Seiger, Å. and Dunwiddie, T.V.
In vitro electrophysiological analysis of mature rat hippocampal transplants in oculo, **50**, 113

N

Naftolin, F., see Garcia-Segura, L.M., **47**, 298
Nagele, R.G., Bush, K.T., Kosciuk, M.C., Hunter, E.T., Steinberg, A.B. and Lee, H.-Y.
Intrinsic and extrinsic factors collaborate to generate driving forces for neural tube formation in the chick: a study using morphometry and computerized three-dimensional reconstruction, **50**, 101
Nakamura, H., see Kawai, S., **48**, 11
Nakayama, T., Sugiyama, H. and Furuya, S.
Basal lamina enhances hippocampal neurite outgrowth in vitro, **49**, 145
Naumenko, E.V., Maslova, L.N., Gordienko, N.I., Amstyslavski, S.Y., Dygalo, N.N. and Markel, A.L.
Persistent hypotensive effects of L-DOPA given early during development to rats with inherited stress-induced arterial hypertension, **46**, 205
Neal, J.H., see Peterson, C., **48**, 187
Negishi, K., see Teranishi, T., **47**, 275
Newton, B.W., Romagnano, M.A.A. and Hamill, R.W.
The ontogeny of substance P- and serotonin-like immunoreactivities in the sexually dimorphic cremaster nucleus of the rat spinal cord, **47**, 227
Newton, B.W., see Romagnano, M.A.A., **46**, 263
Ng, S.-C., see De la Monte, S.M., **46**, 161
Nieburgs, A., see Elkabes, S., **46**, 85
Nieburgs, A., see Wray, S., **46**, 309
Nieto-Sampedro, M., see Gómez-Pinilla, F., **48**, 161
Nixon, R.A., see Shea, T.B., **50**, 142
Noguchi, K., see Wang, Y.-Q., **47**, 53
Nordeen, E.J. and Nordeen, K.W.
Estrogen stimulates the incorporation of new neurons into avian song nuclei during adolescence, **49**, 27
Nordeen, K.W., see Nordeen, E.J., **49**, 27
Nordlander, R.H.
HNK-1 marks earliest axonal outgrowth in *Xenopus*, **50**, 147
Nothias, F., see Dusart, I., **48**, 215

O

O'Hara, B.F., Fisher, S., Oster-Granite, M.L., Gearhart, J.D. and Reeves, R.H.
Developmental expression of the amyloid precursor protein, growth-associated protein 43, and somatostatin in normal and trisomy 16 mice, **49**, 300
Okada, Y., see Kawai, S., **48**, 11
Okado, N., Shibanoki, S., Ishikawa, K. and Sako, H.
Developmental changes in serotonin levels in the chick spinal cord and brain, **50**, 217
Oliver, M., see Muller, D., **49**, 105
Ono, K., Yanagihara, M., Mizukawa, K., Yuasa, S. and Kawamura, K.
Monoclonal antibody that binds to both the prenatal and postnatal astroglia in rodent cerebellum, **50**, 154
Oshima, K., see Yamashita, A., **45**, 103
Oster-Granite, M.L., see O'Hara, B.F., **49**, 300
Otsuka, N., see Mizukawa, K., **50**, 197

P

Pantazis, N.J., see Assouline, J.G., **45**, 1
Parameswaran, S., see Majewska, M.D., **47**, 13
Parés-Herbute, N., see Gil-Loyzaga, P., **48**, 157
Pascual, A., see Hargreaves, A.J., **45**, 291
Pasternak, J.F., see Trommer, B.L., **46**, 169
Patel, A.J., see Moran, J., **46**, 97
Patterson, T.A., Rose, S.P.R. and Bradley, P.M.
Anisomycin and amnesia in the chick: state-dependent effects are not present with intracranial injections, **49**, 173
Pavone, F., Consorti, D. and Fagioli, S.
Developmental differences of antinociceptive effects of oxotremorine in two inbred strains of mice, **49**, 156
Paxinos, G., see Tecott, L.H., **49**, 75
Payne, B.R., see Berman, N.E.J., **50**, 69
Pearson, H.E., see Berman, N.E.J., **50**, 69
Pelletier, G., see Badr, M., **45**, 179
Perlmutter, A.M., see Lee, D.W., **49**, 179
Perouansky, M., see Grantyn, R., **49**, 150
Peschanski, M., see Dusart, I., **48**, 215
Peterson, C., Neal, J.H. and Cotman, C.W.
Development of *N*-methyl-D-aspartate excitotoxicity in cultured hippocampal neurons, **48**, 187
Phelps, P.E., Brady, D.R. and Vaughn, J.E.
The generation and differentiation of cholinergic neurons in rat caudate–putamen, **46**, 47
Phelps, P.E., see Brady, D.R., **47**, 81
Pick, C.G., see Yanai, J., **48**, 255
Pierre, M., see Gavaret, J.M., **45**, 77
Pierre, A.H., see Romagnano, M.A.A., **46**, 263
Pinto-Hamuy, T., see Venable, N.,

49, 140
Pleger, G.L., see Kellogg, C.K., **49**, 87
Polakiewicz, R., see Rosen, H., **46**, 123
Pollack, E.D., see Procento, G.M., **47**, 243
Pomerance, M., see Gavaret, J.M., **45**, 77
Poon, H.K., see Robertson, R.T., **47**, 209
Poon, H.K., see Robertson, R.T., **48**, 309
Pranzatelli, M.R., Huang, Y.-Y., Dollison, A.M. and Stanley, M. Brainstem serotonergic hyperinnervation modifies behavioral supersensitivity to 5-hydroxytryptophan in the rat, **50**, 89
Procento, G.M. and Pollack, E.D. Growth rate analysis of neurites extended from triploid spinal cord explants, **47**, 243
Proctor, W.R., see Mynlieff, M., **50**, 113
Puymirat, J., see Luo, M., **46**, 131

R

Raffaelli, A., see Alesci, R., **48**, 151
Raichelson, R.M., see Huttenlocher, P.R., **47**, 59
Rakic, P., see Zecevic, N., **50**, 11
Ramachandran, V.S., see Shirokawa, T., **47**, 303
Reeves, R.H., see O'Hara, B.F., **49**, 300
Reppert, S.M., see Weaver, D.R., **46**, 291
Reppert, S.M., see Weaver, D.R., **47**, 151
Represa, A., Chanez, C., Flexor, M.A. and Ben-Ari, Y. Development of the cholinergic system in control and intra-uterine growth retarded rat brain, **47**, 71
Reuter, J.M., see Zimmerberg, B., **46**, 281
Rice, K.C., see McLean, S., **45**, 283
Robain, O., see Rozenberg, F., **50**, 177
Robertson, D., Harvey, A.R. and Cole, K.S. Postnatal development of the efferent innervation of the rat cochlea, **47**, 197
Robertson, R.T., Ambe, R.K. and Yu, J. Intraocular injections of tetrodotoxin reduce transiently expressed acetylcholinesterase activity in developing rat visual cortex, **46**, 69
Robertson, R.T., Poon, H.K., Duran, M.R. and Yu, J. Neonatal enucleations reduce number, size, and acetylcholinesterase histochemical staining of neurons in the dorsal lateral geniculate nucleus of developing rats, **47**, 209
Robertson, R.T., Poon, H.K., Mirrafati, S.J. and Yu, J. Transient patterns of acetylcholinesterase activity in developing thalamus: a comparative study in rodents, **48**, 309
Rodríguez-Tébar, A., see Grantyn, R., **49**, 150
Rogers, L.J. and Bell, G.A. Different rates of functional development in the two visual systems of the chicken revealed by [^{14}C]2-deoxyglucose, **49**, 161
Romagnano, M.A.A., Newton, B.W., Pierre, A.H. and Hamill, R.W. Postnatal ontogeny of enkephalin fibers in spinal sympathetic nuclei, **46**, 263
Romagnano, M.A.A., see Newton, B.W., **47**, 227
Romand, R., see Hafidi, A., **48**, 143
Roos, J., Roos, M., Schaeffer, C. and Aron, C. Prepubescent hormonal control of the development of accessory olfactory bulbs in the male rat, **47**, 309
Roos, M., see Roos, J., **47**, 309
Rose, S.P.R., see Patterson, T.A., **49**, 173
Rosen, H. and Polakiewicz, R. Postnatal expression of opioid genes in rat brain, **46**, 123
Rosenzweig, M.R., see Lee, D.W., **49**, 179
Rosi, F., see Cattabeni, F., **47**, 156
Roth, B.L., see McLean, S., **45**, 283
Rothman, R.B., see McLean, S., **45**, 283
Roudier, F., see Dusart, I., **48**, 215
Roujansky, P., see Bacon, E., **47**, 293
Rovainen, C.M. and Kakarala, M.H. Angiogenesis on the optic tectum of albino *Xenopus laevis* tadpoles, **48**, 197
Rozenberg, F., Robain, O., Jardin, L. and Ben-Ari, Y. Distribution of GABAergic neurons in late fetal and early postnatal rat hippocampus, **50**, 177
Rubenstein, J.L.R., see Tecott, L.H., **49**, 75

S

Sagar, S.M., see Ferriero, D.M., **48**, 19
Saito, N., see Sakaguchi, H., **47**, 313
Sakaguchi, H. and Saito, N. The acetylcholine and catecholamine contents in song control nuclei of zebra finch during song ontogeny, **47**, 313
Sako, H., see Okado, N., **50**, 217
Saleh, M.I., see Kostrzewa, R.M., **45**, 95
Sato, M., see Wang, Y.-Q., **47**, 53
Satoh, R., see Kano, M., **47**, 101
Sawada, T., see Ishimura, K., **50**, 225
Schachner, M., see Trotter, J., **46**, 115
Schaeffer, C., see Roos, J., **47**, 309
Schiavo, M.R., see Tesoriere, G., **47**, 19
Schlumpf, M., see Kiss, J., **50**, 251
Schnitzer, J., see Wulle, I., **48**, 59
Seeds, N.W., see Hawkins, R.L., **45**, 203
Seifert, W., see Thorey, I., **49**, 229
Seiger, Å., see Mynlieff, M., **50**, 113
Semba, K., see Vincent, S.R., **45**, 155
Senba, E., Yanaihara, C., Yanaihara, N. and Tohyama, M. Proenkephalin opioid peptide product in the sensory ganglia of the rat: a developmental immunohistochemical study, **48**, 263
Shea, T.B., Beermann, M.L. and Nixon, R.A. Appearance and localization of phosphorylated variants of the high molecular weight neurofilament protein in NB2a/d1 cytoskeletons during differentiation, **50**, 142
Shibanoki, S., see Okado, N., **50**, 217
Shimizu, K., see Yamashita, A., **45**, 103
Shiota, C., Miura, M. and Mikoshiba, K. Developmental profile and differential localization of mRNAs of myelin proteins (MBP and PLP) in oligodendrocytes in the brain and in culture, **45**, 83
Shirokawa, T., Kasamatsu, T., Kuppermann, B.D. and Ramachandran, V.S. Noradrenergic control of ocular dominance plasticity in the visual cortex of dark-reared cats, **47**, 303
Sholl, S.A. and Kim, K.L. Estrogen receptors in the rhesus monkey brain during fetal development, **50**, 189
Singer, W., see Bode-Greuel, K.M., **46**, 197
Singer, W., see Gu, Q., **47**, 281
Skaper, S.D., Favaron, M., Facci, L. and Leon, A. Phospholipids can influence the interconversion of flat epithelial-like and stellate process-bearing astroglial cells in culture: relationships between molecular structure and biological activity, **45**, 265
Skoff, R.P., see Bartlett, W.P., **47**, 1
Smalheiser, N.R. Altered cell shapes in fibroblasts treated with 5′-deoxy-5′-methylthioadenosine: relation to morphogenesis of neural cells, **45**, 59

Smalheiser, N.R.
Analysis of slow-onset neurite formation in NG108-15 cells: implications for a unified model of neurite elongation, **45**, 49
Smalheiser, N.R.
Morphologic plasticity of rapid-onset neurites in NG108-15 cells stimulated by substratum-bound laminin, **45**, 39
Smith, D.A. and Gallager, D.W.
Electrophysiological and biochemical characterization of the development of α_1-adrenergic and 5-HT_1 receptors associated with dorsal raphe neurons, **46**, 173
Smolen, A.J. and Beaston-Wimmer, P.
Afferent regulation of neurotransmitter metabolism in perikarya and terminals of developing sympathetic neurons, **50**, 233
Snider, C.J., see Chalupa, L.M., **46**, 303
Soriano, E., see Del Rio, J.A., **49**, 311
Sotelo, C., see Cholley, B., **45**, 185
Spain, J.W., see McLean, S., **45**, 283
Sperber, E.F., Wurpel, J.N.D. and Moshé, S.L.
Evidence for the involvement of nigral $GABA_B$ receptors in seizures of rat pups, **47**, 143
Stanley, M., see Pranzatelli, M.R., **50**, 89
Steedman, J.G. and Landreth, G.E.
Expression of $pp60^{c\text{-}src}$ in adult and developing rat central nervous system, **45**, 161
Steinberg, A.B., see Nagele, R.G., **50**, 101
Steinbusch, H.W.M., see Ugrumov, M.V., **46**, 233
Stewart, M.G., see Curtis, E.M., **48**, 105
Stoeckel, M.E., see Laurent, F.M., **46**, 145
Sugiyama, H., see Nakayama, T., **49**, 145
Sutor, B. and Hablitz, J.J.
Cholinergic modulation of epileptiform activity in the developing rat neocortex, **46**, 155
Suyeoka, G.M., see Trommer, B.L., **46**, 169
Szaro, B.G., Lee, V.M-Y. and Gainer, H.
Spatial and temporal expression of phosphorylated and non-phosphorylated forms of neurofilament proteins in the developing nervous system of *Xenopus laevis*, **48**, 87

T

Taibi, G., see Tesoriere, G., **47**, 19
Takahashi, T., see Muraoka, S., **49**, 51
Takahashi, T., see Muraoka, S., **49**, 63
Takeuchi, Y., see Ishimura, K., **50**, 225
Tanaka, H., see Edwards, M.A., **49**, 185
Tatton, W.G., see Theriault, E., **45**, 219
Taxi, J., see Ugrumov, M.V., **46**, 233
Taylor, J.A., see Maruniak, J.A., **47**, 27
Tecott, L.H., Rubenstein, J.L.R., Paxinos, G., Evans, C.J., Eberwine, J.H. and Valentino, K.L.
Developmental expression of proenkephalin mRNA and peptides in rat striatum, **49**, 75
Teicher, M.H., see Gelbard, H.A., **49**, 123
Teitelman, G., see Ehrlich, M.E., **50**, 129
Teranishi, T. and Negishi, K.
Dendritic morphology of retinal dopamine cells in carp of different sizes, **47**, 275
Tesoriere, G., Vento, R., Calvaruso, G., Schiavo, M.R., Giuliano, M. and Taibi, G.
Inhibition of DNA synthesis in chick embryo retinas, in vitro, by a factor from fetal bovine serum, **47**, 19
Thanos, S., see Vanselow, J., **45**, 15
Theriault, E. and Tatton, W.G.
Postnatal redistribution of pericruciate motor cortical projections within the kitten spinal cord, **45**, 219
Thor, K.B., Blais, D.P. and De Groat, W.C.
Behavioral analysis of the postnatal development of micturition in kittens, **46**, 137
Thorey, I. and Seifert, W.
Developmentally regulated epitopes on a neurofilament protein visualized by monoclonal antibodies, **49**, 229
Tiberi, M., see Magnan, J., **45**, 275
Tobet, S.A. and Fox, T.O.
Androgen regulation of an antigen expressed in regions of developing brainstem monoaminergic cell groups, **46**, 253
Tohyama, M., see Senba, E., **48**, 263
Tohyama, M., see Tohyama, Y., **45**, 309
Tohyama, M., see Wang, Y.-Q., **47**, 53
Tohyama, Y., Kiyama, H., Kitajiri, M., Yamashita, T., Kumazawa, T. and Tohyama, M.
Ontogeny of calcitonin gene-related peptide in the organ of Corti of the rat, **45**, 309
Tolbert, D.L.
Absence of impulse activity in cortical neurons with transient projections to the cerebellum, **50**, 241
Tolbert, D.L.
Somatotopically organized transient projections from the primary somatosensory cortex to the cerebellar cortex, **45**, 113
Torres-Aleman, I., see Garcia-Segura, L.M., **47**, 298
Toru-Delbauffe, D., see Gavaret, J.M., **45**, 77
Tramu, G., see Ugrumov, M.V., **46**, 233
Trombka, D., see Yanai, J., **48**, 255
Trommer, B.L., Pasternak, J.F. and Suyeoka, G.M.
Proconvulsant effects of aminophylline during amygdala kindling in developing rats, **46**, 169
Trotter, J. and Schachner, M.
Cells positive for the O4 surface antigen isolated by cell sorting are able to differentiate into astrocytes or oligodendrocytes, **46**, 115
Tseng, I.-M., see Mizukawa, K., **50**, 197
Tsukui, H., see Arimatsu, Y., **45**, 297

U

Ugrumov, M.V., Taxi, J., Steinbusch, H.W.M., Tramu, G. and Mitskevich, M.S.
On the distribution and morpho-functional characteristics of 5-HT-immunoreactive cells in the hypothalamus of fetuses and neonatal rats, **46**, 233
Unsicker, K., see Blottner, D., **48**, 243

V

Valentino, K.L., see Tecott, L.H., **49**, 75
Van der Kooy, D., see Fishell, G., **45**, 239
Van der Kooy, D., see Krushel, L.A., **47**, 137
Van Eden, C.G., see Joosten, E.A.J., **45**, 313
Vanselow, J., Thanos, S., Godement, P., Henke-Fahle, S. and Bonhoeffer, F.
Spatial arrangement of radial glia and ingrowing retinal axons in the chick optic tectum during development, **45**, 15
Vaughn, J.E., see Brady, D.R., **47**, 81
Vaughn, J.E., see Phelps, P.E., **46**, 47
Venable, N., Fernández, V., Díaz, E. and Pinto-Hamuy, T.
Effects of preweaning environmental enrichment on basilar dendrites of pyramidal neurons in occipital cortex: a Golgi study, **49**, 140
Vento, R., see Tesoriere, G., **47**, 19
Vernadakis, A., see Kentroti, S.,

49, 275
Vincent, S.R. and Semba, K.
A heavy metal marker of the developing striatal mosaic, **45**, 155
Vu, T., see Majewska, M.D., **47**, 13

W

Wakuta, K., see Kano, M., **47**, 101
Walker, J.J. and King, J.S.
Ontogenesis of enkephalinergic afferent systems in the opossum cerebellum, **48**, 35
Wang, Y.-Q., Sato, M., Morita, Y., Noguchi, K., Kiyama, H. and Tohyama, M.
Postnatal ontogeny of POMC gene expression in the rat pituitary: an analysis by in situ hybridization histochemistry, **47**, 53
Wassef, M., see Cholley, B., **45**, 185
Watanabe, Y., see Kuo, C.-H., **50**, 139
Weaver, D.R. and Reppert, S.M.
Direct in utero perception of light by the mammalian fetus, **47**, 151
Weaver, D.R. and Reppert, S.M.
Periodic feeding of SCN-lesioned pregnant rats entrains the fetal biological clock, **46**, 291
Weber, M.J., see Martinou, J.-C., **47**, 251
West, J.R., see Hamre, K.M., **46**, 213
Westerberg, M., see Hildebrand, C., **50**, 169
Williams, M.B., see Maruniak, J.A., **47**, 27
Wilm, C. and Fritzsch, B.
Development of tectal neurons in the perciform teleost *Haplochromis burtoni*. A Golgi study, **47**, 35
Wimer, C.C. and Wimer, R.E.
On the sources of strain and sex differences in granule cell number in the dentate area of house mice, **48**, 167
Wimer, R.E., see Wimer, C.C., **48**, 167
Windebank, A.J. and Blexrud, M.D.
Biological activity of a new neuronal growth factor from injured peripheral nerve, **49**, 243
Wion, D., see Houlgatte, R., **47**, 171
Won, L., Heller, A. and Hoffmann, P.C.
Selective association of dopamine axons with their striatal target cells in vitro, **47**, 93
Wood, J.N., see Edwards, M.A., **49**, 185
Wray, S., see Elkabes, S., **46**, 85
Wray, S., Nieburgs, A. and Elkabes, S.
Spatiotemporal cell expression of luteinizing hormone-releasing hormone in the prenatal mouse: evidence for an embryonic origin in the olfactory placode, **46**, 309
Wulle, I. and Schnitzer, J.
Distribution and morphology of tyrosine hydroxylase-immunoreactive neurons in the developing mouse retina, **48**, 59
Wurpel, J.N.D., see Sperber, E.F., **47**, 143

Y

Yamagata, K., see Kuo, C.-H., **50**, 139
Yamamoto, M., see Edwards, M.A., **49**, 185
Yamashita, A., Hayashi, M., Shimizu, K. and Oshima, K.
Ontogeny of somatostatin in cerebral cortex of macaque monkey: an immunohistochemical study, **45**, 103
Yamashita, T., see Tohyama, Y., **45**, 309
Yanagihara, M., see Ono, K., **50**, 154
Yanai, J., Laxer, U., Pick, C.G. and Trombka, D.
Dopaminergic denervation reverses behavioral deficits induced by prenatal exposure to phenobarbital, **48**, 255
Yanaihara, C., see Senba, E., **48**, 263
Yanaihara, N., see Senba, E., **48**, 263
Yonetani, M., see Kawai, S., **48**, 11
Yoshioka, H., see Ishimura, K., **50**, 225
Young III, W.S., see Burgunder, J.-M., **46**, 221
Yu, J., see Robertson, R.T., **46**, 69
Yu, J., see Robertson, R.T., **47**, 209
Yu, J., see Robertson, R.T., **48**, 309
Yuasa, S., see Ono, K., **50**, 154
Yusta, B., see Hargreaves, A.J., **45**, 291

Z

Zaratin, P., see Cattabeni, F., **47**, 156
Zecevic, N., Bourgeois, J.-P. and Rakic, P.
Changes in synaptic density in motor cortex of rhesus monkey during fetal and postnatal life, **50**, 11
Zimmerberg, B. and Reuter, J.M.
Sexually dimorphic behavioral and brain asymmetries in neonatal rats: effects of prenatal alcohol exposure, **46**, 281
Zingg, H.H., see Almazan, G., **45**, 69

DEVELOPMENTAL BRAIN RESEARCH
SUBJECT INDEX
1989
VOLUMES 45–50

A

A2B5 antigen
Oligodendrocyte; Astrocyte; B104 neuronal cell line; Galactocerebroside; Glial fibrillary acidic protein; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Accessory olfactory bulb development
Castration; Androgen supplementation (Roos, J.) **47,** 309

Acetylated alpha-tubulin
Microtubule; Stability; Neurite growth; Cerebellum; Tissue culture; Immunocytochemistry (Ferreira, A.) **49,** 205

Acetylcholine
Neocortex; Development; Epilepsy; Neuromodulation; Carbachol (Sutor, B.) **46,** 155

SCH 23390; Scopolamine; Catalepsy; Ontogeny; Neurotransmitter interaction; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Dopamine; Noradrenaline; Song control nuclei; Zebra finch; Song ontogeny (Sakaguchi, H.) **47,** 313

Acetylcholine receptor
Single-channel conductance; Open time; *Xenopus*; Cell culture; Cycloheximide; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Acetylcholinesterase
Cerebral cortex; Development; Tetrodotoxin; Visual deprivation; Visual system (Robertson, R.T.) **46,** 69

Intra-uterine growth retardation; Rat; Brain regional development; Choline acetyltransferase; Muscarinic receptor (Represa, A.) **47,** 71

Development; Enucleation; Lateral geniculate nucleus; Transneuronal degeneration; Visual deprivation (Robertson, R.T.) **47,** 209

Somatostatin; Co-localization; Hippocampus; Cholinergic system (Forloni, G.) **48,** 73

Comparative; Development; Thalamus; Transient (Robertson, R.T.) **48,** 309

Adhesion
Development, Thymidine; Compartment; Tissue culture (Krushel, L.A.) **47,** 137

Hippocampal neuron; Basal lamina; Cell culture; Extracellular matrix; Neurite outgrowth; Promotion factor (Nakayama, T.) **49,** 145

Adrenal medulla
Neurotrophic factor; Ciliary neurotrophic factor; Development; Neuronal cell culture; Rat (Blottner, D.) **48,** 243

Adrenergic phenotype
Chromaffin cell; Development; Catecholamine enzyme; Transcription (Ehrlich, M.E.) **50,** 129

Adrenoceptor
Inherited arterial hypertension; Long-lasting hypotensive effect; Brain catecholamine; Tyrosine hydroxylase; Ontogeny; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

α_1-Adrenoceptor
Dorsal raphe nucleus; Brain slice; Extracellular recording; Serotonergic receptor; Lysergic acid diethylamide; Autoradiography (Smith, D.A.) **46,** 173

Adrenocorticotropin
Arcuate nucleus; Prenatal ontogenesis; In situ hybridization; Immunocytochemistry (Elkabes, S.) **46,** 85

Afferent
Enkephalin; Development; Cerebellum; Opossum; Immunohistochemistry (Walker, J.J.) **48,** 35

Age-dependent change
Dendrite; Sympathetic neuron; Regeneration; Tissue culture; Schwann cell (Bruckenstein, D.) **46,** 21

Aging
Luteinizing hormone-releasing hormone receptor; Ontogeny; Hippocampus; Autoradiography; Puberty (Badr, M.) **45,** 179

Alcohol-related birth defect
Lateralization; Asymmetry; Neonatal; Tail; Neocortex; Rat; Fetal alcohol syndrome (Zimmerberg, B.) **46,** 281

Aldehyde-fixed tissue
Postnatal development; Layer VI pyramidal neuron; Striate cortex; Lucifer yellow; Intracellular injection; Photo-oxidation (Lübke, J.) **45,** 29

***N*-Allylnormetazocine**
σ-Receptor; Phencyclidine; Brain development; Neurotransmitter receptor; *N*-Methyl-D-aspartate (Majewska, M.D.) **47,** 13

Amblyopia
Visual cortex; γ-Aminobutyric acid; Visual deprivation; Microiontophoresis; Inhibition; Visual development (Mower, G.D.) **45,** 211

Amine
Development; Immunohistochemistry; Peptide; Sexual dimorphism; Spinal cord; Testis (Newton, B.W.) **47,** 227

Aminophylline
Kindling; Developing rat (Trommer, B.L.) **46,** 169

4-Aminopyridine
Plasticity; Long-term potentiation; Inhibition; Calcium; Phorbol ester (Muller, D.) **49,** 105

γ-Aminobutyric acid
Visual cortex; Amblyopia; Visual deprivation; Microiontophoresis; Inhibition; Visual development (Mower, G.D.) **45,** 211

Inhibition; Ontogeny; Hippocampus (Michelson, H.B.) **47,** 113

Substantia nigra; Seizure; Infant rat; Development (Sperber, E.F.) **47,** 143

Diazepam; Chloride channel; Synaptoneurosome; Development (Kellogg, C.K.) **49,** 87

γ-Aminobutyric acid uptake
Neurotransmitter; Development; Cortex; γ-Aminobutyric acidergic synaptogenesis; Brain slice (Balcar, V.J.) **49,** 295

γ-Aminobutyric acid-immunocytochemistry
Hippocampus; Development (Rozenberg, F.) **50,** 177

γ-Aminobutyric acidergic synaptogenesis
Neurotransmitter; Development; Cortex; γ-Aminobutyric acid uptake; Brain slice (Balcar, V.J.) **49,** 295

Amphibian
Angiogenesis; Capillary; Endothelium; Eye removal; Hypoxia; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Amyloid
Development; *Gap43*; Somatostatin; Trisomy 16; Down syndrome (O'Hara, B.F.) **49,** 300

Analgesia
Oxotremorine; Ontogeny; Mouse (Pavone, F.) **49,** 156

Anatomy
Taste; Rat; Postnatal development; Nucleus tractus solitarii; Parabrachial nucleus; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

Androgen
Brainstem; Development; Monoamine; Monoclonal antibody 3D10; Sexual differentiation (Tobet, S.A.) **46,** 253

Androgen supplementation
Accessory olfactory bulb development; Castration (Roos, J.) **47,** 309

Angiogenesis
Amphibian; Capillary; Endothelium; Eye removal; Hypoxia; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Angiogensis
Transplantation; Blood–brain barrier; Electron microscopy (Dusart, I.) **48,** 215

Anisomycin
State-dependency; Protein synthesis inhibition; Chick; Learning; Memory

(Lee, D.W.) **49,** 179

Anterograde tracing
Development; Striatonigral; Compartment; Projection; Striatum; Substantia nigra (Fishell, G.) **45,** 239

Corticospinal tract; Collateral elimination; Medial prefrontal cortex; Rat (Joosten, E.A.J.) **45,** 313

Antigen O4
Oligodendrocyte; Astrocyte; Differentiation; Cell sorting (Trotter, J.) **46,** 115

Arcuate nucleus
Adrenocorticotropin; Prenatal ontogenesis; In situ hybridization; Immunocytochemistry (Elkabes, S.) **46,** 85

Astrocyte
Oligodendrocyte; Differentiation; Antigen O4; Cell sorting (Trotter, J.) **46,** 115

Immunolocalization; Nuclear T3 receptor (Luo, M.) **46,** 131

Motoneuron; Choline acetyltransferase; Laminin; Differentiation (Martinou, J.-C.) **47,** 251

Dendritic development; Sympathetic neuron; Tissue culture (Johnson, M.I.) **47,** 289

Glial fibrillary acidic protein; Cytoskeleton; Hypothalamic cell culture; Estradiol; Differentiation (Garcia-Segura, L.M.) **47,** 298

Oligodendrocyte; B104 neuronal cell line; Galactocerebroside; A2B5 antigen; Glial fibrillary acidic protein; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Astroglia
Differentiation; Phosphatidic acid; Phospholipid; Ganglioside (Skaper, S.D.) **45,** 265

Monoclonal antibody; Rodent cerebellum; Radial glia; Glial migration (Ono, K.) **50,** 154

Astroglial cell
Fibroblast growth factor; Protein kinase; S6 protein (Gavaret, J.M.) **45,** 77

Asymmetry
Lateralization; Neonatal; Tail; Neocortex; Rat; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Audiogenic seizure
Serotonin-2 binding site; Synaptosomal serotonin uptake; DBA/2J mouse (Jazrawi, S.P.) **45,** 257

Auditory pathway
Brainstem; Efferent; Rat; Developmental plasticity; Cell death (Robertson, D.) **47,** 197

Autoradiography
Luteinizing hormone-releasing hormone receptor; Ontogeny; Aging; Hippocampus; Puberty (Badr, M.) **45,** 179

Dorsal raphe nucleus; Brain slice; Extracellular recording; α_1-Adrenoceptor; Serotonergic receptor; Lysergic acid diethylamide (Smith, D.A.) **46,** 173

Neurogenesis; Choline acetyltransferase; Cholinergic basal forebrain; Immunocytochemistry (Brady, D.R.) **47,** 81

Axon
5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Cell motility; Microtubule; Growth cone; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Axon elongation
Neuroblastoma cell; Laminin; Growth cone; Microtubule; Methylation inhibitor; 5′-Deoxy-5′-methylthioadenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

Axon growth
Neuronal development; Embryonic brain; Immunohistochemistry; Cerebral cortex; Cerebellum; Retina (Edwards, M.A.) **49,** 185

Axon number
Rat sciatic nerve; Development; Internodal length; Limb growth (Hildebrand, C.) **50,** 169

Axon–Schwann cell interaction
Neuronal growth factor; Myelination; Dorsal root ganglion neuron (Windebank, A.J.) **49,** 243

Axonal elongation
Growth cone; Neuroblastoma cell; Cytochalasin B (Smalheiser, N.R.) **45,** 49

Axonal growth cone
Axonal guidance; HNK-1 antibody; *Xenopus* (Nordlander, R.H.) **50,** 147

Axonal guidance
Central nervous system development; Transient; Cerebellum; Cerebrum; Developmental error (Tolbert, D.L.) **45,** 113

Axonal growth cone; HNK-1 antibody; *Xenopus* (Nordlander, R.H.) **50,** 147

Axonal maturation
Neurofilament; Phosphorylation; Neurite outgrowth; Neuronal culture; Neuronal differentiation; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Axonal misrouting
Ipsilateral and contralateral projections; Spatial overlap and segregation; Ganglion cell death (Gayer, N.S.) **50,** 33

B

B104 neuronal cell line
Oligodendrocyte; Astrocyte; Galactocerebroside; A2B5 antigen; Glial fibrillary acidic protein; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Bacitracin
Leu-enkephalin; Cell culture; Development; Serotonin; Receptor; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

Barium current
Voltage clamp; Internal perfusion; Calcium channel; Embryonic chick skeletal muscle; Cultured myoball; Development (Kano, M.) **47,** 101

Basal dendrite
Environmental enrichment; Preweaning; Pyramidal neuron; Occipital cortex; Golgi method; Rat (Venable, N.) **49,** 140

Basal forebrain
Nerve growth factor; Neuronal survival; Identified projection neuron; Septal cholinergic neuron; Cell culture (Arimatsu, Y.) **45,** 297

Basal forebrain cholinergic cell
Murine trisomy 16; Down's syndrome; Brain development; Catecholaminergic system; Locus ceruleus; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Basal lamina
Hippocampal neuron; Cell culture; Extracellular matrix; Adhesion; Neurite outgrowth; Promotion factor (Nakayama, T.) **49,** 145

Behavioral state
Fetal sheep; Cerebral glucose utilization; Deoxyglucose; Broad band noise (Abrams, R.M.) **48,** 1

Benzodiazepine
Cerebellum; Development; Receptor; Methylazoxymethanol (Bacon, E.) **47,** 293

Binocular competition
Marsupial; Retinal ganglion cell; Unilateral enucleation; Ganglion cell death; Horseradish peroxidase (Colemand, L.-A.) **48,** 293

Blood–brain barrier
Transplantation; Angiogensis; Electron microscopy (Dusart, I.) **48,** 215

Brachial motoneuron death
Xenopus; Ectopic limb (Harrison, P.H.) **49,** 134

Brachium conjunctivum pathway
Cerebellar development; Isthmus development; Deep cerebellar neuron; Parabrachial nucleus localization;

Horseradish peroxidase in vitro tracing; Immunocytochemistry (Cholley, B.) **45,** 185

Brain
Glial fibrillary acidic protein; Immunocytochemistry; Intermediate filament; Marmoset; Radial glia; Vimentin (McDermott, K.W.G.) **45,** 169

Neuron-specific enolase; Rat; Somatosensory cortex; Postnatal development (Hamre, K.M.) **46,** 213

Domperidone; Dopamine; Postnatal development; Rat; Receptor D_1 and D_2; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Estrogen receptor; Fetus; Primate (Sholl, S.A.) **50,** 189

Brain catecholamine
Inherited arterial hypertension; Long-lasting hypotensive effect; Adrenoceptor; Tyrosine hydroxylase; Ontogeny; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

Brain development
Myelin proteolipid protein; Myelin basic protein; Gene expression; Hybridization, in situ; Oligodendrocyte (Shiota, C.) **45,** 83

GAP-43; Growth-associated protein; Neuronal plasticity (De la Monte, S.M.) **46,** 161

σ-Receptor; Phencyclidine; Neurotransmitter receptor; *N*-Allylnormetazocine; *N*-Methyl-D-aspartate (Majewska, M.D.) **47,** 13

Comparative neurobiology; Telencephalon; Morphogenesis; Spiny mouse (Brunjes, P.C.) **49,** 7

Hippocampus; Brain transplant; Electrophysiology; Synaptic transmission (Mynlieff, M.) **50,** 113

Murine trisomy 16; Down's syndrome; Basal forebrain cholinergic cell; Catecholaminergic system; Locus ceruleus; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Brain metabolism
Fetal brain; Electrocortical state; Glucose; Lactate; Oxygen (Chao, C.R.) **49,** 1

Brain regional development
Intra-uterine growth retardation; Rat; Choline acetyltransferase; Acetylcholinesterase; Muscarinic receptor (Represa, A.) **47,** 71

Brain slice
Dorsal raphe nucleus; Extracellular recording; α_1-Adrenoceptor; Serotonergic receptor; Lysergic acid diethylamide; Autoradiography (Smith, D.A.) **46,** 173

Neurotransmitter; Development; Cortex; γ-Aminobutyric acidergic synaptogenesis; γ-Aminobutyric acid uptake (Balcar, V.J.) **49,** 295

Brain transplant
Hippocampus; Brain development; Electrophysiology; Synaptic transmission (Mynlieff, M.) **50,** 113

Brainstem
Androgen; Development; Monoamine; Monoclonal antibody 3D10; Sexual differentiation (Tobet, S.A.) **46,** 253

Efferent; Rat; Developmental plasticity; Auditory pathway; Cell death (Robertson, D.) **47,** 197

5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Broad band noise
Fetal sheep; Cerebral glucose utilization; Deoxyglucose; Behavioral state (Abrams, R.M.) **48,** 1

5′-Bromodeoxyuridine
Immunohistochemistry; Neurogenesis; Cerebral cortex; Hippocampus; Mouse (Del Rio, J.A.) **49,** 311

C

C3H/H3 mouse
MEKA protein; Opsin; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **50,** 139

CA1
Hippocampus; Rat; Ontogenesis; Low calcium epilepsy; Calcium; Potassium (Albrecht, D.) **48,** 316

Calbindin immunoreactivity
Dorsal root ganglion cell culture; Primary sensory neuron; Culture condition (Barakat, I.) **50,** 205

Calcitonin gene-related peptide
Cochlea; Ontogeny; Immunocytochemistry; Rat (Tohyama, Y.) **45,** 309

Calcium
Immature cortex; Rat; Extracellular environment; Epilepsy; Excitatory amino acid; Potassium (Hablitz, J.J.) **46,** 243

Hippocampus; Rat; CA1; Ontogenesis; Low calcium epilepsy; Potassium (Albrecht, D.) **48,** 316

Plasticity; Long-term potentiation; Inhibition; Phorbol ester; 4-Aminopyridine (Muller, D.) **49,** 105

PC12 cell; Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Protein phosphorylation; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Calcium channel
Voltage clamp; Internal perfusion; Barium current; Embryonic chick skeletal muscle; Cultured myoball; Development (Kano, M.) **47,** 101

Calcium current
Neuron development; Differentiation; Tetanus toxin receptor; Sodium current; *N*-Methyl-D-aspartate receptor; Tectal neuron (Grantyn, R.) **49,** 150

Callosal projection
Visual cortex; Prenatal development (Chalupa, L.M.) **46,** 303

Capillary
Amphibian; Angiogenesis; Endothelium; Eye removal; Hypoxia; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Capillary cell proliferation
Jimpy mutation; Mosaicism; Hypomyelination; Oligodendroglial proliferation; Myelin recovery (Bartlett, W.P.) **47,** 1

Carbachol
Acetylcholine; Neocortex; Development; Epilepsy; Neuromodulation (Sutor, B.) **46,** 155

Carp retina
Dopamine cell; Lucifer yellow; Intracellular injection; Expansion (Teranishi, T.) **47,** 275

Castration
Accessory olfactory bulb development; Androgen supplementation (Roos, J.) **47,** 309

Cat visual cortex
Development; Plasticity; Receptor; *N*-Methyl-D-aspartate; Excitatory amino acid (Bode-Greuel, K.M.) **46,** 197

Catalepsy
SCH 23390; Scopolamine; Ontogeny; Neurotransmitter interaction; Acetylcholine; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Catecholamine
Tyrosine hydroxylase; Dopamine; Retina; Development; Immunocytochemistry; High-performance liquid chromatography (Wulle, I.) **48,** 59

Catecholamine enzyme
Chromaffin cell; Development; Transcription; Adrenergic phenotype (Ehrlich, M.E.) **50,** 129

Catecholaminergic neuron
Developmental regulation; Tyrosine

hydroxylase; Hypothalamus; Estradiol; Ontogeny (Friedman, W.J.) **48,** 177

Catecholaminergic phenotype
Embryonic development; Neuronal expression; Chick embryo; Tyrosine hydroxylase; Neuropeptide; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

Catecholaminergic system
Murine trisomy 16; Down's syndrome; Brain development; Basal forebrain cholinergic cell; Locus ceruleus; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Caudate–putamen
Choline acetyltransferase (ChAT); Neurogenesis; Immunocytochemistry; Development (Phelps, P.E.) **46,** 47

Cell body
Development; Motoneuron; Spinal cord; Neuroanatomy; Morphology; Feline (Cameron, W.E.) **49,** 253

Cell culture
Nerve growth factor; Neuronal survival; Identified projection neuron; Septal cholinergic neuron; Basal forebrain (Arimatsu, Y.) **45,** 297

Acetylcholine receptor; Single-channel conductance; Open time; *Xenopus*; Cycloheximide; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Dopamine neuron; Neuronal specificity (Won, L.) **47,** 93

Leu-enkephalin; Development; Serotonin; Bacitracin; Receptor; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

Hippocampal neuron; Basal lamina; Extracellular matrix; Adhesion; Neurite outgrowth; Promotion factor (Nakayama, T.) **49,** 145

Cell death
Cerebellum; Neurogenesis; Purkinje cell; Granule cell; Cell number (Chen, S.) **45,** 137

Cerebral convolution; Cerebral cortex (Ferrer, I.) **45,** 303

Brainstem; Efferent; Rat; Developmental plasticity; Auditory pathway (Robertson, D.) **47,** 197

Cell migration
Chick/quail chimera; Mesencephalic transplant; Visual system; Neural development; Cytodifferentiation (Martinez, S.) **47,** 263

Cell motility
5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Microtubule; Axon; Growth cone; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Cell number
Cerebellum; Neurogenesis; Purkinje cell; Granule cell; Cell death (Chen, S.) **45,** 137

Cell sorting
Oligodendrocyte; Astrocyte; Differentiation; Antigen O4 (Trotter, J.) **46,** 115

Central nervous system
Serotonin; 5-Hydroxyindoleacetic acid; 5-Hydroxyindoleacetic acid/serotonin ratio; Development; Pigeon (Alesci, R.) **48,** 151

Central nervous system development
Transient; Axonal guidance; Cerebellum; Cerebrum; Developmental error (Tolbert, D.L.) **45,** 113

Transient projection; Impulse activity; Cerebellum; Cerebral cortex; Collateral (Tolbert, D.L.) **50,** 241

Cerebellar development
Isthmus development; Brachium conjunctivum pathway; Deep cerebellar neuron; Parabrachial nucleus localization; Horseradish peroxidase in vitro tracing; Immunocytochemistry (Cholley, B.) **45,** 185

Cerebellum
Central nervous system development; Transient; Axonal guidance; Cerebrum; Developmental error (Tolbert, D.L.) **45,** 113

Neurogenesis; Purkinje cell; Granule cell; Cell death; Cell number (Chen, S.) **45,** 137

Development; Benzodiazepine; Receptor; Methylazoxymethanol (Bacon, E.) **47,** 293

Enkephalin; Development; Afferent; Opossum; Immunohistochemistry (Walker, J.J.) **48,** 35

Neuronal development; Embryonic brain; Axon growth; Immunohistochemistry; Cerebral cortex; Retina (Edwards, M.A.) **49,** 185

Acetylated alpha-tubulin; Microtubule; Stability; Neurite growth; Tissue culture; Immunocytochemistry (Ferreira, A.) **49,** 205

Microtubule; Microtubule-associated protein; Neurite growth; Tissue culture (Ferreira, A.) **49,** 215

Central nervous system development; Transient projection; Impulse activity; Cerebral cortex; Collateral (Tolbert, D.L.) **50,** 241

Cerebral convolution
Cell death; Cerebral cortex (Ferrer, I.) **45,** 303

Cerebral cortex
Somatostatin; Primate; Ontogeny; Immunohistochemistry (Yamashita, A.) **45,** 103

Cell death; Cerebral convolution (Ferrer, I.) **45,** 303

Acetylcholinesterase; Development; Tetrodotoxin; Visual deprivation; Visual system (Robertson, R.T.) **46,** 69

Glycogen; Potassium; Energy metabolism; Epilepsy; Mutant mouse (Hof, P.R.) **46,** 107

Hemispherectomy; Neonatal brain injury; Plasticity; Cortical localization; Corticospinal system (Huttenlocher, P.R.) **47,** 59

Methylazoxymethanol acetate; Microencephaly; Somatostatin; Rat (Cattabeni, F.) **47,** 156

Development; Dopamine; Opossum; Serotonin; Striatum; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Neuronal development; Embryonic brain; Axon growth; Immunohistochemistry; Cerebellum; Retina (Edwards, M.A.) **49,** 185

5′-Bromodeoxyuridine; Immunohistochemistry; Neurogenesis; Hippocampus; Mouse (Del Rio, J.A.) **49,** 311

Central nervous system development; Transient projection; Impulse activity; Cerebellum; Collateral (Tolbert, D.L.) **50,** 241

Cerebral glucose utilization
Fetal sheep; Deoxyglucose; Broad band noise; Behavioral state (Abrams, R.M.) **48,** 1

Cerebrum
Central nervous system development; Transient; Axonal guidance; Cerebellum; Developmental error (Tolbert, D.L.) **45,** 113

Chick
Retinotectal system; Glia; Fluorescent marker; Immunohistochemistry (Vanselow, J.) **45,** 15

State-dependent learning; Protein synthesis; Passive avoidance (Patterson, T.A.) **49,** 173

State-dependency; Protein synthesis inhibition; Anisomycin; Learning; Memory (Lee, D.W.) **49,** 179

Development; 5-Hydroxytryptamine; Spinal cord; High-performance liquid chromatography; Immunohistochemistry; Transient projection (Okado, N.) **50,** 217

Chick brain
Development; Nerve growth receptor; Genetic expression (Escandon, E.) **47,** 187

Visual system; 2-Deoxyglucose; Cortical development (Rogers, L.J.) **49,** 161

Chick embryo
Embryonic development; Neuronal expression; Catecholaminergic phenotype; Tyrosine hydroxylase;

Neuropeptide; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

Chick embryo retina
Growth-inhibitory factor; Fetal bovine serum; In vitro effect; Deoxyribonucleic acid synthesis (Tesoriere, G.) **47,** 19

Chick forebrain
Development; Hyperstriatum ventrale (Curtis, E.M.) **48,** 105

Chick/quail chimera
Mesencephalic transplant; Cell migration; Visual system; Neural development; Cytodifferentiation (Martinez, S.) **47,** 263

Chloride channel
Diazepam; γ-Aminobutyric acid; Synaptoneurosome; Development (Kellogg, C.K.) **49,** 87

Choline acetyltransferase
Golgi impregnation; Cholinergic neuron; Nucleus basalis; Dendrite; Development (Gould, E.) **46,** 297

Motoneuron; Astrocyte; Laminin; Differentiation (Martinou, J.-C.) **47,** 251

Intra-uterine growth retardation; Rat; Brain regional development; Acetylcholinesterase; Muscarinic receptor (Represa, A.) **47,** 71

Neurogenesis; Cholinergic basal forebrain; Immunocytochemistry; Autoradiography (Brady, D.R.) **47,** 81

Nerve growth factor; Phorbol 12-myristate, 13-acetate; Protein kinase C; Mouse basal forebrain (Alderson, R.F.) **48,** 229

Eight-arm maze; Hippocampus; 6-Hydroxydopamine; Mouse; Phenobarbital; Prenatal exposure; Septum (Yanai, J.) **48,** 255

PC12 cell; Neuronotrophic factor; Retinoic acid; Calcium; Protein phosphorylation; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Choline acetyltransferase (ChAT)
Neurogenesis; Caudate–putamen; Immunocytochemistry; Development (Phelps, P.E.) **46,** 47

Cholinergic basal forebrain
Neurogenesis; Choline acetyltransferase; Immunocytochemistry; Autoradiography (Brady, D.R.) **47,** 81

Cholinergic neuron
Golgi impregnation; Choline acetyltransferase; Nucleus basalis; Dendrite; Development (Gould, E.) **46,** 297

Cholinergic system
Acetylcholinesterase; Somatostatin; Co-localization; Hippocampus (Forloni, G.) **48,** 73

Chromaffin cell
Development; Catecholamine enzyme; Transcription; Adrenergic phenotype (Ehrlich, M.E.) **50,** 129

Ciliary neurotrophic factor
Neurotrophic factor; Adrenal medulla; Development; Neuronal cell culture; Rat (Blottner, D.) **48,** 243

Circadian rhythm
Suprachiasmatic nucleus; Restricted feeding; Prenatal entrainment; Drinking behavior (Weaver, D.R.) **46,** 291

2-Deoxyglucose autoradiography; Retinohypothalamic tract; Spiny mouse (*Acomys cahirinus*) (Weaver, D.R.) **47,** 151

Cochlea
Calcitonin gene-related peptide; Ontogeny; Immunocytochemistry; Rat (Tohyama, Y.) **45,** 309

Noradrenaline; Dopamine; Development; High-performance liquid chromatography/electrochemical detection; Rat (Gil-Loyzaga, P.) **48,** 157

Collateral
Central nervous system development; Transient projection; Impulse activity; Cerebellum; Cerebral cortex (Tolbert, D.L.) **50,** 241

Collateral elimination
Corticospinal tract; Medial prefrontal cortex; Anterograde tracing; Rat (Joosten, E.A.J.) **45,** 313

Colocalization
Acetylcholinesterase; Somatostatin; Hippocampus; Cholinergic system (Forloni, G.) **48,** 73

Comparative
Acetylcholinesterase; Development; Thalamus; Transient (Robertson, R.T.) **48,** 309

Comparative neurobiology
Brain development; Telencephalon; Morphogenesis; Spiny mouse (Brunjes, P.C.) **49,** 7

Compartment
Development; Striatonigral; Projection; Anterograde tracing; Striatum; Substantia nigra (Fishell, G.) **45,** 239

Development, Thymidine; Tissue culture; Adhesion (Krushel, L.A.) **47,** 137

Convergence
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Newborn; Weanling (Meisami, E.) **46,** 9

Cortex
Neurotransmitter; Development; γ-Aminobutyric acidergic synaptogenesis; γ-Aminobutyric acid uptake; Brain slice (Balcar, V.J.) **49,** 295

Cortical development
Visual system; 2-Deoxyglucose; Chick brain (Rogers, L.J.) **49,** 161

Cortical localization
Hemispherectomy; Neonatal brain injury; Plasticity; Cerebral cortex; Corticospinal system (Huttenlocher, P.R.) **47,** 59

Corticospinal system
Hemispherectomy; Neonatal brain injury; Plasticity; Cerebral cortex; Cortical localization (Huttenlocher, P.R.) **47,** 59

Corticospinal tract
Development; Pericruciate axon projection; Spinal cord; Reorganization (Theriault, E.) **45,** 219

Collateral elimination; Medial prefrontal cortex; Anterograde tracing; Rat (Joosten, E.A.J.) **45,** 313

Covalent derivatization
Protease; Protease inhibitor; Neurite outgrowth; Dorsal root ganglion (Hawkins, R.L.) **45,** 203

Cross-linking
Opioid receptor; Development; β-Endorphin (McLean, S.) **45,** 283

Culture condition
Calbindin immunoreactivity; Dorsal root ganglion cell culture; Primary sensory neuron (Barakat, I.) **50,** 205

Cultured astrocyte
Depolarization; High K^+; Phosphate-activated glutaminase; Cultured granule neuron; Development; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

Cultured granule neuron
Depolarization; High K^+; Phosphate-activated glutaminase; Cultured astrocyte; Development; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

Cultured myoball
Voltage clamp; Internal perfusion; Calcium channel; Barium current; Embryonic chick skeletal muscle; Development (Kano, M.) **47,** 101

Cycloheximide
Acetylcholine receptor; Single-channel conductance; Open time; *Xenopus*; Cell culture; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Cytochalasin B
Neuroblastoma cell; Laminin; Axon elongation; Growth cone; Microtubule; Methylation inhibitor; 5′-Deoxy-5′-methylthioadenosine (Smalheiser, N.R.) **45,** 39

Growth cone; Axonal elongation; Neuroblastoma cell (Smalheiser, N.R.) **45,** 49

Cytodifferentiation
Chick/quail chimera; Mesencephalic transplant; Cell migration; Visual

system; Neural development (Martinez, S.) **47,** 263

Cytoskeleton
Astrocyte; Glial fibrillary acidic protein; Hypothalamic cell culture; Estradiol; Differentiation (Garcia-Segura, L.M.) **47,** 298

Monoclonal antibody; Developmentally regulated antigen; Neurofilament; Microheterogeneity (Thorey, I.) **49,** 229

Microfilament; Morphometry; Neural tube; Three-dimensional reconstruction (Nagele, R.G.) **50,** 101

Neurofilament; Phosphorylation; Neurite outgrowth; Axonal maturation; Neuronal culture; Neuronal differentiation; Neuroblastoma (Shea, T.B.) **50,** 142

D

D_1-receptor
D_2-receptor; SCH-23390; Spiroperidol; Ontogeny; Striatum (Kostrzewa, R.M.) **45,** 95

SCH 23390; Scopolamine; Catalepsy; Ontogeny; Neurotransmitter interaction; Acetylcholine; Dopamine (Fitzgerald, L.W.) **47,** 147

D_2-receptor
D_1-receptor; SCH-23390; Spiroperidol; Ontogeny; Striatum (Kostrzewa, R.M.) **45,** 95

Dark-reared cat
Noradrenaline; 6-Hydroxydopamine; Metoprolol; Ocular dominance plasticity (Shirokawa, T.) **47,** 303

DBA/2J mouse
Serotonin-2 binding site; Synaptosomal serotonin uptake; Audiogenic seizure (Jazrawi, S.P.) **45,** 257

Deep cerebellar neuron
Cerebellar development; Isthmus development; Brachium conjunctivum pathway; Parabrachial nucleus localization; Horseradish peroxidase in vitro tracing; Immunocytochemistry (Cholley, B.) **45,** 185

Dendrite
Sympathetic neuron; Age-dependent change; Regeneration; Tissue culture; Schwann cell (Bruckenstein, D.) **46,** 21

Golgi impregnation; Choline acetyltransferase; Cholinergic neuron; Nucleus basalis; Development (Gould, E.) **46,** 297

Lucifer yellow; Plasticity; Synapse; Intracellular injection (Brown, R.N.) **50,** 123

Dendritic development
Astrocyte; Sympathetic neuron; Tissue culture (Johnson, M.I.) **47,** 289

Dendritic spine dysgenesis
Hippocampal tissue transplant; Heterotopic brain tissue grafting; Hippocampal neuronal dendrite; Neuronal plasticity (Murthy, S.K.) **46,** 33

Dentate gyrus
Granule cell number; Sex dimorphism; Strain difference (Wimer, C.C.) **48,** 167

Deoxyglucose
Fetal sheep; Cerebral glucose utilization; Broad band noise; Behavioral state (Abrams, R.M.) **48,** 1

Deoxyribonucleic acid synthesis
Growth-inhibitory factor; Fetal bovine serum; Chick embryo retina; In vitro effect (Tesoriere, G.) **47,** 19

2-Deoxyglucose
Visual system; Chick brain; Cortical development (Rogers, L.J.) **49,** 161

2-Deoxyglucose autoradiography
Circadian rhythm; Retinohypothalamic tract; Spiny mouse (*Acomys cahirinus*) (Weaver, D.R.) **47,** 151

5′-Deoxy-5′-methylthioadenosine
Neuroblastoma cell; Laminin; Axon elongation; Growth cone; Microtubule; Methylation inhibitor; Cytochalasin B (Smalheiser, N.R.) **45,** 39

Methylation inhibitor; Cell motility; Microtubule; Axon; Growth cone; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Depolarization
High K^+; Phosphate-activated glutaminase; Cultured granule neuron; Cultured astrocyte; Development; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

Deprivation
Olfaction; Olfactory bulb; Olfactory receptor; Naris closure; Sensory; Plasticity (Maruniak, J.A.) **47,** 27

Development; Plasticity; Visual cortex; Siamese cat (Berman, N.E.J.) **50,** 69

Dermatoglyph
Merkel cell; Nerve; Differentiation; Fingerprint; Skin (Moore, S.J.) **48,** 119

Developing brain
Lipid peroxidation; Hypoxia; Guinea pig (Mishra, O.P.) **45,** 129

Developing rat
Aminophylline; Kindling (Trommer, B.L.) **46,** 169

Development
Neuronal death; Spinal ganglion; Peripheral competition; *Xenopus* (Lamb, A.H.) **45,** 149

Zinc; Nerve growth factor; Striatal mosaic (Vincent, S.R.) **45,** 155

Oncogene; *src*; Protein kinase; Phosphorylation (Steedman, J.G.) **45,** 161

Corticospinal tract; Pericruciate axon projection; Spinal cord; Reorganization (Theriault, E.) **45,** 219

Striatonigral; Compartment; Projection; Anterograde tracing; Striatum; Substantia nigra (Fishell, G.) **45,** 239

Opioid receptor; β-Endorphin; Cross-linking (McLean, S.) **45,** 283

N-Methyl-D-aspartate; Hippocampus; Epilepsy (King, A.E.) **46,** 1

Choline acetyltransferase (ChAT); Neurogenesis; Caudate–putamen; Immunocytochemistry (Phelps, P.E.) **46,** 47

Acetylcholinesterase; Cerebral cortex; Tetrodotoxin; Visual deprivation; Visual system (Robertson, R.T.) **46,** 69

Depolarization; High K^+; Phosphate-activated glutaminase; Cultured granule neuron; Cultured astrocyte; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

Vasopressin; In situ hybridization; Rat; Oxytocin; Hypothalamus (Laurent, F.M.) **46,** 145

Acetylcholine; Neocortex; Epilepsy; Neuromodulation; Carbachol (Sutor, B.) **46,** 155

Retinotopic map; Lateral geniculate nucleus (Jeffery, G.) **46,** 187

Cat visual cortex; Plasticity; Receptor; *N*-Methyl-D-aspartate; Excitatory amino acid (Bode-Greuel, K.M.) **46,** 197

Messenger ribonucleic acid (Burgunder, J.-M.) **46,** 221

Androgen; Brainstem; Monoamine; Monoclonal antibody 3D10; Sexual differentiation (Tobet, S.A.) **46,** 253

Enkephalin; Immunocytochemistry; Spinal cord; Sympathetic nervous system; Rat (Romagnano, M.A.A.) **46,** 263

Golgi impregnation; Choline acetyltransferase; Cholinergic neuron; Nucleus basalis; Dendrite (Gould, E.) **46,** 297

Voltage clamp; Internal perfusion; Calcium channel; Barium current; Embryonic chick skeletal muscle; Cultured myoball (Kano, M.) **47,** 101

Neocortex; Plasticity; Excitatory amino acid; Phosphoinositide; Diacylglycerol;

Protein kinase C (Dudek, S.M.) **47,** 123

Substantia nigra; γ-Aminobutyric acid; Seizure; Infant rat (Sperber, E.F.) **47,** 143

Cerebral cortex; Dopamine; Opossum; Serotonin; Striatum; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Nerve growth receptor; Chick brain; Genetic expression (Escandon, E.) **47,** 187

Acetylcholinesterase; Enucleation; Lateral geniculate nucleus; Transneuronal degeneration; Visual deprivation (Robertson, R.T.) **47,** 209

Amine; Immunohistochemistry; Peptide; Sexual dimorphism; Spinal cord; Testis (Newton, B.W.) **47,** 227

Cerebellum; Benzodiazepine; Receptor; Methylazoxymethanol (Bacon, E.) **47,** 293

Retina; Neuropeptide Y; Peptide; Ontogeny; Immunocytochemistry (Ferriero, D.M.) **48,** 19

Enkephalin; Cerebellum; Afferent; Opossum; Immunohistochemistry (Walker, J.J.) **48,** 35

Tyrosine hydroxylase; Catecholamine; Dopamine; Retina; Immunocytochemistry; High-performance liquid chromatography (Wulle, I.) **48,** 59

Hyperstriatum ventrale; Chick forebrain (Curtis, E.M.) **48,** 105

Serotonin; 5-Hydroxyindoleacetic acid; 5-Hydroxyindoleacetic acid/serotonin ratio; Central nervous system; Pigeon (Alesci, R.) **48,** 151

Noradrenaline; Dopamine; Cochlea; High-performance liquid chromatography/electrochemical detection; Rat (Gil-Loyzaga, P.) **48,** 157

Nerve growth factor receptor; Olfactory bulb; Plasticity (Gómez-Pinilla, F.) **48,** 161

Neurotoxicity; Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Receptor autoradiography; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

Neurotrophic factor; Adrenal medulla; Ciliary neurotrophic factor; Neuronal cell culture; Rat (Blottner, D.) **48,** 243

Met-enkephalin-Arg^6-Gly^7-Leu^8; Sensory ganglia; Substance P; Immunohistochemistry; Rat (Senba, E.) **48,** 263

Acetylcholinesterase; Comparative; Thalamus; Transient (Robertson, R.T.) **48,** 309

Diazepam; γ-Aminobutyric acid; Chloride channel; Synaptoneurosome (Kellogg, C.K.) **49,** 87

Leu-enkephalin; Cell culture; Serotonin; Bacitracin; Receptor; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

Nucleus paraventricularis hypothalami; Intra-uterine operation; Spinal projection; Wheatgerm-agglutinin horseradish peroxidase; Rat (Lakke, E.A.J.E6.) **49,** 115

Marsupial; Estrogen receptor; Hypothalamus (Etgen, A.M.) **49,** 131

Motoneuron; Spinal cord; Neuroanatomy; Morphology; Feline; Cell body (Cameron, W.E.) **49,** 253

Retinal ganglion cell; Ipsilateral; Plasticity; Retrograde labelling; Wheat germ agglutinin–horseradish peroxidase (Chan, S.O.) **49,** 265

Neurotransmitter; Cortex; γ-Aminobutyric acidergic synaptogenesis; γ-Aminobutyric acid uptake; Brain slice (Balcar, V.J.) **49,** 295

Gap43; Somatostatin; Amyloid; Trisomy 16; Down syndrome (O'Hara, B.F.) **49,** 300

Growth cone; Tubulin; Tau; Microtubule-associated protein-2 (Gordon-Weeks, P.R.) **49,** 305

Plasticity; Visual cortex; Deprivation; Siamese cat (Berman, N.E.J.) **50,** 69

Chromaffin cell; Catecholamine enzyme; Transcription; Adrenergic phenotype (Ehrlich, M.E.) **50,** 129

Transneuronal transport; Visual system; Wheat germ agglutinin–horseradish peroxidase (Itaya, S.K.) **50,** 161

Rat sciatic nerve; Axon number; Internodal length; Limb growth (Hildebrand, C.) **50,** 169

γ-Aminobutyric acid-immunocytochemistry; Hippocampus (Rozenberg, F.) **50,** 177

Zinc histochemistry; Rat amygdala; Electron microscopy (Mizukawa, K.) **50,** 197

5-Hydroxytryptamine; Spinal cord; High-performance liquid chromatography; Immunohistochemistry; Transient projection; Chick (Okado, N.) **50,** 217

Norepinephrine; Sympathetic neuron; Turnover; Transsynaptic regulation; Superior cervical ganglion (Smolen, A.J.) **50,** 233

Development, Thymidine
Compartment; Tissue culture; Adhesion (Krushel, L.A.) **47,** 137

Developmental error
Central nervous system development; Transient; Axonal guidance; Cerebellum; Cerebrum (Tolbert, D.L.) **45,** 113

Developmental gene expression
Vasopressin; Oxytocin; Somatostatin; Messenger ribonucleic acid; Hypothalamus; Northern blot (Almazan, G.) **45,** 69

Developmental neurobiology
Neurofilament; Phosphorylation; *Xenopus laevis* (Szaro, B.G.) **48,** 87

Developmental plasticity
Brainstem; Efferent; Rat; Auditory pathway; Cell death (Robertson, D.) **47,** 197

Kitten; Visual cortex; *N*-Methyl-D-aspartate receptor; Reverse suture; Ocular dominance (Gu, Q.) **47,** 281

Developmental regulation
Tyrosine hydroxylase; Hypothalamus; Estradiol; Ontogeny; Catecholaminergic neuron (Friedman, W.J.) **48,** 177

Developmentally regulated antigen
Monoclonal antibody; Cytoskeleton; Neurofilament; Microheterogeneity (Thorey, I.) **49,** 229

Dexamethasone
Nerve growth factor; Serum; Iris; Fibroblast (Houlgatte, R.) **47,** 171

Diacylglycerol
Neocortex; Development; Plasticity; Excitatory amino acid; Phosphoinositide; Protein kinase C (Dudek, S.M.) **47,** 123

Diazepam
γ-Aminobutyric acid; Chloride channel; Synaptoneurosome; Development (Kellogg, C.K.) **49,** 87

Differentiation
Astroglia; Phosphatidic acid; Phospholipid; Ganglioside (Skaper, S.D.) **45,** 265

Oligodendrocyte; Astrocyte; Antigen O4; Cell sorting (Trotter, J.) **46,** 115

Tectum mesencephali; Teleost; Golgi study; Migration (Wilm, C.) **47,** 35

Motoneuron; Choline acetyltransferase; Astrocyte; Laminin (Martinou, J.-C.) **47,** 251

Astrocyte; Glial fibrillary acidic protein; Cytoskeleton; Hypothalamic cell culture; Estradiol (Garcia-Segura, L.M.) **47,** 298

Merkel cell; Nerve; Dermatoglyph; Fingerprint; Skin (Moore, S.J.) **48,** 119

Neuron development; Tetanus toxin receptor; Sodium current; Calcium current; *N*-Methyl-D-aspartate receptor; Tectal neuron (Grantyn, R.) **49,** 150

L-Dihydroxyphenylalanine
Inherited arterial hypertension;

Long-lasting hypotensive effect; Brain catecholamine; Adrenoceptor; Tyrosine hydroxylase; Ontogeny (Naumenko, E.V.) **46,** 205

5,7-Dihydroxytryptamine
Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Dissociative anesthetic
Somatovisceral reflex; Maternal grooming; Spinal transection; Urinary bladder; Urination (Thor, K.B.) **46,** 137

Domperidone
Brain; Dopamine; Postnatal development; Rat; Receptor D_1 and D_2; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Dopamine
SCH 23390; Scopolamine; Catalepsy; Ontogeny; Neurotransmitter interaction; Acetylcholine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Cerebral cortex; Development; Opossum; Serotonin; Striatum; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Acetylcholine; Noradrenaline; Song control nuclei; Zebra finch; Song ontogeny (Sakaguchi, H.) **47,** 313

Tyrosine hydroxylase; Catecholamine; Retina; Development; Immunocytochemistry; High-performance liquid chromatography (Wulle, I.) **48,** 59

Noradrenaline; Development; Cochlea; High-performance liquid chromatography/electrochemical detection; Rat (Gil-Loyzaga, P.) **48,** 157

Brain; Domperidone; Postnatal development; Rat; Receptor D_1 and D_2; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Dopamine cell
Carp retina; Lucifer yellow; Intracellular injection; Expansion (Teranishi, T.) **47,** 275

Dopamine neuron
Neuronal specificity; Cell culture (Won, L.) **47,** 93

Dorsal lateral geniculate nucleus
Marsupial; Retinofugal projection; Superior colliculus; Unilateral enucleation; Horseradish peroxidase (Coleman, L.-A.) **48,** 273

Dorsal raphe nucleus
Brain slice; Extracellular recording; α_1-Adrenoceptor; Serotonergic receptor; Lysergic acid diethylamide; Autoradiography (Smith, D.A.) **46,** 173

Dorsal root ganglion
Protease; Protease inhibitor; Neurite outgrowth; Covalent derivatization (Hawkins, R.L.) **45,** 203

Dorsal root ganglion cell culture
Calbindin immunoreactivity; Primary sensory neuron; Culture condition (Barakat, I.) **50,** 205

Dorsal root ganglion development
Dorsal root ganglion form; Ventral root development; Nervous system subsegmentation; Segmental boundary (Hirano, S.) **50,** 265

Dorsal root ganglion form
Dorsal root ganglion development; Ventral root development; Nervous system subsegmentation; Segmental boundary (Hirano, S.) **50,** 265

Dorsal root ganglion neuron
Neuronal growth factor; Myelination; Axon–Schwann cell interaction (Windebank, A.J.) **49,** 243

Down's syndrome
Development; *Gap43*; Somatostatin; Amyloid; Trisomy 16 (O'Hara, B.F.) **49,** 300

Murine trisomy 16; Brain development; Basal forebrain cholinergic cell; Catecholaminergic system; Locus ceruleus; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Drinking behavior
Circadian rhythm; Suprachiasmatic nucleus; Restricted feeding; Prenatal entrainment (Weaver, D.R.) **46,** 291

E

Ectopic limb
Xenopus; Brachial motoneuron death (Harrison, P.H.) **49,** 134

Efferent
Brainstem; Rat; Developmental plasticity; Auditory pathway; Cell death (Robertson, D.) **47,** 197

Eight-arm maze
Choline acetyltransferase; Hippocampus; 6-Hydroxydopamine; Mouse; Phenobarbital; Prenatal exposure; Septum (Yanai, J.) **48,** 255

Electrocortical state
Fetal brain; Brain metabolism; Glucose; Lactate; Oxygen (Chao, C.R.) **49,** 1

Electron microscopy
Transplantation; Angiogensis; Blood–brain barrier (Dusart, I.) **48,** 215

Synaptogenesis; Neocortex; Neuronal development; Primate (Zecevic, N.) **50,** 11

Zinc histochemistry; Rat amygdala; Development (Mizukawa, K.) **50,** 197

Electrophysiology
Hippocampus; Brain development; Brain transplant; Synaptic transmission (Mynlieff, M.) **50,** 113

Embryonic brain
Neuronal development; Axon growth; Immunohistochemistry; Cerebral cortex; Cerebellum; Retina (Edwards, M.A.) **49,** 185

Embryonic chick skeletal muscle
Voltage clamp; Internal perfusion; Calcium channel; Barium current; Cultured myoball; Development (Kano, M.) **47,** 101

Embryonic development
Neuronal expression; Chick embryo; Catecholaminergic phenotype; Tyrosine hydroxylase; Neuropeptide; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

β-Endorphin
Opioid receptor; Development; Cross-linking (McLean, S.) **45,** 283

Endothelium
Amphibian; Angiogenesis; Capillary; Eye removal; Hypoxia; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Energy metabolism
Glycogen; Potassium; Epilepsy; Mutant mouse; Cerebral cortex (Hof, P.R.) **46,** 107

Rat development; Hippocampal slice; Oxygen consumption; Resistance to anoxia (Kawai, S.) **48,** 11

Enkephalin
Development; Immunocytochemistry; Spinal cord; Sympathetic nervous system; Rat (Romagnano, M.A.A.) **46,** 263

Development; Cerebellum; Afferent; Opossum; Immunohistochemistry (Walker, J.J.) **48,** 35

Enucleation
Acetylcholinesterase; Development; Lateral geniculate nucleus; Transneuronal degeneration; Visual deprivation (Robertson, R.T.) **47,** 209

Environmental enrichment
Preweaning; Basal dendrite; Pyramidal neuron; Occipital cortex; Golgi method; Rat (Venable, N.) **49,** 140

Epilepsy
N-Methyl-D-aspartate; Hippocampus; Development (King, A.E.) **46,** 1

Glycogen; Potassium; Energy metabolism; Mutant mouse; Cerebral cortex (Hof, P.R.) **46,** 107

Acetylcholine; Neocortex; Development; Neuromodulation; Carbachol (Sutor, B.) **46,** 155

Immature cortex; Rat; Extracellular environment; Excitatory amino acid; Calcium; Potassium (Hablitz, J.J.) **46,** 243

Estradiol
Astrocyte; Glial fibrillary acidic protein; Cytoskeleton; Hypothalamic cell culture; Differentiation (Garcia-Segura, L.M.) **47,** 298

Developmental regulation; Tyrosine hydroxylase; Hypothalamus; Ontogeny; Catecholaminergic neuron (Friedman, W.J.) **48,** 177

Estrogen receptor
Marsupial; Hypothalamus; Development (Etgen, A.M.) **49,** 131

Fetus; Brain; Primate (Sholl, S.A.) **50,** 189

Excitatory amino acid
Cat visual cortex; Development; Plasticity; Receptor; *N*-Methyl-D-aspartate (Bode-Greuel, K.M.) **46,** 197

Immature cortex; Rat; Extracellular environment; Epilepsy; Calcium; Potassium (Hablitz, J.J.) **46,** 243

Neocortex; Development; Plasticity; Phosphoinositide; Diacylglycerol; Protein kinase C (Dudek, S.M.) **47,** 123

Neurotoxicity; Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Development; Receptor autoradiography; MK-801 (Peterson, C.) **48,** 187

Expansion
Carp retina; Dopamine cell; Lucifer yellow; Intracellular injection (Teranishi, T.) **47,** 275

Extracellular environment
Immature cortex; Rat; Epilepsy; Excitatory amino acid; Calcium; Potassium (Hablitz, J.J.) **46,** 243

Extracellular matrix
Hippocampal neuron; Basal lamina; Cell culture; Adhesion; Neurite outgrowth; Promotion factor (Nakayama, T.) **49,** 145

Extracellular recording
Dorsal raphe nucleus; Brain slice; α_1-Adrenoceptor; Serotonergic receptor; Lysergic acid diethylamide; Autoradiography (Smith, D.A.) **46,** 173

Eye removal
Amphibian; Angiogenesis; Capillary; Endothelium; Hypoxia; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

F

Feline
Development; Motoneuron; Spinal cord; Neuroanatomy; Morphology; Cell body (Cameron, W.E.) **49,** 253

Fetal alcohol syndrome
Lateralization; Asymmetry; Neonatal; Tail; Neocortex; Rat; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Fetal bovine serum
Growth-inhibitory factor; Chick embryo retina; In vitro effect; Deoxyribonucleic acid synthesis (Tesoriere, G.) **47,** 19

Fetal brain
Electrocortical state; Brain metabolism; Glucose; Lactate; Oxygen (Chao, C.R.) **49,** 1

Fetal sheep
Cerebral glucose utilization; Deoxyglucose; Broad band noise; Behavioral state (Abrams, R.M.) **48,** 1

Fetus
Estrogen receptor; Brain; Primate (Sholl, S.A.) **50,** 189

Fibroblast
5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Cell motility; Microtubule; Axon; Growth cone; Neuroblast (Smalheiser, N.R.) **45,** 59

Nerve growth factor; Serum; Dexamethasone; Iris (Houlgatte, R.) **47,** 171

Fibroblast growth factor
Astroglial cell; Protein kinase; S6 protein (Gavaret, J.M.) **45,** 77

Fingerprint
Merkel cell; Nerve; Differentiation; Dermatoglyph; Skin (Moore, S.J.) **48,** 119

Fluorescent marker
Retinotectal system; Chick; Glia; Immunohistochemistry (Vanselow, J.) **45,** 15

Fodrin
Glioma cell; Sodium butyrate (Hargreaves, A.J.) **45,** 291

Follicle-stimulating hormone
Infantile rat; 5-Hydroxytryptophan; Haloperidol; Naloxone; Sexual difference (Becú-Villalobos, D.) **47,** 181

Functional significance
5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

G

Galactocerebroside
Oligodendrocyte; Astrocyte; B104 neuronal cell line; A2B5 antigen; Glial fibrillary acidic protein; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Transferrin; Transferrin receptor; Iron; Oligodendrocyte; Myelin formation; Myelin basic protein; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Ganglion cell death
Marsupial; Retinal ganglion cell; Unilateral enucleation; Binocular competition; Horseradish peroxidase (Colemand, L.-A.) **48,** 293

Ipsilateral and contralateral projections; Spatial overlap and segregation; Axonal misrouting (Gayer, N.S.) **50,** 33

Ganglioside
Astroglia; Differentiation; Phosphatidic acid; Phospholipid (Skaper, S.D.) **45,** 265

GAP-43
Growth-associated protein; Brain development; Neuronal plasticity (De la Monte, S.M.) **46,** 161

Development; Somatostatin; Amyloid; Trisomy 16; Down syndrome (O'Hara, B.F.) **49,** 300

Gene expression
Myelin proteolipid protein; Myelin basic protein; Hybridization, in situ; Oligodendrocyte; Brain development (Shiota, C.) **45,** 83

Postnatal development; Opioid precursor mRNA (Rosen, H.) **46,** 123

Proopiomelanocortin; Postnatal ontogeny; In situ hybridization histochemistry; Rat; Pituitary (Wang, Y.-Q.) **47,** 53

Genetic expression
Development; Nerve growth receptor; Chick brain (Escandon, E.) **47,** 187

Glia
Retinotectal system; Chick; Fluorescent marker; Immunohistochemistry (Vanselow, J.) **45,** 15

Glial fibrillary acidic protein
Brain; Immunocytochemistry; Intermediate filament; Marmoset; Radial glia; Vimentin (McDermott, K.W.G.) **45,** 169

Astrocyte; Cytoskeleton; Hypothalamic cell culture; Estradiol; Differentiation (Garcia-Segura, L.M.) **47,** 298

Transferrin; Transferrin receptor; Iron; Oligodendrocyte; Myelin formation;

Myelin basic protein; Galactocerebroside; Optic nerve (Lin, H.H.) **49,** 281

Oligodendrocyte; Astrocyte; B104 neuronal cell line; Galactocerebroside; A2B5 antigen; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Glial migration
Monoclonal antibody; Astroglia; Rodent cerebellum; Radial glia (Ono, K.) **50,** 154

Glioma cell
Sodium butyrate; Fodrin (Hargreaves, A.J.) **45,** 291

Glioma-conditioned medium
PC12 cell; Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Calcium; Protein phosphorylation (Mizuno, N.) **50,** 1

Glucose
Fetal brain; Electrocortical state; Brain metabolism; Lactate; Oxygen (Chao, C.R.) **49,** 1

Glutamate
Neurotoxicity; *N*-Methyl-D-aspartate; Hippocampus; Development; Receptor autoradiography; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

Glycogen
Potassium; Energy metabolism; Epilepsy; Mutant mouse; Cerebral cortex (Hof, P.R.) **46,** 107

Golgi impregnation
Choline acetyltransferase; Cholinergic neuron; Nucleus basalis; Dendrite; Development (Gould, E.) **46,** 297

Golgi method
Environmental enrichment; Preweaning; Basal dendrite; Pyramidal neuron; Occipital cortex; Rat (Venable, N.) **49,** 140

Golgi study
Tectum mesencephali; Teleost; Differentiation; Migration (Wilm, C.) **47,** 35

Golgi–Kopsch staining
Olfactory bulb development; Granule cell dendritic differentiation; Sensory deprivation (Frazier-Cierpial, L.L.) **47,** 129

Granule cell
Cerebellum; Neurogenesis; Purkinje cell; Cell death; Cell number (Chen, S.) **45,** 137

Granule cell dendritic differentiation
Olfactory bulb development; Golgi–Kopsch staining; Sensory deprivation (Frazier-Cierpial, L.L.) **47,** 129

Granule cell number
Sex dimorphism; Dentate gyrus; Strain difference (Wimer, C.C.) **48,** 167

Growth cone
Neuroblastoma cell; Laminin; Axon elongation; Microtubule; Methylation inhibitor; 5′-Deoxy-5′-methylthio' adenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

Axonal elongation; Neuroblastoma cell; Cytochalasin B (Smalheiser, N.R.) **45,** 49

5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Cell motility; Microtubule; Axon; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Development; Tubulin; Tau; Microtubule-associated protein-2 (Gordon-Weeks, P.R.) **49,** 305

Growth hormone-releasing hormone
Embryonic development; Neuronal expression; Chick embryo; Catecholaminergic phenotype; Tyrosine hydroxylase; Neuropeptide (Kentroti, S.) **49,** 275

Growth rate
Nerve growth; Polyploidy; Spinal cord; Tissue culture (Procento, G.M.) **47,** 243

Growth-associated protein
GAP-43; Brain development; Neuronal plasticity (De la Monte, S.M.) **46,** 161

Growth-inhibitory factor
Fetal bovine serum; Chick embryo retina; In vitro effect; Deoxyribonucleic acid synthesis (Tesoriere, G.) **47,** 19

Guinea pig
Lipid peroxidation; Developing brain; Hypoxia (Mishra, O.P.) **45,** 129

H

Haloperidol
Follicle-stimulating hormone; Infantile rat; 5-Hydroxytryptophan; Naloxone; Sexual difference (Becú-Villalobos, D.) **47,** 181

Hemispherectomy
Neonatal brain injury; Plasticity; Cerebral cortex; Cortical localization; Corticospinal system (Huttenlocher, P.R.) **47,** 59

Heterotopic brain tissue grafting
Hippocampal tissue transplant; Hippocampal neuronal dendrite; Dendritic spine dysgenesis; Neuronal plasticity (Murthy, S.K.) **46,** 33

High K^+
Depolarization; Phosphate-activated glutaminase; Cultured granule neuron; Cultured astrocyte; Development; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

High-performance liquid chromatography
Tyrosine hydroxylase; Catecholamine; Dopamine; Retina; Development; Immunocytochemistry (Wulle, I.) **48,** 59

Development; 5-Hydroxytryptamine; Spinal cord; Immunohistochemistry; Transient projection; Chick (Okado, N.) **50,** 217

High-performance liquid chromatography/electrochemical detection
Noradrenaline; Dopamine; Development; Cochlea; Rat (Gil-Loyzaga, P.) **48,** 157

Hippocampal neuron
Basal lamina; Cell culture; Extracellular matrix; Adhesion; Neurite outgrowth; Promotion factor (Nakayama, T.) **49,** 145

Hippocampal neuronal dendrite
Hippocampal tissue transplant; Heterotopic brain tissue grafting; Dendritic spine dysgenesis; Neuronal plasticity (Murthy, S.K.) **46,** 33

Hippocampal slice
Rat development; Energy metabolism; Oxygen consumption; Resistance to anoxia (Kawai, S.) **48,** 11

Hippocampal tissue transplant
Heterotopic brain tissue grafting; Hippocampal neuronal dendrite; Dendritic spine dysgenesis; Neuronal plasticity (Murthy, S.K.) **46,** 33

Hippocampus
Luteinizing hormone-releasing hormone receptor; Ontogeny; Aging; Autoradiography; Puberty (Badr, M.) **45,** 179

N-Methyl-D-aspartate; Development; Epilepsy (King, A.E.) **46,** 1

Inhibition; γ-Aminobutyric acid; Ontogeny (Michelson, H.B.) **47,** 113

Acetylcholinesterase; Somatostatin; Co-localization; Cholinergic system (Forloni, G.) **48,** 73

Neurotoxicity; Glutamate; *N*-Methyl-D-aspartate; Development; Receptor autoradiography; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

Choline acetyltransferase; Eight-arm maze; 6-Hydroxydopamine; Mouse; Phenobarbital; Prenatal exposure; Septum (Yanai, J.) **48,** 255

Rat; CA1; Ontogenesis; Low calcium epilepsy; Calcium; Potassium (Albrecht, D.) **48,** 316

5′-Bromodeoxyuridine; Immunohistochemistry; Neurogenesis; Cerebral cortex; Mouse (Del Rio, J.A.) **49,** 311

Brain development; Brain transplant; Electrophysiology; Synaptic transmission (Mynlieff, M.) **50,** 113

γ-Aminobutyric acid-immunocytochemistry; Development (Rozenberg, F.) **50,** 177

Histogenesis
Radial glial fiber; Neuronal migration; Mouse brain; Immunohistochemistry (Gadisseux, J.F.) **50,** 55

HNK-1 antibody
Axonal guidance; Axonal growth cone; *Xenopus* (Nordlander, R.H.) **50,** 147

Horseradish peroxidase
Marsupial; Retinofugal projection; Dorsal lateral geniculate nucleus; Superior colliculus; Unilateral enucleation (Coleman, L.-A.) **48,** 273

Marsupial; Retinal ganglion cell; Unilateral enucleation; Ganglion cell death; Binocular competition (Colemand, L.-A.) **48,** 293

Horseradish peroxidase in vitro tracing
Cerebellar development; Isthmus development; Brachium conjunctivum pathway; Deep cerebellar neuron; Parabrachial nucleus localization; Immunocytochemistry (Cholley, B.) **45,** 185

Human
Opioid; Receptor (Magnan, J.) **45,** 275

Human astrocyte
Nerve growth factor; Nerve growth factor receptor; Human Schwann cell; Rat Schwann cell; Rat astrocyte; Human glia (Assouline, J.G.) **45,** 1

Human glia
Nerve growth factor; Nerve growth factor receptor; Human Schwann cell; Rat Schwann cell; Human astrocyte; Rat astrocyte (Assouline, J.G.) **45,** 1

Human Schwann cell
Nerve growth factor; Nerve growth factor receptor; Rat Schwann cell; Human astrocyte; Rat astrocyte; Human glia (Assouline, J.G.) **45,** 1

Hybridization, in situ
Myelin proteolipid protein; Myelin basic protein; Gene expression; Oligodendrocyte; Brain development (Shiota, C.) **45,** 83

5-Hydroxyindoleacetic acid
Serotonin; 5-Hydroxyindoleacetic acid/serotonin ratio; Development; Central nervous system; Pigeon (Alesci, R.) **48,** 151

5-Hydroxyindoleacetic acid/serotonin ratio
Serotonin; 5-Hydroxyindoleacetic acid; Development; Central nervous system; Pigeon (Alesci, R.) **48,** 151

5-Hydroxytryptamine
Development; Spinal cord; High-performance liquid chromatography; Immunohistochemistry; Transient projection; Chick (Okado, N.) **50,** 217

5-Hydroxytryptophan
Follicle-stimulating hormone; Infantile rat; Haloperidol; Naloxone; Sexual difference (Becú-Villalobos, D.) **47,** 181

5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

6-Hydroxydopamine
Noradrenaline; Metoprolol; Ocular dominance plasticity; Dark-reared cat (Shirokawa, T.) **47,** 303

Choline acetyltransferase; Eight-arm maze; Hippocampus; Mouse; Phenobarbital; Prenatal exposure; Septum (Yanai, J.) **48,** 255

Hyperinnervation
5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Hyperstriatum ventrale
Development; Chick forebrain (Curtis, E.M.) **48,** 105

Hypomyelination
Jimpy mutation; Mosaicism; Oligodendroglial proliferation; Capillary cell proliferation; Myelin recovery (Bartlett, W.P.) **47,** 1

Hypothalamic cell culture
Astrocyte; Glial fibrillary acidic protein; Cytoskeleton; Estradiol; Differentiation (Garcia-Segura, L.M.) **47,** 298

Hypothalamus
Vasopressin; Oxytocin; Somatostatin; Messenger ribonucleic acid; Developmental gene expression; Northern blot (Almazan, G.) **45,** 69

Vasopressin; In situ hybridization; Rat; Development; Oxytocin (Laurent, F.M.) **46,** 145

Ontogenesis; Serotonin; Neuron; Immunocytochemistr (Ugrumov, M.V.) **46,** 233

Developmental regulation; Tyrosine hydroxylase; Estradiol; Ontogeny; Catecholaminergic neuron (Friedman, W.J.) **48,** 177

Marsupial; Estrogen receptor; Development (Etgen, A.M.) **49,** 131

Hypoxia
Lipid peroxidation; Developing brain; Guinea pig (Mishra, O.P.) **45,** 129

Amphibian; Angiogenesis; Capillary; Endothelium; Eye removal; Optic tectum; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

I

Identified projection neuron
Nerve growth factor; Neuronal survival; Septal cholinergic neuron; Basal forebrain; Cell culture (Arimatsu, Y.) **45,** 297

Immature cortex
Rat; Extracellular environment; Epilepsy; Excitatory amino acid; Calcium; Potassium (Hablitz, J.J.) **46,** 243

Immunocytochemistr
Ontogenesis; Serotonin; Neuron; Hypothalamus (Ugrumov, M.V.) **46,** 233

Immunocytochemistry
Brain; Glial fibrillary acidic protein; Intermediate filament; Marmoset; Radial glia; Vimentin (McDermott, K.W.G.) **45,** 169

Cerebellar development; Isthmus development; Brachium conjunctivum pathway; Deep cerebellar neuron; Parabrachial nucleus localization; Horseradish peroxidase in vitro tracing (Cholley, B.) **45,** 185

Calcitonin gene-related peptide; Cochlea; Ontogeny; Rat (Tohyama, Y.) **45,** 309

Choline acetyltransferase (ChAT); Neurogenesis; Caudate–putamen; Development (Phelps, P.E.) **46,** 47

Adrenocorticotropin; Arcuate nucleus; Prenatal ontogenesis; In situ hybridization (Elkabes, S.) **46,** 85

Enkephalin; Development; Spinal cord; Sympathetic nervous system; Rat (Romagnano, M.A.A.) **46,** 263

Luteinizing hormone-releasing hormone; Prenatal ontogenesis; Olfactory pit; Nervus terminalis; Vomeronasal organ (Wray, S.) **46,** 309

Neurogenesis; Choline acetyltransferase; Cholinergic basal forebrain; Autoradiography (Brady, D.R.) **47,** 81

Development; Retina; Neuropeptide Y; Peptide; Ontogeny (Ferriero, D.M.) **48,** 19

Tyrosine hydroxylase; Catecholamine; Dopamine; Retina; Development; High-performance liquid chromatography (Wulle, I.) **48,** 59

Neurofilament subunit; Spiral ganglion; Ontogenesis; Type II neuron; Rat (Hafidi, A.) **48,** 143

Primary dissociated cell culture; Rat cerebrum; Neuronal maturation; Synaptogenesis; Three-dimensional structure (Muraoka, S.) **49,** 51

Proenkephalin; mRNA; In situ hybridization; Met-enkephalin-Arg-Gly-Leu (Tecott, L.H.) **49,** 75

Acetylated alpha-tubulin; Microtubule; Stability; Neurite growth; Cerebellum; Tissue culture (Ferreira, A.) **49,** 205

Immunohistochemistry
Retinotectal system; Chick; Glia; Fluorescent marker (Vanselow, J.) **45,** 15

Somatostatin; Cerebral cortex; Primate; Ontogeny (Yamashita, A.) **45,** 103

Amine; Development; Peptide; Sexual dimorphism; Spinal cord; Testis (Newton, B.W.) **47,** 227

Taste; Anatomy; Rat; Postnatal development; Nucleus tractus solitarii; Parabrachial nucleus; Synaptophysin (Lasiter, P.S.) **48,** 27

Enkephalin; Development; Cerebellum; Afferent; Opossum (Walker, J.J.) **48,** 35

Met-enkephalin-Arg^6-Gly^7-Leu^8; Sensory ganglia; Development; Substance P; Rat (Senba, E.) **48,** 263

Neuronal development; Embryonic brain; Axon growth; Cerebral cortex; Cerebellum; Retina (Edwards, M.A.) **49,** 185

5′-Bromodeoxyuridine; Neurogenesis; Cerebral cortex; Hippocampus; Mouse (Del Rio, J.A.) **49,** 311

Radial glial fiber; Neuronal migration; Mouse brain; Histogenesis (Gadisseux, J.F.) **50,** 55

MEKA protein; Opsin; C3H/H3 mouse; Photoreceptor cell (Kuo, C.-H.) **50,** 139

Development; 5-Hydroxytryptamine; Spinal cord; High-performance liquid chromatography; Transient projection; Chick (Okado, N.) **50,** 217

Serotonin; Mouse; Undernutrition (Ishimura, K.) **50,** 225

Immunolocalization
Nuclear T3 receptor; Astrocyte (Luo, M.) **46,** 131

Impulse activity
Central nervous system development; Transient projection; Cerebellum; Cerebral cortex; Collateral (Tolbert, D.L.) **50,** 241

In situ hybridization
Adrenocorticotropin; Arcuate nucleus; Prenatal ontogenesis; Immunocytochemistry (Elkabes, S.) **46,** 85

Vasopressin; Rat; Development; Oxytocin; Hypothalamus (Laurent, F.M.) **46,** 145

Proenkephalin; mRNA; Immunocytochemistry; Met-enkephalin-Arg-Gly-Leu (Tecott, L.H.) **49,** 75

In situ hybridization histochemistry
Proopiomelanocortin; Gene expression; Postnatal ontogeny; Rat; Pituitary (Wang, Y.-Q.) **47,** 53

In vitro effect
Growth-inhibitory factor; Fetal bovine serum; Chick embryo retina; Deoxyribonucleic acid synthesis (Tesoriere, G.) **47,** 19

Infant rat
Substantia nigra; γ-Aminobutyric acid; Seizure; Development (Sperber, E.F.) **47,** 143

Infantile rat
Follicle-stimulating hormone; 5-Hydroxytryptophan; Haloperidol; Naloxone; Sexual difference (Becú-Villalobos, D.) **47,** 181

Inherited arterial hypertension
Long-lasting hypotensive effect; Brain catecholamine; Adrenoceptor; Tyrosine hydroxylase; Ontogeny; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

Inhibition
Visual cortex; γ-Aminobutyric acid; Amblyopia; Visual deprivation; Microiontophoresis; Visual development (Mower, G.D.) **45,** 211

γ-Aminobutyric acid; Ontogeny; Hippocampus (Michelson, H.B.) **47,** 113

Plasticity; Long-term potentiation; Calcium; Phorbol ester; 4-Aminopyridine (Muller, D.) **49,** 105

Intermediate filament
Brain; Glial fibrillary acidic protein; Immunocytochemistry; Marmoset; Radial glia; Vimentin (McDermott, K.W.G.) **45,** 169

Internal perfusion
Voltage clamp; Calcium channel; Barium current; Embryonic chick skeletal muscle; Cultured myoball; Development (Kano, M.) **47,** 101

Internodal length
Rat sciatic nerve; Development; Axon number; Limb growth (Hildebrand, C.) **50,** 169

Intra-uterine growth retardation
Rat; Brain regional development; Choline acetyltransferase; Acetylcholinesterase; Muscarinic receptor (Represa, A.) **47,** 71

Intra-uterine operation
Nucleus paraventricularis hypothalami; Spinal projection; Development; Wheatgerm-agglutinin horseradish peroxidase; Rat (Lakke, E.A.J.E6.) **49,** 115

Intracellular injection
Postnatal development; Layer VI pyramidal neuron; Striate cortex; Lucifer yellow; Aldehyde-fixed tissue; Photo-oxidation (Lübke, J.) **45,** 29

Carp retina; Dopamine cell; Lucifer yellow; Expansion (Teranishi, T.) **47,** 275

Lucifer yellow; Dendrite; Plasticity; Synapse (Brown, R.N.) **50,** 123

Iontophoresis
Acetylcholine receptor; Single-channel conductance; Open time; *Xenopus*; Cell culture; Cycloheximide; Tunicamycin (Carlson, C.G.) **46,** 61

Ipsilateral
Retinal ganglion cell; Development; Plasticity; Retrograde labelling; Wheat germ agglutinin–horseradish peroxidase (Chan, S.O.) **49,** 265

Ipsilateral and contralateral projections
Spatial overlap and segregation; Axonal misrouting; Ganglion cell death (Gayer, N.S.) **50,** 33

Iris
Nerve growth factor; Serum; Dexamethasone; Fibroblast (Houlgatte, R.) **47,** 171

Iron
Transferrin; Transferrin receptor; Oligodendrocyte; Myelin formation; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Isthmus development
Cerebellar development; Brachium conjunctivum pathway; Deep cerebellar neuron; Parabrachial nucleus localization; Horseradish peroxidase in vitro tracing; Immunocytochemistry (Cholley, B.) **45,** 185

J

Jimpy mutation
Mosaicism; Hypomyelination; Oligodendroglial proliferation; Capillary cell proliferation; Myelin recovery (Bartlett, W.P.) **47,** 1

K

Kindling
Aminophylline; Developing rat (Trommer, B.L.) **46,** 169

Kitten
Visual cortex; *N*-Methyl-D-aspartate receptor; Developmental plasticity; Reverse suture; Ocular dominance (Gu, Q.) **47,** 281

L

Lactate
Fetal brain; Electrocortical state; Brain metabolism; Glucose; Oxygen (Chao, C.R.) **49,** 1

Laminin
Neuroblastoma cell; Axon elongation; Growth cone; Microtubule; Methylation inhibitor; 5′-Deoxy-5′-methylthioadenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

Motoneuron; Choline acetyltransferase; Astrocyte; Differentiation (Martinou, J.-C.) **47,** 251

Lateral geniculate nucleus
Development; Retinotopic map (Jeffery, G.) **46,** 187

Acetylcholinesterase; Development; Enucleation; Transneuronal degeneration; Visual deprivation (Robertson, R.T.) **47,** 209

Lateralization
Asymmetry; Neonatal; Tail; Neocortex; Rat; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Layer VI pyramidal neuron
Postnatal development; Striate cortex; Lucifer yellow; Intracellular injection; Aldehyde-fixed tissue; Photo-oxidation (Lübke, J.) **45,** 29

Learning
State-dependency; Protein synthesis inhibition; Anisomycin; Chick; Memory (Lee, D.W.) **49,** 179

Leu-enkephalin
Cell culture; Development; Serotonin; Bacitracin; Receptor; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

Limb growth
Rat sciatic nerve; Development; Axon number; Internodal length (Hildebrand, C.) **50,** 169

Lipid peroxidation
Developing brain; Hypoxia; Guinea pig (Mishra, O.P.) **45,** 129

Locus ceruleus
Murine trisomy 16; Down's syndrome; Brain development; Basal forebrain cholinergic cell; Catecholaminergic system; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Long-lasting hypotensive effect
Inherited arterial hypertension; Brain catecholamine; Adrenoceptor; Tyrosine hydroxylase; Ontogeny; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

Long-term potentiation
Plasticity; Inhibition; Calcium; Phorbol ester; 4-Aminopyridine (Muller, D.) **49,** 105

Low calcium epilepsy
Hippocampus; Rat; CA1; Ontogenesis; Calcium; Potassium (Albrecht, D.) **48,** 316

Lucifer yellow
Postnatal development; Layer VI pyramidal neuron; Striate cortex; Intracellular injection; Aldehyde-fixed tissue; Photo-oxidation (Lübke, J.) **45,** 29

Carp retina; Dopamine cell; Intracellular injection; Expansion (Teranishi, T.) **47,** 275

Dendrite; Plasticity; Synapse; Intracellular injection (Brown, R.N.) **50,** 123

Luteinizing hormone-releasing hormone
Prenatal ontogenesis; Olfactory pit; Immunocytochemistry; Nervus terminalis; Vomeronasal organ (Wray, S.) **46,** 309

Luteinizing hormone-releasing hormone receptor
Ontogeny; Aging; Hippocampus; Autoradiography; Puberty (Badr, M.) **45,** 179

Lysergic acid diethylamide
Dorsal raphe nucleus; Brain slice; Extracellular recording; α_1-Adrenoceptor; Serotonergic receptor; Autoradiography (Smith, D.A.) **46,** 173

M

Met-enkephalin-Arg-Gly-Leu
Proenkephalin; mRNA; In situ hybridization; Immunocytochemistry (Tecott, L.H.) **49,** 75

Met-enkephalin-Arg^6-Gly^7-Leu^8
Sensory ganglia; Development; Substance P; Immunohistochemistry; Rat (Senba, E.) **48,** 263

Marmoset
Brain; Glial fibrillary acidic protein; Immunocytochemistry; Intermediate filament; Radial glia; Vimentin (McDermott, K.W.G.) **45,** 169

Marsupial
Retinofugal projection; Dorsal lateral geniculate nucleus; Superior colliculus; Unilateral enucleation; Horseradish peroxidase (Coleman, L.-A.) **48,** 273

Retinal ganglion cell; Unilateral enucleation; Ganglion cell death; Binocular competition; Horseradish peroxidase (Coleman, L.-A.) **48,** 293

Estrogen receptor; Hypothalamus; Development (Etgen, A.M.) **49,** 131

Masculinization
Thymidine; Zebra finch; Neurogenesis; Songbird; Sexual differentiation; Steroid (Nordeen, E.J.) **49,** 27

Maternal grooming
Somatovisceral reflex; Spinal transection; Dissociative anesthetic; Urinary bladder; Urination (Thor, K.B.) **46,** 137

Medial prefrontal cortex
Corticospinal tract; Collateral elimination; Anterograde tracing; Rat (Joosten, E.A.J.) **45,** 313

MEKA protein
Opsin; C3H/H3 mouse; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **50,** 139

Memory
State-dependency; Protein synthesis inhibition; Anisomycin; Chick; Learning (Lee, D.W.) **49,** 179

Merkel cell
Nerve; Differentiation; Dermatoglyph; Fingerprint; Skin (Moore, S.J.) **48,** 119

Mesencephalic transplant
Chick/quail chimera; Cell migration; Visual system; Neural development; Cytodifferentiation (Martinez, S.) **47,** 263

Messenger ribonucleic acid
Vasopressin; Oxytocin; Somatostatin; Hypothalamus; Developmental gene expression; Northern blot (Almazan, G.) **45,** 69

Development (Burgunder, J.-M.) **46,** 221

Methylation inhibitor
Neuroblastoma cell; Laminin; Axon elongation; Growth cone; Microtubule; 5′-Deoxy-5′-methylthioadenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

5′-Deoxy-5′-methylthioadenosine; Cell

motility; Microtubule; Axon; Growth cone; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Methylazoxymethanol
Cerebellum; Development; Benzodiazepine; Receptor (Bacon, E.) **47,** 293

Methylazoxymethanol acetate
Microencephaly; Cerebral cortex; Somatostatin; Rat (Cattabeni, F.) **47,** 156

***N*-Methyl-D-aspartate**
Hippocampus; Development; Epilepsy (King, A.E.) **46,** 1

Cat visual cortex; Development; Plasticity; Receptor; Excitatory amino acid (Bode-Greuel, K.M.) **46,** 197

σ-Receptor; Phencyclidine; Brain development; Neurotransmitter receptor; *N*-Allylnormetazocine (Majewska, M.D.) **47,** 13

Neurotoxicity; Glutamate; Hippocampus; Development; Receptor autoradiography; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

***N*-Methyl-D-aspartate receptor**
Kitten; Visual cortex; Developmental plasticity; Reverse suture; Ocular dominance (Gu, Q.) **47,** 281

Neuron development; Differentiation; Tetanus toxin receptor; Sodium current; Calcium current; Tectal neuron (Grantyn, R.) **49,** 150

Metoprolol
Noradrenaline; 6-Hydroxydopamine; Ocular dominance plasticity; Dark-reared cat (Shirokawa, T.) **47,** 303

Microencephaly
Methylazoxymethanol acetate; Cerebral cortex; Somatostatin; Rat (Cattabeni, F.) **47,** 156

Microfilament
Cytoskeleton; Morphometry; Neural tube; Three-dimensional reconstruction (Nagele, R.G.) **50,** 101

Microheterogeneity
Monoclonal antibody; Developmentally regulated antigen; Cytoskeleton; Neurofilament (Thorey, I.) **49,** 229

Microiontophoresis
Visual cortex; γ-Aminobutyric acid; Amblyopia; Visual deprivation; Inhibition; Visual development (Mower, G.D.) **45,** 211

Microtubule
Neuroblastoma cell; Laminin; Axon elongation; Growth cone; Methylation inhibitor; 5′-Deoxy-5′-methylthioadenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Cell motility; Axon; Growth cone; Fibroblast; Neuroblast (Smalheiser, N.R.) **45,** 59

Acetylated alpha-tubulin; Stability; Neurite growth; Cerebellum; Tissue culture; Immunocytochemistry (Ferreira, A.) **49,** 205

Microtubule-associated protein; Neurite growth; Cerebellum; Tissue culture (Ferreira, A.) **49,** 215

Microtubule-associated protein
Microtubule; Neurite growth; Cerebellum; Tissue culture (Ferreira, A.) **49,** 215

Microtubule-associated protein-2
Development; Growth cone; Tubulin; Tau (Gordon-Weeks, P.R.) **49,** 305

Migration
Tectum mesencephali; Teleost; Differentiation; Golgi study (Wilm, C.) **47,** 35

Mitral cell
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

MK-801
Neurotoxicity; Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Development; Receptor autoradiography; Excitatory amino acid (Peterson, C.) **48,** 187

Monoamine
Androgen; Brainstem; Development; Monoclonal antibody 3D10; Sexual differentiation (Tobet, S.A.) **46,** 253

Monoclonal antibody
Developmentally regulated antigen; Cytoskeleton; Neurofilament; Microheterogeneity (Thorey, I.) **49,** 229

Astroglia; Rodent cerebellum; Radial glia; Glial migration (Ono, K.) **50,** 154

Monoclonal antibody 3D10
Androgen; Brainstem; Development; Monoamine; Sexual differentiation (Tobet, S.A.) **46,** 253

Morphogenesis
Comparative neurobiology; Brain development; Telencephalon; Spiny mouse (Brunjes, P.C.) **49,** 7

Morphology
Development; Motoneuron; Spinal cord; Neuroanatomy; Feline; Cell body (Cameron, W.E.) **49,** 253

Morphometry
Microfilament; Cytoskeleton; Neural tube; Three-dimensional reconstruction (Nagele, R.G.) **50,** 101

Mosaicism
Jimpy mutation; Hypomyelination; Oligodendroglial proliferation; Capillary cell proliferation; Myelin recovery (Bartlett, W.P.) **47,** 1

Motoneuron
Choline acetyltransferase; Astrocyte; Laminin; Differentiation (Martinou, J.-C.) **47,** 251

Development; Spinal cord; Neuroanatomy; Morphology; Feline; Cell body (Cameron, W.E.) **49,** 253

Mouse
Choline acetyltransferase; Eight-arm maze; Hippocampus; 6-Hydroxydopamine; Phenobarbital; Prenatal exposure; Septum (Yanai, J.) **48,** 255

Analgesia; Oxotremorine; Ontogeny (Pavone, F.) **49,** 156

5′-Bromodeoxyuridine; Immunohistochemistry; Neurogenesis; Cerebral cortex; Hippocampus (Del Rio, J.A.) **49,** 311

Serotonin; Undernutrition; Immunohistochemistry (Ishimura, K.) **50,** 225

Mouse basal forebrain
Nerve growth factor; Choline acetyltransferase; Phorbol 12-myristate, 13-acetate; Protein kinase C (Alderson, R.F.) **48,** 229

Mouse brain
Radial glial fiber; Neuronal migration; Immunohistochemistry; Histogenesis (Gadisseux, J.F.) **50,** 55

mRNA
Proenkephalin; In situ hybridization; Immunocytochemistry; Met-enkephalin-Arg-Gly-Leu (Tecott, L.H.) **49,** 75

Murine trisomy 16
Down's syndrome; Brain development; Basal forebrain cholinergic cell; Catecholaminergic system; Locus ceruleus; Serotoninergic system; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Muscarinic cholinergic receptor autoradiography
Murine trisomy 16; Down's syndrome; Brain development; Basal forebrain cholinergic cell; Catecholaminergic system; Locus ceruleus; Serotoninergic system (Kiss, J.) **50,** 251

Muscarinic receptor
Intra-uterine growth retardation; Rat; Brain regional development; Choline acetyltransferase; Acetylcholinesterase (Represa, A.) **47,** 71

Mutant mouse
Glycogen; Potassium; Energy metabolism; Epilepsy; Cerebral cortex (Hof, P.R.) **46,** 107

Myelin basic protein
Myelin proteolipid protein; Gene expression; Hybridization, in situ; Oligodendrocyte; Brain development (Shiota, C.) **45,** 83

Primary dissociated cell culture; Rat

cerebrum; Myelinogenesis; Oligodendrocyte; Neuron-glia interaaction; Three-dimensional structure (Muraoka, S.) **49,** 63

Transferrin; Transferrin receptor; Iron; Oligodendrocyte; Myelin formation; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Myelin formation
Transferrin; Transferrin receptor; Iron; Oligodendrocyte; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Myelin proteolipid protein
Myelin basic protein; Gene expression; Hybridization, in situ; Oligodendrocyte; Brain development (Shiota, C.) **45,** 83

Myelin recovery
Jimpy mutation; Mosaicism; Hypomyelination; Oligodendroglial proliferation; Capillary cell proliferation (Bartlett, W.P.) **47,** 1

Myelination
Neuronal growth factor; Dorsal root ganglion neuron; Axon–Schwann cell interaction (Windebank, A.J.) **49,** 243

Myelinogenesis
Primary dissociated cell culture; Rat cerebrum; Oligodendrocyte; Neuron-glia interaaction; Three-dimensional structure; Myelin basic protein (Muraoka, S.) **49,** 63

Myoclonus
5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

N

Naloxone
Follicle-stimulating hormone; Infantile rat; 5-Hydroxytryptophan; Haloperidol; Sexual difference (Becú-Villalobos, D.) **47,** 181

Naris closure
Olfaction; Olfactory bulb; Olfactory receptor; Deprivation; Sensory; Plasticity (Maruniak, J.A.) **47,** 27

Neocortex
Acetylcholine; Development; Epilepsy; Neuromodulation; Carbachol (Sutor, B.) **46,** 155

Lateralization; Asymmetry; Neonatal; Tail; Rat; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Development; Plasticity; Excitatory amino acid; Phosphoinositide; Diacylglycerol; Protein kinase C (Dudek, S.M.) **47,** 123

Synaptogenesis; Neuronal development; Electron microscopy; Primate (Zecevic, N.) **50,** 11

Neonatal
Lateralization; Asymmetry; Tail; Neocortex; Rat; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Neonatal brain injury
Hemispherectomy; Plasticity; Cerebral cortex; Cortical localization; Corticospinal system (Huttenlocher, P.R.) **47,** 59

Neonatal injury
5,7-Dihydroxytryptamine; Supersensitivity; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Nerve
Merkel cell; Differentiation; Dermatoglyph; Fingerprint; Skin (Moore, S.J.) **48,** 119

Nerve growth
Polyploidy; Growth rate; Spinal cord; Tissue culture (Procento, G.M.) **47,** 243

Nerve growth factor
Nerve growth factor receptor; Human Schwann cell; Rat Schwann cell; Human astrocyte; Rat astrocyte; Human glia (Assouline, J.G.) **45,** 1

Zinc; Striatal mosaic; Development (Vincent, S.R.) **45,** 155

Neuronal survival; Identified projection neuron; Septal cholinergic neuron; Basal forebrain; Cell culture (Arimatsu, Y.) **45,** 297

Serum; Dexamethasone; Iris; Fibroblast (Houlgatte, R.) **47,** 171

Choline acetyltransferase; Phorbol 12-myristate, 13-acetate; Protein kinase C; Mouse basal forebrain (Alderson, R.F.) **48,** 229

Nerve growth factor receptor
Nerve growth factor; Human Schwann cell; Rat Schwann cell; Human astrocyte; Rat astrocyte; Human glia (Assouline, J.G.) **45,** 1

Development; Chick brain; Genetic expression (Escandon, E.) **47,** 187

Olfactory bulb; Plasticity; Development (Gómez-Pinilla, F.) **48,** 161

Nervous system subsegmentation
Dorsal root ganglion development; Dorsal root ganglion form; Ventral root development; Segmental boundary (Hirano, S.) **50,** 265

Nervus terminalis
Luteinizing hormone-releasing hormone; Prenatal ontogenesis; Olfactory pit; Immunocytochemistry; Vomeronasal organ (Wray, S.) **46,** 309

Neural development
Chick/quail chimera; Mesencephalic transplant; Cell migration; Visual system; Cytodifferentiation (Martinez, S.) **47,** 263

Neural tube
Microfilament; Cytoskeleton; Morphometry; Three-dimensional reconstruction (Nagele, R.G.) **50,** 101

Neurite growth
Acetylated alpha-tubulin; Microtubule; Stability; Cerebellum; Tissue culture; Immunocytochemistry (Ferreira, A.) **49,** 205

Microtubule; Microtubule-associated protein; Cerebellum; Tissue culture (Ferreira, A.) **49,** 215

Neurite outgrowth
Protease; Protease inhibitor; Dorsal root ganglion; Covalent derivatization (Hawkins, R.L.) **45,** 203

Hippocampal neuron; Basal lamina; Cell culture; Extracellular matrix; Adhesion; Promotion factor (Nakayama, T.) **49,** 145

Neurofilament; Phosphorylation; Axonal maturation; Neuronal culture; Neuronal differentiation; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Neuroanatomy
Development; Motoneuron; Spinal cord; Morphology; Feline; Cell body (Cameron, W.E.) **49,** 253

Neuroblast
5′-Deoxy-5′-methylthioadenosine; Methylation inhibitor; Cell motility; Microtubule; Axon; Growth cone; Fibroblast (Smalheiser, N.R.) **45,** 59

Neuroblastoma cell
Laminin; Axon elongation; Growth cone; Microtubule; Methylation inhibitor; 5′-Deoxy-5′-methyl' thioadenosine; Cytochalasin B (Smalheiser, N.R.) **45,** 39

Growth cone; Axonal elongation; Cytochalasin B (Smalheiser, N.R.) **45,** 49

Neuroblastoma
Neurofilament; Phosphorylation; Neurite outgrowth; Axonal maturation; Neuronal culture; Neuronal differentiation; Cytoskeleton (Shea, T.B.) **50,** 142

Neurofilament
Phosphorylation; *Xenopus laevis*;

Developmental neurobiology (Szaro, B.G.) **48,** 87

Monoclonal antibody; Developmentally regulated antigen; Cytoskeleton; Microheterogeneity (Thorey, I.) **49,** 229

Phosphorylation; Neurite outgrowth; Axonal maturation; Neuronal culture; Neuronal differentiation; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Neurofilament subunit
Spiral ganglion; Ontogenesis; Type II neuron; Immunocytochemistry; Rat (Hafidi, A.) **48,** 143

Neurogenesis
Cerebellum; Purkinje cell; Granule cell; Cell death; Cell number (Chen, S.) **45,** 137

Choline acetyltransferase (ChAT); Caudate–putamen; Immunocytochemistry; Development (Phelps, P.E.) **46,** 47

Choline acetyltransferase; Cholinergic basal forebrain; Immunocytochemistry; Autoradiography (Brady, D.R.) **47,** 81

Masculinization; Thymidine; Zebra finch; Songbird; Sexual differentiation; Steroid (Nordeen, E.J.) **49,** 27

5′-Bromodeoxyuridine; Immunohistochemistry; Cerebral cortex; Hippocampus; Mouse (Del Rio, J.A.) **49,** 311

Neuromodulation
Acetylcholine; Neocortex; Development; Epilepsy; Carbachol (Sutor, B.) **46,** 155

Neuron
Ontogenesis; Serotonin; Hypothalamus; Immunocytochemistr (Ugrumov, M.V.) **46,** 233

Neuron development
Differentiation; Tetanus toxin receptor; Sodium current; Calcium current; *N*-Methyl-D-aspartate receptor; Tectal neuron (Grantyn, R.) **49,** 150

Neuron-glia interaaction
Primary dissociated cell culture; Rat cerebrum; Myelinogenesis; Oligodendrocyte; Three-dimensional structure; Myelin basic protein (Muraoka, S.) **49,** 63

Neuron-specific enolase
Rat; Brain; Somatosensory cortex; Postnatal development (Hamre, K.M.) **46,** 213

Neuron/glial interaction
Oligodendrocyte; Astrocyte; B104 neuronal cell line; Galactocerebroside; A2B5 antigen; Glial fibrillary acidic protein (Hunter, S.F.) **49,** 33

Neuronal cell culture
Neurotrophic factor; Adrenal medulla; Ciliary neurotrophic factor; Development; Rat (Blottner, D.) **48,** 243

Neuronal culture
Neurofilament; Phosphorylation; Neurite outgrowth; Axonal maturation; Neuronal differentiation; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Neuronal death
Development; Spinal ganglion; Peripheral competition; *Xenopus* (Lamb, A.H.) **45,** 149

Neuronal development
Embryonic brain; Axon growth; Immunohistochemistry; Cerebral cortex; Cerebellum; Retina (Edwards, M.A.) **49,** 185

Synaptogenesis; Neocortex; Electron microscopy; Primate (Zecevic, N.) **50,** 11

Neuronal differentiation
Neurofilament; Phosphorylation; Neurite outgrowth; Axonal maturation; Neuronal culture; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Neuronal expression
Embryonic development; Chick embryo; Catecholaminergic phenotype; Tyrosine hydroxylase; Neuropeptide; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

Neuronal growth factor
Myelination; Dorsal root ganglion neuron; Axon–Schwann cell interaction (Windebank, A.J.) **49,** 243

Neuronal maturation
Primary dissociated cell culture; Rat cerebrum; Synaptogenesis; Three-dimensional structure; Immunocytochemistry (Muraoka, S.) **49,** 51

Neuronal migration
Radial glial fiber; Mouse brain; Immunohistochemistry; Histogenesis (Gadisseux, J.F.) **50,** 55

Neuronal plasticity
Hippocampal tissue transplant; Heterotopic brain tissue grafting; Hippocampal neuronal dendrite; Dendritic spine dysgenesis (Murthy, S.K.) **46,** 33

GAP-43; Growth-associated protein; Brain development (De la Monte, S.M.) **46,** 161

Neuronal specificity
Dopamine neuron; Cell culture (Won, L.) **47,** 93

Neuronal survival
Nerve growth factor; Identified projection neuron; Septal cholinergic neuron; Basal forebrain; Cell culture (Arimatsu, Y.) **45,** 297

Neuronotrophic factor
PC12 cell; Retinoic acid; Choline acetyltransferase; Calcium; Protein phosphorylation; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Neuropeptide
Embryonic development; Neuronal expression; Chick embryo; Catecholaminergic phenotype; Tyrosine hydroxylase; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

Neuropeptide Y
Development; Retina; Peptide; Ontogeny; Immunocytochemistry (Ferriero, D.M.) **48,** 19

Neurotoxicity
Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Development; Receptor autoradiography; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

Neurotransmitter
Development; Cortex; γ-Aminobutyric acidergic synaptogenesis; γ-Aminobutyric acid uptake; Brain slice (Balcar, V.J.) **49,** 295

Neurotransmitter interaction
SCH 23390; Scopolamine; Catalepsy; Ontogeny; Acetylcholine; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Neurotransmitter receptor
σ-Receptor; Phencyclidine; Brain development; *N*-Allylnormetazocine; *N*-Methyl-D-aspartate (Majewska, M.D.) **47,** 13

Neurotrophic factor
Adrenal medulla; Ciliary neurotrophic factor; Development; Neuronal cell culture; Rat (Blottner, D.) **48,** 243

Newborn
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Weanling (Meisami, E.) **46,** 9

Noradrenaline
6-Hydroxydopamine; Metoprolol; Ocular dominance plasticity; Dark-reared cat (Shirokawa, T.) **47,** 303

Acetylcholine; Dopamine; Song control nuclei; Zebra finch; Song ontogeny (Sakaguchi, H.) **47,** 313

Dopamine; Development; Cochlea; High-performance liquid chromatography/electrochemical detection; Rat (Gil-Loyzaga, P.) **48,** 157

Norepinephrine
Sympathetic neuron; Turnover; Development; Transsynaptic regulation; Superior cervical ganglion (Smolen, A.J.) **50,** 233

Northern blot
Vasopressin; Oxytocin; Somatostatin; Messenger ribonucleic acid; Hypothalamus; Developmental gene

expression (Almazan, G.) **45,** 69

Nuclear T3 receptor
Immunolocalization; Astrocyte (Luo, M.) **46,** 131

Nucleus basalis
Golgi impregnation; Choline acetyltransferase; Cholinergic neuron; Dendrite; Development (Gould, E.) **46,** 297

Nucleus paraventricularis hypothalami
Intra-uterine operation; Spinal projection; Development; Wheatgerm-agglutinin horseradish peroxidase; Rat (Lakke, E.A.J.E6.) **49,** 115

Nucleus tractus solitarii
Taste; Anatomy; Rat; Postnatal development; Parabrachial nucleus; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

O

Occipital cortex
Environmental enrichment; Preweaning; Basal dendrite; Pyramidal neuron; Golgi method; Rat (Venable, N.) **49,** 140

Ocular dominance
Kitten; Visual cortex; *N*-Methyl-D-aspartate receptor; Developmental plasticity; Reverse suture (Gu, Q.) **47,** 281

Ocular dominance plasticity
Noradrenaline; 6-Hydroxydopamine; Metoprolol; Dark-reared cat (Shirokawa, T.) **47,** 303

Olfaction
Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Olfactory bulb; Olfactory receptor; Deprivation; Naris closure; Sensory; Plasticity (Maruniak, J.A.) **47,** 27

Olfactory bulb
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Olfaction; Olfactory receptor; Deprivation; Naris closure; Sensory; Plasticity (Maruniak, J.A.) **47,** 27

Nerve growth factor receptor; Plasticity; Development (Gómez-Pinilla, F.) **48,** 161

Olfactory bulb development
Granule cell dendritic differentiation; Golgi–Kopsch staining; Sensory deprivation (Frazier-Cierpial, L.L.) **47,** 129

Olfactory development
Olfaction; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Olfactory mucosa
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Olfactory pit
Luteinizing hormone-releasing hormone; Prenatal ontogenesis; Immunocytochemistry; Nervus terminalis; Vomeronasal organ (Wray, S.) **46,** 309

Olfactory receptor
Olfaction; Olfactory bulb; Deprivation; Naris closure; Sensory; Plasticity (Maruniak, J.A.) **47,** 27

Olfactory receptor neuron
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory bulb; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Olfactory sensitivity
Olfaction; Olfactory development; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Newborn; Weanling (Meisami, E.) **46,** 9

Oligodendrocyte
Myelin proteolipid protein; Myelin basic protein; Gene expression; Hybridization, in situ; Brain development (Shiota, C.) **45,** 83

Astrocyte; Differentiation; Antigen O4; Cell sorting (Trotter, J.) **46,** 115

Astrocyte; B104 neuronal cell line; Galactocerebroside; A2B5 antigen; Glial fibrillary acidic protein; Neuron/glial interaction (Hunter, S.F.) **49,** 33

Primary dissociated cell culture; Rat cerebrum; Myelinogenesis; Neuron-glia interaaction; Three-dimensional structure; Myelin basic protein (Muraoka, S.) **49,** 63

Transferrin; Transferrin receptor; Iron; Myelin formation; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Oligodendroglial proliferation
Jimpy mutation; Mosaicism; Hypomyelination; Capillary cell proliferation; Myelin recovery (Bartlett, W.P.) **47,** 1

Oncogene
src; Development; Protein kinase; Phosphorylation (Steedman, J.G.) **45,** 161

Ontogenesis
Serotonin; Neuron; Hypothalamus; Immunocytochemistr (Ugrumov, M.V.) **46,** 233

Neurofilament subunit; Spiral ganglion; Type II neuron; Immunocytochemistry; Rat (Hafidi, A.) **48,** 143

Hippocampus; Rat; CA1; Low calcium epilepsy; Calcium; Potassium (Albrecht, D.) **48,** 316

Ontogeny
D_1-receptor; D_2-receptor; SCH-23390; Spiroperidol; Striatum (Kostrzewa, R.M.) **45,** 95

Somatostatin; Cerebral cortex; Primate; Immunohistochemistry (Yamashita, A.) **45,** 103

Luteinizing hormone-releasing hormone receptor; Aging; Hippocampus; Autoradiography; Puberty (Badr, M.) **45,** 179

Calcitonin gene-related peptide; Cochlea; Immunocytochemistry; Rat (Tohyama, Y.) **45,** 309

Inherited arterial hypertension; Long-lasting hypotensive effect; Brain catecholamine; Adrenoceptor; Tyrosine hydroxylase; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

Inhibition; γ-Aminobutyric acid; Hippocampus (Michelson, H.B.) **47,** 113

SCH 23390; Scopolamine; Catalepsy; Neurotransmitter interaction; Acetylcholine; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Development; Retina; Neuropeptide Y; Peptide; Immunocytochemistry (Ferriero, D.M.) **48,** 19

Developmental regulation; Tyrosine hydroxylase; Hypothalamus; Estradiol; Catecholaminergic neuron (Friedman, W.J.) **48,** 177

Analgesia; Oxotremorine; Mouse (Pavone, F.) **49,** 156

Open time
Acetylcholine receptor; Single-channel conductance; *Xenopus*; Cell culture; Cycloheximide; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Opioid
Human; Receptor (Magnan, J.) **45,** 275

Opioid precursor mRNA
Postnatal development; Gene expression (Rosen, H.) **46,** 123

Opioid receptor
Development; β-Endorphin; Cross-linking (McLean, S.) **45,** 283

Opossum
Cerebral cortex; Development;

Dopamine; Serotonin; Striatum; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Enkephalin; Development; Cerebellum; Afferent; Immunohistochemistry (Walker, J.J.) **48,** 35

Opsin
MEKA protein; C3H/H3 mouse; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **50,** 139

Optic nerve
Transferrin; Transferrin receptor; Iron; Oligodendrocyte; Myelin formation; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein (Lin, H.H.) **49,** 281

Optic tectum
Amphibian; Angiogenesis; Capillary; Endothelium; Eye removal; Hypoxia; Regression; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Oxotremorine
Analgesia; Ontogeny; Mouse (Pavone, F.) **49,** 156

Oxygen
Fetal brain; Electrocortical state; Brain metabolism; Glucose; Lactate (Chao, C.R.) **49,** 1

Oxygen consumption
Rat development; Hippocampal slice; Energy metabolism; Resistance to anoxia (Kawai, S.) **48,** 11

Oxytocin
Vasopressin; Somatostatin; Messenger ribonucleic acid; Hypothalamus; Developmental gene expression; Northern blot (Almazan, G.) **45,** 69

Vasopressin; In situ hybridization; Rat; Development; Hypothalamus (Laurent, F.M.) **46,** 145

P

Parabrachial nucleus
Taste; Anatomy; Rat; Postnatal development; Nucleus tractus solitarii; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

Parabrachial nucleus localization
Cerebellar development; Isthmus development; Brachium conjunctivum pathway; Deep cerebellar neuron; Horseradish peroxidase in vitro tracing; Immunocytochemistry (Cholley, B.) **45,** 185

Passive avoidance
State-dependent learning; Protein synthesis; Chick (Patterson, T.A.) **49,** 173

PC12 cell
Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Calcium; Protein phosphorylation; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Peptide
Amine; Development; Immunohistochemistry; Sexual dimorphism; Spinal cord; Testis (Newton, B.W.) **47,** 227

Development; Retina; Neuropeptide Y; Ontogeny; Immunocytochemistry (Ferriero, D.M.) **48,** 19

Pericruciate axon projection
Development; Corticospinal tract; Spinal cord; Reorganization (Theriault, E.) **45,** 219

Peripheral competition
Neuronal death; Development; Spinal ganglion; *Xenopus* (Lamb, A.H.) **45,** 149

Phencyclidine
σ-Receptor; Brain development; Neurotransmitter receptor; *N*-Allylnormetazocine; *N*-Methyl-D-aspartate (Majewska, M.D.) **47,** 13

Phenobarbital
Choline acetyltransferase; Eight-arm maze; Hippocampus; 6-Hydroxydopamine; Mouse; Prenatal exposure; Septum (Yanai, J.) **48,** 255

Phorbol 12-myristate, 13-acetate
Nerve growth factor; Choline acetyltransferase; Protein kinase C; Mouse basal forebrain (Alderson, R.F.) **48,** 229

Phorbol ester
Plasticity; Long-term potentiation; Inhibition; Calcium; 4-Aminopyridine (Muller, D.) **49,** 105

Phosphate-activated glutaminase
Depolarization; High K^+; Cultured granule neuron; Cultured astrocyte; Development; Transmembrane Ca^{2+} entry (Moran, J.) **46,** 97

Phosphatidic acid
Astroglia; Differentiation; Phospholipid; Ganglioside (Skaper, S.D.) **45,** 265

Phosphoinositide
Neocortex; Development; Plasticity; Excitatory amino acid; Diacylglycerol; Protein kinase C (Dudek, S.M.) **47,** 123

Phospholipid
Astroglia; Differentiation; Phosphatidic acid; Ganglioside (Skaper, S.D.) **45,** 265

Phosphorylation
Oncogene; *src*; Development; Protein kinase (Steedman, J.G.) **45,** 161

Neurofilament; *Xenopus laevis*; Developmental neurobiology (Szaro, B.G.) **48,** 87

Neurofilament; Neurite outgrowth; Axonal maturation; Neuronal culture; Neuronal differentiation; Neuroblastoma; Cytoskeleton (Shea, T.B.) **50,** 142

Photo-oxidation
Postnatal development; Layer VI pyramidal neuron; Striate cortex; Lucifer yellow; Intracellular injection; Aldehyde-fixed tissue (Lübke, J.) **45,** 29

Photoreceptor cell
MEKA protein; Opsin; C3H/H3 mouse; Immunohistochemistry (Kuo, C.-H.) **50,** 139

Pigeon
Serotonin; 5-Hydroxyindoleacetic acid; 5-Hydroxyindoleacetic acid/serotonin ratio; Development; Central nervous system (Alesci, R.) **48,** 151

Pituitary
Proopiomelanocortin; Gene expression; Postnatal ontogeny; In situ hybridization histochemistry; Rat (Wang, Y.-Q.) **47,** 53

Plasticity
Cat visual cortex; Development; Receptor; *N*-Methyl-D-aspartate; Excitatory amino acid (Bode-Greuel, K.M.) **46,** 197

Olfaction; Olfactory bulb; Olfactory receptor; Deprivation; Naris closure; Sensory (Maruniak, J.A.) **47,** 27

Hemispherectomy; Neonatal brain injury; Cerebral cortex; Cortical localization; Corticospinal system (Huttenlocher, P.R.) **47,** 59

Neocortex; Development; Excitatory amino acid; Phosphoinositide; Diacylglycerol; Protein kinase C (Dudek, S.M.) **47,** 123

Nerve growth factor receptor; Olfactory bulb; Development (Gómez-Pinilla, F.) **48,** 161

Long-term potentiation; Inhibition; Calcium; Phorbol ester; 4-Aminopyridine (Muller, D.) **49,** 105

Retinal ganglion cell; Ipsilateral; Development; Retrograde labelling; Wheat germ agglutinin–horseradish peroxidase (Chan, S.O.) **49,** 265

Development; Visual cortex; Deprivation; Siamese cat (Berman, N.E.J.) **50,** 69

Lucifer yellow; Dendrite; Synapse; Intracellular injection (Brown, R.N.) **50,** 123

Polyploidy
Nerve growth; Growth rate; Spinal cord; Tissue culture (Procento, G.M.) **47,** 243

Postnatal development
Layer VI pyramidal neuron; Striate cortex; Lucifer yellow; Intracellular injection; Aldehyde-fixed tissue; Photo-oxidation (Lübke, J.) **45,** 29

Gene expression; Opioid precursor mRNA (Rosen, H.) **46,** 123

Neuron-specific enolase; Rat; Brain; Somatosensory cortex (Hamre, K.M.) **46,** 213

Taste; Anatomy; Rat; Nucleus tractus solitarii; Parabrachial nucleus; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

Brain; Domperidone; Dopamine; Rat; Receptor D_1 and D_2; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Postnatal ontogeny
Proopiomelanocortin; Gene expression; In situ hybridization histochemistry; Rat; Pituitary (Wang, Y.-Q.) **47,** 53

Potassium
Glycogen; Energy metabolism; Epilepsy; Mutant mouse; Cerebral cortex (Hof, P.R.) **46,** 107

Immature cortex; Rat; Extracellular environment; Epilepsy; Excitatory amino acid; Calcium (Hablitz, J.J.) **46,** 243

Hippocampus; Rat; CA1; Ontogenesis; Low calcium epilepsy; Calcium (Albrecht, D.) **48,** 316

Prenatal development
Visual cortex; Callosal projection (Chalupa, L.M.) **46,** 303

Prenatal entrainment
Circadian rhythm; Suprachiasmatic nucleus; Restricted feeding; Drinking behavior (Weaver, D.R.) **46,** 291

Prenatal exposure
Choline acetyltransferase; Eight-arm maze; Hippocampus; 6-Hydroxydopamine; Mouse; Phenobarbital; Septum (Yanai, J.) **48,** 255

Prenatal ontogenesis
Adrenocorticotropin; Arcuate nucleus; In situ hybridization; Immunocytochemistry (Elkabes, S.) **46,** 85

Luteinizing hormone-releasing hormone; Olfactory pit; Immunocytochemistry; Nervus terminalis; Vomeronasal organ (Wray, S.) **46,** 309

Preweaning
Environmental enrichment; Basal dendrite; Pyramidal neuron; Occipital cortex; Golgi method; Rat (Venable, N.) **49,** 140

Primary dissociated cell culture
Rat cerebrum; Neuronal maturation; Synaptogenesis; Three-dimensional structure; Immunocytochemistry (Muraoka, S.) **49,** 51

Rat cerebrum; Myelinogenesis; Oligodendrocyte; Neuron-glia interaction; Three-dimensional structure; Myelin basic protein (Muraoka, S.) **49,** 63

Primary sensory neuron
Calbindin immunoreactivity; Dorsal root ganglion cell culture; Culture condition (Barakat, I.) **50,** 205

Primate
Somatostatin; Cerebral cortex; Ontogeny; Immunohistochemistry (Yamashita, A.) **45,** 103

Synaptogenesis; Neocortex; Neuronal development; Electron microscopy (Zecevic, N.) **50,** 11

Estrogen receptor; Fetus; Brain (Sholl, S.A.) **50,** 189

Proenkephalin
mRNA; In situ hybridization; Immunocytochemistry; Met-enkephalin-Arg-Gly-Leu (Tecott, L.H.) **49,** 75

Projection
Development; Striatonigral; Compartment; Anterograde tracing; Striatum; Substantia nigra (Fishell, G.) **45,** 239

Promotion factor
Hippocampal neuron; Basal lamina; Cell culture; Extracellular matrix; Adhesion; Neurite outgrowth (Nakayama, T.) **49,** 145

Proopiomelanocortin
Gene expression; Postnatal ontogeny; In situ hybridization histochemistry; Rat; Pituitary (Wang, Y.-Q.) **47,** 53

Protease
Protease inhibitor; Neurite outgrowth; Dorsal root ganglion; Covalent derivatization (Hawkins, R.L.) **45,** 203

Protease inhibitor
Protease; Neurite outgrowth; Dorsal root ganglion; Covalent derivatization (Hawkins, R.L.) **45,** 203

Protein kinase
Oncogene; *src*; Development; Phosphorylation (Steedman, J.G.) **45,** 161

Fibroblast growth factor; Astroglial cell; S6 protein (Gavaret, J.M.) **45,** 77

Protein kinase C
Neocortex; Development; Plasticity; Excitatory amino acid; Phosphoinositide; Diacylglycerol (Dudek, S.M.) **47,** 123

Nerve growth factor; Choline acetyltransferase; Phorbol 12-myristate, 13-acetate; Mouse basal forebrain (Alderson, R.F.) **48,** 229

Protein phosphorylation
PC12 cell; Neuronotrophic factor; Retinoic acid; Choline acetyltransferase; Calcium; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Protein synthesis
State-dependent learning; Chick; Passive avoidance (Patterson, T.A.) **49,** 173

Protein synthesis inhibition
State-dependency; Anisomycin; Chick; Learning; Memory (Lee, D.W.) **49,** 179

Puberty
Luteinizing hormone-releasing hormone receptor; Ontogeny; Aging; Hippocampus; Autoradiography (Badr, M.) **45,** 179

Purkinje cell
Cerebellum; Neurogenesis; Granule cell; Cell death; Cell number (Chen, S.) **45,** 137

Pyramidal neuron
Environmental enrichment; Preweaning; Basal dendrite; Occipital cortex; Golgi method; Rat (Venable, N.) **49,** 140

R

Radial glia
Brain; Glial fibrillary acidic protein; Immunocytochemistry; Intermediate filament; Marmoset; Vimentin (McDermott, K.W.G.) **45,** 169

Monoclonal antibody; Astroglia; Rodent cerebellum; Glial migration (Ono, K.) **50,** 154

Radial glial fiber
Neuronal migration; Mouse brain; Immunohistochemistry; Histogenesis (Gadisseux, J.F.) **50,** 55

Rat
Calcitonin gene-related peptide; Cochlea; Ontogeny; Immunocytochemistry (Tohyama, Y.) **45,** 309

Corticospinal tract; Collateral elimination; Medial prefrontal cortex; Anterograde tracing (Joosten, E.A.J.) **45,** 313

Vasopressin; In situ hybridization; Development; Oxytocin; Hypothalamus (Laurent, F.M.) **46,** 145

Neuron-specific enolase; Brain; Somatosensory cortex; Postnatal development (Hamre, K.M.) **46,** 213

Immature cortex; Extracellular environment; Epilepsy; Excitatory amino acid; Calcium; Potassium

(Hablitz, J.J.) **46,** 243

Enkephalin; Development; Immunocytochemistry; Spinal cord; Sympathetic nervous system (Romagnano, M.A.A.) **46,** 263

Lateralization; Asymmetry; Neonatal; Tail; Neocortex; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Methylazoxymethanol acetate; Microencephaly; Cerebral cortex; Somatostatin (Cattabeni, F.) **47,** 156

Proopiomelanocortin; Gene expression; Postnatal ontogeny; In situ hybridization histochemistry; Pituitary (Wang, Y.-Q.) **47,** 53

Intra-uterine growth retardation; Brain regional development; Choline acetyltransferase; Acetylcholinesterase; Muscarinic receptor (Represa, A.) **47,** 71

Brainstem; Efferent; Developmental plasticity; Auditory pathway; Cell death (Robertson, D.) **47,** 197

Taste; Anatomy; Postnatal development; Nucleus tractus solitarii; Parabrachial nucleus; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

Neurofilament subunit; Spiral ganglion; Ontogenesis; Type II neuron; Immunocytochemistry (Hafidi, A.) **48,** 143

Noradrenaline; Dopamine; Development; Cochlea; High-performance liquid chromatography/electrochemical detection (Gil-Loyzaga, P.) **48,** 157

Neurotrophic factor; Adrenal medulla; Ciliary neurotrophic factor; Development; Neuronal cell culture (Blottner, D.) **48,** 243

Met-enkephalin-Arg^6-Gly^7-Leu^8; Sensory ganglia; Development; Substance P; Immunohistochemistry (Senba, E.) **48,** 263

Hippocampus; CA1; Ontogenesis; Low calcium epilepsy; Calcium; Potassium (Albrecht, D.) **48,** 316

Leu-enkephalin; Cell culture; Development; Serotonin; Bacitracin; Receptor; Uptake (Davila-Garcia, M.I.) **49,** 97

Nucleus paraventricularis hypothalami; Intra-uterine operation; Spinal projection; Development; Wheatgerm-agglutinin horseradish peroxidase (Lakke, E.A.J.E6.) **49,** 115

Brain; Domperidone; Dopamine; Postnatal development; Receptor D_1 and D_2; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Environmental enrichment; Preweaning; Basal dendrite; Pyramidal neuron; Occipital cortex; Golgi method (Venable, N.) **49,** 140

Rat amygdala
Zinc histochemistry; Development; Electron microscopy (Mizukawa, K.) **50,** 197

Rat astrocyte
Nerve growth factor; Nerve growth factor receptor; Human Schwann cell; Rat Schwann cell; Human astrocyte; Human glia (Assouline, J.G.) **45,** 1

Rat cerebrum
Primary dissociated cell culture; Neuronal maturation; Synaptogenesis; Three-dimensional structure; Immunocytochemistry (Muraoka, S.) **49,** 51

Primary dissociated cell culture; Myelinogenesis; Oligodendrocyte; Neuron-glia interaction; Three-dimensional structure; Myelin basic protein (Muraoka, S.) **49,** 63

Rat development
Hippocampal slice; Energy metabolism; Oxygen consumption; Resistance to anoxia (Kawai, S.) **48,** 11

Rat Schwann cell
Nerve growth factor; Nerve growth factor receptor; Human Schwann cell; Human astrocyte; Rat astrocyte; Human glia (Assouline, J.G.) **45,** 1

Rat sciatic nerve
Development; Axon number; Internodal length; Limb growth (Hildebrand, C.) **50,** 169

Receptor
Human; Opioid (Magnan, J.) **45,** 275

Cat visual cortex; Development; Plasticity; *N*-Methyl-D-aspartate; Excitatory amino acid (Bode-Greuel, K.M.) **46,** 197

Cerebellum; Development; Benzodiazepine; Methylazoxymethanol (Bacon, E.) **47,** 293

Leu-enkephalin; Cell culture; Development; Serotonin; Bacitracin; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

σ-Receptor
Phencyclidine; Brain development; Neurotransmitter receptor; *N*-Allylnormetazocine; *N*-Methyl-D-aspartate (Majewska, M.D.) **47,** 13

Receptor autoradiography
Neurotoxicity; Glutamate; *N*-Methyl-D-aspartate; Hippocampus; Development; Excitatory amino acid; MK-801 (Peterson, C.) **48,** 187

Receptor D_1 and D_2
Brain; Domperidone; Dopamine; Postnatal development; Rat; Striatum; SCH-23390 (Gelbard, H.A.) **49,** 123

Recovery of function
5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Regeneration
Dendrite; Sympathetic neuron; Age-dependent change; Tissue culture; Schwann cell (Bruckenstein, D.) **46,** 21

Regression
Amphibian; Angiogenesis; Capillary; Endothelium; Eye removal; Hypoxia; Optic tectum; Sprouting; Temperature (Rovainen, C.M.) **48,** 197

Reorganization
Development; Corticospinal tract; Pericruciate axon projection; Spinal cord (Theriault, E.) **45,** 219

Resistance to anoxia
Rat development; Hippocampal slice; Energy metabolism; Oxygen consumption (Kawai, S.) **48,** 11

Restricted feeding
Circadian rhythm; Suprachiasmatic nucleus; Prenatal entrainment; Drinking behavior (Weaver, D.R.) **46,** 291

Retina
Development; Neuropeptide Y; Peptide; Ontogeny; Immunocytochemistry (Ferriero, D.M.) **48,** 19

Tyrosine hydroxylase; Catecholamine; Dopamine; Development; Immunocytochemistry; High-performance liquid chromatography (Wulle, I.) **48,** 59

Neuronal development; Embryonic brain; Axon growth; Immunohistochemistry; Cerebral cortex; Cerebellum (Edwards, M.A.) **49,** 185

Retinal ganglion cell
Marsupial; Unilateral enucleation; Ganglion cell death; Binocular competition; Horseradish peroxidase (Colemand, L.-A.) **48,** 293

Ipsilateral; Development; Plasticity; Retrograde labelling; Wheat germ agglutinin–horseradish peroxidase (Chan, S.O.) **49,** 265

Retinofugal projection
Marsupial; Dorsal lateral geniculate nucleus; Superior colliculus; Unilateral enucleation; Horseradish peroxidase (Coleman, L.-A.) **48,** 273

Retinohypothalamic tract
Circadian rhythm; 2-Deoxyglucose autoradiography; Spiny mouse (*Acomys cahirinus*) (Weaver, D.R.) **47,** 151

Retinoic acid
PC12 cell; Neuronotrophic factor; Choline acetyltransferase; Calcium;

Protein phosphorylation; Glioma-conditioned medium (Mizuno, N.) **50,** 1

Retinotectal system
Chick; Glia; Fluorescent marker; Immunohistochemistry (Vanselow, J.) **45,** 15

Retinotopic map
Development; Lateral geniculate nucleus (Jeffery, G.) **46,** 187

Retrograde labelling
Retinal ganglion cell; Ipsilateral; Development; Plasticity; Wheat germ agglutinin–horseradish peroxidase (Chan, S.O.) **49,** 265

Reverse suture
Kitten; Visual cortex; *N*-Methyl-D-aspartate receptor; Developmental plasticity; Ocular dominance (Gu, Q.) **47,** 281

Rodent cerebellum
Monoclonal antibody; Astroglia; Radial glia; Glial migration (Ono, K.) **50,** 154

S

S6 protein
Fibroblast growth factor; Astroglial cell; Protein kinase (Gavaret, J.M.) **45,** 77

SCH-23390
D_1-receptor; D_2-receptor; Spiroperidol; Ontogeny; Striatum (Kostrzewa, R.M.) **45,** 95

Scopolamine; Catalepsy; Ontogeny; Neurotransmitter interaction; Acetylcholine; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Brain; Domperidone; Dopamine; Postnatal development; Rat; Receptor D_1 and D_2; Striatum (Gelbard, H.A.) **49,** 123

Schwann cell
Dendrite; Sympathetic neuron; Age-dependent change; Regeneration; Tissue culture (Bruckenstein, D.) **46,** 21

Scopolamine
SCH 23390; Catalepsy; Ontogeny; Neurotransmitter interaction; Acetylcholine; Dopamine; D_1 receptor (Fitzgerald, L.W.) **47,** 147

Segmental boundary
Dorsal root ganglion development; Dorsal root ganglion form; Ventral root development; Nervous system subsegmentation (Hirano, S.) **50,** 265

Seizure
Substantia nigra; γ-Aminobutyric acid; Infant rat; Development (Sperber, E.F.) **47,** 143

Sensory
Olfaction; Olfactory bulb; Olfactory receptor; Deprivation; Naris closure; Plasticity (Maruniak, J.A.) **47,** 27

Sensory deprivation
Olfactory bulb development; Granule cell dendritic differentiation; Golgi–Kopsch staining (Frazier-Cierpial, L.L.) **47,** 129

Sensory ganglia
Met-enkephalin-Arg^6-Gly^7-Leu^8; Development; Substance P; Immunohistochemistry; Rat (Senba, E.) **48,** 263

Septal cholinergic neuron
Nerve growth factor; Neuronal survival; Identified projection neuron; Basal forebrain; Cell culture (Arimatsu, Y.) **45,** 297

Septum
Choline acetyltransferase; Eight-arm maze; Hippocampus; 6-Hydroxydopamine; Mouse; Phenobarbital; Prenatal exposure (Yanai, J.) **48,** 255

Serotonergic receptor
Dorsal raphe nucleus; Brain slice; Extracellular recording; α_1-Adrenoceptor; Lysergic acid diethylamide; Autoradiography (Smith, D.A.) **46,** 173

Serotonin
Ontogenesis; Neuron; Hypothalamus; Immunocytochemistr (Ugrumov, M.V.) **46,** 233

Cerebral cortex; Development; Dopamine; Opossum; Striatum; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

5-Hydroxyindoleacetic acid; 5-Hydroxyindoleacetic acid/serotonin ratio; Development; Central nervous system; Pigeon (Alesci, R.) **48,** 151

Leu-enkephalin; Cell culture; Development; Bacitracin; Receptor; Uptake; Rat (Davila-Garcia, M.I.) **49,** 97

Mouse; Undernutrition; Immunohistochemistry (Ishimura, K.) **50,** 225

Serotonin syndrome
5,7-Dihydroxytryptamine; Supersensitivity; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance (Pranzatelli, M.R.) **50,** 89

Serotonin-2 binding site
Synaptosomal serotonin uptake; Audiogenic seizure; DBA/2J mouse (Jazrawi, S.P.) **45,** 257

Serotoninergic system
Murine trisomy 16; Down's syndrome; Brain development; Basal forebrain cholinergic cell; Catecholaminergic system; Locus ceruleus; Muscarinic cholinergic receptor autoradiography (Kiss, J.) **50,** 251

Serum
Nerve growth factor; Dexamethasone; Iris; Fibroblast (Houlgatte, R.) **47,** 171

Sex dimorphism
Granule cell number; Dentate gyrus; Strain difference (Wimer, C.C.) **48,** 167

Sexual difference
Follicle-stimulating hormone; Infantile rat; 5-Hydroxytryptophan; Haloperidol; Naloxone (Becú-Villalobos, D.) **47,** 181

Sexual differentiation
Androgen; Brainstem; Development; Monoamine; Monoclonal antibody 3D10 (Tobet, S.A.) **46,** 253

Masculinization; Thymidine; Zebra finch; Neurogenesis; Songbird; Steroid (Nordeen, E.J.) **49,** 27

Sexual dimorphism
Amine; Development; Immunohistochemistry; Peptide; Spinal cord; Testis (Newton, B.W.) **47,** 227

Siamese cat
Development; Plasticity; Visual cortex; Deprivation (Berman, N.E.J.) **50,** 69

Single-channel conductance
Acetylcholine receptor; Open time; *Xenopus*; Cell culture; Cycloheximide; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Skin
Merkel cell; Nerve; Differentiation; Dermatoglyph; Fingerprint (Moore, S.J.) **48,** 119

Sodium butyrate
Glioma cell; Fodrin (Hargreaves, A.J.) **45,** 291

Sodium current
Neuron development; Differentiation; Tetanus toxin receptor; Calcium current; *N*-Methyl-D-aspartate receptor; Tectal neuron (Grantyn, R.) **49,** 150

Somatosensory cortex
Neuron-specific enolase; Rat; Brain; Postnatal development (Hamre, K.M.) **46,** 213

Somatostatin
Vasopressin; Oxytocin; Messenger ribonucleic acid; Hypothalamus; Developmental gene expression; Northern blot (Almazan, G.) **45,** 69

Cerebral cortex; Primate; Ontogeny; Immunohistochemistry (Yamashita, A.) **45,** 103

Methylazoxymethanol acetate; Microencephaly; Cerebral cortex; Rat

(Cattabeni, F.) **47,** 156

Acetylcholinesterase; Co-localization; Hippocampus; Cholinergic system (Forloni, G.) **48,** 73

Development; *Gap43*; Amyloid; Trisomy 16; Down syndrome (O'Hara, B.F.) **49,** 300

Somatovisceral reflex
Maternal grooming; Spinal transection; Dissociative anesthetic; Urinary bladder; Urination (Thor, K.B.) **46,** 137

Song control nuclei
Acetylcholine; Dopamine; Noradrenaline; Zebra finch; Song ontogeny (Sakaguchi, H.) **47,** 313

Song ontogeny
Acetylcholine; Dopamine; Noradrenaline; Song control nuclei; Zebra finch (Sakaguchi, H.) **47,** 313

Songbird
Masculinization; Thymidine; Zebra finch; Neurogenesis; Sexual differentiation; Steroid (Nordeen, E.J.) **49,** 27

Spatial overlap and segregation
Ipsilateral and contralateral projections; Axonal misrouting; Ganglion cell death (Gayer, N.S.) **50,** 33

Spinal cord
Development; Corticospinal tract; Pericruciate axon projection; Reorganization (Theriault, E.) **45,** 219

Enkephalin; Development; Immunocytochemistry; Sympathetic nervous system; Rat (Romagnano, M.A.A.) **46,** 263

Amine; Development; Immunohistochemistry; Peptide; Sexual dimorphism; Testis (Newton, B.W.) **47,** 227

Nerve growth; Polyploidy; Growth rate; Tissue culture (Procento, G.M.) **47,** 243

Development; Motoneuron; Neuroanatomy; Morphology; Feline; Cell body (Cameron, W.E.) **49,** 253

Development; 5-Hydroxytryptamine; High-performance liquid chromatography; Immunohistochemistry; Transient projection; Chick (Okado, N.) **50,** 217

Spinal ganglion
Neuronal death; Development; Peripheral competition; *Xenopus* (Lamb, A.H.) **45,** 149

Spinal projection
Nucleus paraventricularis hypothalami; Intra-uterine operation; Development; Wheatgerm-agglutinin horseradish peroxidase; Rat (Lakke, E.A.J.E6.) **49,** 115

Spinal transection
Somatovisceral reflex; Maternal grooming; Dissociative anesthetic; Urinary bladder; Urination (Thor, K.B.) **46,** 137

Spiny mouse
Comparative neurobiology; Brain development; Telencephalon; Morphogenesis (Brunjes, P.C.) **49,** 7

Spiny mouse (*Acomys cahirinus*)
Circadian rhythm; 2-Deoxyglucose autoradiography; Retinohypothalamic tract (Weaver, D.R.) **47,** 151

Spiral ganglion
Neurofilament subunit; Ontogenesis; Type II neuron; Immunocytochemistry; Rat (Hafidi, A.) **48,** 143

Spiroperidol
D_1-receptor; D_2-receptor; SCH-23390; Ontogeny; Striatum (Kostrzewa, R.M.) **45,** 95

Sprouting
Amphibian; Angiogenesis; Capillary; Endothelium; Eye removal; Hypoxia; Optic tectum; Regression; Temperature (Rovainen, C.M.) **48,** 197

src
Oncogene; Development; Protein kinase; Phosphorylation (Steedman, J.G.) **45,** 161

Stability
Acetylated alpha-tubulin; Microtubule; Neurite growth; Cerebellum; Tissue culture; Immunocytochemistry (Ferreira, A.) **49,** 205

State-dependency
Protein synthesis inhibition; Anisomycin; Chick; Learning; Memory (Lee, D.W.) **49,** 179

State-dependent learning
Protein synthesis; Chick; Passive avoidance (Patterson, T.A.) **49,** 173

Steroid
Masculinization; Thymidine; Zebra finch; Neurogenesis; Songbird; Sexual differentiation (Nordeen, E.J.) **49,** 27

Strain difference
Granule cell number; Sex dimorphism; Dentate gyrus (Wimer, C.C.) **48,** 167

Striatal mosaic
Zinc; Nerve growth factor; Development (Vincent, S.R.) **45,** 155

Striate cortex
Postnatal development; Layer VI pyramidal neuron; Lucifer yellow; Intracellular injection; Aldehyde-fixed tissue; Photo-oxidation (Lübke, J.) **45,** 29

Striatonigral
Development; Compartment; Projection; Anterograde tracing; Striatum; Substantia nigra (Fishell, G.) **45,** 239

Striatum
D_1-receptor; D_2-receptor; SCH-23390; Spiroperidol; Ontogeny (Kostrzewa, R.M.) **45,** 95

Development; Striatonigral; Compartment; Projection; Anterograde tracing; Substantia nigra (Fishell, G.) **45,** 239

Cerebral cortex; Development; Dopamine; Opossum; Serotonin; Thalamus; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Brain; Domperidone; Dopamine; Postnatal development; Rat; Receptor D_1 and D_2; SCH-23390 (Gelbard, H.A.) **49,** 123

Substance P
Met-enkephalin-Arg^6-Gly^7-Leu^8; Sensory ganglia; Development; Immunohistochemistry; Rat (Senba, E.) **48,** 263

Substantia nigra
Development; Striatonigral; Compartment; Projection; Anterograde tracing; Striatum (Fishell, G.) **45,** 239

γ-Aminobutyric acid; Seizure; Infant rat; Development (Sperber, E.F.) **47,** 143

Superior cervical ganglion
Norepinephrine; Sympathetic neuron; Turnover; Development; Transsynaptic regulation (Smolen, A.J.) **50,** 233

Superior colliculus
Marsupial; Retinofugal projection; Dorsal lateral geniculate nucleus; Unilateral enucleation; Horseradish peroxidase (Coleman, L.-A.) **48,** 273

Supersensitivity
5,7-Dihydroxytryptamine; Neonatal injury; Myoclonus; Hyperinnervation; Brainstem; 5-Hydroxytryptophan; Recovery of function; Functional significance; Serotonin syndrome (Pranzatelli, M.R.) **50,** 89

Suprachiasmatic nucleus
Circadian rhythm; Restricted feeding; Prenatal entrainment; Drinking behavior (Weaver, D.R.) **46,** 291

Sympathetic nervous system
Enkephalin; Development; Immunocytochemistry; Spinal cord; Rat (Romagnano, M.A.A.) **46,** 263

Sympathetic neuron
Dendrite; Age-dependent change; Regeneration; Tissue culture; Schwann cell (Bruckenstein, D.) **46,** 21

Astrocyte; Dendritic development; Tissue culture (Johnson, M.I.) **47,** 289

Norepinephrine; Turnover; Development; Transsynaptic regulation; Superior cervical ganglion (Smolen, A.J.) **50,** 233

Synapse
Lucifer yellow; Dendrite; Plasticity; Intracellular injection (Brown, R.N.) **50,** 123

Synaptic transmission
Hippocampus; Brain development; Brain transplant; Electrophysiology (Mynlieff, M.) **50,** 113

Synaptogenesis
Primary dissociated cell culture; Rat cerebrum; Neuronal maturation; Three-dimensional structure; Immunocytochemistry (Muraoka, S.) **49,** 51

Neocortex; Neuronal development; Electron microscopy; Primate (Zecevic, N.) **50,** 11

Synaptoneurosome
Diazepam; γ-Aminobutyric acid; Chloride channel; Development (Kellogg, C.K.) **49,** 87

Synaptophysin
Taste; Anatomy; Rat; Postnatal development; Nucleus tractus solitarii; Parabrachial nucleus; Immunohistochemistry (Lasiter, P.S.) **48,** 27

Synaptosomal serotonin uptake
Serotonin-2 binding site; Audiogenic seizure; DBA/2J mouse (Jazrawi, S.P.) **45,** 257

T

Tail
Lateralization; Asymmetry; Neonatal; Neocortex; Rat; Fetal alcohol syndrome; Alcohol-related birth defect (Zimmerberg, B.) **46,** 281

Taste
Anatomy; Rat; Postnatal development; Nucleus tractus solitarii; Parabrachial nucleus; Immunohistochemistry; Synaptophysin (Lasiter, P.S.) **48,** 27

Tau
Development; Growth cone; Tubulin; Microtubule-associated protein-2 (Gordon-Weeks, P.R.) **49,** 305

Tectal neuron
Neuron development; Differentiation; Tetanus toxin receptor; Sodium current; Calcium current; *N*-Methyl-D-aspartate receptor (Grantyn, R.) **49,** 150

Tectum mesencephali
Teleost; Differentiation; Golgi study; Migration (Wilm, C.) **47,** 35

Telencephalon
Comparative neurobiology; Brain development; Morphogenesis; Spiny mouse (Brunjes, P.C.) **49,** 7

Teleost
Tectum mesencephali; Differentiation; Golgi study; Migration (Wilm, C.) **47,** 35

Temperature
Amphibian; Angiogenesis; Capillary; Endothelium; Eye removal; Hypoxia; Optic tectum; Regression; Sprouting (Rovainen, C.M.) **48,** 197

Testis
Amine; Development; Immunohistochemistry; Peptide; Sexual dimorphism; Spinal cord (Newton, B.W.) **47,** 227

Tetanus toxin receptor
Neuron development; Differentiation; Sodium current; Calcium current; *N*-Methyl-D-aspartate receptor; Tectal neuron (Grantyn, R.) **49,** 150

Tetrodotoxin
Acetylcholinesterase; Cerebral cortex; Development; Visual deprivation; Visual system (Robertson, R.T.) **46,** 69

Thalamus
Cerebral cortex; Development; Dopamine; Opossum; Serotonin; Striatum; Tyrosine hydroxylase (Martin, G.F.) **47,** 161

Acetylcholinesterase; Comparative; Development; Transient (Robertson, R.T.) **48,** 309

Three-dimensional reconstruction
Microfilament; Cytoskeleton; Morphometry; Neural tube (Nagele, R.G.) **50,** 101

Three-dimensional structure
Primary dissociated cell culture; Rat cerebrum; Neuronal maturation; Synaptogenesis; Immunocytochemistry (Muraoka, S.) **49,** 51

Primary dissociated cell culture; Rat cerebrum; Myelinogenesis; Oligodendrocyte; Neuron-glia interaaction; Myelin basic protein (Muraoka, S.) **49,** 63

Thymidine
Masculinization; Zebra finch; Neurogenesis; Songbird; Sexual differentiation; Steroid (Nordeen, E.J.) **49,** 27

Tissue culture
Dendrite; Sympathetic neuron; Age-dependent change; Regeneration; Schwann cell (Bruckenstein, D.) **46,** 21

Development, Thymidine; Compartment; Adhesion (Krushel, L.A.) **47,** 137

Nerve growth; Polyploidy; Growth rate; Spinal cord (Procento, G.M.) **47,** 243

Astrocyte; Dendritic development; Sympathetic neuron (Johnson, M.I.) **47,** 289

Acetylated alpha-tubulin; Microtubule; Stability; Neurite growth; Cerebellum; Immunocytochemistry (Ferreira, A.) **49,** 205

Microtubule; Microtubule-associated protein; Neurite growth; Cerebellum (Ferreira, A.) **49,** 215

Transcription
Chromaffin cell; Development; Catecholamine enzyme; Adrenergic phenotype (Ehrlich, M.E.) **50,** 129

Transferrin
Transferrin receptor; Iron; Oligodendrocyte; Myelin formation; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Transferrin receptor
Transferrin; Iron; Oligodendrocyte; Myelin formation; Myelin basic protein; Galactocerebroside; Glial fibrillary acidic protein; Optic nerve (Lin, H.H.) **49,** 281

Transient
Central nervous system development; Axonal guidance; Cerebellum; Cerebrum; Developmental error (Tolbert, D.L.) **45,** 113

Acetylcholinesterase; Comparative; Development; Thalamus (Robertson, R.T.) **48,** 309

Transient projection
Development; 5-Hydroxytryptamine; Spinal cord; High-performance liquid chromatography; Immunohistochemistry; Chick (Okado, N.) **50,** 217

Central nervous system development; Impulse activity; Cerebellum; Cerebral cortex; Collateral (Tolbert, D.L.) **50,** 241

Transmembrane Ca^{2+} entry
Depolarization; High K^+; Phosphate-activated glutaminase; Cultured granule neuron; Cultured astrocyte; Development (Moran, J.) **46,** 97

Transneuronal degeneration
Acetylcholinesterase; Development; Enucleation; Lateral geniculate nucleus; Visual deprivation (Robertson, R.T.) **47,** 209

Transneuronal transport
Development; Visual system; Wheat germ agglutinin–horseradish peroxidase (Itaya, S.K.) **50,** 161

Transplantation
Angiogensis; Blood–brain barrier; Electron microscopy (Dusart, I.) **48,** 215

Transsynaptic regulation
Norepinephrine; Sympathetic neuron; Turnover; Development; Superior cervical ganglion (Smolen, A.J.) **50,** 233

Trisomy 16
Development; *Gap43*; Somatostatin;

Amyloid; Down syndrome (O'Hara, B.F.) **49,** 300

Tubulin
Development; Growth cone; Tau; Microtubule-associated protein-2 (Gordon-Weeks, P.R.) **49,** 305

Tunicamycin
Acetylcholine receptor; Single-channel conductance; Open time; *Xenopus*; Cell culture; Cycloheximide; Iontophoresis (Carlson, C.G.) **46,** 61

Turnover
Norepinephrine; Sympathetic neuron; Development; Transsynaptic regulation; Superior cervical ganglion (Smolen, A.J.) **50,** 233

Type II neuron
Neurofilament subunit; Spiral ganglion; Ontogenesis; Immunocytochemistry; Rat (Hafidi, A.) **48,** 143

Tyrosine hydroxylase
Inherited arterial hypertension; Long-lasting hypotensive effect; Brain catecholamine; Adrenoceptor; Ontogeny; L-Dihydroxyphenylalanine (Naumenko, E.V.) **46,** 205

Cerebral cortex; Development; Dopamine; Opossum; Serotonin; Striatum; Thalamus (Martin, G.F.) **47,** 161

Catecholamine; Dopamine; Retina; Development; Immunocytochemistry; High-performance liquid chromatography (Wulle, I.) **48,** 59

Developmental regulation; Hypothalamus; Estradiol; Ontogeny; Catecholaminergic neuron (Friedman, W.J.) **48,** 177

Embryonic development; Neuronal expression; Chick embryo; Catecholaminergic phenotype; Neuropeptide; Growth hormone-releasing hormone (Kentroti, S.) **49,** 275

U

Undernutrition
Serotonin; Mouse; Immunohistochemistry (Ishimura, K.) **50,** 225

Unilateral enucleation
Marsupial; Retinofugal projection; Dorsal lateral geniculate nucleus; Superior colliculus; Horseradish peroxidase (Coleman, L.-A.) **48,** 273

Marsupial; Retinal ganglion cell; Ganglion cell death; Binocular competition; Horseradish peroxidase (Colemand, L.-A.) **48,** 293

Uptake
Leu-enkephalin; Cell culture; Development; Serotonin; Bacitracin; Receptor; Rat (Davila-Garcia, M.I.) **49,** 97

Urinary bladder
Somatovisceral reflex; Maternal grooming; Spinal transection; Dissociative anesthetic; Urination (Thor, K.B.) **46,** 137

Urination
Somatovisceral reflex; Maternal grooming; Spinal transection; Dissociative anesthetic; Urinary bladder (Thor, K.B.) **46,** 137

V

Vasopressin
Oxytocin; Somatostatin; Messenger ribonucleic acid; Hypothalamus; Developmental gene expression; Northern blot (Almazan, G.) **45,** 69

In situ hybridization; Rat; Development; Oxytocin; Hypothalamus (Laurent, F.M.) **46,** 145

Ventral root development
Dorsal root ganglion development; Dorsal root ganglion form; Nervous system subsegmentation; Segmental boundary (Hirano, S.) **50,** 265

Vimentin
Brain; Glial fibrillary acidic protein; Immunocytochemistry; Intermediate filament; Marmoset; Radial glia (McDermott, K.W.G.) **45,** 169

Visual cortex
γ-Aminobutyric acid; Amblyopia; Visual deprivation; Microiontophoresis; Inhibition; Visual development (Mower, G.D.) **45,** 211

Prenatal development; Callosal projection (Chalupa, L.M.) **46,** 303

Kitten; *N*-Methyl-D-aspartate receptor; Developmental plasticity; Reverse suture; Ocular dominance (Gu, Q.) **47,** 281

Development; Plasticity; Deprivation; Siamese cat (Berman, N.E.J.) **50,** 69

Visual deprivation
Visual cortex; γ-Aminobutyric acid; Amblyopia; Microiontophoresis; Inhibition; Visual development (Mower, G.D.) **45,** 211

Acetylcholinesterase; Cerebral cortex; Development; Tetrodotoxin; Visual system (Robertson, R.T.) **46,** 69

Acetylcholinesterase; Development; Enucleation; Lateral geniculate nucleus; Transneuronal degeneration (Robertson, R.T.) **47,** 209

Visual development
Visual cortex; γ-Aminobutyric acid; Amblyopia; Visual deprivation; Microiontophoresis; Inhibition (Mower, G.D.) **45,** 211

Visual system
Acetylcholinesterase; Cerebral cortex; Development; Tetrodotoxin; Visual deprivation (Robertson, R.T.) **46,** 69

Chick/quail chimera; Mesencephalic transplant; Cell migration; Neural development; Cytodifferentiation (Martinez, S.) **47,** 263

2-Deoxyglucose; Chick brain; Cortical development (Rogers, L.J.) **49,** 161

Transneuronal transport; Development; Wheat germ agglutinin–horseradish peroxidase (Itaya, S.K.) **50,** 161

Voltage clamp
Internal perfusion; Calcium channel; Barium current; Embryonic chick skeletal muscle; Cultured myoball; Development (Kano, M.) **47,** 101

Vomeronasal organ
Luteinizing hormone-releasing hormone; Prenatal ontogenesis; Olfactory pit; Immunocytochemistry; Nervus terminalis (Wray, S.) **46,** 309

W

Weanling
Olfaction; Olfactory development; Olfactory sensitivity; Olfactory mucosa; Olfactory receptor neuron; Olfactory bulb; Mitral cell; Convergence; Newborn (Meisami, E.) **46,** 9

Wheat germ agglutinin–horseradish peroxidase
Retinal ganglion cell; Ipsilateral; Development; Plasticity; Retrograde labelling (Chan, S.O.) **49,** 265

Nucleus paraventricularis hypothalami; Intra-uterine operation; Spinal projection; Development; Rat (Lakke, E.A.J.E.) **49,** 115

Transneuronal transport; Development; Visual system (Itaya, S.K.) **50,** 161

X

Xenopus
Neuronal death; Development; Spinal ganglion; Peripheral competition (Lamb, A.H.) **45,** 149

Acetylcholine receptor; Single-channel conductance; Open time; Cell culture; Cycloheximide; Tunicamycin; Iontophoresis (Carlson, C.G.) **46,** 61

Brachial motoneuron death; Ectopic limb (Harrison, P.H.) **49,** 134

Axonal guidance; Axonal growth cone; HNK-1 antibody (Nordlander, R.H.) **50,** 147

Xenopus laevis
Neurofilament; Phosphorylation; Developmental neurobiology (Szaro, B.G.) **48,** 87

Z

Zebra finch
Acetylcholine; Dopamine; Noradrenaline; Song control nuclei; Song ontogeny (Sakaguchi, H.) **47,** 313

Masculinization; Thymidine; Neurogenesis; Songbird; Sexual differentiation; Steroid (Nordeen, E.J.) **49,** 27

Zinc
Nerve growth factor; Striatal mosaic; Development (Vincent, S.R.) **45,** 155

Zinc histochemistry
Rat amygdala; Development; Electron microscopy (Mizukawa, K.) **50,** 197

BRAIN RESEARCH REVIEWS
AUTHOR INDEX
1989
VOLUME 14

A

Angaut, P., see Cicirata, F., **14**, 117
Arch, S. and Berry, R.W.
Molecular and cellular regulation of neuropeptide expression: the bag cell model system, **14**, 181
Ariano, M.A., see Stone, E.A., **14**, 297

B

Bennett, T., see Gardiner, S.M., **14**, 79
Berry, R.W., see Arch, S., **14**, 181

C

Cicirata, F., Angaut, P., Pantó, M.R. and Serapide, M.F.
Neocerebellar control of the motor activity: experimental analysis in the rat. Comparative aspects, **14**, 117
Curthoys, I.A., see Smith, P.F., **14**, 155

D

Dilsaver, S.C.
Neurobiologic effects of bright artificial light, **14**, 311

F

Fisher, R.S.
Animal models of the epilepsies, **14**, 245
Fox, E.A. and Powley, T.L.
False-positive artifacts of tracer strategies distort autonomic connectivity maps; **14**, 53

G

Gardiner, S.M. and Bennett, T.
Brain neuropeptides: actions on central cardiovascular control mechanisms, **14**, 79

H

Hertz, L.
Is Alzheimer's disease an anterograde degeneration, originating in the brainstem, and disrupting metabolic and functional interactions between neurons and glial cells?, **14**, 335
Hirai, T. and Jones, E.G.
A new parcellation of the human thalamus on the basis of histochemical staining, **14**, 1
Hirai, T. and Jones, E.G.
Distribution of tachykinin- and enkephalin-immunoreactive fibers in the human thalamus, **14**, 35

J

Jones, E.G., see Hirai, T., **14**, 1 , **14**, 35

K

Kasting, N.W.
Criteria for establishing a physiological role for brain peptides. A case in point: the role of vasopressin in thermoregulation during fever and antipyresis, **14**, 143

L

Linden, D.J. and Routtenberg, A.
The role of protein kinase C in long-term potentiation: a testable model, **14**, 279

M

Matsumoto, R.R.
GABA receptors: are cellular differences reflected in function?, **14**, 203
Meyer, F.B.
Calcium, neuronal hyperexcitability and ischemic injury, **14**, 227

P

Pantó, M.R., see Cicirata, F., **14**, 117
Powley, T.L., see Fox, E.A., **14**, 53

R

Routtenberg, A., see Linden, D.J., **14**, 279

S

Serapide, M.F., see Cicirata, F., **14**, 117
Smith, P.F. and Curthoys, I.A.
Mechanisms of recovery following unilateral labyrinthectomy: a review, **14**, 155
Stone, E.A. and Ariano, M.A.
Are glial cells targets of the central noradrenergic system? A review of the evidence, **14**, 297

BRAIN RESEARCH REVIEWS
SUBJECT INDEX
1989
VOLUME 14

A

Acetylcholine
Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Adenosine monophosphate, cyclic-
Neuropeptide; Post-translational processing; Secretion; Regulation; Ca^{2+}; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Adrenergic
Acetylcholine; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Adrenergic receptor
Astrocyte; Alzheimer's disease; Energy metabolism; Glial cell; Locus coeruleus; Raphe nuclei (Hertz, L.) **14,** 335

β-Adrenoceptor
Noradrenergic system; Postsynaptic target cell; Glia; Astrocyte; Glycogenolysis; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

Affective disorder
Acetylcholine; Adrenergic; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Alzheimer's disease
Adrenergic receptor; Astrocyte; Energy metabolism; Glial cell; Locus coeruleus; Raphe nuclei (Hertz, L.) **14,** 335

γ-Aminobutyric acid
γ-Aminobutyric acid receptor; Feeding; Analgesia; Cardiovascular regulation; Depression; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

γ-Aminobutyric acid receptor
γ-Aminobutyric acid; Feeding; Analgesia; Cardiovascular regulation; Depression; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

Analgesia
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Feeding; Cardiovascular regulation; Depression; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

Animal model
Epilepsy; Rodent; Cat; Monkey; Electroencephalography (Fisher, R.S.) **14,** 245

Anticonvulsant
Calcium; Seizure; Cerebral ischemia (Meyer, F.B.) **14,** 227

Antidepressant
Acetylcholine; Adrenergic; Affective disorder; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Antipyresis
Vasopressin; Peptide; Neurotransmitter; Thermoregulation; Fever (Kasting, N.W.) **14,** 143

Anxiety
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Feeding; Analgesia; Cardiovascular regulation; Depression; Epilepsy (Matsumoto, R.R.) **14,** 203

Aplysia
Neuropeptide; Post-translational processing; Secretion; Regulation; Adenosine monophosphate, cyclic-; Ca^{2+}; Bag cell (Arch, S.) **14,** 181

Astrocyte
Noradrenergic system; Postsynaptic target cell; β-Adrenoceptor; Glia; Glycogenolysis; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

Adrenergic receptor; Alzheimer's disease; Energy metabolism; Glial cell; Locus coeruleus; Raphe nuclei (Hertz, L.) **14,** 335

Autonomic nervous system
Fluorescent tracer; Horseradish peroxidase; Peripheral nervous system; Tracer method; Tracer artifact; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

B

Bag cell
Neuropeptide; Post-translational processing; Secretion; Regulation; Adenosine monophosphate, cyclic-; Ca^{2+}; *Aplysia* (Arch, S.) **14,** 181

Brain
Neuropeptide; Cardiovascular regulation (Gardiner, S.M.) **14,** 79

Bright light
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

C

Ca^{2+}
Neuropeptide; Post-translational processing; Secretion; Regulation; Adenosine monophosphate, cyclic-; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Calcium
Seizure; Cerebral ischemia; Anticonvulsant (Meyer, F.B.) **14,** 227

Cardiovascular regulation
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Feeding; Analgesia; Depression; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

Neuropeptide; Brain (Gardiner, S.M.) **14,** 79

Cat
Epilepsy; Animal model; Rodent; Monkey; Electroencephalography (Fisher, R.S.) **14,** 245

Cerebral ischemia
Calcium; Seizure; Anticonvulsant (Meyer, F.B.) **14,** 227

Cholinergic
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Circadian rhythm
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Clonidine
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Cyclic adenosine monophosphate
Noradrenergic system; Postsynaptic target cell; β-Adrenoceptor; Glia; Astrocyte; Glycogenolysis (Stone, E.A.) **14,** 297

D

Deafferentation
Vestibular compensation; Labyrinthectomy; Neuronal plasticity

(Smith, P.F.) **14,** 155

Depression
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Feeding; Analgesia; Cardiovascular regulation; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

E

Electroencephalography
Epilepsy; Animal model; Rodent; Cat; Monkey (Fisher, R.S.) **14,** 245

Energy metabolism
Adrenergic receptor; Astrocyte; Alzheimer's disease; Glial cell; Locus coeruleus; Raphe nuclei (Hertz, L.) **14,** 335

Enkephalin
Tachykinin; Immunocytochemistry; Thalamus; Human (Hirai, T.) **14,** 35

Epilepsy
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Feeding; Analgesia; Cardiovascular regulation; Depression; Anxiety (Matsumoto, R.R.) **14,** 203

Animal model; Rodent; Cat; Monkey; Electroencephalography (Fisher, R.S.) **14,** 245

F

Feeding
γ-Aminobutyric acid; γ-Aminobutyric acid receptor; Analgesia; Cardiovascular regulation; Depression; Epilepsy; Anxiety (Matsumoto, R.R.) **14,** 203

Fever
Vasopressin; Peptide; Neurotransmitter; Thermoregulation; Antipyresis (Kasting, N.W.) **14,** 143

Fluorescent tracer
Autonomic nervous system; Horseradish peroxidase; Peripheral nervous system; Tracer method; Tracer artifact; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

G

Glia
Noradrenergic system; Postsynaptic target cell; β-Adrenoceptor; Astrocyte; Glycogenolysis; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

Glial cell
Adrenergic receptor; Astrocyte; Alzheimer's disease; Energy metabolism; Locus coeruleus; Raphe nuclei (Hertz, L.) **14,** 335

Glycogenolysis
Noradrenergic system; Postsynaptic target cell; β-Adrenoceptor; Glia; Astrocyte; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

H

Hippocampus
Information storage; Protein phosphorylation; *N*-Methyl-D-aspartate; Receptor; Protein F1 (Linden, D.J.) **14,** 279

Histochemistry
Thalamus; Human; Nucleus (Hirai, T.) **14,** 1

Horseradish peroxidase
Autonomic nervous system; Fluorescent tracer; Peripheral nervous system; Tracer method; Tracer artifact; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

Human
Thalamus; Nucleus; Histochemistry (Hirai, T.) **14,** 1

Tachykinin; Enkephalin; Immunocytochemistry; Thalamus (Hirai, T.) **14,** 35

I

Immunocytochemistry
Tachykinin; Enkephalin; Thalamus; Human (Hirai, T.) **14,** 35

Information storage
Hippocampus; Protein phosphorylation; *N*-Methyl-D-aspartate; Receptor; Protein F1 (Linden, D.J.) **14,** 279

L

Labyrinthectomy
Vestibular compensation; Neuronal plasticity; Deafferentation (Smith, P.F.) **14,** 155

Locus coeruleus
Adrenergic receptor; Astrocyte; Alzheimer's disease; Energy metabolism; Glial cell; Raphe nuclei (Hertz, L.) **14,** 335

M

***N*-Methyl-D-aspartate**
Hippocampus; Information storage; Protein phosphorylation; Receptor; Protein F1 (Linden, D.J.) **14,** 279

Microstimulation
Motor activity; Motor cortex; Neocerebellum; Red nucleus (Cicirata, F.) **14,** 117

Monkey
Epilepsy; Animal model; Rodent; Cat; Electroencephalography (Fisher, R.S.) **14,** 245

Motor activity
Motor cortex; Neocerebellum; Red nucleus; Microstimulation (Cicirata, F.) **14,** 117

Motor cortex
Motor activity; Neocerebellum; Red nucleus; Microstimulation (Cicirata, F.) **14,** 117

Muscarinic
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Nicotine; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

N

Neocerebellum
Motor activity; Motor cortex; Red nucleus; Microstimulation (Cicirata, F.) **14,** 117

Neuronal plasticity
Vestibular compensation;

Labyrinthectomy; Deafferentation (Smith, P.F.) **14,** 155

Neuropeptide
Post-translational processing; Secretion; Regulation; Adenosine monophosphate, cyclic-; Ca^{2+}; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Brain; Cardiovascular regulation (Gardiner, S.M.) **14,** 79

Neurotransmitter
Vasopressin; Peptide; Thermoregulation; Fever; Antipyresis (Kasting, N.W.) **14,** 143

Nicotine
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Oxotremorine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

Noradrenergic system
Postsynaptic target cell; β-Adrenoceptor; Glia; Astrocyte; Glycogenolysis; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

Nucleus
Thalamus; Human; Histochemistry (Hirai, T.) **14,** 1

O

Oxotremorine
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Receptor; Rat; Stress (Dilsaver, S.C.) **14,** 311

P

Peptide
Vasopressin; Neurotransmitter; Thermoregulation; Fever; Antipyresis (Kasting, N.W.) **14,** 143

Peripheral nervous system
Autonomic nervous system; Fluorescent tracer; Horseradish peroxidase; Tracer method; Tracer artifact; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

Post-translational processing
Neuropeptide; Secretion; Regulation; Adenosine monophosphate, cyclic-; Ca^{2+}; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Postsynaptic target cell
Noradrenergic system; β-Adrenoceptor; Glia; Astrocyte; Glycogenolysis; Cyclic adenosine monophosphate (Stone, E.A.) **14,** 297

Protein F1
Hippocampus; Information storage; Protein phosphorylation; *N*-Methyl-D-aspartate; Receptor (Linden, D.J.) **14,** 279

Protein phosphorylation
Hippocampus; Information storage; *N*-Methyl-D-aspartate; Receptor; Protein F1 (Linden, D.J.) **14,** 279

R

Raphe nuclei
Adrenergic receptor; Astrocyte; Alzheimer's disease; Energy metabolism; Glial cell; Locus coeruleus (Hertz, L.) **14,** 335

Rat
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Stress (Dilsaver, S.C.) **14,** 311

Receptor
Hippocampus; Information storage; Protein phosphorylation; *N*-Methyl-D-aspartate; Protein F1 (Linden, D.J.) **14,** 279

Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Rat; Stress (Dilsaver, S.C.) **14,** 311

Red nucleus
Motor activity; Motor cortex; Neocerebellum; Microstimulation (Cicirata, F.) **14,** 117

Regulation
Neuropeptide; Post-translational processing; Secretion; Adenosine monophosphate, cyclic-; Ca^{2+}; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Rodent
Epilepsy; Animal model; Cat; Monkey; Electroencephalography (Fisher, R.S.) **14,** 245

S

Secretion
Neuropeptide; Post-translational processing; Regulation; Adenosine monophosphate, cyclic-; Ca^{2+}; Bag cell; *Aplysia* (Arch, S.) **14,** 181

Seizure
Calcium; Cerebral ischemia; Anticonvulsant (Meyer, F.B.) **14,** 227

Stress
Acetylcholine; Adrenergic; Affective disorder; Antidepressant; Bright light; Cholinergic; Circadian rhythm; Clonidine; Depression; Muscarinic; Nicotine; Oxotremorine; Receptor; Rat (Dilsaver, S.C.) **14,** 311

T

Tachykinin
Enkephalin; Immunocytochemistry; Thalamus; Human (Hirai, T.) **14,** 35

Thalamus
Human; Nucleus; Histochemistry (Hirai, T.) **14,** 1

Tachykinin; Enkephalin; Immunocytochemistry; Human (Hirai, T.) **14,** 35

Thermoregulation
Vasopressin; Peptide; Neurotransmitter; Fever; Antipyresis (Kasting, N.W.) **14,** 143

Tracer artifact
Autonomic nervous system; Fluorescent tracer; Horseradish peroxidase; Peripheral nervous system; Tracer method; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

Tracer method
Autonomic nervous system; Fluorescent tracer; Horseradish peroxidase; Peripheral nervous system; Tracer artifact; Vagus nerve; Viscera (Fox, E.A.) **14,** 53

V

Vagus nerve
Autonomic nervous system;

Fluorescent tracer; Horseradish peroxidase; Peripheral nervous system; Tracer method; Tracer artifact; Viscera (Fox, E.A.) **14,** 53

Vasopressin
Peptide; Neurotransmitter; Thermoregulation; Fever; Antipyresis (Kasting, N.W.) **14,** 143

Vestibular compensation
Labyrinthectomy; Neuronal plasticity; Deafferentation (Smith, P.F.) **14,** 155

Viscera
Autonomic nervous system; Fluorescent tracer; Horseradish peroxidase; Peripheral nervous system; Tracer method; Tracer artifact; Vagus nerve (Fox, E.A.) **14,** 53

MOLECULAR BRAIN RESEARCH
AUTHOR INDEX
1989
VOLUMES 5–6

A

Akiyama, M., see Kuo, C.-H., **6**, 1
Amaya, Y., see Kawamoto, S., **5**, 235
Anderson, J.P., see Langstrom, N.S., **5**, 259
Anderton, B., see Garner, C.C., **5**, 85
Apostolides, P.J., see Caday, C.G., **5**, 45
Augood, S.J., Emson, P.C., Mitchell, I.J., Boyce, S., Clarke, C.E. and Crossman, A.R. Cellular localisation of enkephalin gene expression in MPTP-treated cynomolgus monkeys, **6**, 85
Autelitano, D.J., see Fremeau Jr., R.T., **6**, 197

B

Banner, C., see Thomas, J.W., **6**, 47
Barbas, J.A., Rubio, N., Pedroso, E., Pongs, O. and Ferrús, A. Antibodies against *Drosophila* potassium channels identify membrane proteins across species, **5**, 171
Barden, N., see Pepin, M.-C., **6**, 77
Barnard, E.A., see Wisden, W., **5**, 305
Baruchin, A., see Weisberg, E.P., **6**, 159
Beaulieu, S., see Pepin, M.-C., **6**, 77
Benowitz, L.I., see Caday, C.G., **5**, 45
Benson, D.L., Isackson, P.J., Hendry, S.H.C. and Jones, E.G. Expression of glutamic acid decarboxylase mRNA in normal and monocularly deprived cat visual cortex, **5**, 279
Bick, D., see Schwanzel-Fukuda, M., **6**, 311
Billingsley, M.L., see Pennypacker, K.R., **5**, 251
Black, I.B., see La Gamma, E.F., **5**, 17
Blasquez, C., see Jégou, S., **5**, 219
Blasquez, C., see Tranchand-Bunel, D., **6**, 21
Blum, M., see Fremeau Jr., R.T., **6**, 197
Blum, M., see Roberts, J.L., **6**, 127
Boyce, S., see Augood, S.J., **6**, 85
Breakefield, X.O., see Shimohama, S., **5**, 271
Brené, S., Lindefors, N., Kopp, J., Sedvall, G. and Persson, H. Regional distribution of neuropeptide Y mRNA in postmortem in human brain, **6**, 241
Brown, I.R., see Landry, C.F., **6**, 251
Buck, C.R., see Gibbs, R.B., **6**, 275
Buzzi, M.G., see Nishimori, T., **6**, 203

C

Caday, C.G., Apostolides, P.J., Benowitz, L.I., Perrone-Bizzozero, N.I. and Finklestein, S.P. Partial purification and characterization of a neurite-promoting factor from the injured goldfish optic nerve, **5**, 45
Cala, S., see Walaas, S.I., **5**, 149
Calvert, R., see Garner, C.C., **5**, 85
Campbell, A.M., see Kaprielian, Z., **6**, 55
Carter, D.A. and Murphy, D. Diurnal rhythm of vasopressin mRNA species in the rat suprachiasmatic nucleus: independence of neuroendocrine modulation and maintenance in explant culture, **6**, 233
Chao, M.V., see Gibbs, R.B., **6**, 275
Chao, M.V., see Goedert, M., **5**, 1
Chesselet, M.-F., see Weiss, L.T., **5**, 121
Cho, W.K., see Kim, K., **6**, 151
Clarke, C.E., see Augood, S.J., **6**, 85
Coblentz, L., see Jongstra-Bilen, J., **5**, 159
Conn, P.M., see Rothfeld, J., **6**, 121
Crossman, A.R., see Augood, S.J., **6**, 85
Cynader, M.S., see Jia, W.-G., **5**, 311
Cynader, M.S., see Shaw, C., **5**, 71
Cynader, M.S., see Van Huizen, F., **5**, 59

D

Dahl, D., see Nixon, R.A., **5**, 93
Darlison, M.G., see Wisden, W., **5**, 305
Dascal, N., see Moran, O., **5**, 193
Dawbarn, D., see Goedert, M., **5**, 1
De Robertis, E., see Levi de Stein, M., **5**, 9
Delbende, C., see Jégou, S., **5**, 219
Delbende, C., see Tranchand-Bunel, D., **6**, 21
Douglass, J., see Xie, C.W., **6**, 11
Drager, U.C., see Nixon, R.A., **5**, 93
Draisci, G. and Iadarola, M.J. Temporal analysis of increases in c-*fos*, preprodynorphin and preproenkephalin mRNAs in rat spinal cord, **6**, 31
Duch, D.S., see Frenkel, C., **6**, 211
Duman, R.S., Saito, N. and Tallman, J.F. Development of β-adrenergic receptor and G protein messenger RNA in rat brain, **5**, 289
Dunn, R.J., see Landry, C.F., **6**, 251
Dutlow, C.M., see Roberts, J.L., **6**, 127

E

Ellis, L., see Ramos, P., **5**, 297 , **6**, 61
Emson, P.C., see Augood, S.J., **6**, 85
Etgen, A.M., see Petitti, N., **5**, 109
Evinger, M.J. and Joh, T.H. Strain-specific differences in transcription of the gene for the epinephrine-synthesizing enzyme phenylethanolamine *N*-methyltransferase, **5**, 141

F

Fagan, A.M., see Shimohama, S., **5**, 271
Fairhurst, J.L., see Gubits, R.M., **6**, 39
Fambrough, D.M., see Kaprielian, Z., **6**, 55
Fernyhough, P., Mill, J.F., Roberts, J.L. and Ishii, D.N. Stabilization of tubulin mRNAs by insulin and insulin-like growth factor I during neurite formation, **6**, 109
Ferrús, A., see Barbas, J.A., **5**, 171
Finch, C.E., see Pasinetti, G.M., **5**, 203
Fine, A., see Goedert, M., **5**, 1
Finklestein, S.P., see Caday, C.G., **5**, 45
Fisher, J.M., see Kreiner, T., **6**, 135
Folkesson, R., Monstein, H.-J., Geijer, T. and Terenius, L. Modulation of proenkephalin A gene expression by cyclic AMP, **5**, 211
Fremeau Jr., R.T., Autelitano, D.J., Blum, M., Wilcox, J. and Roberts, J.L. Intervening sequence-specific in situ hybridization: detection of the pro-opiomelanocortin gene primary transcript in individual neurons, **6**, 197
Frenkel, C., Duch, D.S., Recio-Pinto, E. and Urban, B.W. Pentobarbital suppresses human brain sodium channels, **6**, 211
Friedmann, T., see Shimohama, S., **5**, 271
Froman, B.E., see Gelinas, R.P., **6**, 177
Fujita, N., see Kurihara, T., **5**, 247
Fukushima, J., see Kawamoto, S., **5**, 235

G

Gage, F.H., see Shimohama, S., **5**, 271
Garner, C.C., Matus, A., Anderton, B. and Calvert, R. Microtubule-associated proteins MAP5 and MAP1x: closely related components of the neuronal cytoskeleton with different cytoplasmic distributions in the developing brain, **5**, 85
Geijer, T., see Folkesson, R., **5**, 211
Gelinas, R.P., Froman, B.E., McElroy, F., Tait, R.C. and Gorin, F.A. Human brain glycogen phosphorylase: characterization of fetal cDNA and genomic sequences, **6**, 177
Gibbs, R.B., McCabe, J.T., Buck, C.R., Chao, M.V. and Pfaff, D.W. Expression of NGF receptor in the rat forebrain detected with in situ hybridization and immunohistochemistry, **6**, 275
Goedert, M., see Spillantini, M.G., **6**, 143
Goedert, M., Fine, A., Dawbarn, D., Wilcock, G.K. and Chao, M.V. Nerve growth factor receptor mRNA distribution in human brain: normal levels in basal forebrain in Alzheimer's disease, **5**, 1
Goldstein, N.K., see La Gamma, E.F., **5**, 131
Gonzalez, M.F., see Sharp, F.R., **6**, 217
Gonzalez, M.F., Shiraishi, K., Hisanaga, K., Sagar, S.M., Mandabach, M. and Sharp, F.R. Heat shock proteins as markers of neural injury, **6**, 93
Gorin, F.A., see Gelinas, R.P., **6**, 177
Greengard, P., see Walaas, S.I., **5**, 149
Griffith, J., see Sharp, F.R., **6**, 217
Gubits, R.M., Smith, T.M., Fairhurst, J.L. and Yu, H. Adrenergic receptors mediate changes in c-*fos* mRNA levels in brain, **6**, 39

H

Hahn, W.E., see Owens, G.P., **6**, 101
Hejtmancik, J.F., see Rothfeld, J., **6**, 121
Hendry, S.H.C., see Benson, D.L., **5**, 279
Henneberry, R., see Thomas, J.W., **6**, 47
Hisanaga, K., see Gonzalez, M.F., **6**, 93
Hong, J.S., see Lee, P.H.K., **6**, 263
Hong, J.S., see Xie, C.W., **6**, 11
Howells, R.D., see Romano, G.J., **5**, 51
Hunt, S.P., see Spillantini, M.G., **6**, 143
Hunt, S.P., see Wisden, W., **5**, 305

I

Iadarola, M.J., see Draisci, G., **6**, 31
Ikeda, K., see Mizoguchi, A., **5**, 31
Inagaki, S., Shiosaka, S., Sekitani, M., Noguchi, K., Shimada, S. and Takagi, H. In situ hybridization analysis of the somatostatin-containing neuron system in developing cerebellum of rats, **6**, 289
Isackson, P.J., see Benson, D.L., **5**, 279
Ishii, D.N., see Fernyhough, P., **6**, 109
Ivy, G.O., see Landry, C.F., **6**, 251

J

Jakubowski, M., see Roberts, J.L., **6**, 127
Jégou, S., see Tranchand-Bunel, D., **6**, 21
Jégou, S., Tranchand-Bunel, D., Delbende, C., Blasquez, C. and Vaudry, H. Characterization of α-MSH-related peptides released from rat hypothalamic neurons in vitro, **5**, 219
Jia, W.-G., Shaw, C., Van Huizen, F. and Cynader, M.S. Phorbol 12,13-dibutyrate regulates muscarinic receptors in rat cerebral cortical slices by activating protein kinase C, **5**, 311
Joh, T.H., see Evinger, M.J., **5**, 141
Johnson, S.A., see Pasinetti, G.M., **5**, 203
Jones, E.G., see Benson, D.L., **5**, 279
Jongstra-Bilen, J., Coblentz, L. and Shooter, E.M. The in vitro processing of the NGF precursors by the γ-subunit of the 7S NGF complex, **5**, 159

K

Kaneko, T., see Kawamoto, S., **5**, 235
Kaplan, B.B., see Weisberg, E.P., **6**, 159
Kaprielian, Z., Campbell, A.M. and Fambrough, D.M. Identification of a Ca^{2+}-ATPase in cerebellar Purkinje cells, **6**, 55
Kawamoto, S., Kaneko, T., Mizuki, N., Ohsuga, A., Fukushima, J., Amaya, Y., Mori, M. and Okuda, K. Molecular cloning and nucleotide sequence of rat brain argininosuccinate lyase cDNA with an extremely long 5′-untranslated sequence: evidence for the identity of the brain and liver enzymes, **5**, 235
Kayalar, C., see Ramos, P., **5**, 297
Kessler, J.A., see Spiegel, K., **5**, 23
Kikuchi, A., see Kim, S., **6**, 167
Kim, K., Lee, B.J., Park, Y. and Cho, W.K. Progesterone increases messenger ribonucleic acid (mRNA) encoding luteinizing hormone releasing hormone (LNRH) level in the hypothalamus of ovariectomized estradiol-primed prepubertal rats, **6**, 151
Kim, S., Kikuchi, A., Mizoguchi, A. and Takai, Y. Intrasynaptosomal distribution of the *ras*, *rho* and *smg*-25A GTP-binding proteins in bovine brain, **6**, 167
Kiyama, H., see Noguchi, K., **5**, 227
Kopp, J., see Brené, S., **6**, 241
Kreiner, T., Fisher, J.M., Sossin, W. and Scheller, R.H. Large dense cored vesicles are enriched in neuropeptide processing intermediates in the *Aplysia* bag cells, **6**, 135
Kremer, N.E., see Spiegel, K., **5**, 23
Kuhn, D.M., see Pennypacker, K.R., **5**, 251
Kuo, C.-H., Akiyama, M. and Miki, N. Isolation of a novel retina-specific clone (MEKA cDNA) encoding a photoreceptor soluble protein, **6**, 1
Kurihara, T., Takahashi, Y., Fujita, N., Sato, S. and Miyatake, T. Developmental expression of 2′,3′-cyclic-nucleotide 3′-phosphodiesterase mRNA in brains of normal and quaking mice, **5**, 247

L

La Gamma, E.F. and Black, I.B. Transcriptional control of adrenal catecholamine and opiate peptide transmitter genes, **5**, 17
La Gamma, E.F., Goldstein, N.K., Snyder Jr., J.B. and Weisinger, G.

Preproenkephalin DNA-binding proteins in the rat: 5' flanking region, **5**, 131
Lamperth, L., Manuelidis, L. and Webster, H.deF.
Non myelin-forming perineuronal Schwann cells in rat trigeminal ganglia express P_0 myelin glycoprotein mRNA during postnatal development, **5**, 177
Landry, C.F., Ivy, G.O., Dunn, R.J., Marks, A. and Brown, I.R.
Expression of the gene encoding the β-subunit of S-100 protein in the developing rat brain analyzed by in situ hybridization, **6**, 251
Langstrom, N.S., Anderson, J.P., Lindroos, H.G., Winblad, B. and Wallace, W.C.
Alzheimer's disease-associated reduction of polysomal mRNA translation, **5**, 259
Lee, B.J., see Kim, K., **6**, 151
Lee, P.H.K., see Xie, C.W., **6**, 11
Lee, P.H.K., Zhao, D., Xie, C.W., McGinty, J.F., Mitchell, C.L. and Hong, J.S.
Changes of proenkephalin and prodynorphin mRNAs and related peptides in rat brain during the development of deep prepyriform cortex kindling, **6**, 263
Lerner, S.P., see Pasinetti, G.M., **5**, 203
LeRoith, D., see Ota, A., **6**, 69
Levi de Stein, M., Medina, J.H. and De Robertis, E.
In vivo and in vitro modulation of central type benzodiazepine receptors by phosphatidylserine, **5**, 9
Lewis, S.E., see Nixon, R.A., **5**, 93
Li, S.J., see Xie, C.W., **6**, 11
Lindefors, N., see Brené, S., **6**, 241
Lindroos, H.G., see Langstrom, N.S., **5**, 259

M

Mandabach, M., see Gonzalez, M.F., **6**, 93
Manuelidis, L., see Lamperth, L., **5**, 177
Marks, A., see Landry, C.F., **6**, 251
Marotta, C.A., see Nixon, R.A., **5**, 93
Matus, A., see Garner, C.C., **5**, 85
McCabe, J.T., see Gibbs, R.B., **6**, 275
McElroy, F., see Gelinas, R.P., **6**, 177
McGinty, J.F., see Lee, P.H.K., **6**, 263
Mearow, K.M., Mill, J.F. and Vitkovic, L.
The ontogeny and localization of glutamine synthetase gene expression in rat brain, **6**, 223
Medina, J.H., see Levi de Stein, M., **5**, 9
Miki, N., see Kuo, C.-H., **6**, 1
Miledi, R., see Sumikawa, K., **5**, 183
Mill, J.F., see Fernyhough, P., **6**, 109
Mill, J.F., see Mearow, K.M., **6**, 223
Millar, R.P., see Roberts, J.L., **6**, 127
Mitchell, C.L., see Lee, P.H.K., **6**, 263
Mitchell, I.J., see Augood, S.J., **6**, 85
Miyatake, T., see Kurihara, T., **5**, 247
Mizoguchi, A., see Kim, S., **6**, 167
Mizoguchi, A., Ueda, T., Ikeda, K., Shiku, H., Mizoguti, H. and Takai, Y.
Localization and subcellular distribution of cellular *ras* gene products in rat brain, **5**, 31
Mizoguti, H., see Mizoguchi, A., **5**, 31
Mizuki, N., see Kawamoto, S., **5**, 235
Mobbs, C.V., see Romano, G.J., **5**, 51
Monstein, H.-J., see Folkesson, R., **5**, 211
Moran, O. and Dascal, N.
Protein kinase C modulates neurotransmitter responses in *Xenopus* oocytes injected with rat brain RNA, **5**, 193
Morgan, D.G., see Pasinetti, G.M., **5**, 203
Mori, M., see Kawamoto, S., **5**, 235
Morita, Y., see Noguchi, K., **5**, 227
Morita, Y., see Noguchi, K., **6**, 327
Morris, B.J., see Wisden, W., **5**, 305
Moskowitz, M.A., see Nishimori, T., **6**, 203
Murphy, D., see Carter, D.A., **6**, 233

N

Nadi, N.S., see Shinoda, H., **5**, 243
Nishimori, T., Buzzi, M.G., Moskowitz, M.A. and Uhl, G.R.
Preproenkephalin mRNA expression in nucleus caudalis neurons is enhanced by trigeminal stimulation, **6**, 203
Nixon, R.A., Lewis, S.E., Dahl, D., Marotta, C.A. and Drager, U.C.
Early posttranslational modifications of the three neurofilament subunits in mouse retinal ganglion cells: neuronal sites and time course in relation to subunit polymerization and axonal transport, **5**, 93
Noguchi, K., Morita, Y., Kiyama, H., Sato, M., Ono, K. and Tohyama, M.
Preproenkephalin gene expression in the rat spinal cord after noxious stimuli, **5**, 227
Noguchi, K., see Inagaki, S., **6**, 289
Noguchi, K., Senba, E., Morita, Y., Sato, M. and Tohyama, M.
Prepro-VIP and preprotachykinin mRNAs in the rat dorsal root ganglion cells following peripheral axotomy, **6**, 327
Novelli, A., see Thomas, J.W., **6**, 47

O

Ohsuga, A., see Kawamoto, S., **5**, 235
Okuda, K., see Kawamoto, S., **5**, 235
Ono, K., see Noguchi, K., **5**, 227
Ota, A., Shen-Orr, Z., Roberts Jr., C.T. and LeRoith, D.
TPA-induced neurite formation in a neuroblastoma cell line (SH-SY5Y) is associated with increased IGF-I receptor mRNA and binding, **6**, 69
Owens, G.P., Sinha, A.K., Sikela, J.M. and Hahn, W.E.
Sequence and expression of the murine diazepam binding inhibitor, **6**, 101
Owyang, V., see Xie, C.W., **6**, 11

P

Park, Y., see Kim, K., **6**, 151
Pasinetti, G.M., Lerner, S.P., Johnson, S.A., Morgan, D.G., Telford, N.A. and Finch, C.E.
Chronic lesions differentially decrease tyrosine hydroxylase messenger RNA in dopaminergic neurons of the substantia nigra, **5**, 203
Pedroso, E., see Barbas, J.A., **5**, 171
Pennypacker, K.R., Kuhn, D.M. and Billingsley, M.L.
Changes in expression of tyrosine hydroxylase immunoreactivity in human SMS-KCNR neuroblastoma following retinoic acid or phorbol ester-induced differentiation, **5**, 251
Pepin, M.-C., Beaulieu, S. and Barden, N.
Antidepressants regulate glucocorticoid receptor messenger RNA concentrations in primary neuronal cultures, **6**, 77
Perrone-Bizzozero, N.I., see Caday, C.G., **5**, 45
Persson, H., see Brené, S., **6**, 241
Petitti, N. and Etgen, A.M.
Progesterone depression of norepinephrine-stimulated cAMP accumulation in hypothalamic slices, **5**, 109
Pfaff, D.W., see Gibbs, R.B., **6**, 275
Pfaff, D.W., see Romano, G.J., **5**, 51
Pfaff, D.W., see Rothfeld, J., **6**, 121
Pfaff, D.W., see Schwanzel-Fukuda, M., **6**, 311

Pongs, O., see Barbas, J.A., **5**, 171

R

Ramos, P. and Ellis, L.
Expression in heterologous cells of the unusual cytoplasmic domain of rat brain 5B4/NCAM-1d, **6**, 61
Ramos, P., Safaei, R., Kayalar, C. and Ellis, L.
Isolation and sequence of λgt11 cDNA clones encoding the 5B4 antigen expressed on sprouting neurons, **5**, 297
Raynaud, B., see Vidal, S., **6**, 187
Recio-Pinto, E., see Frenkel, C., **6**, 211
Roberts Jr., C.T., see Ota, A., **6**, 69
Roberts, J.L., Dutlow, C.M., Jakubowski, M., Blum, M. and Millar, R.P.
Estradiol stimulates preoptic area-anterior hypothalamic proGnRH-GAP gene expression in ovariectomized rats, **6**, 127
Roberts, J.L., see Fernyhough, P., **6**, 109
Roberts, J.L., see Fremeau Jr., R.T., **6**, 197
Romano, G.J., Mobbs, C.V., Howells, R.D. and Pfaff, D.W.
Estrogen regulation of proenkephalin gene expression in the ventromedial hypothalamus of the rat: temporal qualities and synergism with progesterone, **5**, 51
Rosenberg, M.B., see Shimohama, S., **5**, 271
Rothfeld, J., Hejtmancik, J.F., Conn, P.M. and Pfaff, D.W.
In situ hybridization for LHRH mRNA following estrogen treatment, **6**, 121
Rubio, N., see Barbas, J.A., **5**, 171

S

Safaei, R., see Ramos, P., **5**, 297
Sagar, S.M., see Gonzalez, M.F., **6**, 93
Sagar, S.M., see Sharp, F.R., **6**, 217
Saito, N., see Duman, R.S., **5**, 289
Sato, M., see Noguchi, K., **5**, 227
Sato, M., see Noguchi, K., **6**, 327
Sato, S., see Kurihara, T., **5**, 247
Scheller, R.H., see Kreiner, T., **6**, 135
Schwanzel-Fukuda, M., Bick, D. and Pfaff, D.W.
Luteinizing hormone-releasing hormone (LHRH)-expressing cells do not migrate normally in an inherited hypogonadal (Kallmann) syndrome, **6**, 311
Schwartz, J.P., see Shinoda, H., **5**, 243
Sedvall, G., see Brené, S., **6**, 241
Sekitani, M., see Inagaki, S., **6**, 289
Senba, E., see Noguchi, K., **6**, 327
Sharp, F.R., Griffith, J., Gonzalez, M.F. and Sagar, S.M.
Trigeminal nerve section induces Fos-like immunoreactivity (FLI) in brainstem and decreases FLI in sensory cortex, **6**, 217
Sharp, F.R., see Gonzalez, M.F., **6**, 93
Shaw, C., see Jia, W.-G., **5**, 311
Shaw, C., see Van Huizen, F., **5**, 59
Shaw, C., Van Huizen, F., Cynader, M.S. and Wilkinson, M.
A role for potassium channels in the regulation of cortical muscarinic acetylcholine receptors in an in vitro slice preparation, **5**, 71
Shen-Orr, Z., see Ota, A., **6**, 69
Shiku, H., see Mizoguchi, A., **5**, 31
Shimada, S., see Inagaki, S., **6**, 289
Shimohama, S., Rosenberg, M.B., Fagan, A.M., Wolff, J.A., Short, M.P., Breakefield, X.O., Friedmann, T. and Gage, F.H.
Grafting genetically modified cells into the rat brain: characteristics of *E. coli* β-galactosidase as a reporter gene, **5**, 271
Shinoda, H., Schwartz, J.P. and Nadi, N.S.
Amygdaloid kindling of rats increases preprosomatostatin mRNA and somatostatin without affecting glutamic acid decarboxylase (GAD) mRNA or GAD, **5**, 243
Shiosaka, S., see Inagaki, S., **6**, 289
Shiraishi, K., see Gonzalez, M.F., **6**, 93
Shooter, E.M., see Jongstra-Bilen, J., **5**, 159
Short, M.P., see Shimohama, S., **5**, 271
Sikela, J.M., see Owens, G.P., **6**, 101
Simerly, R.B.
Hormonal control of the development and regulation of tyrosine hydroxylase expression within a sexually dimorphic population of dopaminergic cells in the hypothalamus, **6**, 297
Sinha, A.K., see Owens, G.P., **6**, 101
Smith, H.H., see Thomas, J.W., **6**, 47
Smith, T.M., see Gubits, R.M., **6**, 39
Snyder Jr., J.B., see La Gamma, E.F., **5**, 131
Sossin, W., see Kreiner, T., **6**, 135
Spiegel, K., Kremer, N.E. and Kessler, J.A.
Differences in the effects of membrane depolarization on levels of preprosomatostatin mRNA and tyrosine hydroxylase mRNA in rat sympathetic neurons in vivo and in culture, **5**, 23
Spillantini, M.G., Hunt, S.P., Ulrich, J. and Goedert, M.
Expression and cellular localization of amyloid β-protein precursor transcripts in normal human brain and in Alzheimer's disease, **6**, 143
Stachowiak, M.K., see Weisberg, E.P., **6**, 159
Stricker, E.M., see Weisberg, E.P., **6**, 159
Sumikawa, K. and Miledi, R.
Assembly and *N*-glycosylation of all ACh receptor subunits are required for their efficient insertion into plasma membranes, **5**, 183

T

Tait, R.C., see Gelinas, R.P., **6**, 177
Takagi, H., see Inagaki, S., **6**, 289
Takahashi, Y., see Kurihara, T., **5**, 247
Takai, Y., see Kim, S., **6**, 167
Takai, Y., see Mizoguchi, A., **5**, 31
Takeuchi, K., see Xie, C.W., **6**, 11
Tallman, J.F., see Duman, R.S., **5**, 289
Tao-Cheng, J.-H., see Thomas, J.W., **6**, 47
Telford, N.A., see Pasinetti, G.M., **5**, 203
Terenius, L., see Folkesson, R., **5**, 211
Thomas, J.W., Novelli, A., Tao-Cheng, J.-H., Henneberry, R., Smith, H.H. and Banner, C.
Developmental induction of glutaminase in primary cultures of cerebellar granule cells, **6**, 47
Tohyama, M., see Noguchi, K., **5**, 227
Tohyama, M., see Noguchi, K., **6**, 327
Tranchand-Bunel, D., Blasquez, C., Delbende, C., Jégou, S. and Vaudry, H.
Involvement of voltage-operated calcium channels in α-melanocyte-stimulating hormone (α-MSH) release from perifused rat hypothalamic slices, **6**, 21
Tranchand-Bunel, D., see Jégou, S., **5**, 219

U

Ueda, T., see Mizoguchi, A., **5**, 31
Uhl, G.R., see Nishimori, T., **6**, 203
Ulrich, J., see Spillantini, M.G., **6**, 143
Urban, B.W., see Frenkel, C., **6**, 211

V

Van Huizen, F., see Jia, W.-G., **5**, 311
Van Huizen, F., see Shaw, C., **5**, 71
Van Huizen, F., Shaw, C., Wilkinson, M. and Cynader, M.S. Characterization of muscarinic acetylcholine receptors in rat cerebral cortex slices with concomitant morphological and physiological assessment of tissue viability, **5**, 59
Vaudry, H., see Jégou, S., **5**, 219
Vaudry, H., see Tranchand-Bunel, D., **6**, 21
Vidal, S., Raynaud, B. and Weber, M.J. The role of Ca^{2+} channels of the L-type in neurotransmitter plasticity of cultured sympathetic neurons, **6**, 187
Vitkovic, L., see Mearow, K.M., **6**, 223

W

Walaas, S.I., Cala, S. and Greengard, P. Localization of ARPP-90, a major 90 kiloDalton basal ganglion-enriched substrate for cyclic AMP-dependent protein kinase, in striatonigral neurons in the rat brain, **5**, 149
Wallace, W.C., see Langstrom, N.S., **5**, 259
Weber, M.J., see Vidal, S., **6**, 187
Webster, H.deF., see Lamperth, L., **5**, 177
Weisberg, E.P., Baruchin, A., Stachowiak, M.K., Stricker, E.M., Zigmond, M.J. and Kaplan, B.B. Isolation of a rat adrenal cDNA clone encoding phenylethanolamine *N*-methyltransferase and cold-induced alterations in adrenal PNMT mRNA and protein, **6**, 159
Weisinger, G., see La Gamma, E.F., **5**, 131
Weiss, L.T. and Chesselet, M.-F. Regional distribution and regulation of preprosomatostatin messenger RNA in the striatum, as revealed by in situ hybridization histochemistry, **5**, 121
Wilcock, G.K., see Goedert, M., **5**, 1
Wilcox, J., see FremeauJr., R.T., **6**, 197
Wilkinson, M., see Shaw, C., **5**, 71
Wilkinson, M., see Van Huizen, F., **5**, 59
Winblad, B., see Langstrom, N.S., **5**, 259
Wisden, W., Morris, B.J., Darlison, M.G., Hunt, S.P. and Barnard, E.A. Localization of $GABA_A$ receptor α-subunit mRNAs in relation to receptor subtypes, **5**, 305
Wolff, J.A., see Shimohama, S., **5**, 271

X

Xie, C.W., Lee, P.H.K., Takeuchi, K., Owyang, V., Li, S.J., Douglass, J. and Hong, J.S. Single or repeated electroconvulsive shocks alter the levels of prodynorphin and proenkephalin mRNAs in rat brain, **6**, 11
Xie, C.W., see Lee, P.H.K., **6**, 263

Y

Yu, H., see Gubits, R.M., **6**, 39

Z

Zhao, D., see Lee, P.H.K., **6**, 263
Zigmond, M.J., see Weisberg, E.P., **6**, 159

MOLECULAR BRAIN RESEARCH
SUBJECT INDEX
1989
VOLUMES 5–6

A

Acetylcholine
Serotonin; γ-Aminobutyric acid; Kainate; *Xenopus* oocyte; Brain RNA; Protein kinase C (Moran, O.) **5,** 193

Muscarinic receptor; Receptor; Cortex; Regulation; Potassium channel (Shaw, C.) **5,** 71

Acetylcholine receptor
Xenopus oocyte; *Torpedo*; Receptor assembly; Membrane insertion; *N*-Glycosylation; Tunicamyin (Sumikawa, K.) **5,** 183

Acetyltransferase activity
Melanocyte-stimulating hormone; Hypothalamus; Perifusion; High-performance liquid chromatography; Radioimmunoassay (Jégou, S.) **5,** 219

β-Actin
Development; β_1-Adrenoceptor; β_2-Adrenoceptor; G protein; Messenger RNA; Rat brain (Duman, R.S.) **5,** 289

Activity-dependent regulation
γ-Aminobutyric acid neuron; Plasticity (Benson, D.L.) **5,** 279

Acute stress
Benzodiazepine receptor; Modulation; Phosphatidylserine; Cardiolipine; Synaptosomal membrane (Levi de Stein, M.) **5,** 9

Adrenal gland
Transcription; Enkephalin; Catecholamine; Tyrosine hydroxylase; Plasticity (La Gamma, E.F.) **5,** 17

Cold stress; PNMT cDNA; RNA–DNA hybridization; Immunoblot analysis (Weisberg, E.P.) **6,** 159

Adrenal medulla
Transcription factor; DNA binding protein; Striatum; Gel retardation assay; Enkephalin; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

Transcriptional regulation; Phenylethanolamine *N*-methyltransferase; Strain specific; Catecholamine gene (Evinger, M.J.) **5,** 141

Adrenal transmitter
Transcription factor; DNA binding protein; Striatum; Gel retardation assay; Enkephalin; Adrenal medulla; Nuclear protein (La Gamma, E.F.) **5,** 131

Adrenergic receptor
Norepinephrine; Progesterone; CAMP; Preoptic area; Hypothalamus (Petitti, N.) **5,** 109

C-*fos*; Yohimbine; Clonidine; Propranolol; Prazosin; Stress; Brain (Gubits, R.M.) **6,** 39

β_1-Adrenoceptor
Development; β_2-Adrenoceptor; G protein; β-Actin; Messenger RNA; Rat brain (Duman, R.S.) **5,** 289

β_2-Adrenoceptor
Development; β_1-Adrenoceptor; G protein; β-Actin; Messenger RNA; Rat brain (Duman, R.S.) **5,** 289

Alzheimer's disease
Nerve growth factor receptor; Retrograde axonal transport; Basal forebrain magnocellular cholinergic neuron (Goedert, M.) **5,** 1

Translationalcontrol; Polysome; Protein synthesis (Langstrom, N.S.) **5,** 259

Amyloid β-protein precursor transcript; Senile plaque (Spillantini, M.G.) **6,** 143

Amino acid sequence
Diazepam binding inhibitor; Brain; cDNA; mRNA (Owens, G.P.) **6,** 101

γ-Aminobutyric acid
Serotonin; Acetylcholine; Kainate; *Xenopus* oocyte; Brain RNA; Protein kinase C (Moran, O.) **5,** 193

γ-Aminobutyric acid neuron
Activity-dependent regulation; Plasticity (Benson, D.L.) **5,** 279

Amyloid β-protein precursor transcript
Alzheimer's disease; Senile plaque (Spillantini, M.G.) **6,** 143

Anesthetic
Sodium channel; Human central nervous system; Brain synaptosome; Barbiturate; Lipid bilayer (Frenkel, C.) **6,** 211

Anteroventral periventricular nucleus
Catecholamine; In situ hybridization; Sexual differentiation (Simerly, R.B.) **6,** 297

Antibody
Shaker; Potassium channel; *Drosophila* (Barbas, J.A.) **5,** 171

Antidepressant
Glucocorticoid receptor; mRNA; Major depression; Bipolar disorder (Pepin, M.-C.) **6,** 77

5B4 antigen
Monoclonal antibody 5B4; Neural cell adhesion molecule; Neuronal sprouting; cDNA; λgt11 (Ramos, P.) **5,** 297

Neural cell adhesion molecule; Neuron; Cell adhesion; Transmembrane protein (Ramos, P.) **6,** 61

Antinociception
Met-enkephalin; Opioid; mRNA; Pain; Dorsal horn; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

Aplysia
Neuropeptide; Dense core vesicle; Bag cel (Kreiner, T.) **6,** 135

Argininosuccinate lyase
Argininosuccinic aciduria; Urea cycle; Rat brain cDNA clone; Nucleotide sequence analysis; 5′-Untranslated sequence; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

Argininosuccinic aciduria
Argininosuccinate lyase; Urea cycle; Rat brain cDNA clone; Nucleotide sequence analysis; 5′-Untranslated sequence; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

Ca^{2+}-ATPase
Calcium; Purkinje cell; Cerebellum; Endoplasmic reticulum (Kaprielian, Z.) **6,** 55

Axon
Nerve growth factor; Somatomedin; Development; Neuroblastoma (Fernyhough, P.) **6,** 109

Axonal transport
Neurofilament; Retina; Ganglion cell; Neurofilament protein (Nixon, R.A.) **5,** 93

B

Bag cel
Neuropeptide; Dense core vesicle; *Aplysia* (Kreiner, T.) **6,** 135

Barbiturate
Sodium channel; Human central nervous system; Brain synaptosome; Anesthetic; Lipid bilayer (Frenkel, C.) **6,** 211

Barrel
C-*Fos*; Protooncogene; Whisker; Trigeminal injury (Sharp, F.R.) **6,** 217

Basal forebrain magnocellular cholinergic neuron
Nerve growth factor receptor; Alzheimer's disease; Retrograde axonal transport (Goedert, M.) **5,** 1

Basal ganglia
Neuropeptide Y; mRNA; Human brain; In situ hybridization; RNA blot; Cerebral cortex (Brené, S.) **6,** 241

Benzodiazepine receptor
Modulation; Phosphatidylserine; Acute stress; Cardiolipine; Synaptosomal membrane (Levi de Stein, M.) **5,** 9

Bipolar disorder
Antidepressant; Glucocorticoid receptor; mRNA; Major depression (Pepin, M.-C.) **6,** 77

Brain
Cellular *ras* gene product (c-*ras* p21s); Oncogene; Subcellular distribution; Synaptosome; Microsome; Membrane (Mizoguchi, A.) **5,** 31

Diazepam binding inhibitor; cDNA; mRNA; Amino acid sequence (Owens, G.P.) **6,** 101

Pro-opiomelanocortin; Primary transcript; mRNA; In situ hybridization; Solution hybridization (Fremeau, R.T.) **6,** 197

C-*fos*; Adrenergic receptor; Yohimbine; Clonidine; Propranolol; Prazosin; Stress (Gubits, R.M.) **6,** 39

Brain development
Neuronal differentiation; Cytoskeleton; Microtubule; Monoclonal antibody; Immunohistochemistry (Garner, C.C.) **5,** 85

Brain ischemia
Heat shock protein; Kainic acid; Stroke (Gonzalez, M.F.) **6,** 93

Brain isozyme
Glycogen phosphorylase; Transcription; Human tissue (Gelinas, R.P.) **6,** 177

Brain RNA
Serotonin; Acetylcholine; γ-Aminobutyric acid; Kainate; *Xenopus* oocyte; Protein kinase C (Moran, O.) **5,** 193

Brain synaptosome
Sodium channel; Human central nervous system; Anesthetic; Barbiturate; Lipid bilayer (Frenkel, C.) **6,** 211

C

C-*fos*
Dynorphin; Enkephalin; mRNA; Dorsal spinal cord; Inflammation; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Adrenergic receptor; Yohimbine; Clonidine; Propranolol; Prazosin; Stress; Brain (Gubits, R.M.) **6,** 39

Protooncogene: Whisker; Trigeminal injury; Barrel (Sharp, F.R.) **6,** 217

Calcium
Ca^{2+}-ATPase; Purkinje cell; Cerebellum; Endoplasmic reticulum (Kaprielian, Z.) **6,** 55

Calcium channel
Sympathetic neuron; Neurotransmitter plasticity; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; L-type; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

CAMP
Norepinephrine; Progesterone; Adrenergic receptor; Preoptic area; Hypothalamus (Petitti, N.) **5,** 109

Cardiolipine
Benzodiazepine receptor; Modulation; Phosphatidylserine; Acute stress; Synaptosomal membrane (Levi de Stein, M.) **5,** 9

Catecholamine
Transcription; Enkephalin; Tyrosine hydroxylase; Adrenal medulla; Plasticity (La Gamma, E.F.) **5,** 17

Anteroventral periventricular nucleus; In situ hybridization; Sexual differentiation (Simerly, R.B.) **6,** 297

Catecholamine gene
Transcriptional regulation; Phenylethanolamine *N*-methyltransferase; Strain specific; Adrenal medulla (Evinger, M.J.) **5,** 141

cDNA
Monoclonal antibody 5B4; 5B4 antigen; Neural cell adhesion molecule; Neuronal sprouting; λgt11 (Ramos, P.) **5,** 297

Diazepam binding inhibitor; Brain; mRNA; Amino acid sequence (Owens, G.P.) **6,** 101

cDNA cloning
Glutamine synthetase; mRNA; Gene expression; Development; Central nervous system (Mearow, K.M.) **6,** 223

Cell adhesion
5B4 antigen; Neural cell adhesion molecule; Neuron; Transmembrane protein (Ramos, P.) **6,** 61

Cellular *ras* gene product (c-*ras* p21s)
Oncogene; Brain; Subcellular distribution; Synaptosome; Microsome; Membrane (Mizoguchi, A.) **5,** 31

Central nervous system
Glutamine synthetase; cDNA cloning; mRNA; Gene expression; Development (Mearow, K.M.) **6,** 223

Cerebellar granule cell
Glutaminase; mRNA; Glutamate; Synaptic vesicle; Neuron; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

Cerebellum
Calcium; Ca^{2+}-ATPase; Purkinje cell; Endoplasmic reticulum (Kaprielian, Z.) **6,** 55

Somatostatin; Development; In situ hybridization; Rat (Inagaki, S.) **6,** 289

Cerebral cortex
Neuropeptide Y; mRNA; Human brain; In situ hybridization; RNA blot; Basal ganglia (Brené, S.) **6,** 241

Choline acetyltransferase regulation
Sympathetic neuron; Neurotransmitter plasticity; Tyrosine hydroxylase regulation; Calcium channel; L-type; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

Clonidine
C-*fos*; Adrenergic receptor; Yohimbine; Propranolol; Prazosin; Stress; Brain (Gubits, R.M.) **6,** 39

Cold stress
Adrenal gland; PNMT cDNA; RNA–DNA hybridization; Immunoblot analysis (Weisberg, E.P.) **6,** 159

Colliculus
$GABA_A$ receptor; Receptor subtype; In situ hybridization; Olfactory bulb; Striatum; Midbrain (Wisden, W.) **5,** 305

ω-Conotoxin GVIA
α-Melanocyte-stimulating hormone; Proopiomelanocortin; Voltage-operated calcium channel; 1,4-Dihydropyridine; Perifusion; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

Cortex
Acetylcholine; Muscarinic receptor; Receptor; Regulation; Potassium channel (Shaw, C.) **5,** 71

Muscarinic receptor; Phorbol ester; Protein kinase C; Regulation (Jia, W.-G.) **5,** 311

Cortex slice
Muscarinic acetylcholine receptor; *N*-Methyl scopolamine; Quinuclidinyl benzilate; Tissue viability (Van Huizen, F.) **5,** 59

Cyclic AMP
Proenkephalin A; SK-N-MC cells; Dexamethasone; Norepinephrine (Folkesson, R.) **5,** 211

2′,3′-Cyclic-nucleotide 3′-phosphodiesterase
mRNA; Development; Myelin; Mouse; Quaking mouse (Kurihara, T.) **5,** 247

Cytoskeleton
Neuronal differentiation; Microtubule; Brain development; Monoclonal antibody; Immunohistochemistry (Garner, C.C.) **5,** 85

D

1,4-Dihydropyridine
α-Melanocyte-stimulating hormone; Proopiomelanocortin; Voltage-operated calcium channel; ω-Conotoxin GVIA;

Perifusion; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

Denervated striatum
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine monkey; In situ hybridization; Preproenkephalin gene expression; Matrix (Augood, S.J.) **6,** 85

Dense core vesicle
Neuropeptide; *Aplysia*; Bag cel (Kreiner, T.) **6,** 135

Development
Schwann cell; P_0 glycoprotein; In situ hybridization; Peripheral nervous system (Lamperth, L.) **5,** 177

2′,3′-Cyclic-nucleotide 3′-phosphodiesterase; mRNA; Myelin; Mouse; Quaking mouse (Kurihara, T.) **5,** 247

β_1-Adrenoceptor; β_2-Adrenoceptor; G protein; β-Actin; Messenger RNA; Rat brain (Duman, R.S.) **5,** 289

Nerve growth factor; Axon; Somatomedin; Neuroblastoma (Fernyhough, P.) **6,** 109

Glutamine synthetase; cDNA cloning; mRNA; Gene expression; Central nervous system (Mearow, K.M.) **6,** 223

Gene expression; β-S-100 protein; In situ hybridization; Rat brain (Landry, C.F.) **6,** 251

Somatostatin; Cerebellum; In situ hybridization; Rat (Inagaki, S.) **6,** 289

Dexamethasone
Proenkephalin A; SK-N-MC cells; Norepinephrine; Cyclic AMP (Folkesson, R.) **5,** 211

Diazepam binding inhibitor
Brain; cDNA; mRNA; Amino acid sequence (Owens, G.P.) **6,** 101

Differentiation
Tyrosine hydroxylase; Gene expression (Pennypacker, K.R.) **5,** 251

Dihydropyridine
Sympathetic neuron; Neurotransmitter plasticity; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; Calcium channel; L-type; Fluspirilene (Vidal, S.) **6,** 187

Diurnal rhythm
Vasopressin mRNA; Suprachiasmatic nucleus; Poly(A) tail; Neuropeptide (Carter, D.A.) **6,** 233

DNA binding protein
Transcription factor; Striatum; Gel retardation assay; Enkephalin; Adrenal medulla; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

Dopamine
Somatostatin; Gene expression; Messenger RNA; In situ hybridization; Mouse; Fluphenazine-*N*-mustard; Striatum (Weiss, L.T.) **5,** 121

6-Hydroxydopamine; Tyrosine hydroxylase mRNA; β-Tubulin mRNA; In situ hybridization; Immunocytochemistry; Substantia nigra (Pasinetti, G.M.) **5,** 203

Dorsal horn
Met-enkephalin; Opioid; mRNA; Pain; Antinociception; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

Dorsal rhizotomy
Dorsal root ganglion; Sciatic nerve; Substance P; Vasoactive intestinal polypeptide; mRNA; In situ hybridization (Noguchi, K.) **6,** 327

Dorsal root ganglion
Sciatic nerve; Substance P; Vasoactive intestinal polypeptide; mRNA; In situ hybridization; Dorsal rhizotomy (Noguchi, K.) **6,** 327

Dorsal spinal cord
C-*fos*; Dynorphin; Enkephalin; mRNA; Inflammation; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Drosophila
Shaker; Potassium channel; Antibody (Barbas, J.A.) **5,** 171

Dynorphin
C-*fos*; Enkephalin; mRNA; Dorsal spinal cord; Inflammation; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Kindling; Prepyriform cortex; Hippocampus; Entorhinal cortex; Proenkephalin mRNA; Prodynorphin mRNA; Met^5-enkephalin (Lee, P.H.K.) **6,** 263

E

Electroconvulsive shock
Prodynorphin mRNA; Proenkephalin mRNA; Hippocampus; Entorhinal cortex (Xie, C.W.) **6,** 11

Endoplasmic reticulum
Calcium; Ca^{2+}-ATPase; Purkinje cell; Cerebellum (Kaprielian, Z.) **6,** 55

Enhancer
C-*fos*; Dynorphin; Enkephalin; mRNA; Dorsal spinal cord; Inflammation; Nociception; Trans-activation (Draisci, G.) **6,** 31

Enkephalin
Transcription; Catecholamine; Tyrosine hydroxylase; Adrenal medulla; Plasticity (La Gamma, E.F.) **5,** 17

Transcription factor; DNA binding protein; Striatum; Gel retardation assay; Adrenal medulla; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

C-*fos*; Dynorphin; mRNA; Dorsal spinal cord; Inflammation; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Entorhinal cortex
Electroconvulsive shock; Prodynorphin mRNA; Proenkephalin mRNA; Hippocampus (Xie, C.W.) **6,** 11

Kindling; Prepyriform cortex; Hippocampus; Proenkephalin mRNA; Prodynorphin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

Enzyme histochemistry
Neural grafting; Genetically modified cell; Retrovirus; LacZ; β-Galactosidase; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

Epilepsy model
Somatostatin mRNA; Glutamic acid decarboxylase mRNA; Kindling (Shinoda, H.) **5,** 243

Estradiol
Solution hybridization-nuclease protection assay; Gonadotropin-releasing hormone-GAP precursor; Preoptic area; Hypothalamus; Ovariectomy (Roberts, J.L.) **6,** 127

Estrogen
Proenkephalin; mRNA; Progesterone; Opioid peptide; Hypothalamus; Estrogen regulatory element (Romano, G.J.) **5,** 51

Luteinizing hormone-releasing hormone mRNA; Hybridization study (Rothfeld, J.) **6,** 121

Estrogen regulatory element
Proenkephalin; mRNA; Estrogen; Progesterone; Opioid peptide; Hypothalamus (Romano, G.J.) **5,** 51

Excitatory amino acid
Glutaminase; mRNA; Cerebellar granule cell; Glutamate; Synaptic vesicle; Neuron; Neurotransmitter (Thomas, J.W.) **6,** 47

F

Fetus
Olfactory placode; Terminalis nerve; Genetic defect; Nasal; Gonadotropin-releasing hormone (Schwanzel-Fukuda, M.) **6,** 311

Fluphenazine-*N*-mustard
Somatostatin; Gene expression;

Messenger RNA; In situ hybridization; Mouse; Striatum; Dopamine (Weiss, L.T.) **5,** 121

Fluspirilene
Sympathetic neuron; Neurotransmitter plasticity; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; Calcium channel; L-type; Dihydropyridine (Vidal, S.) **6,** 187

G

$GABA_A$ receptor
Receptor subtype; In situ hybridization; Colliculus; Olfactory bulb; Striatum; Midbrain (Wisden, W.) **5,** 305

β-Galactosidase
Neural grafting; Genetically modified cell; Retrovirus; LacZ; Enzyme histochemistry; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

Ganglion cell
Neurofilament; Retina; Axonal transport; Neurofilament protein (Nixon, R.A.) **5,** 93

Gel electrophoresis
Proteolytic processing; In vitro; γ-Subunit; Prepro-nerve growth factor; Mature nerve growth factor; Immunoprecipitation (Jongstra-Bilen, J.) **5,** 159

Gel retardation assay
Transcription factor; DNA binding protein; Striatum; Enkephalin; Adrenal medulla; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

Gene expression
Somatostatin; Messenger RNA; In situ hybridization; Mouse; Fluphenazine-*N*-mustard; Striatum; Dopamine (Weiss, L.T.) **5,** 121

Tyrosine hydroxylase; Differentiation (Pennypacker, K.R.) **5,** 251

Glutamine synthetase; cDNA cloning; mRNA; Development; Central nervous system (Mearow, K.M.) **6,** 223

β-S-100 protein; In situ hybridization; Development; Rat brain (Landry, C.F.) **6,** 251

Genetic defect
Olfactory placode; Terminalis nerve; Nasal; Fetus; Gonadotropin-releasing hormone (Schwanzel-Fukuda, M.) **6,** 311

Genetically modified cell
Neural grafting; Retrovirus; LacZ; β-Galactosidase; Enzyme histochemistry; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

Glucocorticoid receptor
Antidepressant; mRNA; Major depression; Bipolar disorder (Pepin, M.-C.) **6,** 77

Glutamate
Glutaminase; mRNA; Cerebellar granule cell; Synaptic vesicle; Neuron; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

Glutamic acid decarboxylase mRNA
Somatostatin mRNA; Kindling; Epilepsy model (Shinoda, H.) **5,** 243

Glutaminase
mRNA; Cerebellar granule cell; Glutamate; Synaptic vesicle; Neuron; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

Glutamine synthetase
cDNA cloning; mRNA; Gene expression; Development; Central nervous system (Mearow, K.M.) **6,** 223

Glycogen phosphorylase
Brain isozyme; Transcription; Human tissue (Gelinas, R.P.) **6,** 177

***N*-Glycosylation**
Xenopus oocyte; Acetylcholine receptor; *Torpedo*; Receptor assembly; Membrane insertion; Tunicamyin (Sumikawa, K.) **5,** 183

Goldfish optic nerve
Neurite-promoting factor; Neuronal cell culture; Partial purification (Caday, C.G.) **5,** 45

Gonadotropin-releasing hormone
Olfactory placode; Terminalis nerve; Genetic defect; Nasal; Fetus (Schwanzel-Fukuda, M.) **6,** 311

Gonadotropin-releasing hormone-GAP precursor
Solution hybridization-nuclease protection assay; Preoptic area; Hypothalamus; Ovariectomy; Estradiol (Roberts, J.L.) **6,** 127

λgt11
Monoclonal antibody 5B4; 5B4 antigen; Neural cell adhesion molecule; Neuronal sprouting; cDNA (Ramos, P.) **5,** 297

Guanosine triphosphate binding protein
ras protein; *rho* protein; *smg*-25A protein; Intrasynaptosomal distribution; Synaptosome (Kim, S.) **6,** 167

H

Heat shock protein
Kainic acid; Stroke; Brain ischemia (Gonzalez, M.F.) **6,** 93

High-performance liquid chromatography
Melanocyte-stimulating hormone; Acetyltransferase activity; Hypothalamus; Perifusion; Radioimmunoassay (Jégou, S.) **5,** 219

Hippocampus
Electroconvulsive shock; Prodynorphin mRNA; Proenkephalin mRNA; Entorhinal cortex (Xie, C.W.) **6,** 11

Kindling; Prepyriform cortex; Entorhinal cortex; Proenkephalin mRNA; Prodynorphin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

Human brain
Neuropeptide Y; mRNA; In situ hybridization; RNA blot; Basal ganglia; Cerebral cortex (Brené, S.) **6,** 241

Human central nervous system
Sodium channel; Brain synaptosome; Anesthetic; Barbiturate; Lipid bilayer (Frenkel, C.) **6,** 211

Human tissue
Glycogen phosphorylase; Brain isozyme; Transcription (Gelinas, R.P.) **6,** 177

Hybridization study
Luteinizing hormone-releasing hormone mRNA; Estrogen (Rothfeld, J.) **6,** 121

6-Hydroxydopamine
Tyrosine hydroxylase mRNA; β-Tubulin mRNA; In situ hybridization; Immunocytochemistry; Dopamine; Substantia nigra (Pasinetti, G.M.) **5,** 203

Hypothalamus
Proenkephalin; mRNA; Estrogen; Progesterone; Opioid peptide; Estrogen regulatory element (Romano, G.J.) **5,** 51

Norepinephrine; Progesterone; CAMP; Adrenergic receptor; Preoptic area (Petitti, N.) **5,** 109

Melanocyte-stimulating hormone; Acetyltransferase activity; Perifusion; High-performance liquid chromatography; Radioimmunoassay (Jégou, S.) **5,** 219

α-Melanocyte-stimulating hormone; Proopiomelanocortin; Voltage-operated calcium channel; 1,4-Dihydropyridine; ω-Conotoxin GVIA; Perifusion (Tranchand-Bunel, D.) **6,** 21

Solution hybridization-nuclease protection assay; Gonadotropin-releasing hormone-GAP precursor; Preoptic area; Ovariectomy; Estradiol (Roberts, J.L.) **6,** 127

Luteinizing hormone-releasing hormone mRNA; Progesterone; RNA-blot hybridization; Prepubertal female rat (Kim, K.) **6,** 151

I

Immunoblot analysis
Cold stress; Adrenal gland; PNMT cDNA; RNA–DNA hybridization (Weisberg, E.P.) **6,** 159

Immunocytochemistry
6-Hydroxdopamine; Tyrosine hydroxylase mRNA; β-Tubulin mRNA; In situ hybridization; Dopamine; Substantia nigra (Pasinetti, G.M.) **5,** 203

Immunohistochemistry
Neuronal differentiation; Cytoskeleton; Microtubule; Brain development; Monoclonal antibody (Garner, C.C.) **5,** 85

Neural grafting; Genetically modified cell; Retrovirus; LacZ; β-Galatosidase; Enzyme histochemistry; Macrophage (Shimohama, S.) **5**, 271

MEKA protein; MEKA cDNA; Retina; Photoreceptor cell (Kuo, C.-H) **6,** 1

Nerve growth factor receptor; mRNA; In situ hybridization (Gibbs, R.B.) **6,** 275

Immunoprecipitation
Proteolytic processing; In vitro; γ-Subunit; Prepro-nerve growth factor; Mature nerve growth factor; Gel electrophoresis (Jongstra-Bilen, J.) **5,** 159

In situ hybridization
Somatostatin; Gene expression; Messenger RNA; Mouse; Fluphenazine-*N*-mustard; Striatum; Dopamine (Weiss, L.T.) **5,** 121

Schwann cell; Development; P_o glycoprotein; Peripheral nervous system (Lamperth, L.) **5,** 177

6-Hydroxydopamine; Tyrosine hydroxylase mRNA; β-Tubulin mRNA; Immunocytochemistry; Dopamine; Substantia nigra (Pasinetti, G.M.) **5,** 203

$GABA_A$ receptor; Receptor subtype; Colliculus; Olfactory bulb; Striatum; Midbrain (Wisden, W) **5,** 305

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine monkey; Preproenkephalin gene expression; Denervated striatum; Matrix (Augood, S.J.) **6,** 85

Brain; Pro-opiomelanocortin; Primary transcript; mRNA; Solution hybridization (Fremeau, R.T.) **6,** 197

Neuropeptide Y; mRNA; Human brain; RNA blot; Basal ganglial; Cerebral cortex (Brené, S.) **6,** 241

Gene expression; β-S-100 protein; Development; Rat brain (Landry, C.F.) **6,** 251

Nerve growth factor receptor; mRNA; Immunohistochemistry (Gibbs, R.B.) **6,** 275

Somatostatin; Cerebellum; Development; Rat (Inagaki, S.) **6,** 289

Anteroventral periventricular nucleus; Catecholamine; Sexual differentiation (Simerly, R.B.) **6,** 297

Dorsal root ganglion; Sciatic nerve; Substance P; Vasoactive intestinal polypeptide; mRNA; Dorsal rhizotomy (Noguchi, K.) **6,** 327

In situ hybridization histochemistry
Met-enkephalin; Opioid; mRNA; Pain; Dorsal Horn; Antinociception (Noguchi, K.) **5,** 227

In vitro
Proteolytic processing; γ-Subunit; Prepro-nerve growth factor; Mature nerve growth factor; Gel electrophoresis; Immunoprecipitation (Jongstra-Bilen, J.) **5,** 159

Inflammation
C-*fos*; Dynorphin; Enkephalin; mRNA; Dorsal spinal cord; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Insulin-like growth factor I
Neuroblastoma; mRNA; 12-*O*-Tetradecanoyl-phorbol-13-acetate (Ota, A.) **6,** 69

Intrasynaptosomal distribution
Guanosine triphosphate binding protein; *ras* protein; *rho* protein; *smg*-25A protein; Synaptosome (Kim, S.) **6,** 167

K

Kainate
Serotonin;Acetylcholine; γ-Aminobutyric acid; *Xenopus* oocyte; Brain RNA; Protein kinase C (Moran, O.) **5,** 193

Kainic acid
Heat shock protein; Stroke; Brain ischemia (Gonzalez, M.F.) **6,** 93

Kindling
Somatostatin mRNA; Glutamic acid decarboxylase mRNA: Epilepsy model (Shinoda, H.) **5,** 243

Prepyriform cortex; Hippocampus; Entorhinal cortex; Proenkephalin mRNA: Prodynorphin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

L

L-type
Sympathetic neuron; Neurotransmitter plasticity; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; Calcium channel; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

LacZ
Neural grafting; Genetically modified cell; Retrovirus; β-Galactosidase; Enzyme histochemistry; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

Lipid bilayer
Sodium channel; Human central nervous system; Brain synaptosome; Anesthetic; Barbiturate (Frenkel, C) **6,** 211

Luteinizing hormone-releasing hormone mRNA
Hybridization study; Estrogen (Rothfeld, J.) **6,** 121

Hypothalamus; Progesterone; RNA-blot hybridization; Prepubertal female rat (Kim, K.) **6,** 151

M

Macrophage
Neural grafting; Genetically modified cell; Retrovirus; LacZ; β-Galactosidase; Enzyme histochemistry; Immunohistochemistry (Shimohama, S.) **5,** 271

Major depression
Antidepressant; Glucocorticoid receptor; mRNA; Bipolar disorder (Pepin, M.-C.) **6,** 77

Matrix
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine monkey; In situ hybridization; Preproenkephalin gene expression; Denervated striatum (Augood, S.J.) **6,** 85

Mature nerve growth factor
Proteolytic processing; In vitro; γ-Subunit; Prepro-nerve growth factor; Gel electrophoresis; Immunoprecipitation

(Jongstra-Bilen, J.) **5,** 159

MEKA cDNA
MEKA protein; Retina; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **6,** 1

MEKA protein
MEKA cDNA; Retina; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **6,** 1

Melanocyte-stimulating hormone
Acetyltransferase activity; Hypothalamus; Perifusion; High-performance liquid chromatography; Radioimmunoassay (Jégou, S.) **5,** 219

α-Melanocyte-stimulating hormone
Proopiomelanocortin; Voltage-operated calcium channel; 1,4-Dihydropyridine; ω-Conotoxin GVIA; Perifusion; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

Membrane
Cellular *ras* gene product (c-*ras* p21s); Oncogene; Brain; Subcellular distribution; Synaptosome; Microsome (Mizoguchi, A.) **5,** 31

Membrane depolarization
Somatostatin; Tyrosine hydroxylase; Sympathetic neuron; Phenotypic expression; Nerve impulse activity (Spiegel, K.) **5,** 23

Membrane insertion
Xenopus oocyte; Acetylcholine receptor; *Torpedo*; Receptor assembly; *N*-Glycosylation; Tunicamyin (Sumikawa, K.) **5,** 183

Development; β_1-Adrenoceptor; β_2-Adrenoceptor; G protein; β-Actin; Rat brain (Duman, R.S.) **5,** 289

Met-enkephalin
Opioid; mRNA; Pain; Dorsal horn; Antinociception; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

Met^5-enkephalin
Kindling; Prepyriform cortex; Hippocampus; Entorhinal cortex; Proenkephalin mRNA; Prodynorphin mRNA; Dynorphin (Lee, P.H.K.) **6,** 263

1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine monkey
In situ hybridization; Preproenkephalin gene expression; Denervated striatum; Matrix (Augood, S.J.) **6,** 85

***N*-Methyl scopolamine**
Muscarinic acetylcholine receptor; Cortex slice; Quinuclidinyl benzilate; Tissue viability (Van Huizen, F.) **5,** 59

Microsome
Cellular *ras* gene product (c-*ras* p21s); Oncogene; Brain; Subcellular distribution; Synaptosome; Membrane (Mizoguchi, A.) **5,** 31

Microtubule
Neuronal differentiation; Cytoskeleton; Brain development; Monoclonal antibody; Immunohistochemistry (Garner, C.C.) **5,** 85

Midbrain
$GABA_A$ receptor; Receptor subtype; In situ hybridization; Colliculus; Olfactory bulb; Striatum (Wisden, W.) **5,** 305

Modulation
Benzodiazepine receptor; Phosphatidylserine; Acute stress; Cardiolipine; Synaptosomal membrane (Levi de Stein, M.) **5,** 9

Monoclonal antibody
Neuronal differentiation; Cytoskeleton; Microtubule; Brain development; Immunohistochemistry (Garner, C.C.) **5,** 85

Monoclonal antibody 5B4
5B4 antigen; Neural cell adhesion molecule; Neuronal sprouting; cDNA; λgt11 (Ramos, P.) **5,** 297

Mouse
Somatostatin; Gene expression; Messenger RNA; In situ hybridization; Fluphenazine-*N*-mustard; Striatum; Dopamine (Weiss, L.T.) **5,** 121

2′,3′-Cyclic-nucleotide 3′-phosphodiesterase; mRNA; Development; Myelin; Quaking mouse (Kurihara, T.) **5,** 247

mRNA
Somatostatin; Gene expression; In situ hybridization; Mouse; Fluphenazine-*N*-mustard; Striatum; Dopamine (Weiss, L.T.) **5,** 121

Proenkephalin; Estrogen; Progesterone; Opioid peptide; Hypothalamus; Estrogen regulatory element (Romano, G.J.) **5,** 51

Met-enkephalin; Opioid; Pain; Dorsal horn; Antinociception; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

2′,3′-Cyclic-nucleotide 3′-phosphodiesterase; Development; Myelin; Mouse; Quaking mouse (Kurihara, T.) **5,** 247

C-*fos*; Dynorphin; Enkephalin; Dorsal spinal cord; Inflammation; Nociception; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Glutaminase; Cerebellar granule cell; Glutamate; Synaptic vesicle; Neuron; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

Neuroblastoma; Insulin-like growth factor I; 12-*O*-Tetradecanoyl-phorbol-13-acetate (Ota, A.) **6,** 69

Antidepressant; Glucocorticoid receptor; Major depression; Bipolar disorder (Pepin, M.-C.) **6,** 77

Diazepam binding inhibitor; Brain; cDNA; Amino acid sequence (Owens, G.P.) **6,** 101

Brain; Pro-opiomelanocortin; Primary transcript; In situ hybridization; Solution hybridization (Fremeau, R.T.) **6,** 197

Glutamine synthetase; cDNA cloning; Gene expression; Development; Central nervous system (Mearow, K.M.) **6,** 223

Neuropeptide Y; Human brain; In situ hybridization; RNA blot; Basal ganglia; Cerebral cortex (Brené, S.) **6,** 241

Nerve growth factor receptor; In situ hybridization; Immunohistochemistry (Gibbs, R.B.) **6,** 275

Dorsal root ganglion; Sciatic nerve; Substance P; Vasoactive intestinal polypeptide; In situ hybridization; Dorsal rhizotomy (Noguchi, K.) **6,** 327

Muscarinic acetylcholine receptor
Cortex slice; *N*-Methyl scopolamine; Quinuclidinyl benzilate; Tissue viability (Van Huizen, F.) **5,** 59

Muscarinic receptor
Acetylcholine; Receptor; Cortex; Regulation; Potassium channel (Shaw, C.) **5,** 71 Phorbol ester; Protein kinase C; Cortex; Regulation (Jia, W.-G.) **5,** 311

Myelin
2′,3′-Cyclic-nucleotide 3′-phosphodiesterase; mRNA; Development; Mouse; Quaking mouse (Kurihara, T.) **5,** 247

N

Nasal
Olfactory placode; Terminalis nerve; Genetic defect; Fetus; Gonadotropin-releasing hormone (Schwanzel-Fukuda, M.) **6,** 311

Neostriatum
Substantia nigra; Quinolinic acid; Striatonigral fiber; Phosphoprotein; Protein phosphorylation (Walaas, S.I.) **5,** 149

Nerve growth factor
Axon; Somatomedin; Development; Neuroblastoma (Fernyhough, P.) **6,** 109

Nerve growth factor receptor
Alzheimer's disease; Retrograde axonal transport; Basal forebrain magnocellular cholinergic neuron (Goedert, M.) **5,** 1

mRNA; In situ hybridization; Immunohistochemistry (Gibbs, R.B.) **6,** 275

Nerve impulse activity
Somatostatin; Tyrosine hydroxylase; Sympathetic neuron; Phenotypic expression; Membrane depolarization (Spiegel, K.) **5,** 23

Neural cell adhesion molecule
Monoclonal antibody 5B4; 5B4 antigen; Neuronal sprouting; cDNA; λgt11 (Ramos, P.) **5,** 297

5B4 antigen; Neuron; Cell adhesion; Transmembrane protein (Ramos, P.) **6,** 61

Neural grafting
Genetically modified cell; Retrovirus; LacZ; β-Galactosidase; Enzyme histochemistry; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

Neurite-promoting factor
Goldfish optic nerve; Neuronal cell culture; Partial purification (Caday, C.G.) **5,** 45

Neuroblastoma
Insulin-like growth factor I; mRNA; 12-*O*-Tetradecanoyl-phorbol-13-acetate (Ota, A.) **6,** 69

Nerve growth factor; Axon; Somatomedin; Development (Fernyhough, P.) **6,** 109

Neurofilament
Retina; Ganglion cell; Axonal transport; Neurofilament protein (Nixon, R.A.) **5,** 93

Neurofilament protein
Neurofilament; Retina; Ganglion cell; Axonal transport (Nixon, R.A.) **5,** 93

Neuron
Glutaminase; mRNA; Cerebellar granule cell; Glutamate; Synaptic vesicle; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

5B4 antigen; Neural cell adhesion molecule; Cell adhesion; Transmembrane protein (Ramos, P.) **6,** 61

Neuronal cell culture
Neurite-promoting factor; Goldfish optic nerve; Partial purification (Caday, C.G.) **5,** 45

Neuronal differentiation
Cytoskeleton; Microtubule; Brain development; Monoclonal antibody; Immunohistochemistry (Garner, C.C.) **5,** 85

Neuronal sprouting
Monoclonal antibody 5B4; 5B4 antigen; Neural cell adhesion molecule; cDNA; λgt11 (Ramos, P.) **5,** 297

Neuropeptide
Dense core vesicle; *Aplysia*; Bag cel (Kreiner, T.) **6,** 135

Vasopressin mRNA; Suprachiasmatic nucleus; Diurnal rhythm; Poly(A) tail (Carter, D.A.) **6,** 233

Neuropeptide Y
mRNA; Human brain; In situ hybridization; RNA blot; Basal ganglia; Cerebral cortex (Brené, S.) **6,** 241

Neurotransmitter
Glutaminase; mRNA; Cerebellar granule cell; Glutamate; Synaptic vesicle; Neuron; Excitatory amino acid (Thomas, J.W.) **6,** 47

Neurotransmitter plasticity
Sympathetic neuron; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; Calcium channel; L-type; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

Nociception
C-*fos*; Dynorphin; Enkephalin; mRNA; Dorsal spinal cord; Inflammation; Enhancer; Trans-activation (Draisci, G.) **6,** 31

Norepinephrine
Progesterone; CAMP; Adrenergic receptor; Preoptic area; Hypothalamus (Petitti, N.) **5,** 109

Proenkephalin A; SK-N-MC cells; Dexamethasone; Cyclic AMP (Folkesson, R.) **5,** 211

Nuclear protein
Transcription factor; DNA binding protein; Striatum; Gel retardation assay; Enkephalin; Adrenal medulla; Adrenal transmitter (La Gamma, E.F.) **5,** 131

Nucleotide sequence analysis
Argininosuccinate lyase; Argininosuccinic aciduria; Urea cycle; Rat brain cDNA clone; 5′-Untranslated sequence; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

Nucleus caudalis
Preproenkephalin mRNA; Trigeminal afferent (Nishimori, T.) **6,** 203

O

Olfactory bulb
$GABA_A$ receptor; Receptor subtype; In situ hybridization; Colliculus; Striatum; Midbrain (Wisden, W.) **5,** 305

Olfactory placode
Terminalis nerve; Genetic defect; Nasal; Fetus; Gonadotropin-releasing hormone (Schwanzel-Fukuda, M.) **6,** 311

Oncogene
Cellular *ras* gene product (c-*ras* p21s); Brain; Subcellular distribution; Synaptosome; Microsome; Membrane (Mizoguchi, A.) **5,** 31

Opioid
Met-enkephalin; mRNA; Pain; Dorsal horn; Antinociception; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

Opioid peptide
Proenkephalin; mRNA; Estrogen; Progesterone; Hypothalamus; Estrogen regulatory element (Romano, G.J.) **5,** 51

Ovariectomy
Solution hybridization-nuclease protection assay; Gonadotropin-releasing hormone-GAP precursor; Preoptic area; Hypothalamus; Estradiol (Roberts, J.L.) **6,** 127

P

P_0 glycoprotein
Schwann cell; Development; In situ hybridization; Peripheral nervous system (Lamperth, L.) **5,** 177

Pain
Met-enkephalin; Opioid; mRNA; Dorsal horn; Antinociception; In situ hybridization histochemistry (Noguchi, K.) **5,** 227

Partial purification
Neurite-promoting factor; Goldfish optic nerve; Neuronal cell culture (Caday, C.G.) **5,** 45

Perifusion
Melanocyte-stimulating hormone; Acetyltransferase activity; Hypothalamus; High-performance liquid chromatography; Radioimmunoassay (Jégou, S.) **5,** 219

α-Melanocyte-stimulating hormone; Proopiomelanocortin; Voltage-operated calcium channel; 1,4-Dihydropyridine; ω-Conotoxin GVIA; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

Peripheral nervous system
Schwann cell; Development; P_0 glycoprotein; In situ hybridization (Lamperth, L.) **5,** 177

Phenotypic expression
Somatostatin; Tyrosine hydroxylase; Sympathetic neuron; Membrane depolarization; Nerve impulse activity (Spiegel, K.) **5,** 23

Phenylethanolamine *N*-methyltransferase
Transcriptional regulation; Strain specific; Adrenal medulla; Catecholamine gene (Evinger, M.J.) **5,** 141

Phorbol ester
Muscarinic receptor; Protein kinase C; Cortex; Regulation (Jia, W.-G.) **5,** 311

Phosphatidylserine
Benzodiazepine receptor; Modulation; Acute stress; Cardiolipine; Synaptosomal membrane (Levi de Stein, M.) **5,** 9

Phosphoprotein
Neostriatum; Substantia nigra; Quinolinic acid; Striatonigral fiber; Protein phosphorylation (Walaas, S.I.) **5,** 149

Photoreceptor cell
MEKA protein; MEKA cDNA; Retina; Immunohistochemistry (Kuo, C.-H.) **6,** 1

Plasticity
Transcription; Enkephalin; Catecholamine; Tyrosine hydroxylase; Adrenal medulla (La Gamma, E.F.) **5,** 17

γ-Aminobutyric acid neuron; Activity-dependent regulation (Benson, D.L.) **5,** 279

PNMT cDNA
Cold stress; Adrenal gland; RNA–DNA hybridization; Immunoblot analysis (Weisberg, E.P.) **6,** 159

Poly(A) tail
Vasopressin mRNA; Suprachiasmatic nucleus; Diurnal rhythm; Neuropeptide (Carter, D.A.) **6,** 233

Polysome
Translationalcontrol; Alzheimer's disease; Protein synthesis (Langstrom, N.S.) **5,** 259

Potassium channel
Acetylcholine; Muscarinic receptor; Receptor; Cortex; Regulation (Shaw, C.) **5,** 71

Shaker; Antibody; *Drosophila* (Barbas, J.A.) **5,** 171

Prazosin
C-*fos*; Adrenergic receptor; Yohimbine; Clonidine; Propranolol; Stress; Brain (Gubits, R.M.) **6,** 39

Preoptic area
Norepinephrine; Progesterone; CAMP; Adrenergic receptor; Hypothalamus (Petitti, N.) **5,** 109

Solution hybridization-nuclease protection assay; Gonadotropin-releasing hormone-GAP precursor; Hypothalamus; Ovariectomy; Estradiol (Roberts, J.L.) **6,** 127

Prepro-nerve growth factor
Proteolytic processing; In vitro; γ-Subunit; Mature nerve growth factor; Gel electrophoresis; Immunoprecipitation (Jongstra-Bilen, J.) **5,** 159

Preproenkephalin gene expression
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine monkey; In situ hybridization; Denervated striatum; Matrix (Augood, S.J.) **6,** 85

Preproenkephalin mRNA
Nucleus caudalis; Trigeminal afferent (Nishimori, T.) **6,** 203

Prepubertal female rat
Luteinizing hormone-releasing hormone mRNA; Hypothalamus; Progesterone; RNA-blot hybridization (Kim, K.) **6,** 151

Prepyriform cortex
Kindling; Hippocampus; Entorhinal cortex; Proenkephalin mRNA; Prodynorphin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

Primary transcript
Brain; Pro-opiomelanocortin; mRNA; In situ hybridization; Solution hybridization (Fremeau, R.T.) **6,** 197

Pro-opiomelanocortin
Brain; Primary transcript; mRNA; In situ hybridization; Solution hybridization (Fremeau, R.T.) **6,** 197

Prodynorphin mRNA
Electroconvulsive shock; Proenkephalin mRNA; Hippocampus; Entorhinal cortex (Xie, C.W.) **6,** 11

Kindling; Prepyriform cortex; Hippocampus; Entorhinal cortex; Proenkephalin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

Proenkephalin
mRNA; Estrogen; Progesterone; Opioid peptide; Hypothalamus; Estrogen regulatory element (Romano, G.J.) **5,** 51

Proenkephalin A
SK-N-MC cells; Dexamethasone; Norepinephrine; Cyclic AMP (Folkesson, R.) **5,** 211

Proenkephalin mRNA
Electroconvulsive shock; Prodynorphin mRNA; Hippocampus; Entorhinal cortex (Xie, C.W.) **6,** 11

Kindling; Prepyriform cortex; Hippocampus; Entorhinal cortex; Prodynorphin mRNA; Met^5-enkephalin; Dynorphin (Lee, P.H.K.) **6,** 263

Progesterone
Proenkephalin; mRNA; Estrogen; Opioid peptide; Hypothalamus; Estrogen regulatory element (Romano, G.J.) **5,** 51

Norepinephrine; CAMP; Adrenergic receptor; Preoptic area; Hypothalamus (Petitti, N.) **5,** 109

Luteinizing hormone-releasing hormone mRNA; Hypothalamus; RNA-blot hybridization; Prepubertal female rat (Kim, K.) **6,** 151

Proopiomelanocortin
α-Melanocyte-stimulating hormone; Voltage-operated calcium channel; 1,4-Dihydropyridine; ω-Conotoxin GVIA; Perifusion; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

Propranolol
C-*fos*; Adrenergic receptor; Yohimbine; Clonidine; Prazosin; Stress; Brain (Gubits, R.M.) **6,** 39

G protein
Development; β_1-Adrenoceptor; β_2-Adrenoceptor; β-Actin; Messenger RNA; Rat brain (Duman, R.S.) **5,** 289

β-S-100 protein
Gene expression; In situ hybridization; Development; Rat brain (Landry, C.F.) **6,** 251

***ras* protein**
Guanosine triphosphate binding protein; *rho* protein; *smg*-25A protein; Intrasynaptosomal distribution; Synaptosome (Kim, S.) **6,** 167

***rho* protein**
Guanosine triphosphate binding protein; *ras* protein; *smg*-25A protein; Intrasynaptosomal distribution; Synaptosome (Kim, S.) **6,** 167

***smg*-25A protein**
Guanosine triphosphate binding protein; *ras* protein; *rho* protein; Intrasynaptosomal distribution; Synaptosome (Kim, S.) **6,** 167

Protein kinase C
Serotonin; Acetylcholine; γ-Aminobutyric acid; Kainate; *Xenopus* oocyte; Brain RNA (Moran, O.) **5,** 193

Muscarinic receptor; Phorbol ester; Cortex; Regulation (Jia, W.-G.) **5,** 311

Protein phosphorylation
Neostriatum; Substantia nigra; Quinolinic acid; Striatonigral fiber; Phosphoprotein (Walaas, S.I.) **5,** 149

Protein synthesis
Translationalcontrol; Alzheimer's disease; Polysome (Langstrom, N.S.) **5,** 259

Proteolytic processing
In vitro; γ-Subunit; Prepro-nerve growth factor; Mature nerve growth factor; Gel electrophoresis; Immunoprecipitation (Jongstra-Bilen, J.) **5,** 159

Protooncogene
C-*Fos*; Whisker; Trigeminal injury; Barrel (Sharp, F.R.) **6,** 217

Purkinje cell
Calcium; Ca^{2+}-ATPase; Cerebellum; Endoplasmic reticulum (Kaprielian, Z.) **6,** 55

Q

Quaking mouse
2′,3′-Cyclic-nucleotide 3′-phosphodiesterase; mRNA; Development; Myelin; Mouse (Kurihara, T.) **5,** 247

Quinolinic acid
Neostriatum; Substantia nigra; Striatonigral fiber; Phosphoprotein; Protein phosphorylation (Walaas, S.I.) **5,** 149

Quinuclidinyl benzilate
Muscarinic acetylcholine receptor; Cortex slice; *N*-Methyl scopolamine; Tissue viability (Van Huizen, F.) **5,** 59

R

Radioimmunoassay
Melanocyte-stimulating hormone; Acetyltransferase activity; Hypothalamus; Perifusion; High-performance liquid chromatography (Jégou, S.) **5,** 219

Rat
Somatostatin; Cerebellum; Development; In situ hybridization (Inagaki, S.) **6,** 289

Rat brain
Development; β_1-Adrenoceptor; β_2-Adrenoceptor; G protein; β-Actin; Messenger RNA (Duman, R.S.) **5,** 289

Gene expression; β-S-100 protein; In situ hybridization; Development (Landry, C.F.) **6,** 251

Rat brain cDNA clone
Argininosuccinate lyase; Argininosuccinic aciduria; Urea cycle; Nucleotide sequence analysis; 5′-Untranslated sequence; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

Receptor
Acetylcholine; Muscarinic receptor; Cortex; Regulation; Potassium channel (Shaw, C.) **5,** 71

Receptor assembly
Xenopus oocyte; Acetylcholine receptor; *Torpedo*; Membrane insertion; *N*-Glycosylation; Tunicamyin (Sumikawa, K.) **5,** 183

Receptor subtype
$GABA_A$ receptor; In situ hybridization; Colliculus; Olfactory bulb; Striatum; Midbrain (Wisden, W.) **5,** 305

Regulation
Acetylcholine; Muscarinic receptor; Receptor; Cortex; Potassium channel (Shaw, C.) **5,** 71

Muscarinic receptor; Phorbol ester; Protein kinase C; Cortex (Jia, W.-G.) **5,** 311

Retina
Neurofilament; Ganglion cell; Axonal transport; Neurofilament protein (Nixon, R.A.) **5,** 93

MEKA protein; MEKA cDNA; Photoreceptor cell; Immunohistochemistry (Kuo, C.-H.) **6,** 1

Retrograde axonal transport
Nerve growth factor receptor; Alzheimer's disease; Basal forebrain magnocellular cholinergic neuron (Goedert, M.) **5,** 1

Retrovirus
Neural grafting; Genetically modified cell; LacZ; β-Galactosidase; Enzyme histochemistry; Immunohistochemistry; Macrophage (Shimohama, S.) **5,** 271

RNA blot
Neuropeptide Y; mRNA; Human brain; In situ hybridization; Basal ganglia; Cerebral cortex (Brené, S.) **6,** 241

RNA-blot hybridization
Luteinizing hormone-releasing hormone mRNA; Hypothalamus; Progesterone; Prepubertal female rat (Kim, K.) **6,** 151

RNA–DNA hybridization
Cold stress; Adrenal gland; PNMT cDNA; Immunoblot analysis (Weisberg, E.P.) **6,** 159

S

Schwann cell
Development; P_0 glycoprotein; In situ hybridization; Peripheral nervous system (Lamperth, L.) **5,** 177

Sciatic nerve
Dorsal root ganglion; Substance P; Vasoactive intestinal polypeptide; mRNA; In situ hybridization; Dorsal rhizotomy (Noguchi, K.) **6,** 327

Senile plaque
Amyloid β-protein precursor transcript; Alzheimer's disease (Spillantini, M.G.) **6,** 143

Serotonin
Acetylcholine; γ-Aminobutyric acid; Kainate; *Xenopus* oocyte; Brain RNA; Protein kinase C (Moran, O.) **5,** 193

Sexual differentiation
Anteroventral periventricular nucleus; Catecholamine; In situ hybridization (Simerly, R.B.) **6,** 297

Shaker
Potassium channel; Antibody; *Drosophila* (Barbas, J.A.) **5,** 171

SK-N-MC cells
Proenkephalin A; Dexamethasone; Norepinephrine; Cyclic AMP (Folkesson, R.) **5,** 211

Sodium channel
Human central nervous system; Brain synaptosome; Anesthetic; Barbiturate; Lipid bilayer (Frenkel, C.) **6,** 211

Solution hybridization
Brain; Pro-opiomelanocortin; Primary transcript; mRNA; In situ hybridization (Fremeau, R.T.) **6,** 197

Solution hybridization-nuclease protection assay
Gonadotropin-releasing hormone-GAP precursor; Preoptic area; Hypothalamus; Ovariectomy; Estradiol (Roberts, J.L.) **6,** 127

Somatomedin
Nerve growth factor; Axon; Development; Neuroblastoma (Fernyhough, P.) **6,** 109

Somatostatin
Tyrosine hydroxylase; Sympathetic neuron; Phenotypic expression; Membrane depolarization; Nerve impulse activity (Spiegel, K.) **5,** 23

Gene expression; Messenger RNA; In situ hybridization; Mouse; Fluphenazine-*N*-mustard; Striatum; Dopamine (Weiss, L.T.) **5,** 121

Cerebellum; Development; In situ hybridization; Rat (Inagaki, S.) **6,** 289

Somatostatin mRNA
Glutamic acid decarboxylase mRNA; Kindling; Epilepsy model (Shinoda, H.) **5,** 243

Strain specific
Transcriptional regulation; Phenylethanolamine *N*-methyltransferase; Adrenal medulla; Catecholamine gene (Evinger, M.J.) **5,** 141

Stress
C-*fos*; Adrenergic receptor; Yohimbine; Clonidine; Propranolol; Prazosin; Brain (Gubits, R.M.) **6,** 39

Striatonigral fiber
Neostriatum; Substantia nigra; Quinolinic acid; Phosphoprotein; Protein phosphorylation (Walaas, S.I.) **5,** 149

Striatum
Somatostatin; Gene expression; Messenger RNA; In situ hybridization; Mouse; Fluphenazine-*N*-mustard; Dopamine (Weiss, L.T.) **5,** 121

Transcription factor; DNA binding protein; Gel retardation assay; Enkephalin; Adrenal medulla; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

$GABA_A$ receptor; Receptor subtype; In situ hybridization; Colliculus; Olfactory bulb; Midbrain (Wisden, W.) **5,** 305

Stroke
Heat shock protein; Kainic acid; Brain ischemia (Gonzalez, M.F.) **6,** 93

Subcellular distribution
Cellular *ras* gene product (c-*ras* p21s); Oncogene; Brain; Synaptosome; Microsome; Membrane (Mizoguchi, A.) **5,** 31

Substance P
Dorsal root ganglion; Sciatic nerve; Vasoactive intestinal polypeptide; mRNA; In situ hybridization; Dorsal rhizotomy (Noguchi, K.) **6,** 327

Substantia nigra
Neostriatum; Quinolinic acid; Striatonigral fiber; Phosphoprotein; Protein phosphorylation (Walaas, S.I.) **5,** 149

6-Hydroxydopamine; Tyrosine hydroxylase mRNA; β-Tubulin mRNA; In situ hybridization; Immunocytochemistry; Dopamine (Pasinetti, G.M.) **5,** 203

γ-Subunit
Proteolytic processing; In vitro; Prepro-nerve growth factor; Mature nerve growth factor; Gel electrophoresis; Immunoprecipitation (Jongstra-Bilen, J.) **5,** 159

Suprachiasmatic nucleus
Vasopressin mRNA; Diurnal rhythm; Poly(A) tail; Neuropeptide (Carter, D.A.) **6,** 233

Sympathetic neuron
Somatostatin; Tyrosine hydroxylase; Phenotypic expression; Membrane depolarization; Nerve impulse activity (Spiegel, K.) **5,** 23

Neurotransmitter plasticity; Choline acetyltransferase regulation; Tyrosine hydroxylase regulation; Calcium channel; L-type; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

Synaptic vesicle
Glutaminase; mRNA; Cerebellar granule cell; Glutamate; Neuron; Neurotransmitter; Excitatory amino acid (Thomas, J.W.) **6,** 47

Synaptosomal membrane
Benzodiazepine receptor; Modulation; Phosphatidylserine; Acute stress; Cardiolipine (Levi de Stein, M.) **5,** 9

Synaptosome
Cellular *ras* gene product (c-*ras* p21s); Oncogene; Brain; Subcellular distribution; Microsome; Membrane (Mizoguchi, A.) **5,** 31

Guanosine triphosphate binding protein; *ras* protein; *rho* protein; *smg*-25A protein; Intrasynaptosomal distribution (Kim, S.) **6,** 167

T

12-*O*-Tetradecanoyl-phorbol-13-acetate
Neuroblastoma; Insulin-like growth factor I; mRNA (Ota, A.) **6,** 69

Terminalis nerve
Olfactory placode; Genetic defect; Nasal; Fetus; Gonadotropin-releasing hormone (Schwanzel-Fukuda, M.) **6,** 311

Tissue viability
Muscarinic acetylcholine receptor; Cortex slice; *N*-Methyl scopolamine; Quinuclidinyl benzilate (Van Huizen, F.) **5,** 59

Tissue-specific enzyme deficiency
Argininosuccinate lyase; Argininosuccinic aciduria; Urea cycle; Rat brain cDNA clone; Nucleotide sequence analysis; 5′-Untranslated sequence (Kawamoto, S.) **5,** 235

Torpedo
Xenopus oocyte; Acetylcholine receptor; Receptor assembly; Membrane insertion; *N*-Glycosylation; Tunicamyin (Sumikawa, K.) **5,** 183

Trans-activation
C-*fos*; Dynorphin; Enkephalin; mRNA; Dorsal spinal cord; Inflammation; Nociception; Enhancer (Draisci, G.) **6,** 31

Transcription
Enkephalin; Catecholamine; Tyrosine hydroxylase; Adrenal medulla; Plasticity (La Gamma, E.F.) **5,** 17

Glycogen phosphorylase; Brain isozyme; Human tissue (Gelinas, R.P.) **6,** 177

Transcription factor
DNA binding protein; Striatum; Gel retardation assay; Enkephalin; Adrenal medulla; Nuclear protein; Adrenal transmitter (La Gamma, E.F.) **5,** 131

Transcriptional regulation
Phenylethanolamine *N*-methyltransferase; Strain specific; Adrenal medulla; Catecholamine gene (Evinger, M.J.) **5,** 141

Translationalcontrol
Alzheimer's disease; Polysome; Protein synthesis (Langstrom, N.S.) **5,** 259

Transmembrane protein
5B4 antigen; Neural cell adhesion molecule; Neuron; Cell adhesion (Ramos, P.) **6,** 61

Trigeminal afferent
Preproenkephalin mRNA; Nucleus caudalis (Nishimori, T.) **6,** 203

Trigeminal injury
C-*Fos*; Protooncogene; Whisker; Barrel (Sharp, F.R.) **6,** 217

β-Tubulin mRNA
6-Hydroxydopamine; Tyrosine hydroxylase mRNA; In situ hybridization; Immunocytochemistry; Dopamine; Substantia nigra (Pasinetti, G.M.) **5,** 203

Tunicamyin
Xenopus oocyte; Acetylcholine receptor; *Torpedo*; Receptor assembly; Membrane insertion; *N*-Glycosylation (Sumikawa, K.) **5,** 183

Tyrosine hydroxylase
Transcription; Enkephalin; Catecholamine; Adrenal medulla; Plasticity (La Gamma, E.F.) **5,** 17

Somatostatin; Sympathetic neuron; Phenotypic expression; Membrane depolarization; Nerve impulse activity (Spiegel, K.) **5,** 23

Differentiation; Gene expression (Pennypacker, K.R.) **5,** 251

Tyrosine hydroxylase mRNA
6-Hydroxydopamine; β-Tubulin mRNA; In situ hybridization; Immunocytochemistry; Dopamine; Substantia nigra (Pasinetti, G.M.) **5,** 203

Tyrosine hydroxylase regulation
Sympathetic neuron; Neurotransmitter plasticity; Choline acetyltransferase regulation; Calcium channel; L-type; Fluspirilene; Dihydropyridine (Vidal, S.) **6,** 187

U

5′-Untranslated sequence
Argininosuccinate lyase; Argininosuccinic aciduria; Urea cycle; Rat brain cDNA clone; Nucleotide sequence analysis; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

Urea cycle
Argininosuccinate lyase; Argininosuccinic aciduria; Rat brain cDNA clone; Nucleotide sequence analysis; 5′-Untranslated sequence; Tissue-specific enzyme deficiency (Kawamoto, S.) **5,** 235

V

Vasoactive intestinal polypeptide
Dorsal root ganglion; Sciatic nerve; Substance P; mRNA; In situ hybridization; Dorsal rhizotomy (Noguchi, K.) **6,** 327

Vasopressin mRNA
Suprachiasmatic nucleus; Diurnal rhythm; Poly(A) tail; Neuropeptide (Carter, D.A.) **6,** 233

Voltage-operated calcium channel
α-Melanocyte-stimulating hormone; Proopiomelanocortin; 1,4-Dihydropyridine; ψ-Conotoxin GVIA; Perifusion; Hypothalamus (Tranchand-Bunel, D.) **6,** 21

W

Whisker
C-*Fos*; Protooncogene; Trigeminal injury; Barrel (Sharp, F.R.) **6,** 217

X

***Xenopus* oocyte**
Acetylcholine receptor; *Torpedo*; Receptor assembly; Membrane insertion; *N*-Glycosylation; Tunicamyin (Sumikawa, K.) **5,** 183

Serotonin; Acetylcholine; γ-Aminobutyric acid; Kainate; Brain RNA; Protein kinase C (Moran, O.) **5,** 193

Y

Yohimbine
C-*fos*; Adrenergic receptor; Clonidine; Propranolol; Prazosin; Stress; Brain (Gubits, R.M.) **6,** 3911

Illustrations. All illustrations must be submitted in quadruplicate and reach the editors in a **form and condition suitable for reproduction either across a single column (=8.3 cm) or a whole page (=17.6 cm)**. The illustrations should bear the author's name and be numbered in Arabic numbers according to the sequence of their appearance in the text, where they are to be referred to as Fig. 1, Fig. 2 etc. Line-drawings should be in Indian ink on drawing or tracing paper or glossy sharp photographs of same. Lettering should be clear and of adequate size to be legible after reduction. Professional labelling is preferable but, if this is not possible, lettering should be in fine pencil. Photographs, including roentgenograms, electroencephalograms, and electron micrographs should be supplied as **clear black and white prints on glossy paper**, rather than copies which reproduce detail badly, usually larger than the final size of reproduction, but not more than 20 × 25 cm. Micrographs should have a scale bar, rather than a magnification factor in the legend. The degree of reduction will be determined by the Publisher, but in general it should be assumed that the same degree of reduction will be applied to all figures in the same paper.
Colour reproduction. Reproduction in colours will have to be approved by the Editors. The extra costs of colour reproduction will be charged to the author(s). Colour figures should be submitted as separate prints and **not be mounted on cardboard. Professional labelling is preferred,** but if this is not possible, an overlay displaying the desired labelling, should be provided with the figures. Please note tat so-called **press-on lettering should be avoided** since this is likely to get damaged during handling and photographic processing of the prints. **Slides taken from labelled prints** are also acceptable. Each illustration must have a legend. These should be typed with double spacing on a separate page and begin with the number of the illustration they refer to.
If illustrations or other small parts of articles or books already published elsewhere are used in papers submitted to **Brain Research,** the written permission of author and publisher concerned must be included with the manuscript. The original source must be indicated in the legend of the illustration in these cases.
Tables. Tables of numerical data should each be typed (also with double spacing) on a separate page, numbered in sequence in Roman numerals (Table I, II, etc.), provided with a heading, and referred to in the text as Table I, Table II, etc.
Proofs. Authors should keep a carbon copy of their manuscripts as proofs will be sent to them without manuscript. Proofs will usually be drawn on lower-quality paper. Only printer's errors may be corrected; no change in, or additions to, the edited manuscript will be allowed at this stage.
Reprints. A total of 50 reprints of each paper will be provided free of charge to the author(s). Additional copies can be ordered at prices shown on the reprint order form which will be sent to the author with the proofs.

© 1991, ELSEVIER SCIENCE PUBLISHERS B.V. (ACADEMIC PUBLISHING DIVISION)

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V. (Academic Publishing Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of the rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.
Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.
Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17, paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (Stb. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.
Permission to reproduce, in whole or in part, any material published in this Journal must be sought from the Publisher and from the author of the article in question.
Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.
Printed in The Netherlands.

ADONIS Identifier. This Journal has adopted the **ADONIS** Identification System. Each article has been provided with a separate, unique number. This number can be found at the top of the first page of each article, immediately following the CCC Royalty Statement (if present). The **ADONIS** number will be used for document ordering at participating **ADONIS** Centres. Copies of individual articles can be printed out from CD-ROM on request. An explanatory leaflet can be obtained by writing to **ADONIS** B.V., P.O. Box 839, 1000 AV Amsterdam, The Netherlands.

SUBSCRIPTION AND PUBLICATION DATA 1991

Brain Research (including **Brain Research Reviews, Developmental Brain Research** and **Molecular Brain Research**) will appear weekly and be contained in 42 volumes (91 issues): **Brain Research, Volumes 534–564** (31 volumes, 62 issues), **Brain Research Reviews, Volume 16** (1 volume, 3 issues), **Developmental Brain Research, Volumes 58–64** (7 volumes, 14 issues) and **Molecular Brain Research, Volumes 8–10** (3 volumes, 12 issues).
Please note that **Volumes 534–537** of **Brain Research** and **Volume 8** of **Molecular Brain Research** were published ahead of schedule in 1990 in order to reduce publication time. The volumes remain part of the 1991 subscription year. Volume 11 of **Molecular Brain Research** will be published ahead of schedule in 1991. The volume remains part of the 1992 subscription year. **Subscription price (combined subscription):** Dfl. 12180.00 (US$ 6583.80). **Discussions in Neuroscience, Volume 8** (1 volume, 4 issues) will be mailed as an integral part to all full-set subscribers to **Brain Research** in 1991.
Separate subscriptions: Brain Research Reviews, Volume 16, 1 volume of 3 issues, Dfl. 332.00 (US$ 179.50), **Developmental Brain Research, Volumes 58–64,** 7 volumes of 2 issues per volume, Dfl. 2191.00 (US$ 1184.35) and **Molecular Brain Research, Volumes 8–10,** 3 volumes of 4 issues per volume, Dfl. 999.00 (US$ 540.00), may also be ordered separately.
All prices include postage and handling. The Dutch guilder price is definitive. The U.S. dollar price is subject to exchange-rate fluctuations and is given only as a guide.
Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon. Personal subscription rates and conditions, if applicable, are available upon request from the Publisher.
Subscription orders can be entered only by calendar year (Jan.–Dec.) and should be sent to Elsevier Science Publishers, Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel.: (31) (20) 5803642, Fax: (31) (20) 5803598, or to your usual subscription agent.
Postage and handling charges include surface delivery except to the following countries where air delivery via SAL (Surface Air Lift) mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan*, Malaysia, Mexico, New Zealand, Pakistan, P.R. China, Singapore, South Africa, South Korea, Taiwan, Thailand and U.S.A.
* For Japan air delivery (SAL) requires 50% additional charge of the normal postage and handling charge. For all other countries airmail rates are available upon request.
Claims for missing issues must be made within three months of our publication (mailing) date, otherwise such claims cannot be honoured free of charge.
In the United States and Canada: for further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishing Co., Inc. Attn: Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, U.S.A. Tel.: (1)(212) 633-3750; Telefax: (1)(212) 633-3990; Telex: 420-643 AEP UI.

This journal is printed on acid-free paper.

COPYRIGHT © 1991 BY ELSEVIER SCIENCE PUBLISHERS B.V.
PRINTED IN THE NETHERLANDS

All rights reserved. No part of this publication may by reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher.